



10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.83	-25	44.83	Pass	141
0.15	30	0.01	RMS	0.17	-68	-25	43	Pass	2986
30	1000	0.1	RMS	862.509	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2558	-40.69	-25	15.69	Pass	1561
2560	2630	1	RMS	2570.5	21.28	60	38.72	Pass	101
2630	3000	1	RMS	2900	-46.33	-25	21.33	Pass	371
3000	12000	1	RMS	11964	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25511	-50.94	-25	25.94	Pass	14502




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-25	44.12	Pass	141
0.15	30	0.01	RMS	0.19	-67.51	-25	42.51	Pass	2986
30	1000	0.1	RMS	847.6	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2550	-42.11	-25	17.11	Pass	1561
2560	2630	1	RMS	2585.2	21.39	60	38.61	Pass	101
2630	3000	1	RMS	2900	-46.29	-25	21.29	Pass	371
3000	12000	1	RMS	11957	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25500	-50.84	-25	25.84	Pass	14502




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.72	-25	43.72	Pass	141
0.15	30	0.01	RMS	0.2	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	973.683	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2551	-45.19	-25	20.19	Pass	1561
2560	2630	1	RMS	2585.2	20.24	60	39.76	Pass	101
2630	3000	1	RMS	2900	-46.3	-25	21.3	Pass	371
3000	12000	1	RMS	11968	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25494	-50.88	-25	25.88	Pass	14502




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.36	-25	44.36	Pass	141
0.15	30	0.01	RMS	0.19	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	866.612	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2500	-48.37	-25	23.37	Pass	1561
2560	2630	1	RMS	2600.6	21.89	60	38.11	Pass	101
2630	3000	1	RMS	2636	-25.6	-25	0.6	Pass*	371
3000	12000	1	RMS	11976	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25504	-50.87	-25	25.87	Pass	14502



10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.27	-25	44.27	Pass	141
0.15	30	0.01	RMS	0.15	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	980.987	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2497	-48.4	-25	23.4	Pass	1561
2560	2630	1	RMS	2600.6	20.99	60	39.01	Pass	101
2630	3000	1	RMS	2636	-27.08	-25	2.08	Pass*	371
3000	12000	1	RMS	11956	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25499	-50.89	-25	25.89	Pass	14502



11. LTE_Band41 120M


11.54. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.04	-25	44.04	Pass	141
0.15	30	0.01	RMS	0.15	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	863.91	-61.32	-25	36.32	Pass	9701
1000	2525	1	RMS	2524	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2535	18.28	60	41.72	Pass	141
2665	3000	1	RMS	2900	-46.27	-25	21.27	Pass	336
3000	12000	1	RMS	11975	-60.01	-25	35.01	Pass	9002
12000	26500	1	RMS	25485	-50.22	-25	25.22	Pass	14502




11.55. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.56	-25	44.56	Pass	141
0.15	30	0.01	RMS	0.17	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	997.398	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2525	-48.15	-25	23.15	Pass	1526
2525	2665	1	RMS	2535	17.44	60	42.56	Pass	141
2665	3000	1	RMS	2901	-46.26	-25	21.26	Pass	336
3000	12000	1	RMS	11964	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25512	-50.23	-25	25.23	Pass	14502




11.56. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.28	-25	44.28	Pass	141
0.15	30	0.01	RMS	0.15	-67.41	-25	42.41	Pass	2986
30	1000	0.1	RMS	990.894	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2498	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2592	19.8	60	40.2	Pass	141
2665	3000	1	RMS	2899	-46.24	-25	21.24	Pass	336
3000	12000	1	RMS	11955	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25504	-50.2	-25	25.2	Pass	14502




**11.57. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.09	-25	44.09	Pass	141
0.15	30	0.01	RMS	0.17	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	995.597	-61.44	-25	36.44	Pass	9701
1000	2525	1	RMS	2503	-48.35	-25	23.35	Pass	1526
2525	2665	1	RMS	2592	19.13	60	40.87	Pass	141
2665	3000	1	RMS	2900	-46.21	-25	21.21	Pass	336
3000	12000	1	RMS	11947	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25489	-50.18	-25	25.18	Pass	14502




11.58. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.3	-25	44.3	Pass	141
0.15	30	0.01	RMS	0.26	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	863.009	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2525	-48.3	-25	23.3	Pass	1526
2525	2665	1	RMS	2649	18.28	60	41.72	Pass	141
2665	3000	1	RMS	2903	-46.25	-25	21.25	Pass	336
3000	12000	1	RMS	11957	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25503	-50.18	-25	25.18	Pass	14502




**11.59. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.42	-25	44.42	Pass	141
0.15	30	0.01	RMS	0.15	-68.99	-25	43.99	Pass	2986
30	1000	0.1	RMS	818.6	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2514	-48.38	-25	23.38	Pass	1526
2525	2665	1	RMS	2649	17.58	60	42.42	Pass	141
2665	3000	1	RMS	2900	-46.23	-25	21.23	Pass	336
3000	12000	1	RMS	11955	-60.1	-25	35.1	Pass	9002
12000	26500	1	RMS	25499	-50.13	-25	25.13	Pass	14502




11.60. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.98	-25	43.98	Pass	141
0.15	30	0.01	RMS	0.15	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	953.169	-61.48	-25	36.48	Pass	9701
1000	2525	1	RMS	2525	-46.28	-25	21.28	Pass	1526
2525	2665	1	RMS	2535	19.68	60	40.32	Pass	141
2665	3000	1	RMS	2899	-46.22	-25	21.22	Pass	336
3000	12000	1	RMS	11972	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25501	-50.1	-25	25.1	Pass	14502




11.61. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.71	-25	44.71	Pass	141
0.15	30	0.01	RMS	0.16	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	968.379	-61.31	-25	36.31	Pass	9701
1000	2525	1	RMS	2518	-46.75	-25	21.75	Pass	1526
2525	2665	1	RMS	2535	18.89	60	41.11	Pass	141
2665	3000	1	RMS	2900	-46.22	-25	21.22	Pass	336
3000	12000	1	RMS	11950	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25505	-50.19	-25	25.19	Pass	14502




11.62. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.81	-25	44.81	Pass	141
0.15	30	0.01	RMS	0.15	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	912.542	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2496	-48.29	-25	23.29	Pass	1526
2525	2665	1	RMS	2590	19.36	60	40.64	Pass	141
2665	3000	1	RMS	2904	-46.23	-25	21.23	Pass	336
3000	12000	1	RMS	11950	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25497	-50.2	-25	25.2	Pass	14502




11.63. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.51	-25	44.51	Pass	141
0.15	30	0.01	RMS	0.18	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	892.829	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2500	-48.34	-25	23.34	Pass	1526
2525	2665	1	RMS	2590	18.2	60	41.8	Pass	141
2665	3000	1	RMS	2901	-46.19	-25	21.19	Pass	336
3000	12000	1	RMS	11971	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25503	-50.2	-25	25.2	Pass	14502




11.64. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.97	-25	43.97	Pass	141
0.15	30	0.01	RMS	0.17	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	862.309	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2497	-48.33	-25	23.33	Pass	1526
2525	2665	1	RMS	2645	19.76	60	40.24	Pass	141
2665	3000	1	RMS	2901	-46.24	-25	21.24	Pass	336
3000	12000	1	RMS	11950	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25523	-50.2	-25	25.2	Pass	14502




11.65. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.61	-25	44.61	Pass	141
0.15	30	0.01	RMS	0.19	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	886.325	-61.44	-25	36.44	Pass	9701
1000	2525	1	RMS	2501	-48.29	-25	23.29	Pass	1526
2525	2665	1	RMS	2645	18.93	60	41.07	Pass	141
2665	3000	1	RMS	2900	-46.19	-25	21.19	Pass	336
3000	12000	1	RMS	11955	-59.96	-25	34.96	Pass	9002
12000	26500	1	RMS	25498	-50.19	-25	25.19	Pass	14502




11.66. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.43	-25	44.43	Pass	141
0.15	30	0.01	RMS	0.17	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	967.879	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2524	-44.19	-25	19.19	Pass	1526
2525	2665	1	RMS	2535	20.01	60	39.99	Pass	141
2665	3000	1	RMS	2903	-46.23	-25	21.23	Pass	336
3000	12000	1	RMS	11985	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25500	-50.08	-25	25.08	Pass	14502




11.67. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.01	-25	44.01	Pass	141
0.15	30	0.01	RMS	0.17	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	993.296	-61.41	-25	36.41	Pass	9701
1000	2525	1	RMS	2524	-45.94	-25	20.94	Pass	1526
2525	2665	1	RMS	2535	19.17	60	40.83	Pass	141
2665	3000	1	RMS	2900	-46.2	-25	21.2	Pass	336
3000	12000	1	RMS	11956	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25489	-50.07	-25	25.07	Pass	14502




11.68. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.26	-25	44.26	Pass	141
0.15	30	0.01	RMS	0.17	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	859.007	-61.28	-25	36.28	Pass	9701
1000	2525	1	RMS	2491	-48.31	-25	23.31	Pass	1526
2525	2665	1	RMS	2587	17.99	60	42.01	Pass	141
2665	3000	1	RMS	2900	-46.23	-25	21.23	Pass	336
3000	12000	1	RMS	11952	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25505	-50.01	-25	25.01	Pass	14502




11.69. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.96	-25	43.96	Pass	141
0.15	30	0.01	RMS	0.17	-67.3	-25	42.3	Pass	2986
30	1000	0.1	RMS	946.865	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2499	-48.33	-25	23.33	Pass	1526
2525	2665	1	RMS	2587	17.07	60	42.93	Pass	141
2665	3000	1	RMS	2906	-46.25	-25	21.25	Pass	336
3000	12000	1	RMS	11970	-59.95	-25	34.95	Pass	9002
12000	26500	1	RMS	25491	-50.21	-25	25.21	Pass	14502



11.82. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.22	-25	44.22	Pass	141
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	896.832	-61.45	-25	36.45	Pass	9701
1000	2525	1	RMS	2501	-48.37	-25	23.37	Pass	1526
2525	2665	1	RMS	2640	21.19	60	38.81	Pass	141
2665	3000	1	RMS	2667	-25.19	-25	0.19	Pass*	336
3000	12000	1	RMS	3443	-59.34	-25	34.34	Pass	9002
12000	26500	1	RMS	25500	-50.3	-25	25.3	Pass	14502



--BLANK BELOW--


11.71. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.64	-25	43.64	Pass	141
0.15	30	0.01	RMS	0.15	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	862.309	-61.47	-25	36.47	Pass	9701
1000	2525	1	RMS	2500	-48.34	-25	23.34	Pass	1526
2525	2665	1	RMS	2640	19.49	60	40.51	Pass	141
2665	3000	1	RMS	2667	-25.48	-25	0.48	Pass*	336
3000	12000	1	RMS	11951	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25505	-50.11	-25	25.11	Pass	14502




11.72. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.44	-25	44.44	Pass	141
0.15	30	0.01	RMS	0.16	-67.37	-25	42.37	Pass	2986
30	1000	0.1	RMS	878.019	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2524	-43.98	-25	18.98	Pass	1526
2525	2665	1	RMS	2535	19.44	60	40.56	Pass	141
2665	3000	1	RMS	2902	-46.17	-25	21.17	Pass	336
3000	12000	1	RMS	11950	-60	-25	35	Pass	9002
12000	26500	1	RMS	25496	-50.17	-25	25.17	Pass	14502




11.73. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-25	44.13	Pass	141
0.15	30	0.01	RMS	0.16	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	970.581	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2524	-43.2	-25	18.2	Pass	1526
2525	2665	1	RMS	2535	18.85	60	41.15	Pass	141
2665	3000	1	RMS	2899	-46.22	-25	21.22	Pass	336
3000	12000	1	RMS	3497	-59.75	-25	34.75	Pass	9002
12000	26500	1	RMS	25504	-50.15	-25	25.15	Pass	14502




11.74. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.49	-25	44.49	Pass	141
0.15	30	0.01	RMS	0.15	-67.73	-25	42.73	Pass	2986
30	1000	0.1	RMS	913.943	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2500	-48.34	-25	23.34	Pass	1526
2525	2665	1	RMS	2585	19.23	60	40.77	Pass	141
2665	3000	1	RMS	2902	-46.18	-25	21.18	Pass	336
3000	12000	1	RMS	11949	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25498	-50.13	-25	25.13	Pass	14502




11.75. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.39	-25	44.39	Pass	141
0.15	30	0.01	RMS	0.15	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	906.338	-61.36	-25	36.36	Pass	9701
1000	2525	1	RMS	2492	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2585	18.31	60	41.69	Pass	141
2665	3000	1	RMS	2900	-46.24	-25	21.24	Pass	336
3000	12000	1	RMS	11983	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25494	-50.2	-25	25.2	Pass	14502



11.81. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-25	44.12	Pass	141
0.15	30	0.01	RMS	0.18	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	860.908	-61.43	-25	36.43	Pass	9701
1000	2525	1	RMS	2494	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2635	20.85	60	39.15	Pass	141
2665	3000	1	RMS	2671	-26.21	-25	1.21	Pass*	336
3000	12000	1	RMS	5272	-58.49	-25	33.49	Pass	9002
12000	26500	1	RMS	25503	-50.13	-25	25.13	Pass	14502



11.77. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.86	-25	44.86	Pass	141
0.15	30	0.01	RMS	0.16	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	845.2	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2501	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2635	18.67	60	41.33	Pass	141
2665	3000	1	RMS	2671	-25.58	-25	0.58	Pass*	336
3000	12000	1	RMS	11952	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25509	-50.17	-25	25.17	Pass	14502

