

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.00.48

EUT Name: A6Go Smart Payment Terminal

Temp.(°C): 22.5

Model Number: K1152

Humidity (%RH): 53

Sample Number: CC26080004-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH6 P=18


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.250	39.57	-15.62	74.0	34.43	Peak	0.00	150	Vertical	Pass
1**	1306.250	28.78	-15.62	54.0	25.22	AV	0.00	150	Vertical	Pass
2	2435.750	95.96	-12.32	74.0	-21.96	Peak	28.00	150	Vertical	N/A
2**	2435.750	92.93	-12.32	54.0	-38.93	AV	28.00	150	Vertical	N/A
3	4874.500	51.24	-2.25	74.0	22.76	Peak	299.00	150	Vertical	Pass
3**	4874.500	48.55	-2.25	54.0	5.45	AV	299.00	150	Vertical	Pass
4	7788.500	54.62	1.60	74.0	19.38	Peak	179.00	150	Vertical	Pass
4**	7788.500	43.56	1.60	54.0	10.44	AV	179.00	150	Vertical	Pass
5	11383.000	47.70	-3.50	74.0	26.30	Peak	0.00	150	Vertical	Pass
5**	11383.000	36.91	-3.50	54.0	17.09	AV	0.00	150	Vertical	Pass
6	17229.001	49.85	-0.40	74.0	24.15	Peak	226.00	150	Vertical	Pass
6**	17229.001	39.78	-0.40	54.0	14.22	AV	226.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_03.56.45

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH6 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1357.750	40.02	-15.83	74.0	33.98	Peak	116.00	150	Horizontal	Pass
1**	1357.750	29.32	-15.83	54.0	24.68	AV	116.00	150	Horizontal	Pass
2	2438.000	103.27	-12.38	74.0	-29.27	Peak	137.00	150	Horizontal	N/A
2**	2438.000	100.22	-12.38	54.0	-46.22	AV	137.00	150	Horizontal	N/A
3	4874.500	54.75	-2.25	74.0	19.25	Peak	113.00	150	Horizontal	Pass
3**	4874.500	52.98	-2.25	54.0	1.02	AV	113.00	150	Horizontal	Pass
4	7947.000	54.73	1.99	74.0	19.27	Peak	48.00	150	Horizontal	Pass
4**	7947.000	43.60	1.99	54.0	10.40	AV	48.00	150	Horizontal	Pass
5	11271.000	47.72	-4.28	74.0	26.28	Peak	90.00	150	Horizontal	Pass
5**	11271.000	37.08	-4.28	54.0	16.92	AV	90.00	150	Horizontal	Pass
6	16704.500	49.59	-1.66	74.0	24.41	Peak	111.00	150	Horizontal	Pass
6**	16704.500	39.38	-1.66	54.0	14.62	AV	111.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.11.14

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH6 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.750	39.34	-15.53	74.0	34.66	Peak	304.00	150	Vertical	Pass
1**	1158.750	28.29	-15.53	54.0	25.71	AV	304.00	150	Vertical	Pass
2	2434.000	97.54	-12.32	74.0	-23.54	Peak	360.00	150	Vertical	N/A
2**	2434.000	89.75	-12.32	54.0	-35.75	AV	360.00	150	Vertical	N/A
3	4873.000	53.32	-2.22	74.0	20.68	Peak	46.00	150	Vertical	Pass
3**	4873.000	44.89	-2.22	54.0	9.11	AV	46.00	150	Vertical	Pass
4	7843.000	53.69	1.39	74.0	20.31	Peak	0.00	150	Vertical	Pass
4**	7843.000	42.68	1.39	54.0	11.32	AV	0.00	150	Vertical	Pass
5	11417.000	47.62	-3.49	74.0	26.38	Peak	264.00	150	Vertical	Pass
5**	11417.000	36.87	-3.49	54.0	17.13	AV	264.00	150	Vertical	Pass
6	16889.000	49.67	-0.62	74.0	24.33	Peak	242.00	150	Vertical	Pass
6**	16889.000	38.63	-0.62	54.0	15.37	AV	242.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.15.19

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH6 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1321.500	39.39	-15.89	74.0	34.61	Peak	156.00	150	Horizontal	Pass
1**	1321.500	28.60	-15.89	54.0	25.40	AV	156.00	150	Horizontal	Pass
2	2440.000	106.00	-12.37	74.0	-32.00	Peak	137.00	150	Horizontal	N/A
2**	2440.000	98.19	-12.37	54.0	-44.19	AV	137.00	150	Horizontal	N/A
3	4877.000	57.03	-2.25	74.0	16.97	Peak	113.00	150	Horizontal	Pass
3**	4877.000	45.96	-2.25	54.0	8.04	AV	113.00	150	Horizontal	Pass
4	7856.500	54.55	1.63	74.0	19.45	Peak	0.00	150	Horizontal	Pass
4**	7856.500	43.15	1.63	54.0	10.85	AV	0.00	150	Horizontal	Pass
5	10364.500	47.31	-3.16	74.0	26.69	Peak	0.00	150	Horizontal	Pass
5**	10364.500	36.57	-3.16	54.0	17.43	AV	0.00	150	Horizontal	Pass
6	16404.000	49.52	-1.85	74.0	24.48	Peak	10.00	150	Horizontal	Pass
6**	16404.000	38.15	-1.85	54.0	15.85	AV	10.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.38.26

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH6 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1325.250	39.81	-15.89	74.0	34.19	Peak	98.00	150	Vertical	Pass
1**	1325.250	28.95	-15.89	54.0	25.05	AV	98.00	150	Vertical	Pass
2	2434.000	98.89	-12.32	74.0	-24.89	Peak	29.00	150	Vertical	N/A
2**	2434.000	90.56	-12.32	54.0	-36.56	AV	29.00	150	Vertical	N/A
3	4874.000	52.48	-2.23	74.0	21.52	Peak	21.00	150	Vertical	Pass
3**	4874.000	43.11	-2.23	54.0	10.89	AV	21.00	150	Vertical	Pass
4	7966.500	54.64	2.23	74.0	19.36	Peak	226.00	150	Vertical	Pass
4**	7966.500	43.31	2.23	54.0	10.69	AV	226.00	150	Vertical	Pass
5	10640.500	47.31	-3.81	74.0	26.69	Peak	9.00	150	Vertical	Pass
5**	10640.500	36.43	-3.81	54.0	17.57	AV	9.00	150	Vertical	Pass
6	15289.500	50.17	-1.68	74.0	23.83	Peak	118.00	150	Vertical	Pass
6**	15289.500	37.81	-1.68	54.0	16.19	AV	118.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.42.42

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH6 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.250	39.01	-15.63	74.0	34.99	Peak	326.00	150	Horizontal	Pass
1**	1298.250	28.43	-15.63	54.0	25.57	AV	326.00	150	Horizontal	Pass
2	2438.500	105.98	-12.37	74.0	-31.98	Peak	132.00	150	Horizontal	N/A
2**	2438.500	97.47	-12.37	54.0	-43.47	AV	132.00	150	Horizontal	N/A
3	4875.500	52.65	-2.26	74.0	21.35	Peak	104.00	150	Horizontal	Pass
3**	4875.500	44.65	-2.26	54.0	9.35	AV	104.00	150	Horizontal	Pass
4	7894.500	53.89	1.48	74.0	20.11	Peak	25.00	150	Horizontal	Pass
4**	7894.500	42.80	1.48	54.0	11.20	AV	25.00	150	Horizontal	Pass
5	11454.500	48.11	-3.07	74.0	25.89	Peak	360.00	150	Horizontal	Pass
5**	11454.500	37.08	-3.07	54.0	16.92	AV	360.00	150	Horizontal	Pass
6	17295.499	49.75	-0.81	74.0	24.25	Peak	155.00	150	Horizontal	Pass
6**	17295.499	39.16	-0.81	54.0	14.84	AV	155.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.58.39

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH6 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1315.000	39.77	-15.88	74.0	34.23	Peak	94.00	150	Vertical	Pass
1**	1315.000	28.34	-15.88	54.0	25.66	AV	94.00	150	Vertical	Pass
2	2434.250	96.04	-12.32	74.0	-22.04	Peak	28.00	150	Vertical	N/A
2**	2434.250	87.96	-12.32	54.0	-33.96	AV	28.00	150	Vertical	N/A
3	4875.000	48.78	-2.26	74.0	25.22	Peak	40.00	150	Vertical	Pass
3**	4875.000	41.57	-2.26	54.0	12.43	AV	40.00	150	Vertical	Pass
4	7893.000	54.04	1.46	74.0	19.96	Peak	11.00	150	Vertical	Pass
4**	7893.000	42.99	1.46	54.0	11.01	AV	11.00	150	Vertical	Pass
5	10787.500	47.03	-2.98	74.0	26.97	Peak	306.00	150	Vertical	Pass
5**	10787.500	36.85	-2.98	54.0	17.15	AV	306.00	150	Vertical	Pass
6	17250.501	49.41	-0.59	74.0	24.59	Peak	328.00	150	Vertical	Pass
6**	17250.501	39.44	-0.59	54.0	14.56	AV	328.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_05.02.29

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH6 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.250	39.70	-15.93	74.0	34.30	Peak	147.00	150	Horizontal	Pass
1**	1287.250	28.48	-15.93	54.0	25.52	AV	147.00	150	Horizontal	Pass
2	2439.250	103.33	-12.37	74.0	-29.33	Peak	137.00	150	Horizontal	N/A
2**	2439.250	95.13	-12.37	54.0	-41.13	AV	137.00	150	Horizontal	N/A
3	4873.500	50.83	-2.23	74.0	23.17	Peak	115.00	150	Horizontal	Pass
3**	4873.500	42.61	-2.23	54.0	11.39	AV	115.00	150	Horizontal	Pass
4	7977.500	54.02	1.92	74.0	19.98	Peak	360.00	150	Horizontal	Pass
4**	7977.500	43.07	1.92	54.0	10.93	AV	360.00	150	Horizontal	Pass
5	10495.500	47.58	-3.23	74.0	26.42	Peak	74.00	150	Horizontal	Pass
5**	10495.500	36.60	-3.23	54.0	17.40	AV	74.00	150	Horizontal	Pass
6	15132.500	49.40	-2.38	74.0	24.60	Peak	182.00	150	Horizontal	Pass
6**	15132.500	38.93	-2.38	54.0	15.07	AV	182.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.45.04

EUT Name: A6Go Smart Payment Terminal

Temp.(°C): 23.2

Model Number: K1152

Humidity (%RH): 51

Sample Number: CC26080004-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	42.901	31.35	-25.09	40.0	8.65	Peak	3.00	100	Vertical	Pass
2	67.394	24.71	-28.13	40.0	15.29	Peak	359.00	100	Vertical	Pass
3	105.902	25.50	-26.24	43.5	18.00	Peak	303.00	200	Vertical	Pass
4	205.764	23.01	-26.32	43.5	20.49	Peak	131.00	100	Vertical	Pass
5	345.008	22.17	-21.51	46.0	23.83	Peak	46.00	100	Vertical	Pass
6	935.689	31.55	-8.93	46.0	14.45	Peak	208.00	200	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.52.16

EUT Name: A6Go Smart Payment Terminal

Temp.(°C): 23.2

Model Number: K1152

Humidity (%RH): 51

Sample Number: CC26080004-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: S05+数据线: S05

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.000	30.49	-28.88	40.0	9.51	Peak	79.00	200	Horizontal	Pass
2	49.594	22.08	-24.53	40.0	17.92	Peak	56.00	200	Horizontal	Pass
3	90.431	26.15	-27.93	43.5	17.35	Peak	156.00	200	Horizontal	Pass
4	217.646	27.17	-26.02	46.0	18.83	Peak	237.00	100	Horizontal	Pass
5	345.008	22.72	-21.51	46.0	23.28	Peak	76.00	100	Horizontal	Pass
6	839.513	30.03	-10.63	46.0	15.97	Peak	270.00	100	Horizontal	Pass