

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.05.08

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.73	-4.87	74.0	23.27	Peak	8.38	150	Vertical	Pass
1**	2390.000	40.91	-4.87	54.0	13.09	AV	8.38	150	Vertical	Pass
2	2369.400	52.81	-4.07	74.0	21.19	Peak	360.00	150	Vertical	Pass
2**	2369.400	41.15	-4.07	54.0	12.85	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.06.47

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.24	-4.87	74.0	22.76	Peak	264.08	150	Horizontal	Pass
1**	2390.000	41.20	-4.87	54.0	12.80	AV	264.08	150	Horizontal	Pass
2	2385.500	53.52	-4.61	74.0	20.48	Peak	334.00	150	Horizontal	Pass
2**	2385.500	43.03	-4.61	54.0	10.97	AV	334.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.09.31

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.15	-3.78	74.0	22.85	Peak	265.00	150	Vertical	Pass
1**	2483.500	41.58	-3.78	54.0	12.42	AV	265.00	150	Vertical	Pass
2	2484.190	52.78	-3.78	74.0	21.22	Peak	0.00	150	Vertical	Pass
2**	2484.190	41.48	-3.78	54.0	12.52	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.08.15

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.81	-3.78	74.0	21.19	Peak	171.00	150	Horizontal	Pass
1**	2483.500	43.71	-3.78	54.0	10.29	AV	171.00	150	Horizontal	Pass
2	2488.030	55.01	-3.81	74.0	18.99	Peak	173.00	150	Horizontal	Pass
2**	2488.030	45.48	-3.81	54.0	8.52	AV	173.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.33.11

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.57	-4.87	74.0	17.43	Peak	15.44	150	Vertical	Pass
1**	2390.000	43.90	-4.87	54.0	10.10	AV	15.44	150	Vertical	Pass
2	2389.700	58.28	-4.86	74.0	15.72	Peak	23.00	150	Vertical	Pass
2**	2389.700	43.25	-4.86	54.0	10.75	AV	23.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.31.48

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.93	-4.87	74.0	9.07	Peak	346.97	150	Horizontal	Pass
1**	2390.000	49.29	-4.87	54.0	4.71	AV	346.97	150	Horizontal	Pass
2	2389.800	67.07	-4.86	74.0	6.93	Peak	185.00	150	Horizontal	Pass
2**	2389.800	48.95	-4.86	54.0	5.05	AV	185.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.36.16

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.49	-3.78	74.0	15.51	Peak	21.00	150	Vertical	Pass
1**	2483.500	46.11	-3.78	54.0	7.89	AV	21.00	150	Vertical	Pass
2	2483.770	62.77	-3.78	74.0	11.23	Peak	20.00	150	Vertical	Pass
2**	2483.770	45.25	-3.78	54.0	8.75	AV	20.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.34.59

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.70	-3.78	74.0	6.30	Peak	185.00	150	Horizontal	Pass
1**	2483.500	51.84	-3.78	54.0	2.16	AV	185.00	150	Horizontal	Pass
2	2483.590	69.95	-3.78	74.0	4.05	Peak	133.00	150	Horizontal	Pass
2**	2483.590	50.93	-3.78	54.0	3.07	AV	133.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.48.08

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.27	-4.87	74.0	15.73	Peak	16.03	150	Vertical	Pass
1**	2390.000	45.65	-4.87	54.0	8.35	AV	16.03	150	Vertical	Pass
2	2389.200	61.53	-4.83	74.0	12.47	Peak	50.00	150	Vertical	Pass
2**	2389.200	44.82	-4.83	54.0	9.18	AV	50.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.46.42

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	69.69	-4.87	74.0	4.31	Peak	336.82	150	Horizontal	Pass
1**	2390.000	52.58	-4.87	54.0	1.42	AV	336.82	150	Horizontal	Pass
2	2348.500	67.98	-4.94	74.0	6.02	Peak	285.00	150	Horizontal	Pass
2**	2348.500	40.52	-4.94	54.0	13.48	AV	285.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.54.42

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.74	-3.78	74.0	14.26	Peak	38.00	150	Vertical	Pass
1**	2483.500	44.79	-3.78	54.0	9.21	AV	38.00	150	Vertical	Pass
2	2484.310	59.80	-3.78	74.0	14.20	Peak	17.00	150	Vertical	Pass
2**	2484.310	44.01	-3.78	54.0	9.99	AV	17.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_04.53.18

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.30	-3.78	74.0	6.70	Peak	360.00	150	Horizontal	Pass
1**	2483.500	50.41	-3.78	54.0	3.59	AV	360.00	150	Horizontal	Pass
2	2484.010	69.49	-3.78	74.0	4.51	Peak	181.00	150	Horizontal	Pass
2**	2484.010	50.73	-3.78	54.0	3.27	AV	181.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_05.11.40

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.37	-4.87	74.0	13.63	Peak	30.99	150	Vertical	Pass
1**	2390.000	45.58	-4.87	54.0	8.42	AV	30.99	150	Vertical	Pass
2	2388.100	60.86	-4.77	74.0	13.14	Peak	25.00	150	Vertical	Pass
2**	2388.100	44.72	-4.77	54.0	9.28	AV	25.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_05.10.12

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.24	-4.87	74.0	7.76	Peak	182.01	150	Horizontal	Pass
1**	2390.000	51.32	-4.87	54.0	2.68	AV	182.01	150	Horizontal	Pass
2	2388.100	67.03	-4.77	74.0	6.97	Peak	181.00	150	Horizontal	Pass
2**	2388.100	50.69	-4.77	54.0	3.31	AV	181.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_05.18.14

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.34	-3.78	74.0	11.66	Peak	19.00	150	Vertical	Pass
1**	2483.500	45.68	-3.78	54.0	8.32	AV	19.00	150	Vertical	Pass
2	2484.370	63.29	-3.78	74.0	10.71	Peak	17.00	150	Vertical	Pass
2**	2484.370	44.70	-3.78	54.0	9.30	AV	17.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_05.16.48

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	22.5
Model Number:	K1152	Humidity (%RH):	53
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	69.13	-3.78	74.0	4.87	Peak	177.00	150	Horizontal	Pass
1**	2483.500	50.93	-3.78	54.0	3.07	AV	177.00	150	Horizontal	Pass
2	2484.310	69.64	-3.78	74.0	4.36	Peak	177.00	150	Horizontal	Pass
2**	2484.310	50.23	-3.78	54.0	3.77	AV	177.00	150	Horizontal	Pass