



30 MHz – 1GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 5 SEP.2025 14:53:38

1 GHz – 18.8 GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 5 SEP.2025 14:54:42

30 MHz – 1GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 8 SEP.2025 16:50:00

1 GHz – 18.8 GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 8 SEP.2025 16:51:23

30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 8 SEP.2025 17:40:49

1 GHz – 18.8 GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
 Date: 8 SEP.2025 17:41:56

30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 17:04:20

1 GHz – 18.8 GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 17:05:41

30 MHz – 1GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 5 SEP.2025 15:03:42

1 GHz – 19.076 GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 5 SEP.2025 15:04:47

30 MHz – 1GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP.2025 16:51:53

1 GHz – 19.076 GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP.2025 16:53:34

30 MHz – 1GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP.2025 17:24:38

1 GHz – 19.076 GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP.2025 17:26:23

30 MHz – 1GHz WCDMA (HSPA+) Mode, High channel



ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:08:10


1 GHz – 19.076 GHz WCDMA (HSPA+) Mode, High channel



ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:07:30


WCDMA Band IV:

30 MHz – 1GHz WCDMA (Rel 99) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:08:00

1 GHz – 17.124 GHz WCDMA (Rel 99) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:09:04

30 MHz – 1GHz WCDMA (HSDPA) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:39:22

1 GHz – 17.124 GHz WCDMA (HSDPA) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:40:23

30 MHz – 1GHz WCDMA (HSUPA) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:26:54

1 GHz – 17.124 GHz WCDMA (HSUPA) Mode, Low channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:28:03

30 MHz – 1GHz WCDMA (HSPA+) Mode, Low channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 16:54:05

1 GHz – 17.124 GHz WCDMA (HSPA+) Mode, Low channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 16:55:07

30 MHz – 1GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:09:32

1 GHz – 17.326 GHz WCDMA (Rel 99) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:10:41

30 MHz – 1GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:40:52

1 GHz – 17.326 GHz WCDMA (HSDPA) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:42:00

30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:28:32

1 GHz – 17.326 GHz WCDMA (HSUPA) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:29:46

30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:55:36

1 GHz – 17.326 GHz WCDMA (HSPA+) Mode, Middle channel




ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:56:40

30 MHz – 1GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:11:10

1 GHz – 17.526 GHz WCDMA (Rel 99) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:12:40

30 MHz – 1GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:42:29

1 GHz – 17.526 GHz WCDMA (HSDPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 5 SEP. 2025 15:43:30

30 MHz – 1GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:30:15

1 GHz – 17.526 GHz WCDMA (HSUPA) Mode, High channel




ProjectNo. RKSA250728002 Tester:Neil Zhou
Date: 8 SEP. 2025 17:31:25

30 MHz – 1GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:57:10

1 GHz – 17.526 GHz WCDMA (HSPA+) Mode, High channel



ProjectNo: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:58:11

SPURIOUS RADIATED EMISSIONS**Environmental Conditions & Test Information**

Test Date:	2025-09-05 to 2025-09-08
Temperature:	24.8-25.9 °C
Relative Humidity:	48-53 %
ATM Pressure:	100.9-101.5 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou

Test mode: Transmitting (Pre-scan with all the bandwidth, and worst case as below)

30 MHz - 10 GHz:**GPRS 850 Band**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
GPRS Mode, Low channel								
238.45	46.36	H	-56.03	0.44	-2.64	-59.11	-13	46.11
238.45	52.76	V	-55.87	0.44	-2.64	-58.95	-13	45.95
1648.40	63.85	H	-49.50	0.84	8.44	-41.90	-13	28.90
1648.40	64.21	V	-49.14	0.84	8.44	-41.54	-13	28.54
GPRS Mode, Middle channel								
238.45	46.88	H	-55.51	0.44	-2.64	-58.59	-13	45.59
238.45	52.52	V	-56.11	0.44	-2.64	-59.19	-13	46.19
1673.20	63.54	H	-49.63	0.84	8.48	-41.99	-13	28.99
1673.20	64.91	V	-48.26	0.84	8.48	-40.62	-13	27.62
GPRS Mode, High channel								
238.45	45.04	H	-57.35	0.44	-2.64	-60.43	-13	47.43
238.45	50.93	V	-57.70	0.44	-2.64	-60.78	-13	47.78
1697.60	64.13	H	-48.87	0.84	8.52	-41.19	-13	28.19
1697.60	63.93	V	-49.07	0.84	8.52	-41.39	-13	28.39

WCDMA Band V

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Mode, Low channel								
238.45	47.32	H	-55.07	0.44	-2.64	-58.15	-13	45.15
238.45	52.73	V	-55.90	0.44	-2.64	-58.98	-13	45.98
1652.80	63.12	H	-50.19	0.84	8.44	-42.59	-13	29.59
1652.80	63.87	V	-49.44	0.84	8.44	-41.84	-13	28.84
WCDMA Mode, Middle channel								
238.45	44.69	H	-57.70	0.44	-2.64	-60.78	-13	47.78
238.45	50.92	V	-57.71	0.44	-2.64	-60.79	-13	47.79
1673.20	64.27	H	-48.90	0.84	8.48	-41.26	-13	28.26
1673.20	63.53	V	-49.64	0.84	8.48	-42.00	-13	29.00
WCDMA Mode, High channel								
238.45	45.05	H	-57.34	0.44	-2.64	-60.42	-13	47.42
238.45	51.33	V	-57.30	0.44	-2.64	-60.38	-13	47.38
1693.20	63.64	H	-49.39	0.84	8.51	-41.72	-13	28.72
1693.20	63.91	V	-49.12	0.84	8.51	-41.45	-13	28.45

30 MHz ~ 20 GHz:**PCS 1900 Band**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
GPRS Mode, Low channel								
284.61	49.71	H	-55.72	0.45	-2.18	-58.35	-13	45.35
284.61	50.49	V	-56.67	0.45	-2.18	-59.30	-13	46.30
3700.40	55.81	H	-51.16	0.95	9.78	-42.33	-13	29.33
3700.40	56.88	V	-50.09	0.95	9.78	-41.26	-13	28.26
GPRS Mode, Middle channel								
284.61	47.45	H	-57.98	0.45	-2.18	-60.61	-13	47.61
284.61	49.28	V	-57.88	0.45	-2.18	-60.51	-13	47.51
3760.00	56.75	H	-50.03	0.95	9.74	-41.24	-13	28.24
3760.00	56.48	V	-50.30	0.95	9.74	-41.51	-13	28.51
GPRS Mode, High channel								
284.61	49.36	H	-56.07	0.45	-2.18	-58.70	-13	45.70
284.61	50.44	V	-56.72	0.45	-2.18	-59.35	-13	46.35
3819.60	55.51	H	-51.08	0.96	9.71	-42.33	-13	29.33
3819.60	56.32	V	-50.27	0.96	9.71	-41.52	-13	28.52

WCDMA Band II

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Mode, Low channel								
287.15	48.38	H	-57.35	0.45	-2.18	-59.98	-13	46.98
287.15	51.05	V	-55.92	0.45	-2.18	-58.55	-13	45.55
3704.80	56.40	H	-50.55	0.95	9.78	-41.72	-13	28.72
3704.80	56.77	V	-50.18	0.95	9.78	-41.35	-13	28.35
WCDMA Mode, Middle channel								
287.15	47.84	H	-57.89	0.45	-2.18	-60.52	-13	47.52
287.15	49.14	V	-57.83	0.45	-2.18	-60.46	-13	47.46
3760.00	56.22	H	-50.56	0.95	9.74	-41.77	-13	28.77
3760.00	56.24	V	-50.54	0.95	9.74	-41.75	-13	28.75
WCDMA Mode, High channel								
287.15	49.00	H	-56.73	0.45	-2.18	-59.36	-13	46.36
287.15	49.99	V	-56.98	0.45	-2.18	-59.61	-13	46.61
3815.20	55.50	H	-51.10	0.96	9.71	-42.35	-13	29.35
3815.20	56.63	V	-49.97	0.96	9.71	-41.22	-13	28.22

WCDMA Band IV

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Low channel								
267.49	47.89	H	-55.56	0.45	-2.22	-58.23	-13	45.23
267.49	51.84	V	-56.58	0.45	-2.22	-59.25	-13	46.25
3424.80	56.42	H	-51.50	0.93	9.83	-42.60	-13	29.60
3424.80	56.46	V	-51.46	0.93	9.83	-42.56	-13	29.56
Middle channel								
267.49	45.98	H	-57.47	0.45	-2.22	-60.14	-13	47.14
267.49	50.25	V	-58.17	0.45	-2.22	-60.84	-13	47.84
3465.20	57.67	H	-50.08	0.93	9.87	-41.14	-13	28.14
3465.20	57.65	V	-50.10	0.93	9.87	-41.16	-13	28.16
High channel								
267.49	47.34	H	-56.11	0.45	-2.22	-58.78	-13	45.78
267.49	52.27	V	-56.15	0.45	-2.22	-58.82	-13	45.82
3505.20	57.40	H	-50.18	0.93	9.90	-41.21	-13	28.21
3505.20	57.29	V	-50.29	0.93	9.90	-41.32	-13	28.32

Test mode: Transmitting (Pre-scan with 1RB of all the bandwidth, and worst case as below)

30 MHz ~ 10 GHz:

LTE Band 5:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
245.82	44.17	H	-57.60	0.44	-2.39	-60.43	-13	47.43
245.82	51.16	V	-58.15	0.44	-2.39	-60.98	-13	47.98
1649.40	64.21	H	-49.13	0.84	8.44	-41.53	-13	28.53
1649.40	64.26	V	-49.08	0.84	8.44	-41.48	-13	28.48
16-QAM 1.4MHz Bandwidth Low Channel								
245.82	44.82	H	-56.95	0.44	-2.39	-59.78	-13	46.78
245.82	52.75	V	-56.56	0.44	-2.39	-59.39	-13	46.39
1649.40	63.95	H	-49.39	0.84	8.44	-41.79	-13	28.79
1649.40	64.62	V	-48.72	0.84	8.44	-41.12	-13	28.12
QPSK 1.4MHz Bandwidth Middle Channel								
245.82	44.32	H	-57.45	0.44	-2.39	-60.28	-13	47.28
245.82	51.83	V	-57.48	0.44	-2.39	-60.31	-13	47.31
1673.00	63.84	H	-49.33	0.84	8.48	-41.69	-13	28.69
1673.00	63.91	V	-49.26	0.84	8.48	-41.62	-13	28.62
16-QAM 1.4MHz Bandwidth Middle Channel								
245.82	45.50	H	-56.27	0.44	-2.39	-59.10	-13	46.10
245.82	54.08	V	-55.23	0.44	-2.39	-58.06	-13	45.06
1673.00	64.47	H	-48.70	0.84	8.48	-41.06	-13	28.06
1673.00	64.65	V	-48.52	0.84	8.48	-40.88	-13	27.88
QPSK 1.4MHz Bandwidth High Channel								
245.82	43.70	H	-58.07	0.44	-2.39	-60.90	-13	47.90
245.82	51.15	V	-58.16	0.44	-2.39	-60.99	-13	47.99
1696.60	63.88	H	-49.13	0.84	8.52	-41.45	-13	28.45
1696.60	63.84	V	-49.17	0.84	8.52	-41.49	-13	28.49
16-QAM 1.4MHz Bandwidth High Channel								
245.82	46.04	H	-55.73	0.44	-2.39	-58.56	-13	45.56
245.82	52.52	V	-56.79	0.44	-2.39	-59.62	-13	46.62
1696.60	64.17	H	-48.84	0.84	8.52	-41.16	-13	28.16
1696.60	63.57	V	-49.44	0.84	8.52	-41.76	-13	28.76

LTE Band 12:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
249.52	43.89	H	-57.57	0.44	-2.27	-60.28	-13	47.28
249.52	51.89	V	-57.77	0.44	-2.27	-60.48	-13	47.48
1399.40	65.30	H	-48.87	0.82	7.92	-41.77	-13	28.77
1399.40	65.51	V	-48.66	0.82	7.92	-41.56	-13	28.56
16-QAM 1.4MHz Bandwidth Low Channel								
249.52	44.90	H	-56.56	0.44	-2.27	-59.27	-13	46.27
249.52	52.56	V	-57.10	0.44	-2.27	-59.81	-13	46.81
1399.40	64.28	H	-49.89	0.82	7.92	-42.79	-13	29.79
1399.40	66.87	V	-47.30	0.82	7.92	-40.20	-13	27.20
QPSK 1.4MHz Bandwidth Middle Channel								
249.52	43.71	H	-57.75	0.44	-2.27	-60.46	-13	47.46
249.52	52.27	V	-57.39	0.44	-2.27	-60.10	-13	47.10
1415.00	65.20	H	-49.00	0.82	7.96	-41.86	-13	28.86
1415.00	66.06	V	-48.14	0.82	7.96	-41.00	-13	28.00
16-QAM 1.4MHz Bandwidth Middle Channel								
249.52	45.16	H	-56.30	0.44	-2.27	-59.01	-13	46.01
249.52	52.61	V	-57.05	0.44	-2.27	-59.76	-13	46.76
1415.00	65.74	H	-48.46	0.82	7.96	-41.32	-13	28.32
1415.00	66.75	V	-47.45	0.82	7.96	-40.31	-13	27.31
QPSK 1.4MHz Bandwidth High Channel								
249.52	43.86	H	-57.60	0.44	-2.27	-60.31	-13	47.31
249.52	51.50	V	-58.16	0.44	-2.27	-60.87	-13	47.87
1430.60	65.90	H	-48.33	0.82	8.01	-41.14	-13	28.14
1430.60	65.18	V	-49.05	0.82	8.01	-41.86	-13	28.86
16-QAM 1.4MHz Bandwidth High Channel								
249.52	45.75	H	-55.71	0.44	-2.27	-58.42	-13	45.42
249.52	52.48	V	-57.18	0.44	-2.27	-59.89	-13	46.89
1430.60	65.48	H	-48.75	0.82	8.01	-41.56	-13	28.56
1430.60	65.84	V	-48.39	0.82	8.01	-41.20	-13	28.20

LTE Band 17:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
246.18	44.55	H	-57.19	0.44	-2.38	-60.01	-13	47.01
246.18	51.17	V	-58.18	0.44	-2.38	-61.00	-13	48.00
1413.00	65.82	H	-48.38	0.82	7.96	-41.24	-13	28.24
1413.00	65.65	V	-48.55	0.82	7.96	-41.41	-13	28.41
16-QAM 5MHz Bandwidth Low Channel								
246.18	46.44	H	-55.30	0.44	-2.38	-58.12	-13	45.12
246.18	53.10	V	-56.25	0.44	-2.38	-59.07	-13	46.07
1413.00	64.37	H	-49.83	0.82	7.96	-42.69	-13	29.69
1413.00	65.77	V	-48.43	0.82	7.96	-41.29	-13	28.29
QPSK 5MHz Bandwidth Middle Channel								
246.18	43.97	H	-57.77	0.44	-2.38	-60.59	-13	47.59
246.18	51.22	V	-58.13	0.44	-2.38	-60.95	-13	47.95
1420.00	65.14	H	-49.07	0.82	7.98	-41.91	-13	28.91
1420.00	65.25	V	-48.96	0.82	7.98	-41.80	-13	28.80
16-QAM 5MHz Bandwidth Middle Channel								
246.18	45.69	H	-56.05	0.44	-2.38	-58.87	-13	45.87
246.18	52.85	V	-56.50	0.44	-2.38	-59.32	-13	46.32
1420.00	65.92	H	-48.29	0.82	7.98	-41.13	-13	28.13
1420.00	66.13	V	-48.08	0.82	7.98	-40.92	-13	27.92
QPSK 5MHz Bandwidth High Channel								
246.18	44.19	H	-57.55	0.44	-2.38	-60.37	-13	47.37
246.18	51.41	V	-57.94	0.44	-2.38	-60.76	-13	47.76
1427.00	65.25	H	-48.97	0.82	8.00	-41.79	-13	28.79
1427.00	65.94	V	-48.28	0.82	8.00	-41.10	-13	28.10
16-QAM 5MHz Bandwidth High Channel								
246.18	46.44	H	-55.30	0.44	-2.38	-58.12	-13	45.12
246.18	53.86	V	-55.49	0.44	-2.38	-58.31	-13	45.31
1427.00	64.06	H	-50.16	0.82	8.00	-42.98	-13	29.98
1427.00	66.00	V	-48.22	0.82	8.00	-41.04	-13	28.04

LTE Band 26(Lower)

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
284.16	47.36	H	-58.02	0.45	-2.18	-60.65	-13	47.65
284.16	49.53	V	-57.66	0.45	-2.18	-60.29	-13	47.29
1629.40	64.54	H	-48.94	0.84	8.41	-41.37	-13	28.37
1629.40	64.74	V	-48.74	0.84	8.41	-41.17	-13	28.17
16-QAM 1.4MHz Bandwidth Low Channel								
284.16	48.29	H	-57.09	0.45	-2.18	-59.72	-13	46.72
284.16	51.34	V	-55.85	0.45	-2.18	-58.48	-13	45.48
1629.40	64.30	H	-49.18	0.84	8.41	-41.61	-13	28.61
1629.40	64.43	V	-49.05	0.84	8.41	-41.48	-13	28.48
QPSK 1.4MHz Bandwidth High Channel								
284.16	47.26	H	-58.12	0.45	-2.18	-60.75	-13	47.75
284.16	49.45	V	-57.74	0.45	-2.18	-60.37	-13	47.37
1646.6	64.16	H	-49.08	0.84	8.44	-41.48	-13	28.48
1646.6	64.04	V	-49.20	0.84	8.44	-41.60	-13	28.60
16-QAM 1.4MHz Bandwidth High Channel								
284.16	47.49	H	-57.89	0.45	-2.18	-60.52	-13	47.52
284.16	49.00	V	-58.19	0.45	-2.18	-60.82	-13	47.82
1646.6	64.00	H	-49.24	0.84	8.44	-41.64	-13	28.64
1646.6	64.04	V	-49.20	0.84	8.44	-41.60	-13	28.60
QPSK 1.4MHz Bandwidth Cross Channel								
284.16	48.91	H	-56.47	0.45	-2.18	-59.10	-13	46.10
284.16	50.12	V	-57.07	0.45	-2.18	-59.70	-13	46.70
1648	62.42	H	-50.59	0.84	8.44	-42.99	-13	29.99
1648	63.74	V	-49.27	0.84	8.44	-41.67	-13	28.67
16-QAM 1.4MHz Bandwidth Cross Channel								
284.16	47.45	H	-57.93	0.45	-2.18	-60.56	-13	47.56
284.16	48.93	V	-58.26	0.45	-2.18	-60.89	-13	47.89
1648	63.57	H	-49.44	0.84	8.44	-41.84	-13	28.84
1648	63.58	V	-49.43	0.84	8.44	-41.83	-13	28.83

LTE Band 26(Upper)

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
284.16	46.78	H	-58.60	0.45	-2.18	-61.23	-13	48.23
284.16	48.96	V	-58.23	0.45	-2.18	-60.86	-13	47.86
1649.40	64.42	H	-48.92	0.84	8.44	-41.32	-13	28.32
1649.40	64.79	V	-48.55	0.84	8.44	-40.95	-13	27.95
16-QAM 1.4MHz Bandwidth Low Channel								
284.16	47.13	H	-58.25	0.45	-2.18	-60.88	-13	47.88
284.16	48.10	V	-59.09	0.45	-2.18	-61.72	-13	48.72
1649.40	64.90	H	-48.44	0.84	8.41	-40.87	-13	27.87
1649.40	64.71	V	-48.63	0.84	8.41	-41.06	-13	28.06
QPSK 1.4MHz Bandwidth Middle Channel								
284.16	46.94	H	-58.44	0.45	-2.18	-61.07	-13	48.07
284.16	49.69	V	-57.50	0.45	-2.18	-60.13	-13	47.13
1673.00	63.91	H	-49.26	0.84	8.46	-41.64	-13	28.64
1673.00	64.63	V	-48.54	0.84	8.46	-40.92	-13	27.92
16-QAM 1.4MHz Bandwidth Middle Channel								
284.16	47.19	H	-58.19	0.45	-2.18	-60.82	-13	47.82
284.16	48.43	V	-58.76	0.45	-2.18	-61.39	-13	48.39
1673.00	64.30	H	-48.87	0.84	8.46	-41.25	-13	28.25
1673.00	64.72	V	-48.45	0.84	8.46	-40.83	-13	27.83
QPSK 1.4MHz Bandwidth High Channel								
284.16	48.82	H	-56.56	0.45	-2.18	-59.19	-13	46.19
284.16	49.83	V	-57.36	0.45	-2.18	-59.99	-13	46.99
1696.60	63.65	H	-49.36	0.84	8.51	-41.69	-13	28.69
1696.60	63.47	V	-49.54	0.84	8.51	-41.87	-13	28.87
16-QAM 1.4MHz Bandwidth High Channel								
284.16	47.69	H	-57.69	0.45	-2.18	-60.32	-13	47.32
284.16	48.74	V	-58.45	0.45	-2.18	-61.08	-13	48.08
1696.60	63.42	H	-49.59	0.84	8.51	-41.92	-13	28.92
1696.60	64.46	V	-48.55	0.84	8.51	-40.88	-13	27.88

30 MHz ~ 20 GHz:**LTE Band 2:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
279.45	47.40	H	-57.44	0.45	-2.19	-60.08	-13	47.08
279.45	49.91	V	-57.63	0.45	-2.19	-60.27	-13	47.27
3701.40	56.40	H	-50.56	0.95	9.78	-41.73	-13	28.73
3701.40	56.51	V	-50.45	0.95	9.78	-41.62	-13	28.62
16-QAM 1.4MHz Bandwidth Low Channel								
279.45	48.26	H	-56.58	0.45	-2.19	-59.22	-13	46.22
279.45	50.49	V	-57.05	0.45	-2.19	-59.69	-13	46.69
3701.40	55.21	H	-51.75	0.95	9.78	-42.92	-13	29.92
3701.40	55.19	V	-51.77	0.95	9.78	-42.94	-13	29.94
QPSK 1.4MHz Bandwidth Middle Channel								
279.45	46.51	H	-58.33	0.45	-2.19	-60.97	-13	47.97
279.45	49.71	V	-57.83	0.45	-2.19	-60.47	-13	47.47
3760.00	56.58	H	-50.20	0.95	9.74	-41.41	-13	28.41
3760.00	56.03	V	-50.75	0.95	9.74	-41.96	-13	28.96
16-QAM 1.4MHz Bandwidth Middle Channel								
279.45	48.19	H	-56.65	0.45	-2.19	-59.29	-13	46.29
279.45	50.85	V	-56.69	0.45	-2.19	-59.33	-13	46.33
3760.00	56.53	H	-50.25	0.95	9.74	-41.46	-13	28.46
3760.00	56.91	V	-49.87	0.95	9.74	-41.08	-13	28.08
QPSK 1.4MHz Bandwidth High Channel								
279.45	47.09	H	-57.75	0.45	-2.19	-60.39	-13	47.39
279.45	49.87	V	-57.67	0.45	-2.19	-60.31	-13	47.31
1909.30	62.25	H	-49.29	0.85	8.85	-41.29	-13	28.29
1909.30	62.38	V	-49.16	0.85	8.85	-41.16	-13	28.16
16-QAM 1.4MHz Bandwidth High Channel								
279.45	48.18	H	-56.66	0.45	-2.19	-59.30	-13	46.30
279.45	51.71	V	-55.83	0.45	-2.19	-58.47	-13	45.47
1909.30	61.37	H	-50.17	0.85	8.85	-42.17	-13	29.17
1909.30	61.07	V	-50.47	0.85	8.85	-42.47	-13	29.47

LTE Band 4:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
267.46	45.15	H	-58.30	0.45	-2.22	-60.97	-13	47.97
267.46	50.19	V	-58.23	0.45	-2.22	-60.90	-13	47.90
3421.40	57.28	H	-50.66	0.93	9.82	-41.77	-13	28.77
3421.40	57.42	V	-50.52	0.93	9.82	-41.63	-13	28.63
16-QAM 1.4MHz Bandwidth Low Channel								
267.46	47.05	H	-56.40	0.45	-2.22	-59.07	-13	46.07
267.46	52.98	V	-55.44	0.45	-2.22	-58.11	-13	45.11
3421.40	57.36	H	-50.58	0.93	9.82	-41.69	-13	28.69
3421.40	56.69	V	-51.25	0.93	9.82	-42.36	-13	29.36
QPSK 1.4MHz Bandwidth Middle Channel								
267.46	45.16	H	-58.29	0.45	-2.22	-60.96	-13	47.96
267.46	50.73	V	-57.69	0.45	-2.22	-60.36	-13	47.36
3465.00	57.20	H	-50.55	0.93	9.87	-41.61	-13	28.61
3465.00	57.00	V	-50.75	0.93	9.87	-41.81	-13	28.81
16-QAM 1.4MHz Bandwidth Middle Channel								
267.46	46.99	H	-56.46	0.45	-2.22	-59.13	-13	46.13
267.46	52.37	V	-56.05	0.45	-2.22	-58.72	-13	45.72
3465.00	57.53	H	-50.22	0.93	9.87	-41.28	-13	28.28
3465.00	55.89	V	-51.86	0.93	9.87	-42.92	-13	29.92
QPSK 1.4MHz Bandwidth High Channel								
267.46	45.81	H	-57.64	0.45	-2.22	-60.31	-13	47.31
267.46	50.39	V	-58.03	0.45	-2.22	-60.70	-13	47.70
3508.60	57.17	H	-50.40	0.93	9.89	-41.44	-13	28.44
3508.60	56.62	V	-50.95	0.93	9.89	-41.99	-13	28.99
16-QAM 1.4MHz Bandwidth High Channel								
267.46	46.77	H	-56.68	0.45	-2.22	-59.35	-13	46.35
267.46	51.76	V	-56.66	0.45	-2.22	-59.33	-13	46.33
3508.60	56.66	H	-50.91	0.93	9.89	-41.95	-13	28.95
3508.60	56.91	V	-50.66	0.93	9.89	-41.70	-13	28.70

LTE Band 25:

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4MHz Bandwidth Low Channel								
287.46	47.53	H	-58.24	0.45	-2.18	-60.87	-13	47.87
287.46	48.78	V	-58.17	0.45	-2.18	-60.80	-13	47.80
3701.40	56.34	H	-50.62	0.95	9.78	-41.79	-13	28.79
3701.40	56.75	V	-50.21	0.95	9.78	-41.38	-13	28.38
16-QAM 1.4MHz Bandwidth Low Channel								
287.46	48.82	H	-56.95	0.45	-2.18	-59.58	-13	46.58
287.46	49.94	V	-57.01	0.45	-2.18	-59.64	-13	46.64
3701.40	56.63	H	-50.33	0.95	9.78	-41.50	-13	28.50
3701.40	56.14	V	-50.82	0.95	9.78	-41.99	-13	28.99
QPSK 1.4MHz Bandwidth Middle Channel								
287.46	47.51	H	-58.26	0.45	-2.18	-60.89	-13	47.89
287.46	49.45	V	-57.50	0.45	-2.18	-60.13	-13	47.13
3765.00	56.49	H	-50.29	0.95	9.74	-41.50	-13	28.50
3765.00	56.93	V	-49.85	0.95	9.74	-41.06	-13	28.06
16-QAM 1.4MHz Bandwidth Middle Channel								
287.46	50.01	H	-55.76	0.45	-2.18	-58.39	-13	45.39
287.46	50.55	V	-56.40	0.45	-2.18	-59.03	-13	46.03
3765.00	55.73	H	-51.05	0.95	9.74	-42.26	-13	29.26
3765.00	56.26	V	-50.52	0.95	9.74	-41.73	-13	28.73
QPSK 1.4MHz Bandwidth High Channel								
287.46	48.01	H	-57.76	0.45	-2.18	-60.39	-13	47.39
287.46	48.93	V	-58.02	0.45	-2.18	-60.65	-13	47.65
3828.60	56.35	H	-50.21	0.96	9.70	-41.47	-13	28.47
3828.60	56.73	V	-49.83	0.96	9.70	-41.09	-13	28.09
16-QAM 1.4MHz Bandwidth High Channel								
287.46	49.56	H	-56.21	0.45	-2.18	-58.84	-13	45.84
287.46	50.34	V	-56.61	0.45	-2.18	-59.24	-13	46.24
3828.60	55.21	H	-51.35	0.96	9.70	-42.61	-13	29.61
3828.60	55.97	V	-50.59	0.96	9.70	-41.85	-13	28.85

30 MHz ~ 26 GHz:**LTE Band 7:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
287.16	48.66	H	-57.07	0.45	-2.18	-59.70	-25	34.70
287.16	51.56	V	-55.41	0.45	-2.18	-58.04	-25	33.04
5005.00	54.87	H	-51.12	1.08	10.30	-41.90	-25	16.90
5005.00	55.36	V	-50.63	1.08	10.30	-41.41	-25	16.41
16-QAM 5MHz Bandwidth Low Channel								
287.16	48.01	H	-57.72	0.45	-2.18	-60.35	-25	35.35
287.16	48.61	V	-58.36	0.45	-2.18	-60.99	-25	35.99
5005.00	55.76	H	-50.23	1.08	10.30	-41.01	-25	16.01
5005.00	55.66	V	-50.33	1.08	10.30	-41.11	-25	16.11
QPSK 5MHz Bandwidth Middle Channel								
287.16	48.90	H	-56.83	0.45	-2.18	-59.46	-25	34.46
287.16	50.99	V	-55.98	0.45	-2.18	-58.61	-25	33.61
5070.00	55.35	H	-50.28	1.09	10.30	-41.07	-25	16.07
5070.00	53.76	V	-51.87	1.09	10.30	-42.66	-25	17.66
16-QAM 5MHz Bandwidth Middle Channel								
287.16	48.00	H	-57.73	0.45	-2.18	-60.36	-25	35.36
287.16	48.99	V	-57.98	0.45	-2.18	-60.61	-25	35.61
5070.00	54.44	H	-51.19	1.09	10.30	-41.98	-25	16.98
5070.00	55.01	V	-50.62	1.09	10.30	-41.41	-25	16.41
QPSK 5MHz Bandwidth High Channel								
287.16	47.73	H	-58.00	0.45	-2.18	-60.63	-25	35.63
287.16	49.11	V	-57.86	0.45	-2.18	-60.49	-25	35.49
5135.00	54.78	H	-50.49	1.10	10.30	-41.29	-25	16.29
5135.00	55.03	V	-50.24	1.10	10.30	-41.04	-25	16.04
16-QAM 5MHz Bandwidth High Channel								
287.16	49.64	H	-56.09	0.45	-2.18	-58.72	-25	33.72
287.16	50.04	V	-56.93	0.45	-2.18	-59.56	-25	34.56
5135.00	54.54	H	-50.73	1.10	10.30	-41.53	-25	16.53
5135.00	53.91	V	-51.36	1.10	10.30	-42.16	-25	17.16

30 MHz ~ 26.5 GHz:**LTE Band 38:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
254.80	46.12	H	-55.86	0.44	-2.24	-58.54	-25	33.54
254.80	52.62	V	-56.73	0.44	-2.24	-59.41	-25	34.41
5145.00	55.49	H	-49.72	1.10	10.30	-40.52	-25	15.52
5145.00	54.16	V	-51.05	1.10	10.30	-41.85	-25	16.85
16-QAM 5MHz Bandwidth Low Channel								
254.80	46.21	H	-55.77	0.44	-2.24	-58.45	-25	33.45
254.80	52.45	V	-56.90	0.44	-2.24	-59.58	-25	34.58
5145.00	53.17	H	-52.04	1.10	10.30	-42.84	-25	17.84
5145.00	54.41	V	-50.80	1.10	10.30	-41.60	-25	16.60
QPSK 5MHz Bandwidth Middle Channel								
248.60	45.83	H	-55.71	0.44	-2.30	-58.45	-25	33.45
248.60	52.68	V	-56.89	0.44	-2.30	-59.63	-25	34.63
5190.00	53.01	H	-51.95	1.10	10.30	-42.75	-25	17.75
5190.00	52.11	V	-52.85	1.10	10.30	-43.65	-25	18.65
16-QAM 5MHz Bandwidth Middle Channel								
248.60	45.94	H	-55.60	0.44	-2.30	-58.34	-25	33.34
248.60	52.79	V	-56.78	0.44	-2.30	-59.52	-25	34.52
5190.00	53.11	H	-51.85	1.10	10.30	-42.65	-25	17.65
5190.00	52.13	V	-52.83	1.10	10.30	-43.63	-25	18.63
QPSK 5MHz Bandwidth High Channel								
252.30	46.11	H	-55.58	0.44	-2.25	-58.27	-25	33.27
252.30	52.76	V	-56.77	0.44	-2.25	-59.46	-25	34.46
5235.00	53.19	H	-51.52	1.11	10.30	-42.33	-25	17.33
5235.00	51.98	V	-52.73	1.11	10.30	-43.54	-25	18.54
16-QAM 5MHz Bandwidth High Channel								
252.30	46.14	H	-55.55	0.44	-2.25	-58.24	-25	33.24
252.30	52.69	V	-56.84	0.44	-2.25	-59.53	-25	34.53
5235.00	53.24	H	-51.47	1.11	10.30	-42.28	-25	17.28
5235.00	52.07	V	-52.64	1.11	10.30	-43.45	-25	18.45

30 MHz ~ 27 GHz:**LTE Band 41:**

Frequency (MHz)	Receiver Reading (dBμV)	Rx Antenna	Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
		Polar (H/V)	Submitted Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5MHz Bandwidth Low Channel								
246.87	43.54	H	-58.14	0.44	-2.36	-60.94	-25	35.94
246.87	51.35	V	-58.06	0.44	-2.36	-60.86	-25	35.86
5075.00	54.70	H	-50.90	1.09	10.30	-41.69	-25	16.69
5075.00	55.20	V	-50.40	1.09	10.30	-41.19	-25	16.19
16-QAM 5MHz Bandwidth Low Channel								
246.87	44.65	H	-57.03	0.44	-2.36	-59.83	-25	34.83
246.87	52.72	V	-56.69	0.44	-2.36	-59.49	-25	34.49
5075.00	53.55	H	-52.05	1.09	10.30	-42.84	-25	17.84
5075.00	54.79	V	-50.81	1.09	10.30	-41.60	-25	16.60
QPSK 5MHz Bandwidth Middle Channel								
246.87	43.68	H	-58.00	0.44	-2.36	-60.80	-25	35.80
246.87	51.66	V	-57.75	0.44	-2.36	-60.55	-25	35.55
5190.00	54.60	H	-50.36	1.10	10.30	-41.16	-25	16.16
5190.00	54.34	V	-50.62	1.10	10.30	-41.42	-25	16.42
16-QAM 5MHz Bandwidth Middle Channel								
246.87	46.15	H	-55.53	0.44	-2.36	-58.33	-25	33.33
246.87	52.64	V	-56.77	0.44	-2.36	-59.57	-25	34.57
5190.00	53.54	H	-51.42	1.10	10.30	-42.22	-25	17.22
5190.00	53.80	V	-51.16	1.10	10.30	-41.96	-25	16.96
QPSK 5MHz Bandwidth High Channel								
246.87	43.93	H	-57.75	0.44	-2.36	-60.55	-25	35.55
246.87	52.06	V	-57.35	0.44	-2.36	-60.15	-25	35.15
5305.00	53.26	H	-51.06	1.12	10.30	-41.88	-25	16.88
5305.00	53.23	V	-51.09	1.12	10.30	-41.91	-25	16.91
16-QAM 5MHz Bandwidth High Channel								
246.87	45.59	H	-56.09	0.44	-2.36	-58.89	-25	33.89
246.87	54.13	V	-55.28	0.44	-2.36	-58.08	-25	33.08
5305.00	52.95	H	-51.37	1.12	10.30	-42.19	-25	17.19
5305.00	52.99	V	-51.33	1.12	10.30	-42.15	-25	17.15

Note:

1) Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)

2) Margin (dB) = Limit (dBm) - Absolute Level (dBm)

BAND EDGES

Environmental Conditions & Test Information

Test Date:	2025-09-05 to 2025-09-08
Temperature:	24.8-25.9 °C
Relative Humidity:	48-53 %
ATM Pressure:	100.9-101.5 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou


EUT operation mode: Transmitting

Test Result: Compliant.

LTE: Please check the APPENDIX C_Band edge for detail.


GPRS 850 Band:

GPRS Mode, Left Band Edge




ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:33:00

GPRS Mode, Right Band Edge




ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:33:52

EGPRS Mode, Left Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:34:53


EGPRS Mode, Right Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:37:35


WCDMA Band V

WCDMA (Rel 99) Mode, Left Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:35:25

WCDMA (Rel 99) Mode, Right Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:35:58

WCDMA (HSDPA) Mode, Left Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:39:18

WCDMA (HSDPA) Mode, Right Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:39:50

WCDMA (HSUPA) Mode, Left Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:42:50

WCDMA (HSUPA) Mode, Right Band Edge




ProjectNo.: RKSA250728002 Tester:Neil Zhou
Date: 8 SEP 2025 16:43:20

WCDMA (HSPA+) Mode, Left Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 15:51:49


WCDMA (HSPA+) Mode, Right Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 15:52:20


PCS 1900 Band:

GPRS Mode, Left Band Edge




ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:14:49

GPRS Mode, Right Band Edge




ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:15:40

EGPRS Mode, Left Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:16:32

EGPRS Mode, Right Band Edge



ProjectNo.:RKSA250728002 Tester:Neil Zhou
Date: 5.SEP.2025 14:17:20