

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.44.25

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11b CH1 P=15.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2390.000        | 50.84            | -4.87       | 74.0           | 23.16       | Peak     | 297.71         | 150         | Vertical | Pass    |
| 1** | 2390.000        | 40.51            | -4.87       | 54.0           | 13.49       | AV       | 297.71         | 150         | Vertical | Pass    |
| 2   | 2377.900        | 52.66            | -4.24       | 74.0           | 21.34       | Peak     | 360.00         | 150         | Vertical | Pass    |
| 2** | 2377.900        | 40.62            | -4.24       | 54.0           | 13.38       | AV       | 360.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.45.42

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11b CH1 P=15.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2390.000        | 51.20            | -4.87       | 74.0           | 22.80       | Peak     | 244.97         | 150         | Horizontal | Pass    |
| 1** | 2390.000        | 40.93            | -4.87       | 54.0           | 13.07       | AV       | 244.97         | 150         | Horizontal | Pass    |
| 2   | 2385.200        | 53.12            | -4.60       | 74.0           | 20.88       | Peak     | 285.00         | 150         | Horizontal | Pass    |
| 2** | 2385.200        | 41.00            | -4.60       | 54.0           | 13.00       | AV       | 285.00         | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.48.23

|                |                                          |                 |                           |
|----------------|------------------------------------------|-----------------|---------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                      |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                        |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                       |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11b CH11 P=15.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz              |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线             |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2483.500        | 52.06            | -3.78       | 74.0           | 21.94       | Peak     | 274.00         | 150         | Vertical | Pass    |
| 1** | 2483.500        | 41.18            | -3.78       | 54.0           | 12.82       | AV       | 274.00         | 150         | Vertical | Pass    |
| 2   | 2486.680        | 53.05            | -3.79       | 74.0           | 20.95       | Peak     | 91.00          | 150         | Vertical | Pass    |
| 2** | 2486.680        | 41.08            | -3.79       | 54.0           | 12.92       | AV       | 91.00          | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.47.10

|                |                                          |                 |                           |
|----------------|------------------------------------------|-----------------|---------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                      |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                        |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                       |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11b CH11 P=15.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz              |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线             |




| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna    | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|------------|---------|
| 1   | 2483.500           | 51.30               | -3.78          | 74.0              | 22.70          | Peak     | 360.00            | 150            | Horizontal | Pass    |
| 1** | 2483.500           | 41.52               | -3.78          | 54.0              | 12.48          | AV       | 360.00            | 150            | Horizontal | Pass    |
| 2   | 2484.430           | 52.81               | -3.78          | 74.0              | 21.19          | Peak     | 147.00            | 150            | Horizontal | Pass    |
| 2** | 2484.430           | 41.43               | -3.78          | 54.0              | 12.57          | AV       | 147.00            | 150            | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.58.57

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11g CH1 P=17.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2390.000        | 53.12            | -4.87       | 74.0           | 20.88       | Peak     | 228.98         | 150         | Vertical | Pass    |
| 1** | 2390.000        | 41.60            | -4.87       | 54.0           | 12.40       | AV       | 228.98         | 150         | Vertical | Pass    |
| 2   | 2389.900        | 54.42            | -4.87       | 74.0           | 19.58       | Peak     | 215.00         | 150         | Vertical | Pass    |
| 2** | 2389.900        | 41.47            | -4.87       | 54.0           | 12.53       | AV       | 215.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-19\_23.57.42

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11g CH1 P=17.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2390.000        | 62.88            | -4.87       | 74.0           | 11.12       | Peak     | 279.68         | 150         | Horizontal | Pass    |
| 1** | 2390.000        | 48.93            | -4.87       | 54.0           | 5.07        | AV       | 279.68         | 150         | Horizontal | Pass    |
| 2   | 2389.500        | 63.54            | -4.85       | 74.0           | 10.46       | Peak     | 217.00         | 150         | Horizontal | Pass    |
| 2** | 2389.500        | 48.58            | -4.85       | 54.0           | 5.42        | AV       | 217.00         | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.00.31

|                |                                          |                 |                           |
|----------------|------------------------------------------|-----------------|---------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                      |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                        |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                       |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11g CH11 P=17.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz              |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线             |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2483.500        | 54.06            | -3.78       | 74.0           | 19.94       | Peak     | 168.00         | 150         | Vertical | Pass    |
| 1** | 2483.500        | 42.04            | -3.78       | 54.0           | 11.96       | AV       | 168.00         | 150         | Vertical | Pass    |
| 2   | 2483.800        | 55.79            | -3.78       | 74.0           | 18.21       | Peak     | 139.00         | 150         | Vertical | Pass    |
| 2** | 2483.800        | 41.69            | -3.78       | 54.0           | 12.31       | AV       | 139.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.01.37

|                |                                          |                 |                           |
|----------------|------------------------------------------|-----------------|---------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                      |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                        |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                       |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11g CH11 P=17.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz              |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线             |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.500        | 62.69            | -3.78       | 74.0           | 11.31       | Peak     | 227.00         | 150         | Horizontal | Pass    |
| 1** | 2483.500        | 49.43            | -3.78       | 54.0           | 4.57        | AV       | 227.00         | 150         | Horizontal | Pass    |
| 2   | 2484.070        | 66.89            | -3.78       | 74.0           | 7.11        | Peak     | 27.00          | 150         | Horizontal | Pass    |
| 2** | 2484.070        | 47.74            | -3.78       | 54.0           | 6.26        | AV       | 27.00          | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.19.17

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n20 CH1 P=17 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2390.000        | 53.92            | -4.87       | 74.0           | 20.08       | Peak     | 217.18         | 150         | Vertical | Pass    |
| 1** | 2390.000        | 42.34            | -4.87       | 54.0           | 11.66       | AV       | 217.18         | 150         | Vertical | Pass    |
| 2   | 2389.800        | 56.29            | -4.86       | 74.0           | 17.71       | Peak     | 222.00         | 150         | Vertical | Pass    |
| 2** | 2389.800        | 42.18            | -4.86       | 54.0           | 11.82       | AV       | 222.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.17.42

|                |                                          |                 |                          |
|----------------|------------------------------------------|-----------------|--------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                     |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                       |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                      |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n20 CH1 P=17 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz             |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线            |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2390.000        | 68.06            | -4.87       | 74.0           | 5.94        | Peak     | 32.24          | 150         | Horizontal | Pass    |
| 1** | 2390.000        | 49.89            | -4.87       | 54.0           | 4.11        | AV       | 32.24          | 150         | Horizontal | Pass    |
| 2   | 2389.500        | 66.63            | -4.85       | 74.0           | 7.37        | Peak     | 34.00          | 150         | Horizontal | Pass    |
| 2** | 2389.500        | 48.67            | -4.85       | 54.0           | 5.33        | AV       | 34.00          | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.26.58

|                |                                          |                 |                             |
|----------------|------------------------------------------|-----------------|-----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                        |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                          |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                         |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n20 CH11 P=16.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz                |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线               |




| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna  | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|----------|---------|
| 1   | 2483.500           | 53.22               | -3.78          | 74.0              | 20.78          | Peak     | 138.00            | 150            | Vertical | Pass    |
| 1** | 2483.500           | 42.02               | -3.78          | 54.0              | 11.98          | AV       | 138.00            | 150            | Vertical | Pass    |
| 2   | 2485.600           | 54.41               | -3.78          | 74.0              | 19.59          | Peak     | 243.00            | 150            | Vertical | Pass    |
| 2** | 2485.600           | 41.28               | -3.78          | 54.0              | 12.72          | AV       | 243.00            | 150            | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.25.39

|                |                                          |                 |                             |
|----------------|------------------------------------------|-----------------|-----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                        |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                          |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                         |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n20 CH11 P=16.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz                |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线               |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.500        | 63.50            | -3.78       | 74.0           | 10.50       | Peak     | 239.00         | 150         | Horizontal | Pass    |
| 1** | 2483.500        | 50.08            | -3.78       | 54.0           | 3.92        | AV       | 239.00         | 150         | Horizontal | Pass    |
| 2   | 2483.860        | 66.71            | -3.78       | 74.0           | 7.29        | Peak     | 230.00         | 150         | Horizontal | Pass    |
| 2** | 2483.860        | 49.87            | -3.78       | 54.0           | 4.13        | AV       | 230.00         | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.39.02

|                |                                          |                 |                            |
|----------------|------------------------------------------|-----------------|----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                       |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                         |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                        |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n40 CH3 P=14.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz               |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线              |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2390.000        | 54.45            | -4.87       | 74.0           | 19.55       | Peak     | 217.78         | 150         | Vertical | Pass    |
| 1** | 2390.000        | 42.50            | -4.87       | 54.0           | 11.50       | AV       | 217.78         | 150         | Vertical | Pass    |
| 2   | 2389.800        | 56.46            | -4.86       | 74.0           | 17.54       | Peak     | 225.00         | 150         | Vertical | Pass    |
| 2** | 2389.800        | 42.10            | -4.86       | 54.0           | 11.90       | AV       | 225.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.37.46

|                |                                          |                 |                            |
|----------------|------------------------------------------|-----------------|----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                       |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                         |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                        |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n40 CH3 P=14.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz               |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线              |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2390.000        | 66.57            | -4.87       | 74.0           | 7.43        | Peak     | 25.01          | 150         | Horizontal | Pass    |
| 1** | 2390.000        | 50.85            | -4.87       | 54.0           | 3.15        | AV       | 25.01          | 150         | Horizontal | Pass    |
| 2   | 2389.700        | 67.94            | -4.86       | 74.0           | 6.06        | Peak     | 31.00          | 150         | Horizontal | Pass    |
| 2** | 2389.700        | 50.70            | -4.86       | 54.0           | 3.30        | AV       | 31.00          | 150         | Horizontal | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.45.30

|                |                                          |                 |                            |
|----------------|------------------------------------------|-----------------|----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                       |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                         |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                        |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n40 CH9 P=14.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz               |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线              |




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 2483.500        | 55.00            | -3.78       | 74.0           | 19.00       | Peak     | 351.00         | 150         | Vertical | Pass    |
| 1** | 2483.500        | 41.78            | -3.78       | 54.0           | 12.22       | AV       | 351.00         | 150         | Vertical | Pass    |
| 2   | 2484.700        | 55.05            | -3.78       | 74.0           | 18.95       | Peak     | 226.00         | 150         | Vertical | Pass    |
| 2** | 2484.700        | 41.51            | -3.78       | 54.0           | 12.49       | AV       | 226.00         | 150         | Vertical | Pass    |

## Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20\_00.44.17

|                |                                          |                 |                            |
|----------------|------------------------------------------|-----------------|----------------------------|
| EUT Name:      | Intelligent Mobile Data Capture Terminal | Temp.(°C):      | 23.2                       |
| Model Number:  | Ranger 2K(N)                             | Humidity (%RH): | 49                         |
| Sample Number: | CC26070352-001-S03                       | Pressure(kPa):  | 101                        |
| Test Standard: | 47 CFR Part 15C                          | Work Mode:      | 2.4G WIFI 11n40 CH9 P=14.5 |
| Test Site:     | 966#2                                    | Test Voltage:   | AC 120V/60Hz               |
| Test Engineer: | Zhang Mingyue                            | Remark:         | 实验室适配器+实验室数据线              |



| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Factor<br>(dB) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna    | Verdict |
|-----|--------------------|---------------------|----------------|-------------------|----------------|----------|-------------------|----------------|------------|---------|
| 1   | 2483.500           | 67.08               | -3.78          | 74.0              | 6.92           | Peak     | 236.00            | 150            | Horizontal | Pass    |
| 1** | 2483.500           | 48.74               | -3.78          | 54.0              | 5.26           | AV       | 236.00            | 150            | Horizontal | Pass    |
| 2   | 2484.280           | 69.45               | -3.78          | 74.0              | 4.55           | Peak     | 238.00            | 150            | Horizontal | Pass    |
| 2** | 2484.280           | 48.52               | -3.78          | 54.0              | 5.48           | AV       | 238.00            | 150            | Horizontal | Pass    |