


Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.28.47

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.08	3.82	74.0	13.92	Peak	117.02	150	Vertical	Pass
1**	5150.000	46.07	3.82	54.0	7.93	AV	117.02	150	Vertical	Pass
2	5138.300	59.78	4.04	74.0	14.22	Peak	217.00	150	Vertical	Pass
2**	5138.300	45.35	4.04	54.0	8.65	AV	217.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.27.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.63	3.82	74.0	9.37	Peak	199.00	150	Horizontal	Pass
1**	5150.000	48.37	3.82	54.0	5.63	AV	199.00	150	Horizontal	Pass
2	5147.400	66.30	3.89	74.0	7.70	Peak	193.00	150	Horizontal	Pass
2**	5147.400	48.52	3.89	54.0	5.48	AV	193.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.30.15

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.79	4.04	74.0	19.21	Peak	234.00	150	Vertical	Pass
1**	5350.000	44.68	4.04	54.0	9.32	AV	234.00	150	Vertical	Pass
2	5450.320	57.15	3.90	74.0	16.85	Peak	0.00	150	Vertical	Pass
2**	5450.320	44.69	3.90	54.0	9.31	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.31.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.43	4.04	74.0	19.57	Peak	10.00	150	Horizontal	Pass
1**	5350.000	44.78	4.04	54.0	9.22	AV	10.00	150	Horizontal	Pass
2	5355.170	56.64	4.15	74.0	17.36	Peak	150.00	150	Horizontal	Pass
2**	5355.170	44.95	4.15	54.0	9.05	AV	150.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.41.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.50	3.82	74.0	13.50	Peak	133.02	150	Vertical	Pass
1**	5150.000	46.06	3.82	54.0	7.94	AV	133.02	150	Vertical	Pass
2	5142.200	60.08	4.04	74.0	13.92	Peak	203.00	150	Vertical	Pass
2**	5142.200	45.62	4.04	54.0	8.38	AV	203.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.43.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.41	3.82	74.0	6.59	Peak	209.99	150	Horizontal	Pass
1**	5150.000	49.61	3.82	54.0	4.39	AV	209.99	150	Horizontal	Pass
2	5148.050	64.72	3.87	74.0	9.28	Peak	212.00	150	Horizontal	Pass
2**	5148.050	49.35	3.87	54.0	4.65	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.45.46

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.62	4.04	74.0	19.38	Peak	160.00	150	Vertical	Pass
1**	5350.000	44.57	4.04	54.0	9.43	AV	160.00	150	Vertical	Pass
2	5376.950	56.24	4.03	74.0	17.76	Peak	247.00	150	Vertical	Pass
2**	5376.950	44.47	4.03	54.0	9.53	AV	247.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.44.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.63	4.04	74.0	19.37	Peak	210.00	150	Horizontal	Pass
1**	5350.000	44.97	4.04	54.0	9.03	AV	210.00	150	Horizontal	Pass
2	5352.090	56.89	4.08	74.0	17.11	Peak	0.00	150	Horizontal	Pass
2**	5352.090	44.84	4.08	54.0	9.16	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.00.14

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.24	3.82	74.0	15.76	Peak	354.96	150	Vertical	Pass
1**	5150.000	46.62	3.82	54.0	7.38	AV	354.96	150	Vertical	Pass
2	5144.800	61.40	3.97	74.0	12.60	Peak	123.00	150	Vertical	Pass
2**	5144.800	46.03	3.97	54.0	7.97	AV	123.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_01.58.57

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.84	3.82	74.0	6.16	Peak	196.00	150	Horizontal	Pass
1**	5150.000	50.05	3.82	54.0	3.95	AV	196.00	150	Horizontal	Pass
2	5149.350	65.23	3.84	74.0	8.77	Peak	215.00	150	Horizontal	Pass
2**	5149.350	49.83	3.84	54.0	4.17	AV	215.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.02.27

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.05	4.04	74.0	19.95	Peak	0.00	150	Vertical	Pass
1**	5350.000	44.60	4.04	54.0	9.40	AV	0.00	150	Vertical	Pass
2	5372.770	56.18	4.01	74.0	17.82	Peak	221.00	150	Vertical	Pass
2**	5372.770	44.24	4.01	54.0	9.76	AV	221.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_02.03.40

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.07	4.04	74.0	18.93	Peak	22.00	150	Horizontal	Pass
1**	5350.000	44.92	4.04	54.0	9.08	AV	22.00	150	Horizontal	Pass
2	5359.790	57.18	4.24	74.0	16.82	Peak	291.00	150	Horizontal	Pass
2**	5359.790	44.97	4.24	54.0	9.03	AV	291.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_02.06.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.06	3.82	74.0	17.94	Peak	163.99	150	Vertical	Pass
1**	5150.000	45.68	3.82	54.0	8.32	AV	163.99	150	Vertical	Pass
2	5083.700	56.69	3.45	74.0	17.31	Peak	203.00	150	Vertical	Pass
2**	5083.700	44.21	3.45	54.0	9.79	AV	203.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.05.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.57	3.82	74.0	15.43	Peak	194.00	150	Horizontal	Pass
1**	5150.000	49.08	3.82	54.0	4.92	AV	194.00	150	Horizontal	Pass
2	5146.100	60.10	3.93	74.0	13.90	Peak	201.00	150	Horizontal	Pass
2**	5146.100	48.70	3.93	54.0	5.30	AV	201.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_02.25.25

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.68	3.82	74.0	18.32	Peak	101.03	150	Vertical	Pass
1**	5150.000	44.72	3.82	54.0	9.28	AV	101.03	150	Vertical	Pass
2	5148.050	55.98	3.87	74.0	18.02	Peak	343.00	150	Vertical	Pass
2**	5148.050	44.72	3.87	54.0	9.28	AV	343.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.26.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.98	3.82	74.0	19.02	Peak	166.00	150	Horizontal	Pass
1**	5150.000	45.17	3.82	54.0	8.83	AV	166.00	150	Horizontal	Pass
2	5136.350	56.64	4.00	74.0	17.36	Peak	198.00	150	Horizontal	Pass
2**	5136.350	45.30	4.00	54.0	8.70	AV	198.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.29.13

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.52	4.04	74.0	15.48	Peak	99.00	150	Vertical	Pass
1**	5350.000	46.20	4.04	54.0	7.80	AV	99.00	150	Vertical	Pass
2	5351.760	61.70	4.08	74.0	12.30	Peak	72.00	150	Vertical	Pass
2**	5351.760	45.87	4.08	54.0	8.13	AV	72.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.28.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.66	4.04	74.0	11.34	Peak	204.00	150	Horizontal	Pass
1**	5350.000	49.30	4.04	54.0	4.70	AV	204.00	150	Horizontal	Pass
2	5350.990	68.00	4.06	74.0	6.00	Peak	192.00	150	Horizontal	Pass
2**	5350.990	48.77	4.06	54.0	5.23	AV	192.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.40.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.41	3.82	74.0	18.59	Peak	241.01	150	Vertical	Pass
1**	5150.000	44.71	3.82	54.0	9.29	AV	241.01	150	Vertical	Pass
2	5124.000	57.10	3.78	74.0	16.90	Peak	194.00	150	Vertical	Pass
2**	5124.000	44.51	3.78	54.0	9.49	AV	194.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_02.39.29

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.74	3.82	74.0	19.26	Peak	84.02	150	Horizontal	Pass
1**	5150.000	45.54	3.82	54.0	8.46	AV	84.02	150	Horizontal	Pass
2	5125.950	56.38	3.81	74.0	17.62	Peak	147.00	150	Horizontal	Pass
2**	5125.950	45.26	3.81	54.0	8.74	AV	147.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.41.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.34	4.04	74.0	12.66	Peak	216.00	150	Vertical	Pass
1**	5350.000	46.27	4.04	54.0	7.73	AV	216.00	150	Vertical	Pass
2	5350.550	62.90	4.05	74.0	11.10	Peak	94.00	150	Vertical	Pass
2**	5350.550	46.39	4.05	54.0	7.61	AV	94.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.43.11

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.58	4.04	74.0	6.42	Peak	214.00	150	Horizontal	Pass
1**	5350.000	50.36	4.04	54.0	3.64	AV	214.00	150	Horizontal	Pass
2	5350.660	67.76	4.05	74.0	6.24	Peak	206.00	150	Horizontal	Pass
2**	5350.660	49.80	4.05	54.0	4.20	AV	206.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.45.56

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.92	3.82	74.0	19.08	Peak	285.99	150	Vertical	Pass
1**	5150.000	45.03	3.82	54.0	8.97	AV	285.99	150	Vertical	Pass
2	4913.400	56.88	3.61	74.0	17.12	Peak	161.00	150	Vertical	Pass
2**	4913.400	44.50	3.61	54.0	9.50	AV	161.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.44.44

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.66	3.82	74.0	18.34	Peak	210.96	150	Horizontal	Pass
1**	5150.000	45.37	3.82	54.0	8.63	AV	210.96	150	Horizontal	Pass
2	5099.950	56.69	3.91	74.0	17.31	Peak	54.00	150	Horizontal	Pass
2**	5099.950	45.18	3.91	54.0	8.82	AV	54.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02:58:57

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.84	4.04	74.0	12.16	Peak	218.00	150	Vertical	Pass
1**	5350.000	46.55	4.04	54.0	7.45	AV	218.00	150	Vertical	Pass
2	5350.110	62.73	4.04	74.0	11.27	Peak	216.00	150	Vertical	Pass
2**	5350.110	46.36	4.04	54.0	7.64	AV	216.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_02.57.49

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.26	4.04	74.0	6.74	Peak	203.00	150	Horizontal	Pass
1**	5350.000	49.10	4.04	54.0	4.90	AV	203.00	150	Horizontal	Pass
2	5351.100	67.95	4.06	74.0	6.05	Peak	205.00	150	Horizontal	Pass
2**	5351.100	49.09	4.06	54.0	4.91	AV	205.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.00.34

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.78	3.82	74.0	18.22	Peak	275.96	150	Vertical	Pass
1**	5150.000	45.47	3.82	54.0	8.53	AV	275.96	150	Vertical	Pass
2	5144.800	56.30	3.97	74.0	17.70	Peak	202.00	150	Vertical	Pass
2**	5144.800	45.07	3.97	54.0	8.93	AV	202.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.01.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.57	3.82	74.0	18.43	Peak	149.01	150	Horizontal	Pass
1**	5150.000	46.12	3.82	54.0	7.88	AV	149.01	150	Horizontal	Pass
2	5136.350	57.24	4.00	74.0	16.76	Peak	197.00	150	Horizontal	Pass
2**	5136.350	45.58	4.00	54.0	8.42	AV	197.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.26.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.29	3.78	68.2	12.91	Peak	265.80	150	Vertical	Pass
1**	5460.000	45.01	3.78	54.0	8.99	AV	265.80	150	Vertical	Pass
2	5467.960	58.27	4.04	68.2	9.93	Peak	62.00	150	Vertical	Pass
2**	5467.960	45.65	4.04	--	-45.65	AV	62.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_03.24.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.07	3.78	68.2	12.13	Peak	324.70	150	Horizontal	Pass
1**	5460.000	45.50	3.78	54.0	8.50	AV	324.70	150	Horizontal	Pass
2	5469.640	60.35	4.08	68.2	7.85	Peak	192.00	150	Horizontal	Pass
2**	5469.640	46.45	4.08	--	-46.45	AV	192.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.28.56

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.42	4.31	68.2	8.78	Peak	239.00	150	Vertical	Pass
2	5725.750	62.91	4.28	68.2	5.29	Peak	239.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.30.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.50	4.31	68.2	5.70	Peak	172.00	150	Horizontal	Pass
2	5725.500	63.72	4.29	68.2	4.48	Peak	318.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.57.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.03	3.78	68.2	13.17	Peak	143.85	150	Vertical	Pass
1**	5460.000	44.94	3.78	54.0	9.06	AV	143.85	150	Vertical	Pass
2	5467.360	57.54	4.02	68.2	10.66	Peak	0.00	150	Vertical	Pass
2**	5467.360	45.49	4.02	--	-45.49	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_03.58.06

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.00	3.78	68.2	13.20	Peak	206.78	150	Horizontal	Pass
1**	5460.000	45.72	3.78	54.0	8.28	AV	206.78	150	Horizontal	Pass
2	5469.040	62.75	4.07	68.2	5.45	Peak	327.00	150	Horizontal	Pass
2**	5469.040	46.69	4.07	--	-46.69	AV	327.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.06.09

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.11	4.31	68.2	11.09	Peak	52.00	150	Vertical	Pass
2	5725.250	63.80	4.30	68.2	4.40	Peak	229.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.04.52

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.93	4.31	68.2	4.27	Peak	9.00	150	Horizontal	Pass
2	5725.125	65.08	4.31	68.2	3.12	Peak	22.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.21.22

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.73	3.78	68.2	13.47	Peak	139.42	150	Vertical	Pass
1**	5460.000	44.69	3.78	54.0	9.31	AV	139.42	150	Vertical	Pass
2	5468.560	60.36	4.06	68.2	7.84	Peak	218.00	150	Vertical	Pass
2**	5468.560	45.74	4.06	--	-45.74	AV	218.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.20.17

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.89	3.78	68.2	13.31	Peak	269.41	150	Horizontal	Pass
1**	5460.000	45.05	3.78	54.0	8.95	AV	269.41	150	Horizontal	Pass
2	5469.640	62.48	4.08	68.2	5.72	Peak	20.00	150	Horizontal	Pass
2**	5469.640	47.41	4.08	--	-47.41	AV	20.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.23.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.32	4.31	68.2	11.88	Peak	230.00	150	Vertical	Pass
2	5726.625	59.31	4.26	68.2	8.89	Peak	230.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.24.43

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.41	4.31	68.2	10.79	Peak	135.00	150	Horizontal	Pass
2	5725.375	59.79	4.30	68.2	8.41	Peak	144.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.38.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.04	3.78	68.2	10.16	Peak	269.41	150	Vertical	Pass
1**	5460.000	45.70	3.78	54.0	8.30	AV	269.41	150	Vertical	Pass
2	5468.800	63.32	4.06	68.2	4.88	Peak	166.00	150	Vertical	Pass
2**	5468.800	47.38	4.06	--	-47.38	AV	166.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.37.37

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.17	3.78	68.2	8.03	Peak	311.33	150	Horizontal	Pass
1**	5460.000	47.26	3.78	54.0	6.74	AV	311.33	150	Horizontal	Pass
2	5461.720	63.69	3.83	68.2	4.51	Peak	325.00	150	Horizontal	Pass
2**	5461.720	48.20	3.83	--	-48.20	AV	325.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.40.54

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.96	4.31	68.2	12.24	Peak	232.00	150	Vertical	Pass
2	5732.000	58.22	4.18	68.2	9.98	Peak	59.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.42.02

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.21	4.31	68.2	10.99	Peak	20.00	150	Horizontal	Pass
2	5727.000	59.77	4.25	68.2	8.43	Peak	169.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_04.55.14

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.62	3.81	68.2	12.58	Peak	312.85	150	Vertical	Pass
2	5644.875	57.11	3.77	68.2	11.09	Peak	166.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_04.56.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.86	3.81	68.2	12.34	Peak	347.81	150	Horizontal	Pass
2	5647.000	57.02	3.79	68.2	11.18	Peak	309.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.58.51

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.98	6.44	68.2	11.22	Peak	296.62	150	Vertical	Pass
2	5970.900	59.05	6.31	68.2	9.15	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_04.57.46

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.64	6.44	68.2	10.56	Peak	355.66	150	Horizontal	Pass
2	5955.000	58.47	6.15	68.2	9.73	Peak	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.09.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.73	3.81	68.2	12.47	Peak	166.94	150	Vertical	Pass
2	5639.000	56.65	3.74	68.2	11.55	Peak	186.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.08.24

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.17	3.81	68.2	12.03	Peak	115.12	150	Horizontal	Pass
2	5647.125	56.99	3.79	68.2	11.21	Peak	357.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.10.47

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.99	6.44	68.2	10.21	Peak	195.95	150	Vertical	Pass
2	5971.050	59.34	6.30	68.2	8.86	Peak	226.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.11.51

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	6.44	68.2	11.46	Peak	229.06	150	Horizontal	Pass
2	5929.500	58.41	6.33	68.2	9.79	Peak	333.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.14.33

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.89	3.81	68.2	12.31	Peak	324.90	150	Vertical	Pass
2	5645.250	57.18	3.77	68.2	11.02	Peak	215.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.13.30

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.32	3.81	68.2	11.88	Peak	83.27	150	Horizontal	Pass
2	5631.000	57.09	3.68	68.2	11.11	Peak	37.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.25.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.38	6.44	68.2	11.82	Peak	174.87	150	Vertical	Pass
2	5970.300	58.23	6.32	68.2	9.97	Peak	292.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.23.59

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.46	6.44	68.2	10.74	Peak	264.94	150	Horizontal	Pass
2	5941.650	58.18	6.07	68.2	10.02	Peak	87.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080090
Test Time: 2026-08-20_05.26.40

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.36	3.81	68.2	11.84	Peak	76.16	150	Vertical	Pass
2	5638.750	58.50	3.74	68.2	9.70	Peak	236.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080090

Test Time: 2026-08-20_05.27.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.2
Model Number:	Ranger 2K(N)	Humidity (%RH):	49
Sample Number:	CC26070352-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室适配器+实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.78	3.81	68.2	11.42	Peak	168.97	150	Horizontal	Pass
2	5634.375	59.99	3.71	68.2	8.21	Peak	169.00	150	Horizontal	Pass