


Spurious Emission at Antenna Terminals


5.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.16	-78.01	-13	65.01	Pass	2986
30	1000	0.1	RMS	964.877	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1700	-53.63	-13	40.63	Pass	701
1700	1790	1	RMS	1711.025	17.63	60	42.37	Pass	401
1790	3000	1	RMS	2999	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	11985	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19294	-34.9	-13	21.9	Pass	8001




5.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.2	-78.47	-13	65.47	Pass	2986
30	1000	0.1	RMS	860.207	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1700	-53.87	-13	40.87	Pass	701
1700	1790	1	RMS	1736	18.53	60	41.47	Pass	401
1790	3000	1	RMS	2998	-54.2	-13	41.2	Pass	1211
3000	12000	1	RMS	11904	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19444	-34.93	-13	21.93	Pass	8001




5.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	853.803	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1700	-55.25	-13	42.25	Pass	701
1700	1790	1	RMS	1736	17.68	60	42.32	Pass	401
1790	3000	1	RMS	2996	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	12000	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19380	-34.93	-13	21.93	Pass	8001




5.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	976.785	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1681	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1760.975	18.63	60	41.37	Pass	401
1790	3000	1	RMS	1797	-35.2	-13	22.2	Pass	1211
3000	12000	1	RMS	11977	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19361	-34.91	-13	21.91	Pass	8001



5.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	1000	0.1	RMS	983.989	-69.94	-13	56.94	Pass	9701
1000	1700	1	RMS	1683	-57.98	-13	44.98	Pass	701
1700	1790	1	RMS	1760.975	17.65	60	42.35	Pass	401
1790	3000	1	RMS	1797	-36.56	-13	23.56	Pass	1211
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19329	-34.88	-13	21.88	Pass	8001



6. LTE_Band12


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.55	-13	64.55	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-13	64.94	Pass	2986
30	689	0.1	RMS	688.6	-70.22	-13	57.22	Pass	6591
689	726	0.1	RMS	699.268	15.53	60	44.47	Pass	401
726	1000	0.1	RMS	939.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1398	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	9705	-45.53	-13	32.53	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.16	-78	-13	65	Pass	2986
30	689	0.1	RMS	688.4	-70.79	-13	57.79	Pass	6591
689	726	0.1	RMS	699.268	14.46	60	45.54	Pass	401
726	1000	0.1	RMS	852.2	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1398	-50.72	-13	37.72	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.29	-13	63.29	Pass	401
0.15	30	0.01	RMS	0.17	-77.7	-13	64.7	Pass	2986
30	689	0.1	RMS	620.3	-71	-13	58	Pass	6591
689	726	0.1	RMS	707.038	15.46	60	44.54	Pass	401
726	1000	0.1	RMS	889.6	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2999	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.17	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	649.3	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	707.038	14.45	60	45.55	Pass	401
726	1000	0.1	RMS	988.3	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	2992	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9704	-45.49	-13	32.49	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.16	-78.08	-13	65.08	Pass	2986
30	689	0.1	RMS	494.6	-70.86	-13	57.86	Pass	6591
689	726	0.1	RMS	714.808	14.94	60	45.06	Pass	401
726	1000	0.1	RMS	926.4	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1429	-50.42	-13	37.42	Pass	2001
3000	10000	1	RMS	9695	-45.47	-13	32.47	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.7	-13	63.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.42	-13	64.42	Pass	2986
30	689	0.1	RMS	619.9	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	714.808	14	60	46	Pass	401
726	1000	0.1	RMS	948.6	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	1429	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




**6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.52	-13	62.52	Pass	401
0.15	30	0.01	RMS	0.16	-78.21	-13	65.21	Pass	2986
30	689	0.1	RMS	688.5	-69.92	-13	56.92	Pass	6591
689	726	0.1	RMS	699.268	15.38	60	44.62	Pass	401
726	1000	0.1	RMS	972.5	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1398	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	9707	-45.57	-13	32.57	Pass	7001




**6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-78.11	-13	65.11	Pass	2986
30	689	0.1	RMS	688.5	-70.79	-13	57.79	Pass	6591
689	726	0.1	RMS	699.268	14.53	60	45.47	Pass	401
726	1000	0.1	RMS	867.6	-69.7	-13	56.7	Pass	2741
1000	3000	1	RMS	1398	-50.52	-13	37.52	Pass	2001
3000	10000	1	RMS	9694	-45.54	-13	32.54	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.16	-78.1	-13	65.1	Pass	2986
30	689	0.1	RMS	617.1	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	706.205	15.21	60	44.79	Pass	401
726	1000	0.1	RMS	837.6	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	3000	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9695	-45.53	-13	32.53	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.15	-77.81	-13	64.81	Pass	2986
30	689	0.1	RMS	627.8	-70.92	-13	57.92	Pass	6591
689	726	0.1	RMS	706.205	14.25	60	45.75	Pass	401
726	1000	0.1	RMS	933.6	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	2996	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.33	-13	62.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.79	-13	64.79	Pass	2986
30	689	0.1	RMS	661.3	-70.93	-13	57.93	Pass	6591
689	726	0.1	RMS	713.235	15.64	60	44.36	Pass	401
726	1000	0.1	RMS	978.5	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1426	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.43	-13	63.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	689	0.1	RMS	614.8	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	713.235	14.68	60	45.32	Pass	401
726	1000	0.1	RMS	839.2	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1426	-50.12	-13	37.12	Pass	2001
3000	10000	1	RMS	9698	-45.45	-13	32.45	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.72	-13	62.72	Pass	401
0.15	30	0.01	RMS	0.2	-77.28	-13	64.28	Pass	2986
30	689	0.1	RMS	688.6	-70.54	-13	57.54	Pass	6591
689	726	0.1	RMS	699.36	15.2	60	44.8	Pass	401
726	1000	0.1	RMS	943.4	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1398	-49.78	-13	36.78	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.64	-13	63.64	Pass	401
0.15	30	0.01	RMS	0.19	-78.72	-13	65.72	Pass	2986
30	689	0.1	RMS	688.6	-70.61	-13	57.61	Pass	6591
689	726	0.1	RMS	699.36	14.44	60	45.56	Pass	401
726	1000	0.1	RMS	921.8	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1398	-50.95	-13	37.95	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	689	0.1	RMS	632	-70.83	-13	57.83	Pass	6591
689	726	0.1	RMS	705.373	15.11	60	44.89	Pass	401
726	1000	0.1	RMS	922.1	-69.78	-13	56.78	Pass	2741
1000	3000	1	RMS	1410	-53.95	-13	40.95	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.51	-13	64.51	Pass	401
0.15	30	0.01	RMS	0.15	-77.96	-13	64.96	Pass	2986
30	689	0.1	RMS	634.7	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	705.373	14.26	60	45.74	Pass	401
726	1000	0.1	RMS	977.8	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2987	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9699	-45.56	-13	32.56	Pass	7001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.3	-13	63.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	689	0.1	RMS	612.4	-70.92	-13	57.92	Pass	6591
689	726	0.1	RMS	711.293	14.85	60	45.15	Pass	401
726	1000	0.1	RMS	881.2	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1422	-50.09	-13	37.09	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.75	-13	64.75	Pass	401
0.15	30	0.01	RMS	0.18	-78.3	-13	65.3	Pass	2986
30	689	0.1	RMS	686.3	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	711.293	14	60	46	Pass	401
726	1000	0.1	RMS	950.9	-69.51	-13	56.51	Pass	2741
1000	3000	1	RMS	1422	-51.11	-13	38.11	Pass	2001
3000	10000	1	RMS	9702	-45.48	-13	32.48	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.66	-13	61.66	Pass	401
0.15	30	0.01	RMS	0.21	-78.53	-13	65.53	Pass	2986
30	689	0.1	RMS	688.9	-70.32	-13	57.32	Pass	6591
689	726	0.1	RMS	699.545	14.96	60	45.04	Pass	401
726	1000	0.1	RMS	941.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1399	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.42	-13	63.42	Pass	401
0.15	30	0.01	RMS	0.17	-78.13	-13	65.13	Pass	2986
30	689	0.1	RMS	688.9	-70.61	-13	57.61	Pass	6591
689	726	0.1	RMS	699.545	14.1	60	45.9	Pass	401
726	1000	0.1	RMS	997.6	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1399	-50.97	-13	37.97	Pass	2001
3000	10000	1	RMS	9704	-45.52	-13	32.52	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	689	0.1	RMS	620.8	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	703.06	15.26	60	44.74	Pass	401
726	1000	0.1	RMS	913.5	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1406	-51.5	-13	38.5	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.16	-78.82	-13	65.82	Pass	2986
30	689	0.1	RMS	688.7	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	703.06	14.21	60	45.79	Pass	401
726	1000	0.1	RMS	928.6	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1406	-52.59	-13	39.59	Pass	2001
3000	10000	1	RMS	9709	-45.56	-13	32.56	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	689	0.1	RMS	689	-70.38	-13	57.38	Pass	6591
689	726	0.1	RMS	706.575	15.51	60	44.49	Pass	401
726	1000	0.1	RMS	944.5	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	2994	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.19	-78.22	-13	65.22	Pass	2986
30	689	0.1	RMS	689	-70.79	-13	57.79	Pass	6591
689	726	0.1	RMS	706.575	14.53	60	45.47	Pass	401
726	1000	0.1	RMS	996.6	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9704	-45.59	-13	32.59	Pass	7001



7. LTE_Band17


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.56	-13	65.56	Pass	401
0.15	30	0.01	RMS	0.15	-78.11	-13	65.11	Pass	2986
30	694	0.1	RMS	693.6	-69.84	-13	56.84	Pass	6641
694	726	0.1	RMS	704.32	15.4	60	44.6	Pass	401
726	1000	0.1	RMS	960.8	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1408	-52.3	-13	39.3	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.08	-13	64.08	Pass	401
0.15	30	0.01	RMS	0.17	-78.14	-13	65.14	Pass	2986
30	694	0.1	RMS	693.6	-70.3	-13	57.3	Pass	6641
694	726	0.1	RMS	704.32	14.55	60	45.45	Pass	401
726	1000	0.1	RMS	944.2	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1408	-53.29	-13	40.29	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	0.17	-78.11	-13	65.11	Pass	2986
30	694	0.1	RMS	693.2	-70.67	-13	57.67	Pass	6641
694	726	0.1	RMS	707.84	15.58	60	44.42	Pass	401
726	1000	0.1	RMS	899.4	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1415	-53.78	-13	40.78	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.78	-13	65.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	694	0.1	RMS	693.1	-70.85	-13	57.85	Pass	6641
694	726	0.1	RMS	707.84	14.83	60	45.17	Pass	401
726	1000	0.1	RMS	936.4	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	2993	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9698	-45.49	-13	32.49	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	694	0.1	RMS	693.9	-70.6	-13	57.6	Pass	6641
694	726	0.1	RMS	711.36	15.34	60	44.66	Pass	401
726	1000	0.1	RMS	899.7	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1422	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	9703	-45.43	-13	32.43	Pass	7001




**7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-77.45	-13	64.45	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-13	65.36	Pass	2986
30	694	0.1	RMS	656.3	-70.96	-13	57.96	Pass	6641
694	726	0.1	RMS	711.36	14.77	60	45.23	Pass	401
726	1000	0.1	RMS	932.2	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1422	-50.83	-13	37.83	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001




**7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	694	0.1	RMS	693.9	-67.19	-13	54.19	Pass	6641
694	726	0.1	RMS	704.56	15.52	60	44.48	Pass	401
726	1000	0.1	RMS	990.6	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1409	-52.94	-13	39.94	Pass	2001
3000	10000	1	RMS	9699	-45.55	-13	32.55	Pass	7001




**7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.74	-13	64.74	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	694	0.1	RMS	694	-67.79	-13	54.79	Pass	6641
694	726	0.1	RMS	704.56	14.49	60	45.51	Pass	401
726	1000	0.1	RMS	934.4	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1409	-53.78	-13	40.78	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.27	-13	64.27	Pass	401
0.15	30	0.01	RMS	0.17	-78.49	-13	65.49	Pass	2986
30	694	0.1	RMS	693.9	-69.5	-13	56.5	Pass	6641
694	726	0.1	RMS	705.6	15.75	60	44.25	Pass	401
726	1000	0.1	RMS	972.6	-69.51	-13	56.51	Pass	2741
1000	3000	1	RMS	1411	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.16	-77.82	-13	64.82	Pass	2986
30	694	0.1	RMS	694	-69.72	-13	56.72	Pass	6641
694	726	0.1	RMS	705.6	14.72	60	45.28	Pass	401
726	1000	0.1	RMS	961	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	2995	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9698	-45.48	-13	32.48	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.25	-78.31	-13	65.31	Pass	2986
30	694	0.1	RMS	693.4	-69.71	-13	56.71	Pass	6641
694	726	0.1	RMS	706.56	15.49	60	44.51	Pass	401
726	1000	0.1	RMS	982.6	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	2994	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9705	-45.47	-13	32.47	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	694	0.1	RMS	693.4	-69.95	-13	56.95	Pass	6641
694	726	0.1	RMS	706.56	14.52	60	45.48	Pass	401
726	1000	0.1	RMS	971.2	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	2992	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9701	-45.44	-13	32.44	Pass	7001



8. LTE_Band25


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.2	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	957.572	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1840	-57.04	-13	44.04	Pass	841
1840	1925	1	RMS	1850.2	19.52	60	40.48	Pass	401
1925	3000	1	RMS	2989	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11898	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19403	-34.94	-13	21.94	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.18	-78.25	-13	65.25	Pass	2986
30	1000	0.1	RMS	975.484	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.16	-13	44.16	Pass	841
1840	1925	1	RMS	1850.2	18.56	60	41.44	Pass	401
1925	3000	1	RMS	2997	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11991	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	17830	-34.94	-13	21.94	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.17	-13	62.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.09	-13	64.09	Pass	2986
30	1000	0.1	RMS	945.864	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1837	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1881.863	19.36	60	40.64	Pass	401
1925	3000	1	RMS	2989	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11997	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19361	-34.93	-13	21.93	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.15	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	918.946	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1837	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1881.863	18.42	60	41.58	Pass	401
1925	3000	1	RMS	2962	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11995	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19320	-34.93	-13	21.93	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.44	-13	63.44	Pass	401
0.15	30	0.01	RMS	0.16	-77.86	-13	64.86	Pass	2986
30	1000	0.1	RMS	950.968	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1839	-57.56	-13	44.56	Pass	841
1840	1925	1	RMS	1913.738	19.57	60	40.43	Pass	401
1925	3000	1	RMS	2983	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11905	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	17840	-34.89	-13	21.89	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	999.199	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1837	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1913.738	18.65	60	41.35	Pass	401
1925	3000	1	RMS	2998	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11886	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19382	-34.88	-13	21.88	Pass	8001




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.16	-13	64.16	Pass	2986
30	1000	0.1	RMS	968.679	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-56.71	-13	43.71	Pass	841
1840	1925	1	RMS	1850.2	19.57	60	40.43	Pass	401
1925	3000	1	RMS	2995	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19341	-34.92	-13	21.92	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	970.48	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-56.85	-13	43.85	Pass	841
1840	1925	1	RMS	1850.2	18.75	60	41.25	Pass	401
1925	3000	1	RMS	2999	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11992	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19369	-34.96	-13	21.96	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.19	-78.65	-13	65.65	Pass	2986
30	1000	0.1	RMS	896.531	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1839	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1881.225	19.39	60	40.61	Pass	401
1925	3000	1	RMS	2990	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	17845	-34.96	-13	21.96	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.62	-13	62.62	Pass	401
0.15	30	0.01	RMS	0.15	-76.97	-13	63.97	Pass	2986
30	1000	0.1	RMS	902.635	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1838	-57.56	-13	44.56	Pass	841
1840	1925	1	RMS	1881.225	18.42	60	41.58	Pass	401
1925	3000	1	RMS	2992	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	12000	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19339	-34.91	-13	21.91	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-13	61.37	Pass	401
0.15	30	0.01	RMS	0.16	-77.74	-13	64.74	Pass	2986
30	1000	0.1	RMS	833.2	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1840	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1912.038	19.49	60	40.51	Pass	401
1925	3000	1	RMS	2992	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19325	-34.93	-13	21.93	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	1000	0.1	RMS	850.001	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1834	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1912.038	18.59	60	41.41	Pass	401
1925	3000	1	RMS	2996	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11995	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19358	-34.97	-13	21.97	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.96	-13	60.96	Pass	401
0.15	30	0.01	RMS	0.15	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	982.188	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1840	-55.9	-13	42.9	Pass	841
1840	1925	1	RMS	1850.2	19.48	60	40.52	Pass	401
1925	3000	1	RMS	2993	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19425	-34.92	-13	21.92	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.3	-78.39	-13	65.39	Pass	2986
30	1000	0.1	RMS	984.39	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-56.93	-13	43.93	Pass	841
1840	1925	1	RMS	1850.2	18.52	60	41.48	Pass	401
1925	3000	1	RMS	2998	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11996	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19294	-34.93	-13	21.93	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.58	-13	61.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	872.415	-69.77	-13	56.77	Pass	9701
1000	1840	1	RMS	1840	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1880.163	19.34	60	40.66	Pass	401
1925	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11904	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19391	-34.94	-13	21.94	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.45	-13	64.45	Pass	2986
30	1000	0.1	RMS	938.359	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1838	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1880.163	18.48	60	41.52	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11995	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19314	-34.88	-13	21.88	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.32	-13	62.32	Pass	401
0.15	30	0.01	RMS	0.17	-78.38	-13	65.38	Pass	2986
30	1000	0.1	RMS	997.398	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1837	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1910.125	19.36	60	40.64	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11898	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19366	-34.91	-13	21.91	Pass	8001



8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-78.37	-13	65.37	Pass	2986
30	1000	0.1	RMS	946.765	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1910.338	18.6	60	41.4	Pass	401
1925	3000	1	RMS	2997	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11997	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19303	-34.92	-13	21.92	Pass	8001



8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.15	-76.7	-13	63.7	Pass	2986
30	1000	0.1	RMS	981.188	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1840	-54.8	-13	41.8	Pass	841
1840	1925	1	RMS	1850.413	19.54	60	40.46	Pass	401
1925	3000	1	RMS	2993	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11995	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19333	-34.94	-13	21.94	Pass	8001

