


Spurious Emission at Antenna Terminals


8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	956.071	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-55.01	-13	42.01	Pass	841
1840	1925	1	RMS	1850.413	18.72	60	41.28	Pass	401
1925	3000	1	RMS	2987	-54.24	-13	41.24	Pass	1076
3000	12000	1	RMS	11900	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19431	-34.92	-13	21.92	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.3	-13	62.3	Pass	401
0.15	30	0.01	RMS	0.16	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	954.67	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1840	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1878.038	19.45	60	40.55	Pass	401
1925	3000	1	RMS	2998	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11898	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19302	-34.87	-13	21.87	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.6	-13	64.6	Pass	2986
30	1000	0.1	RMS	977.885	-69.7	-13	56.7	Pass	9701
1000	1840	1	RMS	1840	-57.52	-13	44.52	Pass	841
1840	1925	1	RMS	1878.038	18.49	60	41.51	Pass	401
1925	3000	1	RMS	2997	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11997	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19358	-34.91	-13	21.91	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	930.754	-69.68	-13	56.68	Pass	9701
1000	1840	1	RMS	1840	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1905.45	19.63	60	40.37	Pass	401
1925	3000	1	RMS	2995	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19348	-34.97	-13	21.97	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-76.36	-13	63.36	Pass	2986
30	1000	0.1	RMS	984.089	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1905.45	18.69	60	41.31	Pass	401
1925	3000	1	RMS	2963	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11896	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19316	-34.93	-13	21.93	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	0.16	-76.99	-13	63.99	Pass	2986
30	1000	0.1	RMS	869.914	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-51.56	-13	38.56	Pass	841
1840	1925	1	RMS	1850.625	19.41	60	40.59	Pass	401
1925	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	12000	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19367	-34.92	-13	21.92	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.16	-77.82	-13	64.82	Pass	2986
30	1000	0.1	RMS	933.256	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-52.22	-13	39.22	Pass	841
1840	1925	1	RMS	1850.625	18.56	60	41.44	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11989	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19362	-34.94	-13	21.94	Pass	8001




**8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.15	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	912.342	-69.96	-13	56.96	Pass	9701
1000	1840	1	RMS	1839	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1875.7	19.47	60	40.53	Pass	401
1925	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11901	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19311	-34.87	-13	21.87	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75	-13	62	Pass	401
0.15	30	0.01	RMS	0.15	-77.49	-13	64.49	Pass	2986
30	1000	0.1	RMS	930.554	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1839	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1875.7	18.49	60	41.51	Pass	401
1925	3000	1	RMS	2992	-54.25	-13	41.25	Pass	1076
3000	12000	1	RMS	11996	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19325	-34.94	-13	21.94	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.17	-77.82	-13	64.82	Pass	2986
30	1000	0.1	RMS	937.959	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1836	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1900.775	19.53	60	40.47	Pass	401
1925	3000	1	RMS	2987	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11998	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19329	-34.92	-13	21.92	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.17	-76.54	-13	63.54	Pass	2986
30	1000	0.1	RMS	988.793	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1900.775	18.72	60	41.28	Pass	401
1925	3000	1	RMS	2995	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11999	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19381	-34.92	-13	21.92	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	61.79	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	1000	0.1	RMS	998.699	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-52.61	-13	39.61	Pass	841
1840	1925	1	RMS	1851.05	19.3	60	40.7	Pass	401
1925	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11998	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19342	-34.87	-13	21.87	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	1000	0.1	RMS	995.397	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1840	-52.8	-13	39.8	Pass	841
1840	1925	1	RMS	1851.05	18.48	60	41.52	Pass	401
1925	3000	1	RMS	2990	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11902	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19323	-34.85	-13	21.85	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.56	-13	61.56	Pass	401
0.15	30	0.01	RMS	0.15	-76.97	-13	63.97	Pass	2986
30	1000	0.1	RMS	994.396	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1838	-51.93	-13	38.93	Pass	841
1840	1925	1	RMS	1873.575	19.22	60	40.78	Pass	401
1925	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11900	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19320	-34.93	-13	21.93	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.15	-78.11	-13	65.11	Pass	2986
30	1000	0.1	RMS	932.655	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1838	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1873.575	18.3	60	41.7	Pass	401
1925	3000	1	RMS	2989	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	17842	-34.93	-13	21.93	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	1000	0.1	RMS	948.866	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1839	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1895.888	19.25	60	40.75	Pass	401
1925	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19412	-34.93	-13	21.93	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	940.661	-69.77	-13	56.77	Pass	9701
1000	1840	1	RMS	1835	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1895.888	18.28	60	41.72	Pass	401
1925	3000	1	RMS	2966	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19338	-34.93	-13	21.93	Pass	8001



9. LTE_Band26(part22)


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.94	-13	63.94	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	813.6	-69.63	-13	56.63	Pass	7841
814	860	0.1	RMS	824.3	14.48	60	45.52	Pass	461
860	1000	0.1	RMS	974.6	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1648	-53.45	-13	40.45	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-77.29	-13	64.29	Pass	401
0.15	30	0.01	RMS	0.19	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	813.6	-69.81	-13	56.81	Pass	7841
814	860	0.1	RMS	824.3	13.52	60	46.48	Pass	461
860	1000	0.1	RMS	947.5	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1648	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9701	-45.44	-13	32.44	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.96	-13	61.96	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	814	0.1	RMS	813.3	-70.2	-13	57.2	Pass	7841
814	860	0.1	RMS	836.1	14.61	60	45.39	Pass	461
860	1000	0.1	RMS	967.9	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	2986	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9700	-45.45	-13	32.45	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.91	-13	62.91	Pass	401
0.15	30	0.01	RMS	0.17	-77.28	-13	64.28	Pass	2986
30	814	0.1	RMS	812.2	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	836.1	13.65	60	46.35	Pass	461
860	1000	0.1	RMS	939	-69.82	-13	56.82	Pass	1401
1000	3000	1	RMS	2998	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9703	-45.49	-13	32.49	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	61.27	Pass	401
0.15	30	0.01	RMS	0.15	-77.87	-13	64.87	Pass	2986
30	814	0.1	RMS	811.6	-70.17	-13	57.17	Pass	7841
814	860	0.1	RMS	847.8	14.61	60	45.39	Pass	461
860	1000	0.1	RMS	917.9	-69.9	-13	56.9	Pass	1401
1000	3000	1	RMS	2997	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.21	-13	61.21	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	814	0.1	RMS	813.5	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	847.9	13.73	60	46.27	Pass	461
860	1000	0.1	RMS	948.3	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	3000	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.6	-13	62.6	Pass	401
0.15	30	0.01	RMS	0.16	-77.75	-13	64.75	Pass	2986
30	814	0.1	RMS	813.6	-69.08	-13	56.08	Pass	7841
814	860	0.1	RMS	824.2	14.69	60	45.31	Pass	461
860	1000	0.1	RMS	986.8	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1648	-53.39	-13	40.39	Pass	2001
3000	10000	1	RMS	9704	-45.42	-13	32.42	Pass	7001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.54	-13	63.54	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	814	0.1	RMS	813.5	-69.75	-13	56.75	Pass	7841
814	860	0.1	RMS	824.2	13.85	60	46.15	Pass	461
860	1000	0.1	RMS	936.5	-69.77	-13	56.77	Pass	1401
1000	3000	1	RMS	1648	-54.07	-13	41.07	Pass	2001
3000	10000	1	RMS	9701	-45.43	-13	32.43	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-13	62.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.29	-13	64.29	Pass	2986
30	814	0.1	RMS	814	-70.16	-13	57.16	Pass	7841
814	860	0.1	RMS	835.2	14.83	60	45.17	Pass	461
860	1000	0.1	RMS	880.5	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	2985	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.54	-13	62.54	Pass	401
0.15	30	0.01	RMS	0.16	-77.85	-13	64.85	Pass	2986
30	814	0.1	RMS	811.8	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	835.2	13.93	60	46.07	Pass	461
860	1000	0.1	RMS	949.3	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	3000	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9699	-45.38	-13	32.38	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-13	61.3	Pass	401
0.15	30	0.01	RMS	0.15	-76.78	-13	63.78	Pass	2986
30	814	0.1	RMS	814	-69.81	-13	56.81	Pass	7841
814	860	0.1	RMS	846.2	14.92	60	45.08	Pass	461
860	1000	0.1	RMS	989.7	-69.76	-13	56.76	Pass	1401
1000	3000	1	RMS	1692	-53.77	-13	40.77	Pass	2001
3000	10000	1	RMS	9709	-45.49	-13	32.49	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	61.78	Pass	401
0.15	30	0.01	RMS	0.25	-77.82	-13	64.82	Pass	2986
30	814	0.1	RMS	813.7	-69.87	-13	56.87	Pass	7841
814	860	0.1	RMS	846.2	13.93	60	46.07	Pass	461
860	1000	0.1	RMS	939.1	-69.63	-13	56.63	Pass	1401
1000	3000	1	RMS	2999	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9699	-45.4	-13	32.4	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.66	-13	63.66	Pass	401
0.15	30	0.01	RMS	0.3	-77.5	-13	64.5	Pass	2986
30	814	0.1	RMS	813.6	-69.74	-13	56.74	Pass	7841
814	860	0.1	RMS	824.3	14.56	60	45.44	Pass	461
860	1000	0.1	RMS	925.7	-69.77	-13	56.77	Pass	1401
1000	3000	1	RMS	1648	-53.62	-13	40.62	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.75	-13	64.75	Pass	401
0.15	30	0.01	RMS	0.16	-77.2	-13	64.2	Pass	2986
30	814	0.1	RMS	813.6	-69.91	-13	56.91	Pass	7841
814	860	0.1	RMS	824.3	13.62	60	46.38	Pass	461
860	1000	0.1	RMS	976.9	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	2995	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9707	-45.46	-13	32.46	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.75	-13	61.75	Pass	401
0.15	30	0.01	RMS	0.23	-78.15	-13	65.15	Pass	2986
30	814	0.1	RMS	812.3	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	834.3	14.69	60	45.31	Pass	461
860	1000	0.1	RMS	929.4	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1668	-54.15	-13	41.15	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.7	-13	61.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	814	0.1	RMS	812.3	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	834.3	13.96	60	46.04	Pass	461
860	1000	0.1	RMS	957.4	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	2991	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




**9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.1	-13	62.1	Pass	401
0.15	30	0.01	RMS	0.18	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	813.2	-70.23	-13	57.23	Pass	7841
814	860	0.1	RMS	844.3	14.81	60	45.19	Pass	461
860	1000	0.1	RMS	993.6	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	3000	-54.26	-13	41.26	Pass	2001
3000	10000	1	RMS	9705	-45.45	-13	32.45	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.72	-13	62.72	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-13	65.16	Pass	2986
30	814	0.1	RMS	811.7	-70.2	-13	57.2	Pass	7841
814	860	0.1	RMS	844.3	14.01	60	45.99	Pass	461
860	1000	0.1	RMS	922.1	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9711	-45.47	-13	32.47	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.14	-13	62.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.82	-13	64.82	Pass	2986
30	814	0.1	RMS	813.9	-66.86	-13	53.86	Pass	7841
814	860	0.1	RMS	824.6	15.11	60	44.89	Pass	461
860	1000	0.1	RMS	872	-69.74	-13	56.74	Pass	1401
1000	3000	1	RMS	1649	-53.87	-13	40.87	Pass	2001
3000	10000	1	RMS	9700	-45.45	-13	32.45	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	62.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	814	0.1	RMS	813.9	-66.8	-13	53.8	Pass	7841
814	860	0.1	RMS	824.6	14.33	60	45.67	Pass	461
860	1000	0.1	RMS	911.6	-69.75	-13	56.75	Pass	1401
1000	3000	1	RMS	2995	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9704	-45.38	-13	32.38	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.99	-13	62.99	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	814	0.1	RMS	814	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	832.1	15.27	60	44.73	Pass	461
860	1000	0.1	RMS	934	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1664	-53.29	-13	40.29	Pass	2001
3000	10000	1	RMS	9702	-45.4	-13	32.4	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.45	-13	64.45	Pass	2986
30	814	0.1	RMS	813.5	-69.85	-13	56.85	Pass	7841
814	860	0.1	RMS	832.1	14.24	60	45.76	Pass	461
860	1000	0.1	RMS	969.1	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	2995	-54.26	-13	41.26	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.15	-78.07	-13	65.07	Pass	2986
30	814	0.1	RMS	813.7	-70.07	-13	57.07	Pass	7841
814	860	0.1	RMS	839.6	15.15	60	44.85	Pass	461
860	1000	0.1	RMS	960	-69.82	-13	56.82	Pass	1401
1000	3000	1	RMS	1679	-53.9	-13	40.9	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.22	-77.96	-13	64.96	Pass	2986
30	814	0.1	RMS	813.6	-70.01	-13	57.01	Pass	7841
814	860	0.1	RMS	839.6	14.33	60	45.67	Pass	461
860	1000	0.1	RMS	973.8	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	2992	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9700	-45.4	-13	32.4	Pass	7001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.36	-13	62.36	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	814	0.1	RMS	811.6	-61.95	-13	48.95	Pass	7841
814	860	0.1	RMS	824.8	14.61	60	45.39	Pass	461
860	1000	0.1	RMS	997.1	-69.9	-13	56.9	Pass	1401
1000	3000	1	RMS	1649	-53.63	-13	40.63	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.07	-13	62.07	Pass	401
0.15	30	0.01	RMS	0.16	-77.92	-13	64.92	Pass	2986
30	814	0.1	RMS	811.5	-62.19	-13	49.19	Pass	7841
814	860	0.1	RMS	824.8	13.76	60	46.24	Pass	461
860	1000	0.1	RMS	989.6	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1649	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9706	-45.48	-13	32.48	Pass	7001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.92	-13	61.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.69	-13	64.69	Pass	2986
30	814	0.1	RMS	814	-67.71	-13	54.71	Pass	7841
814	860	0.1	RMS	829.8	14.66	60	45.34	Pass	461
860	1000	0.1	RMS	968	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1659	-52.71	-13	39.71	Pass	2001
3000	10000	1	RMS	9703	-45.45	-13	32.45	Pass	7001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.03	-13	64.03	Pass	401
0.15	30	0.01	RMS	0.15	-78.32	-13	65.32	Pass	2986
30	814	0.1	RMS	814	-67.7	-13	54.7	Pass	7841
814	860	0.1	RMS	829.8	13.68	60	46.32	Pass	461
860	1000	0.1	RMS	994.2	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1659	-53.66	-13	40.66	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	62.2	Pass	401
0.15	30	0.01	RMS	0.17	-77.94	-13	64.94	Pass	2986
30	814	0.1	RMS	811.8	-68.05	-13	55.05	Pass	7841
814	860	0.1	RMS	834.8	14.5	60	45.5	Pass	461
860	1000	0.1	RMS	882.1	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	2996	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9698	-45.45	-13	32.45	Pass	7001



9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.72	-13	62.72	Pass	401
0.15	30	0.01	RMS	0.2	-78.15	-13	65.15	Pass	2986
30	814	0.1	RMS	811.8	-68.11	-13	55.11	Pass	7841
814	860	0.1	RMS	834.8	13.8	60	46.2	Pass	461
860	1000	0.1	RMS	881.7	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9701	-45.47	-13	32.47	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.97	-13	51.97	Pass	401
0.15	30	0.01	Peak	0.15	-67.62	-13	54.62	Pass	2986
30	809	0.1	Peak	808.1	-58.84	-13	45.84	Pass	7791
809	829	0.1	Peak	814.3	20.13	60	39.87	Pass	401
829	1000	0.1	Peak	831.5	-45.47	-13	32.47	Pass	1711
1000	3000	1	Peak	2834	-42.83	-13	29.83	Pass	2001
3000	10000	1	Peak	7173	-33.97	-13	20.97	Pass	7001




**1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.69	-13	51.69	Pass	401
0.15	30	0.01	Peak	0.2	-69.67	-13	56.67	Pass	2986
30	809	0.1	Peak	809	-55.12	-13	42.12	Pass	7791
809	829	0.1	Peak	814.25	20.65	60	39.35	Pass	401
829	1000	0.1	Peak	829.6	-44.51	-13	31.51	Pass	1711
1000	3000	1	Peak	2778	-42.49	-13	29.49	Pass	2001
3000	10000	1	Peak	7897	-33.79	-13	20.79	Pass	7001




**1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.52	-13	58.52	Pass	401
0.15	30	0.01	Peak	1.58	-71.18	-13	58.18	Pass	2986
30	809	0.1	Peak	807.8	-58.12	-13	45.12	Pass	7791
809	829	0.1	Peak	818.55	19.9	60	40.1	Pass	401
829	1000	0.1	Peak	867.5	-58.91	-13	45.91	Pass	1711
1000	3000	1	Peak	2836	-42.56	-13	29.56	Pass	2001
3000	10000	1	Peak	6686	-34.06	-13	21.06	Pass	7001




**1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.16	-13	53.16	Pass	401
0.15	30	0.01	Peak	0.16	-70.28	-13	57.28	Pass	2986
30	809	0.1	Peak	708.5	-59.46	-13	46.46	Pass	7791
809	829	0.1	Peak	818.6	19.79	60	40.21	Pass	401
829	1000	0.1	Peak	836.7	-58.41	-13	45.41	Pass	1711
1000	3000	1	Peak	2940	-42.87	-13	29.87	Pass	2001
3000	10000	1	Peak	7954	-33.68	-13	20.68	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-70.32	-13	57.32	Pass	401
0.15	30	0.01	Peak	0.34	-70.47	-13	57.47	Pass	2986
30	809	0.1	Peak	595.4	-59.18	-13	46.18	Pass	7791
809	829	0.1	Peak	822.9	20.12	60	39.88	Pass	401
829	1000	0.1	Peak	954.9	-59.25	-13	46.25	Pass	1711
1000	3000	1	Peak	3000	-42.99	-13	29.99	Pass	2001
3000	10000	1	Peak	7328	-33.93	-13	20.93	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-64.84	-13	51.84	Pass	401
0.15	30	0.01	Peak	0.22	-70.83	-13	57.83	Pass	2986
30	809	0.1	Peak	797.9	-58.64	-13	45.64	Pass	7791
809	829	0.1	Peak	822.85	20.33	60	39.67	Pass	401
829	1000	0.1	Peak	886.7	-59.06	-13	46.06	Pass	1711
1000	3000	1	Peak	2944	-42.88	-13	29.88	Pass	2001
3000	10000	1	Peak	9833	-33.36	-13	20.36	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.83	-13	51.83	Pass	401
0.15	30	0.01	Peak	0.28	-69.41	-13	56.41	Pass	2986
30	809	0.1	Peak	809	-58.03	-13	45.03	Pass	7791
809	829	0.1	Peak	814.2	20.23	60	39.77	Pass	401
829	1000	0.1	Peak	857.1	-58.92	-13	45.92	Pass	1711
1000	3000	1	Peak	2752	-42.01	-13	29.01	Pass	2001
3000	10000	1	Peak	6962	-33.64	-13	20.64	Pass	7001




**1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.78	-13	49.78	Pass	401
0.15	30	0.01	Peak	0.24	-70.85	-13	57.85	Pass	2986
30	809	0.1	Peak	808.8	-58.53	-13	45.53	Pass	7791
809	829	0.1	Peak	814.2	20.55	60	39.45	Pass	401
829	1000	0.1	Peak	974.6	-58.87	-13	45.87	Pass	1711
1000	3000	1	Peak	2892	-42.49	-13	29.49	Pass	2001
3000	10000	1	Peak	6808	-33.82	-13	20.82	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.7	-13	54.7	Pass	401
0.15	30	0.01	Peak	0.15	-69.72	-13	56.72	Pass	2986
30	809	0.1	Peak	437.8	-58.95	-13	45.95	Pass	7791
809	829	0.1	Peak	817.8	20.27	60	39.73	Pass	401
829	1000	0.1	Peak	834.5	-59.09	-13	46.09	Pass	1711
1000	3000	1	Peak	2928	-42.47	-13	29.47	Pass	2001
3000	10000	1	Peak	7618	-33.52	-13	20.52	Pass	7001




**1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.44	-13	53.44	Pass	401
0.15	30	0.01	Peak	0.2	-70.31	-13	57.31	Pass	2986
30	809	0.1	Peak	805.2	-58.6	-13	45.6	Pass	7791
809	829	0.1	Peak	817.75	19.98	60	40.02	Pass	401
829	1000	0.1	Peak	830.8	-46.49	-13	33.49	Pass	1711
1000	3000	1	Peak	2832	-42.66	-13	29.66	Pass	2001
3000	10000	1	Peak	7915	-33.44	-13	20.44	Pass	7001




**1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.4	-13	55.4	Pass	401
0.15	30	0.01	Peak	0.15	-70.04	-13	57.04	Pass	2986
30	809	0.1	Peak	796.4	-59.42	-13	46.42	Pass	7791
809	829	0.1	Peak	821.2	20.09	60	39.91	Pass	401
829	1000	0.1	Peak	829.1	-51.37	-13	38.37	Pass	1711
1000	3000	1	Peak	2866	-42.29	-13	29.29	Pass	2001
3000	10000	1	Peak	7292	-32.59	-13	19.59	Pass	7001



**1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-63.54	-13	50.54	Pass	401
0.15	30	0.01	Peak	0.28	-68.89	-13	55.89	Pass	2986
30	809	0.1	Peak	604.2	-59.33	-13	46.33	Pass	7791
809	829	0.1	Peak	821.3	20.63	60	39.37	Pass	401
829	1000	0.1	Peak	829.3	-52.38	-13	39.38	Pass	1711
1000	3000	1	Peak	2883	-43.09	-13	30.09	Pass	2001
3000	10000	1	Peak	9873	-34.02	-13	21.02	Pass	7001



**1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.94	-13	52.94	Pass	401
0.15	30	0.01	Peak	0.15	-68.9	-13	55.9	Pass	2986
30	809	0.1	Peak	711.2	-59.27	-13	46.27	Pass	7791
809	829	0.1	Peak	814.35	20.75	60	39.25	Pass	401
829	1000	0.1	Peak	831.5	-57.66	-13	44.66	Pass	1711
1000	3000	1	Peak	2977	-43	-13	30	Pass	2001
3000	10000	1	Peak	9850	-33.35	-13	20.35	Pass	7001

