


Spurious Emission at Antenna Terminals


**1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.72	-13	52.72	Pass	401
0.15	30	0.01	Peak	0.21	-70.55	-13	57.55	Pass	2986
30	809	0.1	Peak	787	-59.13	-13	46.13	Pass	7791
809	829	0.1	Peak	814.25	20.59	60	39.41	Pass	401
829	1000	0.1	Peak	870.3	-58.76	-13	45.76	Pass	1711
1000	3000	1	Peak	2855	-42.69	-13	29.69	Pass	2001
3000	10000	1	Peak	7661	-33.52	-13	20.52	Pass	7001




**1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.08	-13	53.08	Pass	401
0.15	30	0.01	Peak	0.16	-69.6	-13	56.6	Pass	2986
30	809	0.1	Peak	742.9	-59.3	-13	46.3	Pass	7791
809	829	0.1	Peak	816.85	19.9	60	40.1	Pass	401
829	1000	0.1	Peak	997.7	-58.84	-13	45.84	Pass	1711
1000	3000	1	Peak	1634	-42.19	-13	29.19	Pass	2001
3000	10000	1	Peak	8746	-33.38	-13	20.38	Pass	7001




**1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.89	-13	54.89	Pass	401
0.15	30	0.01	Peak	0.26	-70.36	-13	57.36	Pass	2986
30	809	0.1	Peak	711.2	-59.46	-13	46.46	Pass	7791
809	829	0.1	Peak	816.8	19.9	60	40.1	Pass	401
829	1000	0.1	Peak	829.4	-57.76	-13	44.76	Pass	1711
1000	3000	1	Peak	2976	-42.81	-13	29.81	Pass	2001
3000	10000	1	Peak	7214	-33.59	-13	20.59	Pass	7001




**1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.35	-13	55.35	Pass	401
0.15	30	0.01	Peak	0.2	-69.69	-13	56.69	Pass	2986
30	809	0.1	Peak	774.7	-59.66	-13	46.66	Pass	7791
809	829	0.1	Peak	819.35	19.94	60	40.06	Pass	401
829	1000	0.1	Peak	829.6	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	2967	-42.69	-13	29.69	Pass	2001
3000	10000	1	Peak	7642	-33.82	-13	20.82	Pass	7001




**1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-66.18	-13	53.18	Pass	401
0.15	30	0.01	Peak	1.49	-70.5	-13	57.5	Pass	2986
30	809	0.1	Peak	707.2	-59.57	-13	46.57	Pass	7791
809	829	0.1	Peak	819.3	19.96	60	40.04	Pass	401
829	1000	0.1	Peak	829.3	-42.56	-13	29.56	Pass	1711
1000	3000	1	Peak	2811	-42.57	-13	29.57	Pass	2001
3000	10000	1	Peak	7282	-33.07	-13	20.07	Pass	7001




**1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.89	-13	51.89	Pass	401
0.15	30	0.01	Peak	0.42	-70.53	-13	57.53	Pass	2986
30	809	0.1	Peak	808.8	-59.64	-13	46.64	Pass	7791
809	829	0.1	Peak	814.6	20.4	60	39.6	Pass	401
829	1000	0.1	Peak	829.5	-40.65	-13	27.65	Pass	1711
1000	3000	1	Peak	2988	-42.18	-13	29.18	Pass	2001
3000	10000	1	Peak	8297	-33.42	-13	20.42	Pass	7001



**1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.05	-13	52.05	Pass	401
0.15	30	0.01	Peak	0.15	-69.06	-13	56.06	Pass	2986
30	809	0.1	Peak	688.5	-58.9	-13	45.9	Pass	7791
809	829	0.1	Peak	814.55	20.59	60	39.41	Pass	401
829	1000	0.1	Peak	829.9	-45.09	-13	32.09	Pass	1711
1000	3000	1	Peak	2929	-42.63	-13	29.63	Pass	2001
3000	10000	1	Peak	9238	-33.97	-13	20.97	Pass	7001



10. LTE_Band38


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.27	-25	35.27	Pass	401
0.15	30	0.01	RMS	0.16	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	859.907	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2560	-48.05	-25	23.05	Pass	1561
2560	2630	1	RMS	2570.15	23.66	60	36.34	Pass	401
2630	3000	1	RMS	2898.25	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11949	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25901	-50.94	-25	25.94	Pass	14502




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.25	-25	35.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	978.686	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2560	-48.14	-25	23.14	Pass	1561
2560	2630	1	RMS	2570.15	22.37	60	37.63	Pass	401
2630	3000	1	RMS	2901.025	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11952	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25503	-50.97	-25	25.97	Pass	14502




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.27	-25	35.27	Pass	401
0.15	30	0.01	RMS	0.22	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	936.258	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2543	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2592.9	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2903.8	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11961	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25497	-50.92	-25	25.92	Pass	14502




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.38	-25	36.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	983.789	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2532	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2592.725	22.85	60	37.15	Pass	401
2630	3000	1	RMS	2899.175	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11974	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25502	-50.95	-25	25.95	Pass	14502




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.26	-25	35.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	848.4	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2503	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2615.125	23.35	60	36.65	Pass	401
2630	3000	1	RMS	2899.175	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11949	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25506	-50.97	-25	25.97	Pass	14502




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.1	-25	35.1	Pass	401
0.15	30	0.01	RMS	0.17	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	844.9	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2500	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2615.125	21.88	60	38.12	Pass	401
2630	3000	1	RMS	2904.725	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11955	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25501	-50.92	-25	25.92	Pass	14502




**10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.47	-25	36.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	838.6	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2553	-43.29	-25	18.29	Pass	1561
2560	2630	1	RMS	2570.5	23.54	60	36.46	Pass	401
2630	3000	1	RMS	2901.02 5	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11951	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25515	-50.94	-25	25.94	Pass	14502




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.96	-25	35.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	976.284	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2560	-46.35	-25	21.35	Pass	1561
2560	2630	1	RMS	2570.5	22.9	60	37.1	Pass	401
2630	3000	1	RMS	2899.175	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11956	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25500	-50.97	-25	25.97	Pass	14502



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-59.91	-25	34.91	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	879.32	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2539	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2590.625	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2901.025	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11967	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25505	-50.83	-25	25.83	Pass	14502



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.58	-25	35.58	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	942.262	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2520	-48.32	-25	23.32	Pass	1561
2560	2630	1	RMS	2590.625	22.66	60	37.34	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11951	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25500	-50.94	-25	25.94	Pass	14502



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-59.6	-25	34.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	956.871	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2532	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2610.575	23.02	60	36.98	Pass	401
2630	3000	1	RMS	2901.95	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11959	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25878	-50.9	-25	25.9	Pass	14502



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.44	-25	35.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.4	-25	42.4	Pass	2986
30	1000	0.1	RMS	964.476	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2512	-48.3	-25	23.3	Pass	1561
2560	2630	1	RMS	2610.4	22.74	60	37.26	Pass	401
2630	3000	1	RMS	2900.1	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11955	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25496	-50.84	-25	25.84	Pass	14502



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.56	-25	35.56	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	854.804	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2560	-40.55	-25	15.55	Pass	1561
2560	2630	1	RMS	2570.675	23.56	60	36.44	Pass	401
2630	3000	1	RMS	2902.875	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11971	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25502	-50.95	-25	25.95	Pass	14502



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.07	-25	36.07	Pass	401
0.15	30	0.01	RMS	0.15	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	865.811	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2558	-42.04	-25	17.04	Pass	1561
2560	2630	1	RMS	2570.675	23.02	60	36.98	Pass	401
2630	3000	1	RMS	2901.025	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11951	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25509	-50.97	-25	25.97	Pass	14502



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.25	-25	36.25	Pass	401
0.15	30	0.01	RMS	0.23	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	986.091	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2537	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2588.175	23.78	60	36.22	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11956	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25508	-50.97	-25	25.97	Pass	14502



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.87	-25	35.87	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	965.877	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2497	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2588.175	22.46	60	37.54	Pass	401
2630	3000	1	RMS	2901.025	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11958	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25499	-50.93	-25	25.93	Pass	14502



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.28	-25	35.28	Pass	401
0.15	30	0.01	RMS	0.18	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	918.046	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2536	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2605.675	23.55	60	36.45	Pass	401
2630	3000	1	RMS	2631.85	-25.01	-25	0.01	Pass*	401
3000	12000	1	RMS	11990	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25503	-50.84	-25	25.84	Pass	14502



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.97	-25	36.97	Pass	401
0.15	30	0.01	RMS	0.17	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	899.433	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2529	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2605.675	22.25	60	37.75	Pass	401
2630	3000	1	RMS	2631.85	-25.67	-25	0.67	Pass*	401
3000	12000	1	RMS	11957	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25515	-50.94	-25	25.94	Pass	14502



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.97	-25	35.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	610.4	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2558	-41.78	-25	16.78	Pass	1561
2560	2630	1	RMS	2570.85	23.54	60	36.46	Pass	401
2630	3000	1	RMS	2901.95	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11960	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25499	-50.91	-25	25.91	Pass	14502



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:37850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.35	-25	36.35	Pass	401
0.15	30	0.01	RMS	0.23	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	979.386	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2558	-41.4	-25	16.4	Pass	1561
2560	2630	1	RMS	2570.85	22.24	60	37.76	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11955	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25507	-50.91	-25	25.91	Pass	14502



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.27	-25	36.27	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	880.521	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2551	-44.54	-25	19.54	Pass	1561
2560	2630	1	RMS	2586.075	23.62	60	36.38	Pass	401
2630	3000	1	RMS	2900.1	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	11953	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25512	-50.86	-25	25.86	Pass	14502



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.25	-25	36.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-25	42.81	Pass	2986
30	1000	0.1	RMS	968.379	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2551	-47.31	-25	22.31	Pass	1561
2560	2630	1	RMS	2586.075	22.24	60	37.76	Pass	401
2630	3000	1	RMS	2899.175	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11954	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25505	-50.99	-25	25.99	Pass	14502



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.07	-25	36.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	977.985	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2531	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2601.125	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2636.475	-25.71	-25	0.71	Pass*	401
3000	12000	1	RMS	11959	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25549	-50.94	-25	25.94	Pass	14502



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:38150, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-59.44	-25	34.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.26	-25	42.26	Pass	2986
30	1000	0.1	RMS	845.7	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2530	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2601.125	21.87	60	38.13	Pass	401
2630	3000	1	RMS	2636.475	-26.62	-25	1.62	Pass*	401
3000	12000	1	RMS	11956	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25496	-50.84	-25	25.84	Pass	14502



11. LTE_Band41 120M


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.89	-25	35.89	Pass	401
0.15	30	0.01	RMS	0.17	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	865.211	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2523	-48.42	-25	23.42	Pass	1526
2525	2665	1	RMS	2640.5	21.74	60	38.26	Pass	401
2665	3000	1	RMS	2666.675	-25.3	-25	0.3	Pass*	401
3000	12000	1	RMS	11960	-60.16	-25	35.16	Pass	9002
12000	26500	1	RMS	25502	-50.28	-25	25.28	Pass	14502




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.16	-25	36.16	Pass	401
0.15	30	0.01	RMS	0.26	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	984.49	-61.45	-25	36.45	Pass	9701
1000	2525	1	RMS	2499	-48.45	-25	23.45	Pass	1526
2525	2665	1	RMS	2640.85	21.94	60	38.06	Pass	401
2665	3000	1	RMS	2667.513	-24.93	-25	-0.07	Pass	401
3000	12000	1	RMS	11966	-60.14	-25	35.14	Pass	9002
12000	26500	1	RMS	25517	-50.35	-25	25.35	Pass	14502




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.11	-25	36.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	947.966	-61.49	-25	36.49	Pass	9701
1000	2525	1	RMS	2499	-48.43	-25	23.43	Pass	1526
2525	2665	1	RMS	2635.95	21.85	60	38.15	Pass	401
2665	3000	1	RMS	2670.863	-26.95	-25	1.95	Pass*	401
3000	12000	1	RMS	11996	-60.17	-25	35.17	Pass	9002
12000	26500	1	RMS	25500	-50.22	-25	25.22	Pass	14502




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.08	-25	36.08	Pass	401
0.15	30	0.01	RMS	0.16	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	839.8	-61.42	-25	36.42	Pass	9701
1000	2525	1	RMS	2522	-48.38	-25	23.38	Pass	1526
2525	2665	1	RMS	2635.95	22.12	60	37.88	Pass	401
2665	3000	1	RMS	2671.7	-27.39	-25	2.39	Pass*	401
3000	12000	1	RMS	11958	-60.13	-25	35.13	Pass	9002
12000	26500	1	RMS	25492	-50.33	-25	25.33	Pass	14502




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.34	-25	36.34	Pass	401
0.15	30	0.01	RMS	0.18	-68.96	-25	43.96	Pass	2986
30	1000	0.1	RMS	961.374	-62.25	-25	37.25	Pass	9701
1000	2525	1	RMS	2525	-48.96	-25	23.96	Pass	1526
2525	2665	1	RMS	2535.15	20.96	60	39.04	Pass	401
2665	3000	1	RMS	2901.175	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11962	-60.94	-25	35.94	Pass	9002
12000	26500	1	RMS	25496	-51.03	-25	26.03	Pass	14502




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.3	-25	36.3	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	850.701	-62.27	-25	37.27	Pass	9701
1000	2525	1	RMS	2525	-48.91	-25	23.91	Pass	1526
2525	2665	1	RMS	2535.15	22.37	60	37.63	Pass	401
2665	3000	1	RMS	2901.175	-47.14	-25	22.14	Pass	401
3000	12000	1	RMS	5071	-60.42	-25	35.42	Pass	9002
12000	26500	1	RMS	25507	-51.08	-25	26.08	Pass	14502




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.68	-25	36.68	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	898.633	-62.3	-25	37.3	Pass	9701
1000	2525	1	RMS	2518	-49.16	-25	24.16	Pass	1526
2525	2665	1	RMS	2592.55	20.87	60	39.13	Pass	401
2665	3000	1	RMS	2901.175	-47.13	-25	22.13	Pass	401
3000	12000	1	RMS	11976	-60.93	-25	35.93	Pass	9002
12000	26500	1	RMS	25498	-51.17	-25	26.17	Pass	14502




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.97	-25	36.97	Pass	401
0.15	30	0.01	RMS	0.16	-69.32	-25	44.32	Pass	2986
30	1000	0.1	RMS	872.215	-62.29	-25	37.29	Pass	9701
1000	2525	1	RMS	2525	-49.19	-25	24.19	Pass	1526
2525	2665	1	RMS	2592.55	21.16	60	38.84	Pass	401
2665	3000	1	RMS	2898.663	-47.13	-25	22.13	Pass	401
3000	12000	1	RMS	11960	-60.91	-25	35.91	Pass	9002
12000	26500	1	RMS	25500	-51.08	-25	26.08	Pass	14502




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.08	-25	36.08	Pass	401
0.15	30	0.01	RMS	0.22	-69.27	-25	44.27	Pass	2986
30	1000	0.1	RMS	977.785	-62.3	-25	37.3	Pass	9701
1000	2525	1	RMS	2524	-49.23	-25	24.23	Pass	1526
2525	2665	1	RMS	2649.95	21.06	60	38.94	Pass	401
2665	3000	1	RMS	2901.175	-47.15	-25	22.15	Pass	401
3000	12000	1	RMS	5301	-59.88	-25	34.88	Pass	9002
12000	26500	1	RMS	25505	-50.98	-25	25.98	Pass	14502




11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62	-25	37	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	863.51	-62.26	-25	37.26	Pass	9701
1000	2525	1	RMS	2497	-49.24	-25	24.24	Pass	1526
2525	2665	1	RMS	2649.95	21.24	60	38.76	Pass	401
2665	3000	1	RMS	2902.013	-47.13	-25	22.13	Pass	401
3000	12000	1	RMS	11949	-60.94	-25	35.94	Pass	9002
12000	26500	1	RMS	25518	-51.03	-25	26.03	Pass	14502




**11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.9	-25	35.9	Pass	401
0.15	30	0.01	RMS	0.23	-69.56	-25	44.56	Pass	2986
30	1000	0.1	RMS	967.979	-62.25	-25	37.25	Pass	9701
1000	2525	1	RMS	2518	-44.59	-25	19.59	Pass	1526
2525	2665	1	RMS	2535.15	21.56	60	38.44	Pass	401
2665	3000	1	RMS	2902.01 3	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11951	-60.9	-25	35.9	Pass	9002
12000	26500	1	RMS	25502	-51.01	-25	26.01	Pass	14502




11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.97	-25	35.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	900.534	-62.16	-25	37.16	Pass	9701
1000	2525	1	RMS	2518	-40.76	-25	15.76	Pass	1526
2525	2665	1	RMS	2535.5	21.48	60	38.52	Pass	401
2665	3000	1	RMS	2899.5	-47.12	-25	22.12	Pass	401
3000	12000	1	RMS	11962	-60.99	-25	35.99	Pass	9002
12000	26500	1	RMS	25499	-51.15	-25	26.15	Pass	14502



11.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.03	-25	36.03	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	977.985	-62.25	-25	37.25	Pass	9701
1000	2525	1	RMS	2496	-49.24	-25	24.24	Pass	1526
2525	2665	1	RMS	2590.45	21.9	60	38.1	Pass	401
2665	3000	1	RMS	2904.525	-47.09	-25	22.09	Pass	401
3000	12000	1	RMS	5181	-60.72	-25	35.72	Pass	9002
12000	26500	1	RMS	25509	-50.99	-25	25.99	Pass	14502



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.98	-25	36.98	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-25	44.34	Pass	2986
30	1000	0.1	RMS	983.389	-62.22	-25	37.22	Pass	9701
1000	2525	1	RMS	2520	-49.17	-25	24.17	Pass	1526
2525	2665	1	RMS	2590.1	20.63	60	39.37	Pass	401
2665	3000	1	RMS	2900.338	-47.12	-25	22.12	Pass	401
3000	12000	1	RMS	11960	-60.9	-25	35.9	Pass	9002
12000	26500	1	RMS	25514	-51.09	-25	26.09	Pass	14502



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.96	-25	35.96	Pass	401
0.15	30	0.01	RMS	0.19	-69.67	-25	44.67	Pass	2986
30	1000	0.1	RMS	981.588	-62.21	-25	37.21	Pass	9701
1000	2525	1	RMS	2519	-49.24	-25	24.24	Pass	1526
2525	2665	1	RMS	2645.4	21.52	60	38.48	Pass	401
2665	3000	1	RMS	2901.175	-47.13	-25	22.13	Pass	401
3000	12000	1	RMS	11954	-60.87	-25	35.87	Pass	9002
12000	26500	1	RMS	25504	-50.99	-25	25.99	Pass	14502



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.29	-25	36.29	Pass	401
0.15	30	0.01	RMS	0.19	-69.03	-25	44.03	Pass	2986
30	1000	0.1	RMS	971.981	-62.26	-25	37.26	Pass	9701
1000	2525	1	RMS	2502	-49.17	-25	24.17	Pass	1526
2525	2665	1	RMS	2645.4	21.74	60	38.26	Pass	401
2665	3000	1	RMS	2901.175	-47.1	-25	22.1	Pass	401
3000	12000	1	RMS	11961	-60.96	-25	35.96	Pass	9002
12000	26500	1	RMS	25508	-51.04	-25	26.04	Pass	14502



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.81	-25	36.81	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	820.8	-62.27	-25	37.27	Pass	9701
1000	2525	1	RMS	2509	-44.5	-25	19.5	Pass	1526
2525	2665	1	RMS	2535.5	21.73	60	38.27	Pass	401
2665	3000	1	RMS	2900.338	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11950	-60.91	-25	35.91	Pass	9002
12000	26500	1	RMS	25501	-51.05	-25	26.05	Pass	14502



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.7	-25	35.7	Pass	401
0.15	30	0.01	RMS	0.25	-69.29	-25	44.29	Pass	2986
30	1000	0.1	RMS	869.413	-62.31	-25	37.31	Pass	9701
1000	2525	1	RMS	2509	-41.39	-25	16.39	Pass	1526
2525	2665	1	RMS	2535.85	21.46	60	38.54	Pass	401
2665	3000	1	RMS	2899.5	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11970	-60.92	-25	35.92	Pass	9002
12000	26500	1	RMS	25500	-51.07	-25	26.07	Pass	14502



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.04	-25	35.04	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	43.93	Pass	2986
30	1000	0.1	RMS	986.591	-62.17	-25	37.17	Pass	9701
1000	2525	1	RMS	2514	-49.19	-25	24.19	Pass	1526
2525	2665	1	RMS	2588	21.54	60	38.46	Pass	401
2665	3000	1	RMS	2900.338	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11949	-60.93	-25	35.93	Pass	9002
12000	26500	1	RMS	25500	-51	-25	26	Pass	14502



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.41	-25	36.41	Pass	401
0.15	30	0.01	RMS	0.19	-69.41	-25	44.41	Pass	2986
30	1000	0.1	RMS	978.386	-62.14	-25	37.14	Pass	9701
1000	2525	1	RMS	2505	-49.2	-25	24.2	Pass	1526
2525	2665	1	RMS	2588.35	21.25	60	38.75	Pass	401
2665	3000	1	RMS	2898.663	-47.15	-25	22.15	Pass	401
3000	12000	1	RMS	11951	-60.88	-25	35.88	Pass	9002
12000	26500	1	RMS	25481	-51.13	-25	26.13	Pass	14502



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.59	-25	36.59	Pass	401
0.15	30	0.01	RMS	0.19	-69.28	-25	44.28	Pass	2986
30	1000	0.1	RMS	955.07	-62.21	-25	37.21	Pass	9701
1000	2525	1	RMS	2498	-49.18	-25	24.18	Pass	1526
2525	2665	1	RMS	2640.5	21.34	60	38.66	Pass	401
2665	3000	1	RMS	2666.675	-27.38	-25	2.38	Pass*	401
3000	12000	1	RMS	5282	-59.86	-25	34.86	Pass	9002
12000	26500	1	RMS	25506	-51.08	-25	26.08	Pass	14502



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.15	-25	35.15	Pass	401
0.15	30	0.01	RMS	0.16	-69.47	-25	44.47	Pass	2986
30	1000	0.1	RMS	971.181	-62.28	-25	37.28	Pass	9701
1000	2525	1	RMS	2524	-49.2	-25	24.2	Pass	1526
2525	2665	1	RMS	2640.85	21.57	60	38.43	Pass	401
2665	3000	1	RMS	2666.675	-25.32	-25	0.32	Pass*	401
3000	12000	1	RMS	11967	-60.92	-25	35.92	Pass	9002
12000	26500	1	RMS	25499	-51	-25	26	Pass	14502



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.1	-25	36.1	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-25	44.34	Pass	2986
30	1000	0.1	RMS	935.157	-62.18	-25	37.18	Pass	9701
1000	2525	1	RMS	2525	-43.25	-25	18.25	Pass	1526
2525	2665	1	RMS	2535.85	22.24	60	37.76	Pass	401
2665	3000	1	RMS	2898.663	-47.11	-25	22.11	Pass	401
3000	12000	1	RMS	11960	-60.97	-25	35.97	Pass	9002
12000	26500	1	RMS	25504	-51.08	-25	26.08	Pass	14502



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.1	-25	37.1	Pass	401
0.15	30	0.01	RMS	0.16	-69.39	-25	44.39	Pass	2986
30	1000	0.1	RMS	575.4	-62.01	-25	37.01	Pass	9701
1000	2525	1	RMS	2525	-41.27	-25	16.27	Pass	1526
2525	2665	1	RMS	2535.85	21.52	60	38.48	Pass	401
2665	3000	1	RMS	2901.175	-47.13	-25	22.13	Pass	401
3000	12000	1	RMS	11955	-60.9	-25	35.9	Pass	9002
12000	26500	1	RMS	25511	-51.11	-25	26.11	Pass	14502



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.16	-25	36.16	Pass	401
0.15	30	0.01	RMS	0.17	-69.22	-25	44.22	Pass	2986
30	1000	0.1	RMS	980.687	-62.2	-25	37.2	Pass	9701
1000	2525	1	RMS	2498	-49.19	-25	24.19	Pass	1526
2525	2665	1	RMS	2585.9	20.61	60	39.39	Pass	401
2665	3000	1	RMS	2899.5	-47.09	-25	22.09	Pass	401
3000	12000	1	RMS	5172	-60.88	-25	35.88	Pass	9002
12000	26500	1	RMS	25503	-50.94	-25	25.94	Pass	14502



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.69	-25	36.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	923.449	-62.23	-25	37.23	Pass	9701
1000	2525	1	RMS	2516	-49.15	-25	24.15	Pass	1526
2525	2665	1	RMS	2585.9	21.6	60	38.4	Pass	401
2665	3000	1	RMS	2897.825	-47.12	-25	22.12	Pass	401
3000	12000	1	RMS	11948	-60.95	-25	35.95	Pass	9002
12000	26500	1	RMS	25502	-51.07	-25	26.07	Pass	14502



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.59	-25	36.59	Pass	401
0.15	30	0.01	RMS	0.18	-69.13	-25	44.13	Pass	2986
30	1000	0.1	RMS	905.437	-62.14	-25	37.14	Pass	9701
1000	2525	1	RMS	2516	-49.2	-25	24.2	Pass	1526
2525	2665	1	RMS	2635.95	21.14	60	38.86	Pass	401
2665	3000	1	RMS	2671.7	-27.21	-25	2.21	Pass*	401
3000	12000	1	RMS	5272	-59.83	-25	34.83	Pass	9002
12000	26500	1	RMS	25519	-51.09	-25	26.09	Pass	14502



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.05	-25	37.05	Pass	401
0.15	30	0.01	RMS	0.16	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	839.3	-62.25	-25	37.25	Pass	9701
1000	2525	1	RMS	2525	-49.22	-25	24.22	Pass	1526
2525	2665	1	RMS	2635.6	20.59	60	39.41	Pass	401
2665	3000	1	RMS	2671.7	-28.44	-25	3.44	Pass*	401
3000	12000	1	RMS	11984	-60.88	-25	35.88	Pass	9002
12000	26500	1	RMS	25498	-51.05	-25	26.05	Pass	14502

