


4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.65	-25	51.65	Pass	401
0.15	30	0.01	RMS	0.16	-78.25	-25	53.25	Pass	2986
30	1000	0.1	RMS	590.4	-69.51	-25	44.51	Pass	9701
1000	2490	1	RMS	2486	-55.5	-25	30.5	Pass	1491
2490	2580	1	RMS	2550.975	18.31	60	41.69	Pass	401
2580	3000	1	RMS	2586	-31.85	-25	6.85	Pass	421
3000	12000	1	RMS	11898	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25519	-56.62	-25	31.62	Pass	14002



5. LTE_Band12


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.23	-78.7	-13	65.7	Pass	2986
30	689	0.1	RMS	688.5	-70.35	-13	57.35	Pass	6591
689	726	0.1	RMS	699.268	15.48	60	44.52	Pass	401
726	1000	0.1	RMS	971.2	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	1398	-50	-13	37	Pass	2001
3000	10000	1	RMS	9704	-45.48	-13	32.48	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.41	-78.51	-13	65.51	Pass	2986
30	689	0.1	RMS	688.6	-70.63	-13	57.63	Pass	6591
689	726	0.1	RMS	699.268	14.48	60	45.52	Pass	401
726	1000	0.1	RMS	906.9	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1398	-51.06	-13	38.06	Pass	2001
3000	10000	1	RMS	9702	-45.51	-13	32.51	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	0.15	-78.19	-13	65.19	Pass	2986
30	689	0.1	RMS	606.8	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	707.038	15.49	60	44.51	Pass	401
726	1000	0.1	RMS	962.2	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	2988	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9703	-45.45	-13	32.45	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.61	-13	63.61	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	689	0.1	RMS	608.3	-70.98	-13	57.98	Pass	6591
689	726	0.1	RMS	707.038	14.46	60	45.54	Pass	401
726	1000	0.1	RMS	954.8	-69.43	-13	56.43	Pass	2741
1000	3000	1	RMS	2990	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9702	-45.54	-13	32.54	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.17	-78.09	-13	65.09	Pass	2986
30	689	0.1	RMS	613.7	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	714.808	14.86	60	45.14	Pass	401
726	1000	0.1	RMS	858.7	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1429	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	9702	-45.52	-13	32.52	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	689	0.1	RMS	586.5	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	714.9	13.89	60	46.11	Pass	401
726	1000	0.1	RMS	847.7	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1429	-51.04	-13	38.04	Pass	2001
3000	10000	1	RMS	9703	-45.53	-13	32.53	Pass	7001




**5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.82	-13	63.82	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	689	0.1	RMS	688.5	-70.06	-13	57.06	Pass	6591
689	726	0.1	RMS	699.268	15.42	60	44.58	Pass	401
726	1000	0.1	RMS	933.2	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1398	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	9702	-45.6	-13	32.6	Pass	7001




**5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.15	-78.46	-13	65.46	Pass	2986
30	689	0.1	RMS	688.6	-70.42	-13	57.42	Pass	6591
689	726	0.1	RMS	699.268	14.66	60	45.34	Pass	401
726	1000	0.1	RMS	987.2	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1398	-50.83	-13	37.83	Pass	2001
3000	10000	1	RMS	9702	-45.6	-13	32.6	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.78	-13	63.78	Pass	401
0.15	30	0.01	RMS	0.15	-76.9	-13	63.9	Pass	2986
30	689	0.1	RMS	688	-70.92	-13	57.92	Pass	6591
689	726	0.1	RMS	706.205	15.15	60	44.85	Pass	401
726	1000	0.1	RMS	963.6	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	1412	-54.04	-13	41.04	Pass	2001
3000	10000	1	RMS	9704	-45.53	-13	32.53	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	689	0.1	RMS	499	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	706.205	14.12	60	45.88	Pass	401
726	1000	0.1	RMS	972.6	-69.83	-13	56.83	Pass	2741
1000	3000	1	RMS	2976	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9702	-45.57	-13	32.57	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.15	-78.62	-13	65.62	Pass	2986
30	689	0.1	RMS	689	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	713.235	15.52	60	44.48	Pass	401
726	1000	0.1	RMS	996.6	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1426	-49.36	-13	36.36	Pass	2001
3000	10000	1	RMS	9707	-45.55	-13	32.55	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.53	-13	64.53	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	689	0.1	RMS	595.7	-71.03	-13	58.03	Pass	6591
689	726	0.1	RMS	713.235	14.61	60	45.39	Pass	401
726	1000	0.1	RMS	996.3	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	1426	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	9700	-45.55	-13	32.55	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	0.21	-77.91	-13	64.91	Pass	2986
30	689	0.1	RMS	688.6	-70.33	-13	57.33	Pass	6591
689	726	0.1	RMS	699.36	15.2	60	44.8	Pass	401
726	1000	0.1	RMS	985.6	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1398	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	9704	-45.47	-13	32.47	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.15	-77.38	-13	64.38	Pass	2986
30	689	0.1	RMS	688.6	-70.76	-13	57.76	Pass	6591
689	726	0.1	RMS	699.36	14.51	60	45.49	Pass	401
726	1000	0.1	RMS	947.1	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1398	-51.33	-13	38.33	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.61	-13	65.61	Pass	401
0.15	30	0.01	RMS	0.16	-78.23	-13	65.23	Pass	2986
30	689	0.1	RMS	613.5	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	705.373	15.07	60	44.93	Pass	401
726	1000	0.1	RMS	985.8	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1410	-53.74	-13	40.74	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.38	-13	64.38	Pass	401
0.15	30	0.01	RMS	0.16	-78.75	-13	65.75	Pass	2986
30	689	0.1	RMS	617.3	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	705.373	14.23	60	45.77	Pass	401
726	1000	0.1	RMS	966.4	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	3000	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.31	-13	64.31	Pass	401
0.15	30	0.01	RMS	0.21	-78.4	-13	65.4	Pass	2986
30	689	0.1	RMS	650.9	-71.02	-13	58.02	Pass	6591
689	726	0.1	RMS	711.293	14.86	60	45.14	Pass	401
726	1000	0.1	RMS	916.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1422	-50.63	-13	37.63	Pass	2001
3000	10000	1	RMS	9705	-45.54	-13	32.54	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.23	-78.48	-13	65.48	Pass	2986
30	689	0.1	RMS	628.4	-70.99	-13	57.99	Pass	6591
689	726	0.1	RMS	711.293	14.06	60	45.94	Pass	401
726	1000	0.1	RMS	959.9	-69.7	-13	56.7	Pass	2741
1000	3000	1	RMS	1422	-51.43	-13	38.43	Pass	2001
3000	10000	1	RMS	9707	-45.55	-13	32.55	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.45	-13	62.45	Pass	401
0.15	30	0.01	RMS	0.18	-77.75	-13	64.75	Pass	2986
30	689	0.1	RMS	688.9	-69.92	-13	56.92	Pass	6591
689	726	0.1	RMS	699.545	15.02	60	44.98	Pass	401
726	1000	0.1	RMS	996.4	-69.81	-13	56.81	Pass	2741
1000	3000	1	RMS	1399	-50.57	-13	37.57	Pass	2001
3000	10000	1	RMS	9703	-45.53	-13	32.53	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.16	-77.41	-13	64.41	Pass	2986
30	689	0.1	RMS	688.9	-70.25	-13	57.25	Pass	6591
689	726	0.1	RMS	699.545	14.15	60	45.85	Pass	401
726	1000	0.1	RMS	940.5	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1399	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	9713	-45.58	-13	32.58	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.02	-13	64.02	Pass	401
0.15	30	0.01	RMS	0.16	-78.23	-13	65.23	Pass	2986
30	689	0.1	RMS	620.5	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	703.06	15.22	60	44.78	Pass	401
726	1000	0.1	RMS	972.4	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1406	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	689	0.1	RMS	490.8	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	703.06	14.28	60	45.72	Pass	401
726	1000	0.1	RMS	859	-69.79	-13	56.79	Pass	2741
1000	3000	1	RMS	1406	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9696	-45.53	-13	32.53	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.17	-78.54	-13	65.54	Pass	2986
30	689	0.1	RMS	689	-70.89	-13	57.89	Pass	6591
689	726	0.1	RMS	706.575	15.45	60	44.55	Pass	401
726	1000	0.1	RMS	966.6	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2999	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9706	-45.55	-13	32.55	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.53	-13	64.53	Pass	401
0.15	30	0.01	RMS	0.17	-77.61	-13	64.61	Pass	2986
30	689	0.1	RMS	606.2	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	706.575	14.58	60	45.42	Pass	401
726	1000	0.1	RMS	848.1	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9704	-45.6	-13	32.6	Pass	7001



6. LTE_Band13


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.78	-13	62.78	Pass	401
0.15	30	0.01	RMS	0.15	-78.43	-13	65.43	Pass	2986
30	767	0.1	RMS	766.6	-70.09	-13	57.09	Pass	7371
767	797	0.1	RMS	777.35	15.1	60	44.9	Pass	401
797	1000	0.1	RMS	969.2	-69.72	-13	56.72	Pass	2031
1000	3000	1	RMS	1554	-53.37	-13	40.37	Pass	2001
3000	10000	1	RMS	9696	-45.49	-13	32.49	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	767	0.1	RMS	766.6	-70.31	-13	57.31	Pass	7371
767	797	0.1	RMS	777.35	14.24	60	45.76	Pass	401
797	1000	0.1	RMS	968.9	-69.92	-13	56.92	Pass	2031
1000	3000	1	RMS	2983	-54.4	-13	41.4	Pass	2001
3000	10000	1	RMS	9709	-45.48	-13	32.48	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	767	0.1	RMS	766.4	-70.51	-13	57.51	Pass	7371
767	797	0.1	RMS	779.825	15.14	60	44.86	Pass	401
797	1000	0.1	RMS	797	-68.59	-13	55.59	Pass	2031
1000	3000	1	RMS	1559	-51.61	-13	38.61	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	767	0.1	RMS	753.2	-70.52	-13	57.52	Pass	7371
767	797	0.1	RMS	779.825	14.34	60	45.66	Pass	401
797	1000	0.1	RMS	797.2	-69.54	-13	56.54	Pass	2031
1000	3000	1	RMS	1559	-52.6	-13	39.6	Pass	2001
3000	10000	1	RMS	9706	-45.52	-13	32.52	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.81	-13	64.81	Pass	401
0.15	30	0.01	RMS	0.17	-77.26	-13	64.26	Pass	2986
30	767	0.1	RMS	758	-70.51	-13	57.51	Pass	7371
767	797	0.1	RMS	782.3	14.83	60	45.17	Pass	401
797	1000	0.1	RMS	799.6	-69.15	-13	56.15	Pass	2031
1000	3000	1	RMS	1564	-52.52	-13	39.52	Pass	2001
3000	10000	1	RMS	9701	-45.54	-13	32.54	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	767	0.1	RMS	754.5	-70.46	-13	57.46	Pass	7371
767	797	0.1	RMS	782.375	14.01	60	45.99	Pass	401
797	1000	0.1	RMS	799.6	-68.74	-13	55.74	Pass	2031
1000	3000	1	RMS	1564	-53.38	-13	40.38	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




**6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.18	-77.53	-13	64.53	Pass	2986
30	767	0.1	RMS	766.9	-69.87	-13	56.87	Pass	7371
767	797	0.1	RMS	777.575	15.35	60	44.65	Pass	401
797	1000	0.1	RMS	797	-66.8	-13	53.8	Pass	2031
1000	3000	1	RMS	1555	-54.21	-13	41.21	Pass	2001
3000	10000	1	RMS	9696	-45.45	-13	32.45	Pass	7001



6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-77.26	-13	64.26	Pass	401
0.15	30	0.01	RMS	0.15	-78.65	-13	65.65	Pass	2986
30	767	0.1	RMS	766.9	-69.73	-13	56.73	Pass	7371
767	797	0.1	RMS	777.575	14.34	60	45.66	Pass	401
797	1000	0.1	RMS	797	-67.38	-13	54.38	Pass	2031
1000	3000	1	RMS	2997	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9710	-45.52	-13	32.52	Pass	7001



7. LTE_Band17


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.29	-78.08	-13	65.08	Pass	2986
30	694	0.1	RMS	693.7	-69.91	-13	56.91	Pass	6641
694	726	0.1	RMS	704.32	15.3	60	44.7	Pass	401
726	1000	0.1	RMS	831.8	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1408	-52.39	-13	39.39	Pass	2001
3000	10000	1	RMS	9703	-45.48	-13	32.48	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.21	-78.28	-13	65.28	Pass	2986
30	694	0.1	RMS	693.6	-69.99	-13	56.99	Pass	6641
694	726	0.1	RMS	704.32	14.47	60	45.53	Pass	401
726	1000	0.1	RMS	953.4	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1408	-53.29	-13	40.29	Pass	2001
3000	10000	1	RMS	9698	-45.54	-13	32.54	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	694	0.1	RMS	693.5	-70.86	-13	57.86	Pass	6641
694	726	0.1	RMS	707.84	15.47	60	44.53	Pass	401
726	1000	0.1	RMS	950.6	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2998	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.79	-13	64.79	Pass	2986
30	694	0.1	RMS	691.6	-70.82	-13	57.82	Pass	6641
694	726	0.1	RMS	707.84	14.7	60	45.3	Pass	401
726	1000	0.1	RMS	992.6	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	2999	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-13	64.99	Pass	2986
30	694	0.1	RMS	693.4	-70.71	-13	57.71	Pass	6641
694	726	0.1	RMS	711.36	15.2	60	44.8	Pass	401
726	1000	0.1	RMS	950.4	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1422	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	9702	-45.58	-13	32.58	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.17	-77.9	-13	64.9	Pass	2986
30	694	0.1	RMS	692.4	-70.77	-13	57.77	Pass	6641
694	726	0.1	RMS	711.36	14.62	60	45.38	Pass	401
726	1000	0.1	RMS	983.9	-69.87	-13	56.87	Pass	2741
1000	3000	1	RMS	1422	-51.38	-13	38.38	Pass	2001
3000	10000	1	RMS	9698	-45.51	-13	32.51	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.4	-13	64.4	Pass	2986
30	694	0.1	RMS	693.9	-67.69	-13	54.69	Pass	6641
694	726	0.1	RMS	704.56	15.31	60	44.69	Pass	401
726	1000	0.1	RMS	857.7	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1409	-52.93	-13	39.93	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-76.66	-13	63.66	Pass	401
0.15	30	0.01	RMS	0.25	-78.45	-13	65.45	Pass	2986
30	694	0.1	RMS	693.9	-67.96	-13	54.96	Pass	6641
694	726	0.1	RMS	704.56	14.44	60	45.56	Pass	401
726	1000	0.1	RMS	982.6	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	1409	-53.79	-13	40.79	Pass	2001
3000	10000	1	RMS	9708	-45.58	-13	32.58	Pass	7001




**7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.16	-77.59	-13	64.59	Pass	2986
30	694	0.1	RMS	692.4	-68.96	-13	55.96	Pass	6641
694	726	0.1	RMS	705.6	15.56	60	44.44	Pass	401
726	1000	0.1	RMS	995.9	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1411	-54.1	-13	41.1	Pass	2001
3000	10000	1	RMS	9700	-45.55	-13	32.55	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	694	0.1	RMS	693.8	-69.95	-13	56.95	Pass	6641
694	726	0.1	RMS	705.6	14.61	60	45.39	Pass	401
726	1000	0.1	RMS	868.2	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	3000	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-13	65.16	Pass	2986
30	694	0.1	RMS	693.4	-68.31	-13	55.31	Pass	6641
694	726	0.1	RMS	706.56	15.33	60	44.67	Pass	401
726	1000	0.1	RMS	993.1	-69.7	-13	56.7	Pass	2741
1000	3000	1	RMS	2999	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9705	-45.46	-13	32.46	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.7	-13	64.7	Pass	2986
30	694	0.1	RMS	693.4	-69.08	-13	56.08	Pass	6641
694	726	0.1	RMS	706.56	14.5	60	45.5	Pass	401
726	1000	0.1	RMS	975.7	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	2999	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001



8. LTE_Band25


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.16	-77.56	-13	64.56	Pass	2986
30	1000	0.1	RMS	996.798	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.08	-13	44.08	Pass	841
1840	1925	1	RMS	1850.2	19.67	60	40.33	Pass	401
1925	3000	1	RMS	2992	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11999	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19416	-34.93	-13	21.93	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	942.462	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1840	-57.3	-13	44.3	Pass	841
1840	1925	1	RMS	1850.2	18.8	60	41.2	Pass	401
1925	3000	1	RMS	2983	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19409	-34.96	-13	21.96	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.17	-77	-13	64	Pass	2986
30	1000	0.1	RMS	935.958	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1881.863	19.32	60	40.68	Pass	401
1925	3000	1	RMS	2988	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19336	-34.98	-13	21.98	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	930.954	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1836	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1881.863	18.4	60	41.6	Pass	401
1925	3000	1	RMS	2999	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11999	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19401	-34.98	-13	21.98	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.45	-13	62.45	Pass	401
0.15	30	0.01	RMS	0.15	-77.04	-13	64.04	Pass	2986
30	1000	0.1	RMS	934.457	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1834	-57.71	-13	44.71	Pass	841
1840	1925	1	RMS	1913.738	19.25	60	40.75	Pass	401
1925	3000	1	RMS	2987	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19361	-34.94	-13	21.94	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.24	-13	64.24	Pass	401
0.15	30	0.01	RMS	0.16	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	938.359	-69.98	-13	56.98	Pass	9701
1000	1840	1	RMS	1840	-57.69	-13	44.69	Pass	841
1840	1925	1	RMS	1913.738	18.45	60	41.55	Pass	401
1925	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	12000	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19409	-34.97	-13	21.97	Pass	8001




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.38	-13	62.38	Pass	401
0.15	30	0.01	RMS	0.15	-77.44	-13	64.44	Pass	2986
30	1000	0.1	RMS	942.062	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1840	-55.87	-13	42.87	Pass	841
1840	1925	1	RMS	1850.2	19.7	60	40.3	Pass	401
1925	3000	1	RMS	3000	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11996	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19408	-35	-13	22	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	977.685	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1839	-56.67	-13	43.67	Pass	841
1840	1925	1	RMS	1850.2	18.92	60	41.08	Pass	401
1925	3000	1	RMS	2995	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11901	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19352	-34.97	-13	21.97	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.16	-77.2	-13	64.2	Pass	2986
30	1000	0.1	RMS	929.353	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1838	-57.68	-13	44.68	Pass	841
1840	1925	1	RMS	1881.225	19.32	60	40.68	Pass	401
1925	3000	1	RMS	2991	-54.39	-13	41.39	Pass	1076
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19326	-34.97	-13	21.97	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.75	-13	64.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.01	-13	64.01	Pass	2986
30	1000	0.1	RMS	936.658	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1839	-57.68	-13	44.68	Pass	841
1840	1925	1	RMS	1881.225	18.4	60	41.6	Pass	401
1925	3000	1	RMS	2982	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11999	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19361	-34.97	-13	21.97	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.54	-13	64.54	Pass	2986
30	1000	0.1	RMS	936.858	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.72	-13	44.72	Pass	841
1840	1925	1	RMS	1912.038	19.18	60	40.82	Pass	401
1925	3000	1	RMS	2983	-54.41	-13	41.41	Pass	1076
3000	12000	1	RMS	12000	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19327	-34.98	-13	21.98	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.15	-76.78	-13	63.78	Pass	2986
30	1000	0.1	RMS	971.681	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1839	-57.71	-13	44.71	Pass	841
1840	1925	1	RMS	1912.25	18.32	60	41.68	Pass	401
1925	3000	1	RMS	2997	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11995	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19411	-34.93	-13	21.93	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.17	-78.03	-13	65.03	Pass	2986
30	1000	0.1	RMS	991.995	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-56.83	-13	43.83	Pass	841
1840	1925	1	RMS	1850.2	19.61	60	40.39	Pass	401
1925	3000	1	RMS	2480	-53.85	-13	40.85	Pass	1076
3000	12000	1	RMS	11995	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19352	-34.98	-13	21.98	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.16	-77.44	-13	64.44	Pass	2986
30	1000	0.1	RMS	971.881	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-56.89	-13	43.89	Pass	841
1840	1925	1	RMS	1850.2	18.76	60	41.24	Pass	401
1925	3000	1	RMS	2960	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19320	-34.99	-13	21.99	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-76.35	-13	63.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	958.272	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1880.163	19.21	60	40.79	Pass	401
1925	3000	1	RMS	2987	-54.39	-13	41.39	Pass	1076
3000	12000	1	RMS	11898	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19309	-34.96	-13	21.96	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-76.79	-13	63.79	Pass	401
0.15	30	0.01	RMS	0.15	-76.83	-13	63.83	Pass	2986
30	1000	0.1	RMS	963.676	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.7	-13	44.7	Pass	841
1840	1925	1	RMS	1880.163	18.44	60	41.56	Pass	401
1925	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11999	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19430	-34.92	-13	21.92	Pass	8001




**8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.15	-76.95	-13	63.95	Pass	2986
30	1000	0.1	RMS	987.292	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1910.125	19.02	60	40.98	Pass	401
1925	3000	1	RMS	2992	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	12000	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19385	-34.97	-13	21.97	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.15	-77.06	-13	64.06	Pass	2986
30	1000	0.1	RMS	858.206	-69.98	-13	56.98	Pass	9701
1000	1840	1	RMS	1838	-57.7	-13	44.7	Pass	841
1840	1925	1	RMS	1910.338	18.34	60	41.66	Pass	401
1925	3000	1	RMS	2979	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11901	-43.22	-13	30.22	Pass	9002
12000	20000	1	RMS	19361	-34.96	-13	21.96	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.15	-77.09	-13	64.09	Pass	2986
30	1000	0.1	RMS	969.58	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-55.56	-13	42.56	Pass	841
1840	1925	1	RMS	1850.413	19.69	60	40.31	Pass	401
1925	3000	1	RMS	2999	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11898	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19326	-34.93	-13	21.93	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.04	-13	64.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	972.882	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-55.63	-13	42.63	Pass	841
1840	1925	1	RMS	1850.413	18.96	60	41.04	Pass	401
1925	3000	1	RMS	2999	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19418	-34.94	-13	21.94	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.21	-13	64.21	Pass	2986
30	1000	0.1	RMS	968.979	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.69	-13	44.69	Pass	841
1840	1925	1	RMS	1878.038	19.39	60	40.61	Pass	401
1925	3000	1	RMS	2989	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	12000	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19397	-34.89	-13	21.89	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.79	-13	63.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.49	-13	65.49	Pass	2986
30	1000	0.1	RMS	968.379	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1878.038	18.47	60	41.53	Pass	401
1925	3000	1	RMS	3000	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11899	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19309	-34.91	-13	21.91	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	1000	0.1	RMS	902.335	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1837	-57.67	-13	44.67	Pass	841
1840	1925	1	RMS	1905.45	19.29	60	40.71	Pass	401
1925	3000	1	RMS	2993	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19313	-34.97	-13	21.97	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	61.74	Pass	401
0.15	30	0.01	RMS	0.16	-77.81	-13	64.81	Pass	2986
30	1000	0.1	RMS	998.999	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1830	-57.69	-13	44.69	Pass	841
1840	1925	1	RMS	1905.45	18.41	60	41.59	Pass	401
1925	3000	1	RMS	2990	-54.39	-13	41.39	Pass	1076
3000	12000	1	RMS	11999	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19426	-34.98	-13	21.98	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.38	-13	65.38	Pass	401
0.15	30	0.01	RMS	0.16	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	938.459	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-52.41	-13	39.41	Pass	841
1840	1925	1	RMS	1850.838	19.58	60	40.42	Pass	401
1925	3000	1	RMS	2998	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11993	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19332	-34.93	-13	21.93	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.92	-13	63.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	994.797	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-52.55	-13	39.55	Pass	841
1840	1925	1	RMS	1850.838	18.83	60	41.17	Pass	401
1925	3000	1	RMS	2986	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11900	-43.22	-13	30.22	Pass	9002
12000	20000	1	RMS	19332	-34.9	-13	21.9	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-76.57	-13	63.57	Pass	2986
30	1000	0.1	RMS	998.299	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1838	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1875.7	19.36	60	40.64	Pass	401
1925	3000	1	RMS	2990	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19433	-34.89	-13	21.89	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-76.44	-13	63.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	998.699	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1875.7	18.47	60	41.53	Pass	401
1925	3000	1	RMS	2977	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11892	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19390	-34.96	-13	21.96	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.46	-13	63.46	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	929.453	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1840	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1900.775	19.23	60	40.77	Pass	401
1925	3000	1	RMS	2996	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11999	-43.23	-13	30.23	Pass	9002
12000	20000	1	RMS	19360	-34.91	-13	21.91	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.73	-13	63.73	Pass	401
0.15	30	0.01	RMS	0.16	-77.44	-13	64.44	Pass	2986
30	1000	0.1	RMS	934.657	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1900.775	18.46	60	41.54	Pass	401
1925	3000	1	RMS	3000	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19292	-34.95	-13	21.95	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-77.45	-13	64.45	Pass	2986
30	1000	0.1	RMS	981.388	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-53.37	-13	40.37	Pass	841
1840	1925	1	RMS	1851.05	19.46	60	40.54	Pass	401
1925	3000	1	RMS	2975	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11898	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19385	-34.95	-13	21.95	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.74	-13	63.74	Pass	401
0.15	30	0.01	RMS	0.17	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	942.362	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-53.57	-13	40.57	Pass	841
1840	1925	1	RMS	1851.05	18.69	60	41.31	Pass	401
1925	3000	1	RMS	2989	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11994	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19312	-34.96	-13	21.96	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-76.36	-13	63.36	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-13	64.59	Pass	2986
30	1000	0.1	RMS	951.268	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1838	-54.68	-13	41.68	Pass	841
1840	1925	1	RMS	1873.575	19.11	60	40.89	Pass	401
1925	3000	1	RMS	2995	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11996	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	17849	-34.94	-13	21.94	Pass	8001



8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.7	-13	63.7	Pass	401
0.15	30	0.01	RMS	0.15	-76.74	-13	63.74	Pass	2986
30	1000	0.1	RMS	946.465	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1838	-56.1	-13	43.1	Pass	841
1840	1925	1	RMS	1873.575	18.25	60	41.75	Pass	401
1925	3000	1	RMS	2996	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11993	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19474	-34.96	-13	21.96	Pass	8001



8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.16	-13	64.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	955.07	-69.64	-13	56.64	Pass	9701
1000	1840	1	RMS	1835	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1895.888	19.04	60	40.96	Pass	401
1925	3000	1	RMS	2983	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11998	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19326	-34.95	-13	21.95	Pass	8001

