



1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.48	-13	46.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	974.783	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1875.4	21.19	60	38.81	Pass	401
1920	3000	1	RMS	2995	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.24	-13	49.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	848.4	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1838	-53.97	-13	40.97	Pass	841
1840	1920	1	RMS	1900.4	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.74	-13	26.74	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.3	-13	44.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	845	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1835	-53.93	-13	40.93	Pass	841
1840	1920	1	RMS	1900.6	21.29	60	38.71	Pass	401
1920	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.55	-13	48.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	986.591	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-44.7	-13	31.7	Pass	841
1840	1920	1	RMS	1850.8	22.2	60	37.8	Pass	401
1920	3000	1	RMS	2991	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.23	-13	45.23	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	828.5	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-45.52	-13	32.52	Pass	841
1840	1920	1	RMS	1850.8	21.39	60	38.61	Pass	401
1920	3000	1	RMS	2985	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001




**1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.81	-13	50.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	870.214	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1837	-53.87	-13	40.87	Pass	841
1840	1920	1	RMS	1873.2	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2981	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13596	-39.8	-13	26.8	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.52	-13	46.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	846.9	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1920	1	RMS	1873.2	21.23	60	38.77	Pass	401
1920	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1081
3000	12000	1	RMS	11990	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.2	-13	48.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	57.95	Pass	2986
30	1000	0.1	RMS	850.601	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1835	-53.96	-13	40.96	Pass	841
1840	1920	1	RMS	1895.8	22.06	60	37.94	Pass	401
1920	3000	1	RMS	1920	-49.47	-13	36.47	Pass	1081
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13598	-39.82	-13	26.82	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.22	-13	45.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	991.995	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1838	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1895.8	21.33	60	38.67	Pass	401
1920	3000	1	RMS	1920	-49.86	-13	36.86	Pass	1081
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.8	-13	47.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	828.5	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-45.9	-13	32.9	Pass	841
1840	1920	1	RMS	1851	22.14	60	37.86	Pass	401
1920	3000	1	RMS	2999	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11996	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.68	-13	45.68	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	997.999	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-46.88	-13	33.88	Pass	841
1840	1920	1	RMS	1851	21.29	60	38.71	Pass	401
1920	3000	1	RMS	2997	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.87	-13	49.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	855.004	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1835	-45.98	-13	32.98	Pass	841
1840	1920	1	RMS	1871	22.11	60	37.89	Pass	401
1920	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.61	-13	46.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	872.115	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1835	-47.09	-13	34.09	Pass	841
1840	1920	1	RMS	1871	21.17	60	38.83	Pass	401
1920	3000	1	RMS	2996	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




**1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	842.2	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1824	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1891	22.01	60	37.99	Pass	401
1920	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.25	-13	46.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	856.305	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1834	-53.99	-13	40.99	Pass	841
1840	1920	1	RMS	1891	21.11	60	38.89	Pass	401
1920	3000	1	RMS	2986	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11988	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62	-13	49	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	939.26	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1710.238	21.99	60	38.01	Pass	401
1765	3000	1	RMS	2980	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	3421	-39.71	-13	26.71	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.66	-13	45.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	838.8	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1710.238	21.03	60	38.97	Pass	401
1765	3000	1	RMS	2989	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	3421	-40.49	-13	27.49	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.45	-13	50.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	855.104	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1732.013	22.21	60	37.79	Pass	401
1765	3000	1	RMS	2997	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	3464	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.46	-13	45.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	846.9	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1682	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1732.013	21.24	60	38.76	Pass	401
1765	3000	1	RMS	2996	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	3464	-41.64	-13	28.64	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.33	-13	48.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	849.3	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1674	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1753.788	22.32	60	37.68	Pass	401
1765	3000	1	RMS	3000	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	3508	-42.66	-13	29.66	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.11	-13	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	983.189	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1679	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1753.788	21.37	60	38.63	Pass	401
1765	3000	1	RMS	2981	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	3508	-43.25	-13	30.25	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.46	-13	47.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	980.887	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.33	-13	40.33	Pass	701
1700	1765	1	RMS	1710.238	21.89	60	38.11	Pass	401
1765	3000	1	RMS	2995	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	3420	-39.62	-13	26.62	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.41	-13	44.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	846.3	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.51	-13	40.51	Pass	701
1700	1765	1	RMS	1710.238	21.12	60	38.88	Pass	401
1765	3000	1	RMS	2979	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	3420	-40.39	-13	27.39	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.21	-13	50.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	850.701	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1678	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1731.2	22.1	60	37.9	Pass	401
1765	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	3463	-42.35	-13	29.35	Pass	9002
12000	20000	1	RMS	13597	-39.85	-13	26.85	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.4	-13	45.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	973.282	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1673	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1731.2	21.14	60	38.86	Pass	401
1765	3000	1	RMS	2995	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	3462	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.98	-13	48.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	871.215	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1752.163	22.24	60	37.76	Pass	401
1765	3000	1	RMS	1765	-50.51	-13	37.51	Pass	1236
3000	12000	1	RMS	3504	-43.56	-13	30.56	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.63	-13	43.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	841.6	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1679	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1752.163	21.31	60	38.69	Pass	401
1765	3000	1	RMS	1765	-50.96	-13	37.96	Pass	1236
3000	12000	1	RMS	3504	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.2	-13	48.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	854.103	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-53.58	-13	40.58	Pass	701
1700	1765	1	RMS	1710.238	22.2	60	37.8	Pass	401
1765	3000	1	RMS	2994	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	3421	-38.57	-13	25.57	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.22	-13	44.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	854.404	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1700	-53.79	-13	40.79	Pass	701
1700	1765	1	RMS	1710.238	21.24	60	38.76	Pass	401
1765	3000	1	RMS	2988	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	3421	-39.53	-13	26.53	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.25	-13	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	988.693	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1678	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1730.225	22.31	60	37.69	Pass	401
1765	3000	1	RMS	2927	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	3461	-41.32	-13	28.32	Pass	9002
12000	20000	1	RMS	13609	-39.86	-13	26.86	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	43.58	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	869.514	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1675	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1730.225	21.46	60	38.54	Pass	401
1765	3000	1	RMS	2986	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	3461	-41.86	-13	28.86	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




**2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.59	-13	48.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	979.987	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1675	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1750.213	22.41	60	37.59	Pass	401
1765	3000	1	RMS	2981	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	3501	-42.66	-13	29.66	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.85	-13	45.85	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	842.2	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1750.213	21.6	60	38.4	Pass	401
1765	3000	1	RMS	2995	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	3501	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.73	-13	46.73	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	949.567	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-47.92	-13	34.92	Pass	701
1700	1765	1	RMS	1710.563	22.26	60	37.74	Pass	401
1765	3000	1	RMS	2990	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	3421	-38.13	-13	25.13	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.66	-13	44.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	817.3	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-48.8	-13	35.8	Pass	701
1700	1765	1	RMS	1710.563	21.47	60	38.53	Pass	401
1765	3000	1	RMS	2933	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	3421	-38.71	-13	25.71	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	0.21	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	965.677	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-53.78	-13	40.78	Pass	701
1700	1765	1	RMS	1727.95	22.4	60	37.6	Pass	401
1765	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	3456	-40.63	-13	27.63	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.98	-13	45.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	843.1	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1693	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1727.95	21.4	60	38.6	Pass	401
1765	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	3456	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.06	-13	48.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	844.7	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1745.5	22.53	60	37.47	Pass	401
1765	3000	1	RMS	1765	-49.24	-13	36.24	Pass	1236
3000	12000	1	RMS	3491	-42.02	-13	29.02	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	42.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	961.174	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1675	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1745.5	21.63	60	38.37	Pass	401
1765	3000	1	RMS	1765	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	3491	-42.77	-13	29.77	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.88	-13	46.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	843.9	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-44.05	-13	31.05	Pass	701
1700	1765	1	RMS	1710.725	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2982	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	3422	-38.84	-13	25.84	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.84	-13	44.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	848.8	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-44.98	-13	31.98	Pass	701
1700	1765	1	RMS	1710.725	21.42	60	38.58	Pass	401
1765	3000	1	RMS	2939	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	3422	-39.53	-13	26.53	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.26	-72.96	-13	59.96	Pass	2986
30	1000	0.1	RMS	922.549	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1699	-44.38	-13	31.38	Pass	701
1700	1765	1	RMS	1725.838	22.26	60	37.74	Pass	401
1765	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	3452	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	13604	-39.78	-13	26.78	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.82	-13	45.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	933.956	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1699	-45.73	-13	32.73	Pass	701
1700	1765	1	RMS	1725.675	21.32	60	38.68	Pass	401
1765	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	3452	-41.71	-13	28.71	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.33	-13	46.33	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	885.524	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1740.788	22.45	60	37.55	Pass	401
1765	3000	1	RMS	1767	-32.33	-13	19.33	Pass	1236
3000	12000	1	RMS	3482	-42.29	-13	29.29	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.16	-13	43.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	845.9	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1677	-54.1	-13	41.1	Pass	701
1700	1765	1	RMS	1740.788	21.6	60	38.4	Pass	401
1765	3000	1	RMS	1767	-33.53	-13	20.53	Pass	1236
3000	12000	1	RMS	3482	-42.81	-13	29.81	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.43	-13	47.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	939.66	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-44.77	-13	31.77	Pass	701
1700	1765	1	RMS	1711.05	22.09	60	37.91	Pass	401
1765	3000	1	RMS	1782	-50.15	-13	37.15	Pass	1236
3000	12000	1	RMS	3422	-38.52	-13	25.52	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.55	-13	45.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	982.188	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-46.33	-13	33.33	Pass	701
1700	1765	1	RMS	1711.05	21.31	60	38.69	Pass	401
1765	3000	1	RMS	1782	-50.75	-13	37.75	Pass	1236
3000	12000	1	RMS	3422	-39.2	-13	26.2	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.67	-13	48.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	980.287	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1688	-49.23	-13	36.23	Pass	701
1700	1765	1	RMS	1723.563	22.23	60	37.77	Pass	401
1765	3000	1	RMS	2983	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	3447	-40.6	-13	27.6	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.03	-13	46.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	844.6	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1688	-50.47	-13	37.47	Pass	701
1700	1765	1	RMS	1723.563	21.24	60	38.76	Pass	401
1765	3000	1	RMS	2998	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	3447	-41.54	-13	28.54	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.36	-13	48.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	847.9	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-43.35	-13	30.35	Pass	701
1700	1765	1	RMS	1736.075	22.25	60	37.75	Pass	401
1765	3000	1	RMS	1772	-30.89	-13	17.89	Pass	1236
3000	12000	1	RMS	3472	-41.34	-13	28.34	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.77	-13	42.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	843.7	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-44.47	-13	31.47	Pass	701
1700	1765	1	RMS	1736.075	21.26	60	38.74	Pass	401
1765	3000	1	RMS	1772	-32.15	-13	19.15	Pass	1236
3000	12000	1	RMS	3472	-42.18	-13	29.18	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.88	-13	50.88	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-13	59.74	Pass	2986
30	814	0.1	RMS	813.6	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	824.3	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	975.6	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.05	-13	47.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	813.8	-65.15	-13	52.15	Pass	7841
814	860	0.1	RMS	824.3	18.13	60	41.87	Pass	461
860	1000	0.1	RMS	953.2	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1648	-50.27	-13	37.27	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.16	-13	51.16	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	810	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	836.1	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	870.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1672	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.03	-13	46.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-13	59.93	Pass	2986
30	814	0.1	RMS	796.6	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	836.1	18.31	60	41.69	Pass	461
860	1000	0.1	RMS	971.8	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1672	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.09	-13	50.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	755.2	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	847.8	19.22	60	40.78	Pass	461
860	1000	0.1	RMS	867.9	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1695	-46.77	-13	33.77	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.56	-13	44.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	813.4	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	847.8	18.29	60	41.71	Pass	461
860	1000	0.1	RMS	982.3	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1695	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.2	-13	50.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	813.8	-64.39	-13	51.39	Pass	7841
814	860	0.1	RMS	824.2	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	869.4	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1648	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.35	-13	46.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	814	0.1	RMS	814	-64.17	-13	51.17	Pass	7841
814	860	0.1	RMS	824.2	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	977.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-50.22	-13	37.22	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.16	-13	50.16	Pass	401
0.15	30	0.01	RMS	0.2	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.6	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	835.2	19.41	60	40.59	Pass	461
860	1000	0.1	RMS	952.1	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1670	-46.37	-13	33.37	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001

