



3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.41	-13	46.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	811.6	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	835.2	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	960	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1670	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	811	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	846.2	19.43	60	40.57	Pass	461
860	1000	0.1	RMS	880.6	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1692	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.23	-13	46.23	Pass	401
0.15	30	0.01	RMS	0.25	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	754.4	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	846.2	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	976.1	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1692	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.69	-13	49.69	Pass	401
0.15	30	0.01	RMS	0.26	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.6	-64.9	-13	51.9	Pass	7841
814	860	0.1	RMS	824.3	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	930.8	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1648	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.35	-13	46.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	813.6	-65.01	-13	52.01	Pass	7841
814	860	0.1	RMS	824.3	18.57	60	41.43	Pass	461
860	1000	0.1	RMS	873.5	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-50.14	-13	37.14	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.69	-13	48.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	811.7	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	834.3	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	881.2	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1668	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.67	-13	45.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	811.9	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	834.3	19	60	41	Pass	461
860	1000	0.1	RMS	882.6	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1668	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	6803	-45.59	-13	32.59	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.16	-13	50.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	807.4	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	844.3	19.74	60	40.26	Pass	461
860	1000	0.1	RMS	946.1	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1688	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6803	-45.63	-13	32.63	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.52	-13	47.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	814	0.1	RMS	805.1	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	844.3	18.87	60	41.13	Pass	461
860	1000	0.1	RMS	889.5	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1688	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.79	-13	50.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	814	-53.49	-13	40.49	Pass	7841
814	860	0.1	RMS	824.6	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	971.6	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1649	-50.5	-13	37.5	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.05	-13	48.05	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	814	-54.24	-13	41.24	Pass	7841
814	860	0.1	RMS	824.6	18.22	60	41.78	Pass	461
860	1000	0.1	RMS	991.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1649	-51.23	-13	38.23	Pass	2001
3000	10000	1	RMS	6802	-45.52	-13	32.52	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.44	-13	52.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	736.3	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	832.1	19.19	60	40.81	Pass	461
860	1000	0.1	RMS	998.9	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1664	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.36	-13	48.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	812.9	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	832.1	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	870.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1664	-48.87	-13	35.87	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	740.8	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	839.6	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	890.3	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1679	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.28	-13	45.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	813.2	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	839.6	18.24	60	41.76	Pass	461
860	1000	0.1	RMS	886.9	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1679	-49.49	-13	36.49	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.27	-25	35.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	539.6	-63.91	-25	38.91	Pass	9701
1000	2490	1	RMS	2490	-52.03	-25	27.03	Pass	1491
2490	2580	1	RMS	2500.125	21.97	60	38.03	Pass	401
2580	3000	1	RMS	2997	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	7501	-63.3	-25	38.3	Pass	9002
12000	26000	1	RMS	25507	-56.73	-25	31.73	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.62	-25	30.62	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	539.6	-65.14	-25	40.14	Pass	9701
1000	2490	1	RMS	2490	-52.05	-25	27.05	Pass	1491
2490	2580	1	RMS	2500.125	21	60	39	Pass	401
2580	3000	1	RMS	2999	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	7501	-63.71	-25	38.71	Pass	9002
12000	26000	1	RMS	25505	-56.68	-25	31.68	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59	-25	34	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	46.12	Pass	2986
30	1000	0.1	RMS	572.1	-65.07	-25	40.07	Pass	9701
1000	2490	1	RMS	2486	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2532.75	22	60	38	Pass	401
2580	3000	1	RMS	2993	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	7599	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25500	-56.78	-25	31.78	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.39	-25	31.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	849.4	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2487	-52.58	-25	27.58	Pass	1491
2490	2580	1	RMS	2532.75	21.14	60	38.86	Pass	401
2580	3000	1	RMS	2982	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11994	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25501	-56.77	-25	31.77	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.79	-25	32.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	849.1	-65.26	-25	40.26	Pass	9701
1000	2490	1	RMS	2488	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2565.15	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2996	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	7696	-62.76	-25	37.76	Pass	9002
12000	26000	1	RMS	25498	-56.72	-25	31.72	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.39	-25	31.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-25	47.07	Pass	2986
30	1000	0.1	RMS	956.971	-65.34	-25	40.34	Pass	9701
1000	2490	1	RMS	2485	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2565.15	21.04	60	38.96	Pass	401
2580	3000	1	RMS	2996	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	7696	-63.49	-25	38.49	Pass	9002
12000	26000	1	RMS	25517	-56.71	-25	31.71	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.64	-25	33.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	539.9	-63.75	-25	38.75	Pass	9701
1000	2490	1	RMS	2490	-47.12	-25	22.12	Pass	1491
2490	2580	1	RMS	2500.575	22.02	60	37.98	Pass	401
2580	3000	1	RMS	2986	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	7502	-62.86	-25	37.86	Pass	9002
12000	26000	1	RMS	25481	-56.78	-25	31.78	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-25	31.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	539.9	-64.3	-25	39.3	Pass	9701
1000	2490	1	RMS	2490	-47.34	-25	22.34	Pass	1491
2490	2580	1	RMS	2500.575	21.15	60	38.85	Pass	401
2580	3000	1	RMS	2990	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	7502	-63.27	-25	38.27	Pass	9002
12000	26000	1	RMS	25502	-56.8	-25	31.8	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.77	-25	36.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	569.9	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2489	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2530.5	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2999	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	7592	-62.66	-25	37.66	Pass	9002
12000	26000	1	RMS	25516	-56.67	-25	31.67	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-25	32.16	Pass	401
0.15	30	0.01	RMS	0.22	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	866.612	-65.26	-25	40.26	Pass	9701
1000	2490	1	RMS	2488	-52.51	-25	27.51	Pass	1491
2490	2580	1	RMS	2530.5	21.09	60	38.91	Pass	401
2580	3000	1	RMS	2979	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	7592	-63.51	-25	38.51	Pass	9002
12000	26000	1	RMS	25502	-56.68	-25	31.68	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.49	-25	34.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	599.9	-64.95	-25	39.95	Pass	9701
1000	2490	1	RMS	2482	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2560.425	21.97	60	38.03	Pass	401
2580	3000	1	RMS	2580	-50.54	-25	25.54	Pass	421
3000	12000	1	RMS	7682	-63.02	-25	38.02	Pass	9002
12000	26000	1	RMS	25493	-56.74	-25	31.74	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-25	29.77	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-25	47.69	Pass	2986
30	1000	0.1	RMS	599.9	-65.02	-25	40.02	Pass	9701
1000	2490	1	RMS	2489	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2560.425	21.03	60	38.97	Pass	401
2580	3000	1	RMS	2580	-50.58	-25	25.58	Pass	421
3000	12000	1	RMS	7682	-63.52	-25	38.52	Pass	9002
12000	26000	1	RMS	25510	-56.67	-25	31.67	Pass	14002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.4	-25	34.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	540.1	-64.33	-25	39.33	Pass	9701
1000	2490	1	RMS	2490	-44.6	-25	19.6	Pass	1491
2490	2580	1	RMS	2500.8	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2985	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	7503	-63.66	-25	38.66	Pass	9002
12000	26000	1	RMS	25502	-56.67	-25	31.67	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.24	-25	31.24	Pass	401
0.15	30	0.01	RMS	0.21	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	540.1	-64.87	-25	39.87	Pass	9701
1000	2490	1	RMS	2490	-45.6	-25	20.6	Pass	1491
2490	2580	1	RMS	2500.8	21.23	60	38.77	Pass	401
2580	3000	1	RMS	2989	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11886	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25501	-56.65	-25	31.65	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.67	-25	35.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	567.6	-65.16	-25	40.16	Pass	9701
1000	2490	1	RMS	2484	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2528.25	22.04	60	37.96	Pass	401
2580	3000	1	RMS	2998	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	7585	-62.14	-25	37.14	Pass	9002
12000	26000	1	RMS	25503	-56.61	-25	31.61	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.08	-25	32.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	834.7	-65.35	-25	40.35	Pass	9701
1000	2490	1	RMS	2487	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2528.25	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2933	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	7585	-62.87	-25	37.87	Pass	9002
12000	26000	1	RMS	25505	-56.71	-25	31.71	Pass	14002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.8	-25	33.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	47.75	Pass	2986
30	1000	0.1	RMS	595.1	-64.64	-25	39.64	Pass	9701
1000	2490	1	RMS	2486	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2555.7	21.91	60	38.09	Pass	401
2580	3000	1	RMS	2582	-36.16	-25	11.16	Pass	421
3000	12000	1	RMS	7668	-63.73	-25	38.73	Pass	9002
12000	26000	1	RMS	25492	-56.8	-25	31.8	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-25	30.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	838.5	-65.31	-25	40.31	Pass	9701
1000	2490	1	RMS	2485	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2555.7	21.05	60	38.95	Pass	401
2580	3000	1	RMS	2582	-37.47	-25	12.47	Pass	421
3000	12000	1	RMS	7668	-64	-25	39	Pass	9002
12000	26000	1	RMS	25491	-56.76	-25	31.76	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.5	-25	33.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	540.4	-63.74	-25	38.74	Pass	9701
1000	2490	1	RMS	2489	-45.29	-25	20.29	Pass	1491
2490	2580	1	RMS	2501.025	21.98	60	38.02	Pass	401
2580	3000	1	RMS	2990	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	7503	-63.13	-25	38.13	Pass	9002
12000	26000	1	RMS	25515	-56.67	-25	31.67	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.71	-25	31.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	46.83	Pass	2986
30	1000	0.1	RMS	540.4	-64.41	-25	39.41	Pass	9701
1000	2490	1	RMS	2489	-46.4	-25	21.4	Pass	1491
2490	2580	1	RMS	2501.025	21.1	60	38.9	Pass	401
2580	3000	1	RMS	2993	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	7503	-63.61	-25	38.61	Pass	9002
12000	26000	1	RMS	25498	-56.63	-25	31.63	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.92	-25	33.92	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	565.4	-64.76	-25	39.76	Pass	9701
1000	2490	1	RMS	2490	-49.12	-25	24.12	Pass	1491
2490	2580	1	RMS	2526	21.94	60	38.06	Pass	401
2580	3000	1	RMS	3000	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	7578	-62.44	-25	37.44	Pass	9002
12000	26000	1	RMS	25487	-56.71	-25	31.71	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.09	-25	32.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	861.408	-65.34	-25	40.34	Pass	9701
1000	2490	1	RMS	2490	-51.3	-25	26.3	Pass	1491
2490	2580	1	RMS	2526	20.96	60	39.04	Pass	401
2580	3000	1	RMS	2994	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	7578	-63.47	-25	38.47	Pass	9002
12000	26000	1	RMS	25501	-56.66	-25	31.66	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.48	-25	36.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	46.75	Pass	2986
30	1000	0.1	RMS	590.4	-64.76	-25	39.76	Pass	9701
1000	2490	1	RMS	2487	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2550.975	21.83	60	38.17	Pass	401
2580	3000	1	RMS	2586	-36.87	-25	11.87	Pass	421
3000	12000	1	RMS	7653	-62.95	-25	37.95	Pass	9002
12000	26000	1	RMS	25504	-56.65	-25	31.65	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-25	30.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	46.73	Pass	2986
30	1000	0.1	RMS	590.4	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2487	-52.56	-25	27.56	Pass	1491
2490	2580	1	RMS	2550.975	20.84	60	39.16	Pass	401
2580	3000	1	RMS	2586	-38.15	-25	13.15	Pass	421
3000	12000	1	RMS	7653	-63.59	-25	38.59	Pass	9002
12000	26000	1	RMS	25515	-56.73	-25	31.73	Pass	14002



5. LTE_Band25


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.89	-13	49.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	984.089	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.24	-13	40.24	Pass	841
1840	1925	1	RMS	1850.2	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2996	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.98	-13	45.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	844.7	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.31	-13	40.31	Pass	841
1840	1925	1	RMS	1850.2	21.18	60	38.82	Pass	401
1925	3000	1	RMS	2987	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	853.403	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1835	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1881.863	21.92	60	38.08	Pass	401
1925	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.72	-13	46.72	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	984.89	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1881.863	20.96	60	39.04	Pass	401
1925	3000	1	RMS	2994	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13598	-39.81	-13	26.81	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62	-13	49	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	840.3	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1913.738	22.01	60	37.99	Pass	401
1925	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3828	-43.42	-13	30.42	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.19	-13	44.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	961.675	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1913.738	21.12	60	38.88	Pass	401
1925	3000	1	RMS	2990	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3828	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001




**5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.69	-13	48.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	830.4	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-52.99	-13	39.99	Pass	841
1840	1925	1	RMS	1850.2	22.01	60	37.99	Pass	401
1925	3000	1	RMS	2997	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11988	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.28	-13	45.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	970.08	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-52.98	-13	39.98	Pass	841
1840	1925	1	RMS	1850.2	21.22	60	38.78	Pass	401
1925	3000	1	RMS	2985	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.88	-13	26.88	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.36	-13	51.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	846.1	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-54	-13	41	Pass	841
1840	1925	1	RMS	1881.225	21.81	60	38.19	Pass	401
1925	3000	1	RMS	2989	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.44	-13	46.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	845.1	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1837	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1881.225	20.85	60	39.15	Pass	401
1925	3000	1	RMS	2996	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	943.262	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1912.038	21.82	60	38.18	Pass	401
1925	3000	1	RMS	3000	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.93	-13	44.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	836.5	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1912.038	20.88	60	39.12	Pass	401
1925	3000	1	RMS	2986	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.91	-13	48.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	842.3	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1840	-53.28	-13	40.28	Pass	841
1840	1925	1	RMS	1850.2	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2983	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11991	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.29	-13	44.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	851.702	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-53.45	-13	40.45	Pass	841
1840	1925	1	RMS	1850.2	21.38	60	38.62	Pass	401
1925	3000	1	RMS	2997	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11989	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.24	-13	48.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	881.421	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1837	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1880.163	22.08	60	37.92	Pass	401
1925	3000	1	RMS	2985	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11993	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.07	-13	46.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	976.584	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1880.163	21.27	60	38.73	Pass	401
1925	3000	1	RMS	2997	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001




**5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.2	-13	50.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	830.4	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1910.338	22.09	60	37.91	Pass	401
1925	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13605	-39.73	-13	26.73	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.8	-13	47.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	948.966	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1839	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1910.338	21.33	60	38.67	Pass	401
1925	3000	1	RMS	2993	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.1	-13	48.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	854.303	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-48.26	-13	35.26	Pass	841
1840	1925	1	RMS	1850.413	22.3	60	37.7	Pass	401
1925	3000	1	RMS	2992	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11994	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001



5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.26	-13	45.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	863.61	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-48.8	-13	35.8	Pass	841
1840	1925	1	RMS	1850.413	21.51	60	38.49	Pass	401
1925	3000	1	RMS	2999	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001



5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.41	-13	50.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	825.8	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1837	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1878.038	22.22	60	37.78	Pass	401
1925	3000	1	RMS	2985	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001

