



5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.53	-13	46.53	Pass	401
0.15	30	0.01	RMS	0.24	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	999.7	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1838	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1878.038	21.26	60	38.74	Pass	401
1925	3000	1	RMS	2991	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11993	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13606	-39.73	-13	26.73	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.39	-13	49.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	857.105	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-54.03	-13	41.03	Pass	841
1840	1925	1	RMS	1905.45	22.27	60	37.73	Pass	401
1925	3000	1	RMS	2988	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57	-13	44	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	944.063	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1836	-54	-13	41	Pass	841
1840	1925	1	RMS	1905.45	21.38	60	38.62	Pass	401
1925	3000	1	RMS	2997	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.71	-13	48.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	962.375	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-44.67	-13	31.67	Pass	841
1840	1925	1	RMS	1850.838	22.18	60	37.82	Pass	401
1925	3000	1	RMS	2994	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.21	-13	45.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	960.074	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-45.31	-13	32.31	Pass	841
1840	1925	1	RMS	1850.625	21.37	60	38.63	Pass	401
1925	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13612	-39.85	-13	26.85	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.85	-13	50.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	963.476	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1875.7	22.17	60	37.83	Pass	401
1925	3000	1	RMS	2922	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.14	-13	46.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	985.29	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1875.7	21.23	60	38.77	Pass	401
1925	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.8	-13	47.8	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	848.4	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1900.775	22.19	60	37.81	Pass	401
1925	3000	1	RMS	2991	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.67	-13	43.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	842.5	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1836	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1900.775	21.39	60	38.61	Pass	401
1925	3000	1	RMS	2958	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.03	-13	49.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	848.5	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-45.62	-13	32.62	Pass	841
1840	1925	1	RMS	1851.05	22.18	60	37.82	Pass	401
1925	3000	1	RMS	2994	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.78	-13	45.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	866.311	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1839	-46.45	-13	33.45	Pass	841
1840	1925	1	RMS	1851.05	21.34	60	38.66	Pass	401
1925	3000	1	RMS	2988	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	926.551	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1838	-47.32	-13	34.32	Pass	841
1840	1925	1	RMS	1873.575	22.06	60	37.94	Pass	401
1925	3000	1	RMS	2988	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.33	-13	46.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	985.891	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-48.87	-13	35.87	Pass	841
1840	1925	1	RMS	1873.575	21.09	60	38.91	Pass	401
1925	3000	1	RMS	2981	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11990	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13597	-39.8	-13	26.8	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.39	-13	50.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	952.869	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1895.888	22.02	60	37.98	Pass	401
1925	3000	1	RMS	2995	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.96	-13	44.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	960.974	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1837	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1895.888	21.09	60	38.91	Pass	401
1925	3000	1	RMS	2999	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11992	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001



6. LTE_Band26(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.42	-13	51.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	813.6	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	824.2	19.23	60	40.77	Pass	461
860	1000	0.1	RMS	988.3	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.92	-13	46.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	813.6	-65.09	-13	52.09	Pass	7841
814	860	0.1	RMS	824.3	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	868	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	6798	-45.68	-13	32.68	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.74	-13	50.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.6	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	836.1	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	989.5	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1672	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.68	-13	46.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.5	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	836.1	18.29	60	41.71	Pass	461
860	1000	0.1	RMS	986.7	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1672	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.52	-13	49.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	811.4	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	847.9	19.23	60	40.77	Pass	461
860	1000	0.1	RMS	985.2	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1695	-46.65	-13	33.65	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.97	-13	42.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	805.9	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	847.9	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	971.6	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1695	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.88	-13	49.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.5	-64.42	-13	51.42	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	872.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.93	-13	46.93	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	814	0.1	RMS	813.5	-64.49	-13	51.49	Pass	7841
814	860	0.1	RMS	824.2	18.34	60	41.66	Pass	461
860	1000	0.1	RMS	875.3	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-50.24	-13	37.24	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.74	-13	50.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	809.8	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	835.2	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	977.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1670	-46.32	-13	33.32	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.35	-13	46.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	812.5	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	835.2	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	998.3	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.66	-13	49.66	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	796.2	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	846.2	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	870.5	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1692	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.58	-13	45.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	811.8	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	846.2	18.43	60	41.57	Pass	461
860	1000	0.1	RMS	979.1	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1692	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.95	-13	50.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.7	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	824.3	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	941.6	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.13	-13	46.13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	813.6	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	824.3	18.48	60	41.52	Pass	461
860	1000	0.1	RMS	978.1	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1648	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6797	-45.65	-13	32.65	Pass	7001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.13	-13	48.13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	814	0.1	RMS	809.1	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	834.3	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	999.5	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1668	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.53	-13	45.53	Pass	401
0.15	30	0.01	RMS	0.17	-73.15	-13	60.15	Pass	2986
30	814	0.1	RMS	813.5	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	834.3	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	950.3	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1668	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.12	-13	50.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	794.6	-65.7	-13	52.7	Pass	7841
814	860	0.1	RMS	844.3	19.66	60	40.34	Pass	461
860	1000	0.1	RMS	958.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1688	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.57	-13	47.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	812	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	844.3	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	978.6	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1688	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.94	-13	48.94	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	814	-52.93	-13	39.93	Pass	7841
814	860	0.1	RMS	824.6	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	896	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1649	-49.07	-13	36.07	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.15	-13	46.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	814	-53.28	-13	40.28	Pass	7841
814	860	0.1	RMS	824.6	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	871.2	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	811.9	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	832.1	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	882.3	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1664	-46.2	-13	33.2	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.74	-13	46.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	832.1	19.18	60	40.82	Pass	461
860	1000	0.1	RMS	885	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1664	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.25	-13	49.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.1	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	839.6	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	888.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1679	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.25	-13	44.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.2	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	839.6	19.23	60	40.77	Pass	461
860	1000	0.1	RMS	891.3	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1679	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6798	-45.61	-13	32.61	Pass	7001




6.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.92	-13	49.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	814	0.1	RMS	811.6	-51.64	-13	38.64	Pass	7841
814	860	0.1	RMS	824.8	19.63	60	40.37	Pass	461
860	1000	0.1	RMS	872.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1649	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




6.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.71	-13	46.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	811.5	-53.36	-13	40.36	Pass	7841
814	860	0.1	RMS	824.8	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	870.4	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




6.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	813.7	-60.29	-13	47.29	Pass	7841
814	860	0.1	RMS	829.8	19.66	60	40.34	Pass	461
860	1000	0.1	RMS	884.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1659	-46.38	-13	33.38	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001




6.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.97	-13	47.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.8	-60.41	-13	47.41	Pass	7841
814	860	0.1	RMS	829.8	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	955.2	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1659	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




6.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.3	-13	48.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.8	-63.13	-13	50.13	Pass	7841
814	860	0.1	RMS	834.8	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	888.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1669	-46.27	-13	33.27	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



6.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.49	-13	44.49	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.8	-63.66	-13	50.66	Pass	7841
814	860	0.1	RMS	834.8	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	888.3	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1669	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.41	-13	42.41	Pass	401
0.15	30	0.01	Peak	0.18	-64.49	-13	51.49	Pass	2986
30	809	0.1	Peak	808.6	-52.8	-13	39.8	Pass	7791
809	829	0.1	Peak	814.3	24.93	60	35.07	Pass	401
829	1000	0.1	Peak	834.8	-54.5	-13	41.5	Pass	1711
1000	3000	1	Peak	1629	-36.42	-13	23.42	Pass	2001
3000	10000	1	Peak	7052	-33.11	-13	20.11	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-52.45	-13	39.45	Pass	401
0.15	30	0.01	Peak	0.25	-65.06	-13	52.06	Pass	2986
30	809	0.1	Peak	808	-54.23	-13	41.23	Pass	7791
809	829	0.1	Peak	814.25	25.58	60	34.42	Pass	401
829	1000	0.1	Peak	929.5	-54.37	-13	41.37	Pass	1711
1000	3000	1	Peak	1629	-36.49	-13	23.49	Pass	2001
3000	10000	1	Peak	7481	-33.21	-13	20.21	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.13	-13	42.13	Pass	401
0.15	30	0.01	Peak	0.16	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	808.9	-54.66	-13	41.66	Pass	7791
809	829	0.1	Peak	818.55	25.19	60	34.81	Pass	401
829	1000	0.1	Peak	829.5	-52.45	-13	39.45	Pass	1711
1000	3000	1	Peak	1637	-38.66	-13	25.66	Pass	2001
3000	10000	1	Peak	7466	-33.61	-13	20.61	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-53.61	-13	40.61	Pass	401
0.15	30	0.01	Peak	0.17	-64.26	-13	51.26	Pass	2986
30	809	0.1	Peak	758.7	-53.74	-13	40.74	Pass	7791
809	829	0.1	Peak	818.55	24.93	60	35.07	Pass	401
829	1000	0.1	Peak	928.7	-54.19	-13	41.19	Pass	1711
1000	3000	1	Peak	1637	-37.35	-13	24.35	Pass	2001
3000	10000	1	Peak	6691	-33.24	-13	20.24	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.11	-13	45.11	Pass	401
0.15	30	0.01	Peak	0.22	-64.03	-13	51.03	Pass	2986
30	809	0.1	Peak	525.6	-54.28	-13	41.28	Pass	7791
809	829	0.1	Peak	822.9	24.62	60	35.38	Pass	401
829	1000	0.1	Peak	829.1	-50.14	-13	37.14	Pass	1711
1000	3000	1	Peak	1646	-38.9	-13	25.9	Pass	2001
3000	10000	1	Peak	7966	-33.5	-13	20.5	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.52	-13	40.52	Pass	401
0.15	30	0.01	Peak	0.71	-64.21	-13	51.21	Pass	2986
30	809	0.1	Peak	484.3	-53.83	-13	40.83	Pass	7791
809	829	0.1	Peak	822.8	24.87	60	35.13	Pass	401
829	1000	0.1	Peak	829.8	-51.53	-13	38.53	Pass	1711
1000	3000	1	Peak	1645	-38.95	-13	25.95	Pass	2001
3000	10000	1	Peak	9339	-33.95	-13	20.95	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.33	-13	40.33	Pass	401
0.15	30	0.01	Peak	0.73	-64.67	-13	51.67	Pass	2986
30	809	0.1	Peak	808.7	-44.83	-13	31.83	Pass	7791
809	829	0.1	Peak	814.3	24.68	60	35.32	Pass	401
829	1000	0.1	Peak	844.5	-54.03	-13	41.03	Pass	1711
1000	3000	1	Peak	1628	-35.67	-13	22.67	Pass	2001
3000	10000	1	Peak	7490	-33.08	-13	20.08	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.57	-13	38.57	Pass	401
0.15	30	0.01	Peak	0.15	-61.7	-13	48.7	Pass	2986
30	809	0.1	Peak	809	-45.23	-13	32.23	Pass	7791
809	829	0.1	Peak	814.25	25.15	60	34.85	Pass	401
829	1000	0.1	Peak	996.3	-53.89	-13	40.89	Pass	1711
1000	3000	1	Peak	1629	-37.03	-13	24.03	Pass	2001
3000	10000	1	Peak	7500	-33.72	-13	20.72	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.94	-13	42.94	Pass	401
0.15	30	0.01	Peak	0.18	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	778.1	-54.35	-13	41.35	Pass	7791
809	829	0.1	Peak	817.75	25	60	35	Pass	401
829	1000	0.1	Peak	830.7	-47.54	-13	34.54	Pass	1711
1000	3000	1	Peak	1636	-37.92	-13	24.92	Pass	2001
3000	10000	1	Peak	7661	-33.83	-13	20.83	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-51.89	-13	38.89	Pass	401
0.15	30	0.01	Peak	0.55	-65.21	-13	52.21	Pass	2986
30	809	0.1	Peak	659.5	-54.78	-13	41.78	Pass	7791
809	829	0.1	Peak	817.75	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	830.7	-47.34	-13	34.34	Pass	1711
1000	3000	1	Peak	1635	-37.89	-13	24.89	Pass	2001
3000	10000	1	Peak	7489	-33.74	-13	20.74	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.78	-13	41.78	Pass	401
0.15	30	0.01	Peak	0.16	-63.64	-13	50.64	Pass	2986
30	809	0.1	Peak	747.3	-54.96	-13	41.96	Pass	7791
809	829	0.1	Peak	821.25	25.03	60	34.97	Pass	401
829	1000	0.1	Peak	829	-44.57	-13	31.57	Pass	1711
1000	3000	1	Peak	1642	-38.68	-13	25.68	Pass	2001
3000	10000	1	Peak	7663	-33.19	-13	20.19	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.53	-13	38.53	Pass	401
0.15	30	0.01	Peak	0.36	-64.25	-13	51.25	Pass	2986
30	809	0.1	Peak	317.3	-54.35	-13	41.35	Pass	7791
809	829	0.1	Peak	821.25	24.93	60	35.07	Pass	401
829	1000	0.1	Peak	829	-43.25	-13	30.25	Pass	1711
1000	3000	1	Peak	2825	-39.62	-13	26.62	Pass	2001
3000	10000	1	Peak	9890	-33.71	-13	20.71	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.02	-13	41.02	Pass	401
0.15	30	0.01	Peak	0.3	-65	-13	52	Pass	2986
30	809	0.1	Peak	809	-46.56	-13	33.56	Pass	7791
809	829	0.1	Peak	814.35	25.74	60	34.26	Pass	401
829	1000	0.1	Peak	855.4	-54.01	-13	41.01	Pass	1711
1000	3000	1	Peak	1629	-36.11	-13	23.11	Pass	2001
3000	10000	1	Peak	6950	-33.79	-13	20.79	Pass	7001



1.14. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.92	-13	37.92	Pass	401
0.15	30	0.01	Peak	0.26	-64.41	-13	51.41	Pass	2986
30	809	0.1	Peak	809	-47.38	-13	34.38	Pass	7791
809	829	0.1	Peak	814.3	25.97	60	34.03	Pass	401
829	1000	0.1	Peak	988.8	-54.36	-13	41.36	Pass	1711
1000	3000	1	Peak	1629	-36.84	-13	23.84	Pass	2001
3000	10000	1	Peak	7659	-33.25	-13	20.25	Pass	7001



1.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.95	-13	41.95	Pass	401
0.15	30	0.01	Peak	0.26	-64.12	-13	51.12	Pass	2986
30	809	0.1	Peak	800.9	-54.51	-13	41.51	Pass	7791
809	829	0.1	Peak	816.85	24.95	60	35.05	Pass	401
829	1000	0.1	Peak	829.4	-54.15	-13	41.15	Pass	1711
1000	3000	1	Peak	1634	-36.51	-13	23.51	Pass	2001
3000	10000	1	Peak	6967	-33.69	-13	20.69	Pass	7001

