



1.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.93	-13	38.93	Pass	401
0.15	30	0.01	Peak	0.34	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	586.5	-54.45	-13	41.45	Pass	7791
809	829	0.1	Peak	816.8	25.3	60	34.7	Pass	401
829	1000	0.1	Peak	830.7	-53.49	-13	40.49	Pass	1711
1000	3000	1	Peak	1634	-37.6	-13	24.6	Pass	2001
3000	10000	1	Peak	7739	-33.17	-13	20.17	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.36	-13	42.36	Pass	401
0.15	30	0.01	Peak	0.48	-65.4	-13	52.4	Pass	2986
30	809	0.1	Peak	649.9	-54.68	-13	41.68	Pass	7791
809	829	0.1	Peak	819.3	24.94	60	35.06	Pass	401
829	1000	0.1	Peak	829	-47.61	-13	34.61	Pass	1711
1000	3000	1	Peak	1639	-38.25	-13	25.25	Pass	2001
3000	10000	1	Peak	6806	-33.3	-13	20.3	Pass	7001




**1.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.78	-13	40.78	Pass	401
0.15	30	0.01	Peak	0.3	-64.25	-13	51.25	Pass	2986
30	809	0.1	Peak	491.1	-53.83	-13	40.83	Pass	7791
809	829	0.1	Peak	819.3	25.37	60	34.63	Pass	401
829	1000	0.1	Peak	829	-48.05	-13	35.05	Pass	1711
1000	3000	1	Peak	1639	-38.03	-13	25.03	Pass	2001
3000	10000	1	Peak	7516	-33.22	-13	20.22	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.27	-13	39.27	Pass	401
0.15	30	0.01	Peak	0.16	-64.47	-13	51.47	Pass	2986
30	809	0.1	Peak	808.7	-42.9	-13	29.9	Pass	7791
809	829	0.1	Peak	814.55	25.42	60	34.58	Pass	401
829	1000	0.1	Peak	830	-31.97	-13	18.97	Pass	1711
1000	3000	1	Peak	1629	-36.85	-13	23.85	Pass	2001
3000	10000	1	Peak	9177	-33.48	-13	20.48	Pass	7001




1.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.43	-13	38.43	Pass	401
0.15	30	0.01	Peak	0.15	-64.2	-13	51.2	Pass	2986
30	809	0.1	Peak	808.5	-44.43	-13	31.43	Pass	7791
809	829	0.1	Peak	814.55	25.5	60	34.5	Pass	401
829	1000	0.1	Peak	830	-31.39	-13	18.39	Pass	1711
1000	3000	1	Peak	1629	-37.47	-13	24.47	Pass	2001
3000	10000	1	Peak	7288	-33.27	-13	20.27	Pass	7001




1.21. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.19	-13	40.19	Pass	401
0.15	30	0.01	Peak	0.26	-64.54	-13	51.54	Pass	2986
30	809	0.1	Peak	808.5	-41.84	-13	28.84	Pass	7791
809	829	0.1	Peak	814.6	25.45	60	34.55	Pass	401
829	1000	0.1	Peak	830	-31.52	-13	18.52	Pass	1711
1000	3000	1	Peak	1629	-36.64	-13	23.64	Pass	2001
3000	10000	1	Peak	9904	-33.46	-13	20.46	Pass	7001




1.22. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.11	-13	38.11	Pass	401
0.15	30	0.01	Peak	0.15	-63.61	-13	50.61	Pass	2986
30	809	0.1	Peak	808.5	-42.25	-13	29.25	Pass	7791
809	829	0.1	Peak	814.55	25.5	60	34.5	Pass	401
829	1000	0.1	Peak	829.9	-32.13	-13	19.13	Pass	1711
1000	3000	1	Peak	1629	-35.43	-13	22.43	Pass	2001
3000	10000	1	Peak	7272	-33.83	-13	20.83	Pass	7001




1.23. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.95	-13	39.95	Pass	401
0.15	30	0.01	Peak	0.23	-64.63	-13	51.63	Pass	2986
30	809	0.1	Peak	808.8	-43.19	-13	30.19	Pass	7791
809	829	0.1	Peak	814.55	25.47	60	34.53	Pass	401
829	1000	0.1	Peak	830	-32.39	-13	19.39	Pass	1711
1000	3000	1	Peak	1629	-36.14	-13	23.14	Pass	2001
3000	10000	1	Peak	7301	-33.96	-13	20.96	Pass	7001



1.24. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.01	-13	38.01	Pass	401
0.15	30	0.01	Peak	0.42	-65.08	-13	52.08	Pass	2986
30	809	0.1	Peak	808.5	-43.45	-13	30.45	Pass	7791
809	829	0.1	Peak	814.55	25.36	60	34.64	Pass	401
829	1000	0.1	Peak	830	-32.04	-13	19.04	Pass	1711
1000	3000	1	Peak	1629	-36.05	-13	23.05	Pass	2001
3000	10000	1	Peak	7660	-33.64	-13	20.64	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.33	-13	48.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	837.5	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1710.125	22.11	60	37.89	Pass	401
1790	3000	1	RMS	2986	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	3420	-39.66	-13	26.66	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.84	-13	44.84	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	979.887	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-53.85	-13	40.85	Pass	701
1700	1790	1	RMS	1710.125	21.14	60	38.86	Pass	401
1790	3000	1	RMS	2992	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	3421	-40.44	-13	27.44	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.54	-13	48.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	971.581	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1678	-54	-13	41	Pass	701
1700	1790	1	RMS	1744.55	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2995	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3489	-42.02	-13	29.02	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.23	-13	44.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	924.85	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1744.55	21.22	60	38.78	Pass	401
1790	3000	1	RMS	2997	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3489	-42.74	-13	29.74	Pass	9002
12000	20000	1	RMS	13605	-39.73	-13	26.73	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.62	-13	48.62	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	996.398	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1778.75	22.27	60	37.73	Pass	401
1790	3000	1	RMS	2985	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3558	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.34	-13	43.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	858.706	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1778.75	21.41	60	38.59	Pass	401
1790	3000	1	RMS	3000	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3558	-43.82	-13	30.82	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.27	-13	47.27	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	846.7	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.41	-13	40.41	Pass	701
1700	1790	1	RMS	1710.125	22	60	38	Pass	401
1790	3000	1	RMS	2995	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3420	-39.78	-13	26.78	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.71	-13	44.71	Pass	401
0.15	30	0.01	RMS	0.22	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	978.386	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1710.125	21.17	60	38.83	Pass	401
1790	3000	1	RMS	2999	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	3420	-40.38	-13	27.38	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.93	-13	48.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	867.512	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1743.65	22.22	60	37.78	Pass	401
1790	3000	1	RMS	2941	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3488	-43.39	-13	30.39	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	43.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	843.2	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1676	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1743.65	21.24	60	38.76	Pass	401
1790	3000	1	RMS	2982	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	3488	-43.95	-13	30.95	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.13	-13	49.13	Pass	401
0.15	30	0.01	RMS	0.22	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	945.664	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1681	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1777.175	22.19	60	37.81	Pass	401
1790	3000	1	RMS	2977	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3554	-43.87	-13	30.87	Pass	9002
12000	20000	1	RMS	13607	-39.8	-13	26.8	Pass	8001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	43.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	874.717	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1679	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1777.175	21.25	60	38.75	Pass	401
1790	3000	1	RMS	2985	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11988	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.56	-13	47.56	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	876.818	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1710.125	22.15	60	37.85	Pass	401
1790	3000	1	RMS	2988	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	3421	-38.72	-13	25.72	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	849.1	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.72	-13	40.72	Pass	701
1700	1790	1	RMS	1710.35	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2986	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3421	-39.51	-13	26.51	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.47	-13	46.47	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	823.2	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1679	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1742.75	22.48	60	37.52	Pass	401
1790	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	3486	-42.43	-13	29.43	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.37	-13	43.37	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	979.586	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1673	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1742.75	21.64	60	38.36	Pass	401
1790	3000	1	RMS	3000	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3486	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.16	-13	49.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	947.365	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1679	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1775.15	22.31	60	37.69	Pass	401
1790	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3551	-43.27	-13	30.27	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.78	-13	45.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	893.329	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1676	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1775.15	21.59	60	38.41	Pass	401
1790	3000	1	RMS	2977	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3551	-43.77	-13	30.77	Pass	9002
12000	20000	1	RMS	13599	-39.81	-13	26.81	Pass	8001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.81	-13	46.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	981.488	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1693	-49.22	-13	36.22	Pass	701
1700	1790	1	RMS	1710.575	22.22	60	37.78	Pass	401
1790	3000	1	RMS	2989	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3421	-38.27	-13	25.27	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.43	-13	44.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	852.302	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-49.54	-13	36.54	Pass	701
1700	1790	1	RMS	1710.575	21.4	60	38.6	Pass	401
1790	3000	1	RMS	2962	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3421	-39.04	-13	26.04	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.32	-13	48.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	956.971	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1681	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1740.5	22.54	60	37.46	Pass	401
1790	3000	1	RMS	2979	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3481	-41.87	-13	28.87	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.4	-13	43.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	990.394	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1683	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1740.5	21.58	60	38.42	Pass	401
1790	3000	1	RMS	2996	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3481	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	13605	-39.83	-13	26.83	Pass	8001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.11	-13	49.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	843.4	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1679	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1770.425	22.45	60	37.55	Pass	401
1790	3000	1	RMS	1790	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	3541	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	13599	-39.81	-13	26.81	Pass	8001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.2	-13	43.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	850.701	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1671	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1770.425	21.55	60	38.45	Pass	401
1790	3000	1	RMS	1790	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	3541	-43.75	-13	30.75	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.86	-13	46.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	850.401	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-45.18	-13	32.18	Pass	701
1700	1790	1	RMS	1710.8	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2987	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3422	-38.84	-13	25.84	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.41	-13	44.41	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	841.5	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1698	-45.92	-13	32.92	Pass	701
1700	1790	1	RMS	1710.8	21.38	60	38.62	Pass	401
1790	3000	1	RMS	2958	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	3422	-39.45	-13	26.45	Pass	9002
12000	20000	1	RMS	13602	-39.73	-13	26.73	Pass	8001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.82	-13	48.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	869.113	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1679	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1738.25	22.47	60	37.53	Pass	401
1790	3000	1	RMS	2991	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3477	-42.13	-13	29.13	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	43.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	842.1	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1675	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1738.25	21.49	60	38.51	Pass	401
1790	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	3477	-42.75	-13	29.75	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.73	-13	47.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	845.5	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1676	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1765.7	22.41	60	37.59	Pass	401
1790	3000	1	RMS	1792	-37.2	-13	24.2	Pass	1211
3000	12000	1	RMS	3532	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.71	-13	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	967.178	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1674	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1765.7	21.57	60	38.43	Pass	401
1790	3000	1	RMS	1792	-38.21	-13	25.21	Pass	1211
3000	12000	1	RMS	3532	-43.87	-13	30.87	Pass	9002
12000	20000	1	RMS	13607	-39.79	-13	26.79	Pass	8001




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.56	-13	46.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	926.751	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-46.03	-13	33.03	Pass	701
1700	1790	1	RMS	1711.025	22.16	60	37.84	Pass	401
1790	3000	1	RMS	2981	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3422	-38.44	-13	25.44	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.5	-13	44.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	968.679	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1699	-46.98	-13	33.98	Pass	701
1700	1790	1	RMS	1711.025	21.36	60	38.64	Pass	401
1790	3000	1	RMS	2985	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3422	-39.11	-13	26.11	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.05	-13	48.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	982.889	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-44.88	-13	31.88	Pass	701
1700	1790	1	RMS	1736	22.39	60	37.61	Pass	401
1790	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3472	-41.37	-13	28.37	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.36	-13	44.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	853.303	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-46.24	-13	33.24	Pass	701
1700	1790	1	RMS	1736	21.4	60	38.6	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3472	-42.26	-13	29.26	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.5	-13	49.5	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	959.173	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1690	-52.86	-13	39.86	Pass	701
1700	1790	1	RMS	1760.975	22.38	60	37.62	Pass	401
1790	3000	1	RMS	1797	-39.19	-13	26.19	Pass	1211
3000	12000	1	RMS	3522	-42.69	-13	29.69	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.3	-13	43.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	996.298	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1690	-53.31	-13	40.31	Pass	701
1700	1790	1	RMS	1760.975	21.44	60	38.56	Pass	401
1790	3000	1	RMS	1797	-40.26	-13	27.26	Pass	1211
3000	12000	1	RMS	3522	-43.3	-13	30.3	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.94	-25	32.94	Pass	401
0.15	30	0.01	RMS	0.16	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	820	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2559	-45.38	-25	20.38	Pass	1561
2560	2630	1	RMS	2570.15	22.42	60	37.58	Pass	401
2630	3000	1	RMS	2900.1	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	11968	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25849	-25.25	-25	0.25	Pass*	14502




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-25	28.85	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	849.901	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2560	-45.07	-25	20.07	Pass	1561
2560	2630	1	RMS	2570.325	21.9	60	38.1	Pass	401
2630	3000	1	RMS	2899.175	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11967	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25502	-50.98	-25	25.98	Pass	14502




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.39	-25	31.39	Pass	401
0.15	30	0.01	RMS	0.21	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	951.668	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2497	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2592.725	22.45	60	37.55	Pass	401
2630	3000	1	RMS	2901.025	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11956	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25497	-50.92	-25	25.92	Pass	14502




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.78	-25	29.78	Pass	401
0.15	30	0.01	RMS	0.16	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	962.975	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2531	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2592.725	21.8	60	38.2	Pass	401
2630	3000	1	RMS	2903.8	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11971	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25491	-50.86	-25	25.86	Pass	14502




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.12	-25	31.12	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	870.814	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2501	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2615.125	22.55	60	37.45	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11957	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25902	-50.85	-25	25.85	Pass	14502




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.57	-25	31.57	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	974.483	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2495	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2615.3	21.67	60	38.33	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11953	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25502	-50.94	-25	25.94	Pass	14502




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-25	30.72	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	42.61	Pass	2986
30	1000	0.1	RMS	851.802	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2559	-44.9	-25	19.9	Pass	1561
2560	2630	1	RMS	2570.5	22.52	60	37.48	Pass	401
2630	3000	1	RMS	2900.1	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	11988	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25502	-50.92	-25	25.92	Pass	14502




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-25	30.19	Pass	401
0.15	30	0.01	RMS	0.16	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	853.603	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2560	-44.3	-25	19.3	Pass	1561
2560	2630	1	RMS	2570.675	21.58	60	38.42	Pass	401
2630	3000	1	RMS	2905.65	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11949	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25506	-50.92	-25	25.92	Pass	14502




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.25	-25	32.25	Pass	401
0.15	30	0.01	RMS	0.17	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	884.023	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2539	-48.42	-25	23.42	Pass	1561
2560	2630	1	RMS	2590.45	22.58	60	37.42	Pass	401
2630	3000	1	RMS	2901.025	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11948	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25501	-50.96	-25	25.96	Pass	14502




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	27.86	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	960.774	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2539	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2590.45	21.4	60	38.6	Pass	401
2630	3000	1	RMS	2902.875	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11951	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25494	-50.93	-25	25.93	Pass	14502




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.22	-25	32.22	Pass	401
0.15	30	0.01	RMS	0.17	-68	-25	43	Pass	2986
30	1000	0.1	RMS	979.386	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2526	-48.43	-25	23.43	Pass	1561
2560	2630	1	RMS	2610.4	22.42	60	37.58	Pass	401
2630	3000	1	RMS	2897.325	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11948	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25502	-50.88	-25	25.88	Pass	14502




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-25	27.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	979.186	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2531	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2610.4	21.56	60	38.44	Pass	401
2630	3000	1	RMS	2902.875	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11960	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25503	-50.87	-25	25.87	Pass	14502



8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.11	-25	32.11	Pass	401
0.15	30	0.01	RMS	0.37	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	828.8	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2557	-40.32	-25	15.32	Pass	1561
2560	2630	1	RMS	2570.675	21.95	60	38.05	Pass	401
2630	3000	1	RMS	2899.175	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11963	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25904	-50.9	-25	25.9	Pass	14502



8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.15	-25	30.15	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	976.584	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2558	-41.31	-25	16.31	Pass	1561
2560	2630	1	RMS	2570.675	21.21	60	38.79	Pass	401
2630	3000	1	RMS	2899.175	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11951	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25516	-50.91	-25	25.91	Pass	14502

