



8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.91	-25	31.91	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	928.653	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2458	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2588.175	22.72	60	37.28	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11959	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25505	-50.87	-25	25.87	Pass	14502




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-25	27.87	Pass	401
0.15	30	0.01	RMS	0.17	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	856.905	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2502	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2588.175	21.24	60	38.76	Pass	401
2630	3000	1	RMS	2910.275	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11967	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25503	-50.83	-25	25.83	Pass	14502




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.93	-25	31.93	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	841.5	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2499	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2605.675	22.38	60	37.62	Pass	401
2630	3000	1	RMS	2631.85	-36.11	-25	11.11	Pass	401
3000	12000	1	RMS	11952	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25897	-50.89	-25	25.89	Pass	14502




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-25	27.92	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	973.883	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2521	-48.3	-25	23.3	Pass	1561
2560	2630	1	RMS	2605.675	21.46	60	38.54	Pass	401
2630	3000	1	RMS	2631.85	-37.7	-25	12.7	Pass	401
3000	12000	1	RMS	11960	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25518	-50.96	-25	25.96	Pass	14502




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.58	-25	32.58	Pass	401
0.15	30	0.01	RMS	0.21	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	971.381	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2560	-41.59	-25	16.59	Pass	1561
2560	2630	1	RMS	2571.025	22.35	60	37.65	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11970	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25901	-50.97	-25	25.97	Pass	14502




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-25	29.21	Pass	401
0.15	30	0.01	RMS	0.23	-69.02	-25	44.02	Pass	2986
30	1000	0.1	RMS	833.2	-58.02	-25	33.02	Pass	9701
1000	2560	1	RMS	2560	-42.48	-25	17.48	Pass	1561
2560	2630	1	RMS	2570.85	21.51	60	38.49	Pass	401
2630	3000	1	RMS	2900.1	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11950	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25506	-50.79	-25	25.79	Pass	14502




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.19	-25	32.19	Pass	401
0.15	30	0.01	RMS	0.19	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	906.538	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2551	-47.13	-25	22.13	Pass	1561
2560	2630	1	RMS	2586.075	22.31	60	37.69	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11957	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25892	-50.91	-25	25.91	Pass	14502




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-25	28.48	Pass	401
0.15	30	0.01	RMS	0.22	-68	-25	43	Pass	2986
30	1000	0.1	RMS	970.881	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2550	-47.09	-25	22.09	Pass	1561
2560	2630	1	RMS	2586.075	21.25	60	38.75	Pass	401
2630	3000	1	RMS	2897.325	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11961	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25508	-50.89	-25	25.89	Pass	14502




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-25	31.6	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	824.8	-51.7	-25	26.7	Pass	9701
1000	2560	1	RMS	2469	-48.28	-25	23.28	Pass	1561
2560	2630	1	RMS	2600.95	22.66	60	37.34	Pass	401
2630	3000	1	RMS	2636.475	-37.2	-25	12.2	Pass	401
3000	12000	1	RMS	11950	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25501	-50.83	-25	25.83	Pass	14502



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-25	28.13	Pass	401
0.15	30	0.01	RMS	0.16	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	860.608	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2528	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2600.95	21.21	60	38.79	Pass	401
2630	3000	1	RMS	2636.475	-37.74	-25	12.74	Pass	401
3000	12000	1	RMS	11951	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25495	-50.95	-25	25.95	Pass	14502



10. LTE_Band40(2350-2360)_Part27


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.93	-40	34.93	Pass	401
0.15	30	0.01	RMS	0.15	-73.78	-40	33.78	Pass	2986
30	1000	0.1	RMS	389.6	-67.36	-40	27.36	Pass	9701
1000	2200	1	RMS	2186	-55.78	-40	15.78	Pass	1201
2200	2395	1	RMS	2350.15	15.78	60	44.22	Pass	401
2395	3000	1	RMS	2898	-53.3	-40	13.3	Pass	606
3000	12000	1	RMS	4701	-66.75	-40	26.75	Pass	9002
12000	26500	1	RMS	25500	-58.23	-40	18.23	Pass	14502




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.98	-40	33.98	Pass	401
0.15	30	0.01	RMS	0.15	-74.06	-40	34.06	Pass	2986
30	1000	0.1	RMS	389.7	-66.63	-40	26.63	Pass	9701
1000	2200	1	RMS	2181	-55.83	-40	15.83	Pass	1201
2200	2395	1	RMS	2350.15	13.51	60	46.49	Pass	401
2395	3000	1	RMS	2903	-53.31	-40	13.31	Pass	606
3000	12000	1	RMS	11950	-67.4	-40	27.4	Pass	9002
12000	26500	1	RMS	25496	-58.3	-40	18.3	Pass	14502




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:39200, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.55	-40	34.55	Pass	401
0.15	30	0.01	RMS	0.15	-74.03	-40	34.03	Pass	2986
30	1000	0.1	RMS	392.1	-66.6	-40	26.6	Pass	9701
1000	2200	1	RMS	2180	-55.76	-40	15.76	Pass	1201
2200	2395	1	RMS	2352.588	14.17	60	45.83	Pass	401
2395	3000	1	RMS	2900	-53.28	-40	13.28	Pass	606
3000	12000	1	RMS	11962	-67.41	-40	27.41	Pass	9002
12000	26500	1	RMS	25506	-68.26	-40	28.26	Pass	14502




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:39200, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.33	-40	34.33	Pass	401
0.15	30	0.01	RMS	0.15	-74.02	-40	34.02	Pass	2986
30	1000	0.1	RMS	392.2	-66.73	-40	26.73	Pass	9701
1000	2200	1	RMS	2177	-55.85	-40	15.85	Pass	1201
2200	2395	1	RMS	2352.588	13.31	60	46.69	Pass	401
2395	3000	1	RMS	2914	-53.34	-40	13.34	Pass	606
3000	12000	1	RMS	11968	-67.36	-40	27.36	Pass	9002
12000	26500	1	RMS	25501	-68.27	-40	28.27	Pass	14502




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-40	34.25	Pass	401
0.15	30	0.01	RMS	0.18	-74.08	-40	34.08	Pass	2986
30	1000	0.1	RMS	394.6	-66.89	-40	26.89	Pass	9701
1000	2200	1	RMS	2183	-55.77	-40	15.77	Pass	1201
2200	2395	1	RMS	2355.025	15.33	60	44.67	Pass	401
2395	3000	1	RMS	2903	-53.33	-40	13.33	Pass	606
3000	12000	1	RMS	4711	-66.59	-40	26.59	Pass	9002
12000	26500	1	RMS	25506	-58.27	-40	18.27	Pass	14502




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:39225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-40	34.52	Pass	401
0.15	30	0.01	RMS	0.19	-74.24	-40	34.24	Pass	2986
30	1000	0.1	RMS	394.6	-67.34	-40	27.34	Pass	9701
1000	2200	1	RMS	2184	-55.77	-40	15.77	Pass	1201
2200	2395	1	RMS	2355.025	14.11	60	45.89	Pass	401
2395	3000	1	RMS	2901	-53.29	-40	13.29	Pass	606
3000	12000	1	RMS	11954	-67.41	-40	27.41	Pass	9002
12000	26500	1	RMS	25506	-58.25	-40	18.25	Pass	14502




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.58	-40	34.58	Pass	401
0.15	30	0.01	RMS	0.15	-74.11	-40	34.11	Pass	2986
30	1000	0.1	RMS	389.9	-65.21	-40	25.21	Pass	9701
1000	2200	1	RMS	2182	-55.82	-40	15.82	Pass	1201
2200	2395	1	RMS	2350.15	15.43	60	44.57	Pass	401
2395	3000	1	RMS	2901	-53.33	-40	13.33	Pass	606
3000	12000	1	RMS	11953	-67.4	-40	27.4	Pass	9002
12000	26500	1	RMS	25508	-58.29	-40	18.29	Pass	14502



10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:39200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-40	34.59	Pass	401
0.15	30	0.01	RMS	0.16	-74.54	-40	34.54	Pass	2986
30	1000	0.1	RMS	389.9	-66.74	-40	26.74	Pass	9701
1000	2200	1	RMS	2184	-55.83	-40	15.83	Pass	1201
2200	2395	1	RMS	2350.15	14.56	60	45.44	Pass	401
2395	3000	1	RMS	2900	-53.32	-40	13.32	Pass	606
3000	12000	1	RMS	11953	-67.45	-40	27.45	Pass	9002
12000	26500	1	RMS	25501	-58.27	-40	18.27	Pass	14502



11. LTE_Band40(2305-2315)_Part27


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.22	-40	34.22	Pass	401
0.15	30	0.01	RMS	0.27	-74.21	-40	34.21	Pass	2986
30	1000	0.1	RMS	344.6	-64.56	-40	24.56	Pass	9701
1000	2200	1	RMS	2179	-55.82	-40	15.82	Pass	1201
2200	2395	1	RMS	2305.3	15.25	60	44.75	Pass	401
2395	3000	1	RMS	2901	-53.31	-40	13.31	Pass	606
3000	12000	1	RMS	11964	-67.42	-40	27.42	Pass	9002
12000	26500	1	RMS	25501	-58.15	-40	18.15	Pass	14502




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:38725, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.1	-40	34.1	Pass	401
0.15	30	0.01	RMS	0.15	-73.95	-40	33.95	Pass	2986
30	1000	0.1	RMS	344.6	-64.94	-40	24.94	Pass	9701
1000	2200	1	RMS	2183	-55.84	-40	15.84	Pass	1201
2200	2395	1	RMS	2305.3	13.95	60	46.05	Pass	401
2395	3000	1	RMS	2901	-53.32	-40	13.32	Pass	606
3000	12000	1	RMS	4610	-65.53	-40	25.53	Pass	9002
12000	26500	1	RMS	25501	-58.29	-40	18.29	Pass	14502




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38750, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.72	-40	35.72	Pass	401
0.15	30	0.01	RMS	0.15	-73.68	-40	33.68	Pass	2986
30	1000	0.1	RMS	347.1	-64.87	-40	24.87	Pass	9701
1000	2200	1	RMS	2195	-55.75	-40	15.75	Pass	1201
2200	2395	1	RMS	2307.25	14.55	60	45.45	Pass	401
2395	3000	1	RMS	2898	-53.31	-40	13.31	Pass	606
3000	12000	1	RMS	4615	-67.37	-40	27.37	Pass	9002
12000	26500	1	RMS	25501	-68.22	-40	28.22	Pass	14502




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38750, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.06	-40	35.06	Pass	401
0.15	30	0.01	RMS	0.15	-74.01	-40	34.01	Pass	2986
30	1000	0.1	RMS	347.2	-65.86	-40	25.86	Pass	9701
1000	2200	1	RMS	2182	-55.82	-40	15.82	Pass	1201
2200	2395	1	RMS	2307.738	13.77	60	46.23	Pass	401
2395	3000	1	RMS	2906	-53.31	-40	13.31	Pass	606
3000	12000	1	RMS	4615	-64.33	-40	24.33	Pass	9002
12000	26500	1	RMS	25514	-68.23	-40	28.23	Pass	14502




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.67	-40	34.67	Pass	401
0.15	30	0.01	RMS	0.23	-74.4	-40	34.4	Pass	2986
30	1000	0.1	RMS	349.7	-65.02	-40	25.02	Pass	9701
1000	2200	1	RMS	2173	-55.8	-40	15.8	Pass	1201
2200	2395	1	RMS	2310.175	15.7	60	44.3	Pass	401
2395	3000	1	RMS	2899	-53.27	-40	13.27	Pass	606
3000	12000	1	RMS	4621	-62.51	-40	22.51	Pass	9002
12000	26500	1	RMS	25485	-58.26	-40	18.26	Pass	14502




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.59	-40	34.59	Pass	401
0.15	30	0.01	RMS	0.15	-74.06	-40	34.06	Pass	2986
30	1000	0.1	RMS	349.7	-66.41	-40	26.41	Pass	9701
1000	2200	1	RMS	2181	-55.81	-40	15.81	Pass	1201
2200	2395	1	RMS	2310.175	14.28	60	45.72	Pass	401
2395	3000	1	RMS	2903	-53.32	-40	13.32	Pass	606
3000	12000	1	RMS	4621	-63.57	-40	23.57	Pass	9002
12000	26500	1	RMS	25515	-58.22	-40	18.22	Pass	14502




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-40	34.38	Pass	401
0.15	30	0.01	RMS	0.17	-73.53	-40	33.53	Pass	2986
30	1000	0.1	RMS	344.8	-65.76	-40	25.76	Pass	9701
1000	2200	1	RMS	2172	-55.8	-40	15.8	Pass	1201
2200	2395	1	RMS	2305.3	15.09	60	44.91	Pass	401
2395	3000	1	RMS	2902	-53.33	-40	13.33	Pass	606
3000	12000	1	RMS	4611	-64.43	-40	24.43	Pass	9002
12000	26500	1	RMS	25498	-58.06	-40	18.06	Pass	14502



11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-40	34.97	Pass	401
0.15	30	0.01	RMS	0.16	-73.99	-40	33.99	Pass	2986
30	1000	0.1	RMS	344.8	-67.44	-40	27.44	Pass	9701
1000	2200	1	RMS	2190	-55.82	-40	15.82	Pass	1201
2200	2395	1	RMS	2305.3	14.61	60	45.39	Pass	401
2395	3000	1	RMS	2905	-53.32	-40	13.32	Pass	606
3000	12000	1	RMS	4612	-64.8	-40	24.8	Pass	9002
12000	26500	1	RMS	25492	-58.25	-40	18.25	Pass	14502



9. LTE_Band41 120M


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.76	-25	30.76	Pass	401
0.15	30	0.01	RMS	0.27	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	970.781	-61.47	-25	36.47	Pass	9701
1000	2525	1	RMS	2525	-46.78	-25	21.78	Pass	1526
2525	2665	1	RMS	2535.15	22.44	60	37.56	Pass	401
2665	3000	1	RMS	2902.013	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11951	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25497	-50.08	-25	25.08	Pass	14502




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	27.86	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	962.175	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2525	-46.5	-25	21.5	Pass	1526
2525	2665	1	RMS	2535.5	20.8	60	39.2	Pass	401
2665	3000	1	RMS	2901.175	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5071	-57.23	-25	32.23	Pass	9002
12000	26500	1	RMS	25499	-50.28	-25	25.28	Pass	14502




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-25	30.87	Pass	401
0.15	30	0.01	RMS	0.26	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	711.2	-58.71	-25	33.71	Pass	9701
1000	2525	1	RMS	2499	-48.37	-25	23.37	Pass	1526
2525	2665	1	RMS	2592.55	21.53	60	38.47	Pass	401
2665	3000	1	RMS	2899.5	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11993	-60.12	-25	35.12	Pass	9002
12000	26500	1	RMS	25512	-50.29	-25	25.29	Pass	14502




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-25	29.69	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	901.835	-61.49	-25	36.49	Pass	9701
1000	2525	1	RMS	2492	-48.35	-25	23.35	Pass	1526
2525	2665	1	RMS	2592.55	21.41	60	38.59	Pass	401
2665	3000	1	RMS	2899.5	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	3428	-59.05	-25	34.05	Pass	9002
12000	26500	1	RMS	25510	-50.24	-25	25.24	Pass	14502




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.5	-25	30.5	Pass	401
0.15	30	0.01	RMS	0.15	-67.51	-25	42.51	Pass	2986
30	1000	0.1	RMS	953.769	-61.38	-25	36.38	Pass	9701
1000	2525	1	RMS	2501	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2649.95	22.33	60	37.67	Pass	401
2665	3000	1	RMS	2902.85	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	10601	-58.93	-25	33.93	Pass	9002
12000	26500	1	RMS	25499	-50.21	-25	25.21	Pass	14502




**9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.89	-25	30.89	Pass	401
0.15	30	0.01	RMS	0.16	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	844	-61.42	-25	36.42	Pass	9701
1000	2525	1	RMS	2503	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2650.3	21.59	60	38.41	Pass	401
2665	3000	1	RMS	2900.338	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	10601	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25505	-50.25	-25	25.25	Pass	14502




**9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	28.66	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	825.4	-59.45	-25	34.45	Pass	9701
1000	2525	1	RMS	2525	-45.67	-25	20.67	Pass	1526
2525	2665	1	RMS	2535.5	22.9	60	37.1	Pass	401
2665	3000	1	RMS	2902.013	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5071	-58.99	-25	33.99	Pass	9002
12000	26500	1	RMS	25497	-50.29	-25	25.29	Pass	14502




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-25	30.02	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	969.78	-61.27	-25	36.27	Pass	9701
1000	2525	1	RMS	2525	-45.34	-25	20.34	Pass	1526
2525	2665	1	RMS	2535.15	21.26	60	38.74	Pass	401
2665	3000	1	RMS	2902.013	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5071	-54.52	-25	29.52	Pass	9002
12000	26500	1	RMS	25501	-50.22	-25	25.22	Pass	14502




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.94	-25	31.94	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	925.451	-61.41	-25	36.41	Pass	9701
1000	2525	1	RMS	2499	-48.4	-25	23.4	Pass	1526
2525	2665	1	RMS	2590.45	22.17	60	37.83	Pass	401
2665	3000	1	RMS	2901.175	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11952	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25511	-50.24	-25	25.24	Pass	14502




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-25	28.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	841	-61.44	-25	36.44	Pass	9701
1000	2525	1	RMS	2502	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2590.45	20.38	60	39.62	Pass	401
2665	3000	1	RMS	2902.013	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11953	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25502	-50.21	-25	25.21	Pass	14502




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.51	-25	31.51	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	858.806	-61.25	-25	36.25	Pass	9701
1000	2525	1	RMS	2496	-48.43	-25	23.43	Pass	1526
2525	2665	1	RMS	2645.4	22.23	60	37.77	Pass	401
2665	3000	1	RMS	2901.175	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	10582	-59.2	-25	34.2	Pass	9002
12000	26500	1	RMS	25500	-50.31	-25	25.31	Pass	14502




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-25	27.89	Pass	401
0.15	30	0.01	RMS	0.16	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	908.239	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2491	-48.39	-25	23.39	Pass	1526
2525	2665	1	RMS	2645.4	21.4	60	38.6	Pass	401
2665	3000	1	RMS	2901.175	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	10583	-59.35	-25	34.35	Pass	9002
12000	26500	1	RMS	25499	-50.29	-25	25.29	Pass	14502




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-25	29.16	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	992.895	-61.45	-25	36.45	Pass	9701
1000	2525	1	RMS	2523	-43.31	-25	18.31	Pass	1526
2525	2665	1	RMS	2535.5	22.33	60	37.67	Pass	401
2665	3000	1	RMS	2899.5	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5071	-59.44	-25	34.44	Pass	9002
12000	26500	1	RMS	25508	-50.21	-25	25.21	Pass	14502




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-25	30.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	892.129	-61.44	-25	36.44	Pass	9701
1000	2525	1	RMS	2523	-43.99	-25	18.99	Pass	1526
2525	2665	1	RMS	2535.85	21.13	60	38.87	Pass	401
2665	3000	1	RMS	2899.5	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11957	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25504	-50.24	-25	25.24	Pass	14502




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.7	-25	32.7	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	908.339	-61.31	-25	36.31	Pass	9701
1000	2525	1	RMS	2493	-48.38	-25	23.38	Pass	1526
2525	2665	1	RMS	2588	21.85	60	38.15	Pass	401
2665	3000	1	RMS	2902.013	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11967	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25500	-50.17	-25	25.17	Pass	14502




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-25	28.57	Pass	401
0.15	30	0.01	RMS	0.19	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	980.187	-61.41	-25	36.41	Pass	9701
1000	2525	1	RMS	2521	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2588.35	20.64	60	39.36	Pass	401
2665	3000	1	RMS	2901.175	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11958	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25501	-50.08	-25	25.08	Pass	14502




**9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.52	-25	31.52	Pass	401
0.15	30	0.01	RMS	0.17	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	840.9	-61.4	-25	36.4	Pass	9701
1000	2525	1	RMS	2502	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2640.85	22.51	60	37.49	Pass	401
2665	3000	1	RMS	2666.675	-39.42	-25	14.42	Pass	401
3000	12000	1	RMS	11964	-60.07	-25	35.07	Pass	9002
12000	26500	1	RMS	25503	-50.22	-25	25.22	Pass	14502




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	27.77	Pass	401
0.15	30	0.01	RMS	0.23	-67.9	-25	42.9	Pass	2986
30	1000	0.1	RMS	981.688	-61.35	-25	36.35	Pass	9701
1000	2525	1	RMS	2494	-48.37	-25	23.37	Pass	1526
2525	2665	1	RMS	2640.5	21.74	60	38.26	Pass	401
2665	3000	1	RMS	2666.675	-40.04	-25	15.04	Pass	401
3000	12000	1	RMS	11982	-60.1	-25	35.1	Pass	9002
12000	26500	1	RMS	25503	-50.21	-25	25.21	Pass	14502




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.44	-25	34.44	Pass	401
0.15	30	0.01	RMS	0.24	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	825.5	-56.73	-25	31.73	Pass	9701
1000	2525	1	RMS	2525	-46.42	-25	21.42	Pass	1526
2525	2665	1	RMS	2535.85	18.76	60	41.24	Pass	401
2665	3000	1	RMS	2898.663	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11967	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25507	-50.21	-25	25.21	Pass	14502




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.26	-25	33.26	Pass	401
0.15	30	0.01	RMS	0.19	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	983.089	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2523	-47.38	-25	22.38	Pass	1526
2525	2665	1	RMS	2535.85	18.39	60	41.61	Pass	401
2665	3000	1	RMS	2897.825	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11974	-60.1	-25	35.1	Pass	9002
12000	26500	1	RMS	25493	-50.24	-25	25.24	Pass	14502




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.75	-25	35.75	Pass	401
0.15	30	0.01	RMS	0.19	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	879.32	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2499	-48.4	-25	23.4	Pass	1526
2525	2665	1	RMS	2585.9	18.98	60	41.02	Pass	401
2665	3000	1	RMS	2900.338	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11951	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25502	-50.22	-25	25.22	Pass	14502




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.76	-25	39.76	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	989.193	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2492	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2585.9	16.89	60	43.11	Pass	401
2665	3000	1	RMS	2903.688	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11961	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25499	-50.24	-25	25.24	Pass	14502



9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.8	-25	40.8	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	905.537	-61.46	-25	36.46	Pass	9701
1000	2525	1	RMS	2504	-48.41	-25	23.41	Pass	1526
2525	2665	1	RMS	2635.95	18.03	60	41.97	Pass	401
2665	3000	1	RMS	2666.675	-42.25	-25	17.25	Pass	401
3000	12000	1	RMS	11952	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25501	-50.24	-25	25.24	Pass	14502



9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.85	-25	39.85	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	967.278	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2514	-48.35	-25	23.35	Pass	1526
2525	2665	1	RMS	2635.95	18	60	42	Pass	401
2665	3000	1	RMS	2670.863	-43.24	-25	18.24	Pass	401
3000	12000	1	RMS	11970	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25506	-50.26	-25	25.26	Pass	14502

