


Main Antenna:

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.31.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.10	3.82	74.0	17.90	Peak	266.98	150	Vertical	Pass
1**	5150.000	46.49	3.82	54.0	7.51	AV	266.98	150	Vertical	Pass
2	5135.700	56.21	3.98	74.0	17.79	Peak	64.00	150	Vertical	Pass
2**	5135.700	45.30	3.98	54.0	8.70	AV	64.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.32.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.52	3.82	74.0	15.48	Peak	252.00	150	Horizontal	Pass
1**	5150.000	46.91	3.82	54.0	7.09	AV	252.00	150	Horizontal	Pass
2	5144.800	62.29	3.97	74.0	11.71	Peak	270.00	150	Horizontal	Pass
2**	5144.800	46.49	3.97	54.0	7.51	AV	270.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.40.06

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.32	4.04	74.0	19.68	Peak	26.00	150	Vertical	Pass
1**	5350.000	44.61	4.04	54.0	9.39	AV	26.00	150	Vertical	Pass
2	5350.770	55.91	4.06	74.0	18.09	Peak	0.00	150	Vertical	Pass
2**	5350.770	44.42	4.06	54.0	9.58	AV	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.50.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.96	4.04	74.0	19.04	Peak	254.00	150	Horizontal	Pass
1**	5350.000	44.64	4.04	54.0	9.36	AV	254.00	150	Horizontal	Pass
2	5378.820	55.97	4.05	74.0	18.03	Peak	115.00	150	Horizontal	Pass
2**	5378.820	44.36	4.05	54.0	9.64	AV	115.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.58.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.94	3.82	74.0	17.06	Peak	282.99	150	Vertical	Pass
1**	5150.000	46.27	3.82	54.0	7.73	AV	282.99	150	Vertical	Pass
2	5086.300	56.01	3.44	74.0	17.99	Peak	305.00	150	Vertical	Pass
2**	5086.300	44.13	3.44	54.0	9.87	AV	305.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.01.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.23	3.82	74.0	15.77	Peak	279.00	150	Horizontal	Pass
1**	5150.000	47.53	3.82	54.0	6.47	AV	279.00	150	Horizontal	Pass
2	5149.350	59.68	3.84	74.0	14.32	Peak	289.00	150	Horizontal	Pass
2**	5149.350	47.03	3.84	54.0	6.97	AV	289.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.06.30

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.07	4.04	74.0	18.93	Peak	36.00	150	Vertical	Pass
1**	5350.000	44.46	4.04	54.0	9.54	AV	36.00	150	Vertical	Pass
2	5363.750	56.39	4.12	74.0	17.61	Peak	354.00	150	Vertical	Pass
2**	5363.750	44.49	4.12	54.0	9.51	AV	354.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.09.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.45	4.04	74.0	19.55	Peak	310.00	150	Horizontal	Pass
1**	5350.000	45.13	4.04	54.0	8.87	AV	310.00	150	Horizontal	Pass
2	5396.200	55.94	4.06	74.0	18.06	Peak	329.00	150	Horizontal	Pass
2**	5396.200	44.15	4.06	54.0	9.85	AV	329.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-09_18.35.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.79	3.82	74.0	13.21	Peak	66.05	150	Vertical	Pass
1**	5150.000	48.43	3.82	54.0	5.57	AV	66.05	150	Vertical	Pass
2	5142.850	58.57	4.02	74.0	15.43	Peak	68.00	150	Vertical	Pass
2**	5142.850	46.57	4.02	54.0	7.43	AV	68.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-09_18.20.27

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.90	3.82	74.0	11.10	Peak	252.99	150	Horizontal	Pass
1**	5150.000	49.65	3.82	54.0	4.35	AV	252.99	150	Horizontal	Pass
2	5136.350	60.99	4.00	74.0	13.01	Peak	274.00	150	Horizontal	Pass
2**	5136.350	48.23	4.00	54.0	5.77	AV	274.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.14.54

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.43	4.04	74.0	19.57	Peak	273.00	150	Vertical	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	273.00	150	Vertical	Pass
2	5386.520	56.24	4.05	74.0	17.76	Peak	353.00	150	Vertical	Pass
2**	5386.520	44.41	4.05	54.0	9.59	AV	353.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.16.43

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.48	4.04	74.0	18.52	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.83	4.04	54.0	9.17	AV	360.00	150	Horizontal	Pass
2	5351.430	56.50	4.07	74.0	17.50	Peak	277.00	150	Horizontal	Pass
2**	5351.430	44.65	4.07	54.0	9.35	AV	277.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_19.20.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.85	3.82	74.0	13.15	Peak	289.96	150	Vertical	Pass
1**	5150.000	51.01	3.82	54.0	2.99	AV	289.96	150	Vertical	Pass
2	5135.050	61.45	3.97	74.0	12.55	Peak	68.00	150	Vertical	Pass
2**	5135.050	48.52	3.97	54.0	5.48	AV	68.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-09_19.19.08

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.08	3.82	74.0	10.92	Peak	254.01	150	Horizontal	Pass
1**	5150.000	52.06	3.82	54.0	1.94	AV	254.01	150	Horizontal	Pass
2	5138.950	63.92	4.06	74.0	10.08	Peak	250.00	150	Horizontal	Pass
2**	5138.950	51.39	4.06	54.0	2.61	AV	250.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.28.34

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.17	3.82	74.0	7.83	Peak	278.98	150	Vertical	Pass
1**	5150.000	47.87	3.82	54.0	6.13	AV	278.98	150	Vertical	Pass
2	5142.850	60.51	4.02	74.0	13.49	Peak	272.00	150	Vertical	Pass
2**	5142.850	47.45	4.02	54.0	6.55	AV	272.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_16.30.47

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.71	3.82	74.0	10.29	Peak	230.00	150	Horizontal	Pass
1**	5150.000	49.87	3.82	54.0	4.13	AV	230.00	150	Horizontal	Pass
2	5148.050	65.73	3.87	74.0	8.27	Peak	292.00	150	Horizontal	Pass
2**	5148.050	49.80	3.87	54.0	4.20	AV	292.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.22.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.82	4.04	74.0	19.18	Peak	234.00	150	Vertical	Pass
1**	5350.000	44.55	4.04	54.0	9.45	AV	234.00	150	Vertical	Pass
2	5360.670	56.44	4.22	74.0	17.56	Peak	221.00	150	Vertical	Pass
2**	5360.670	44.66	4.22	54.0	9.34	AV	221.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_16.23.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.52	4.04	74.0	19.48	Peak	239.00	150	Horizontal	Pass
1**	5350.000	44.89	4.04	54.0	9.11	AV	239.00	150	Horizontal	Pass
2	5366.280	56.71	4.07	74.0	17.29	Peak	289.00	150	Horizontal	Pass
2**	5366.280	44.77	4.07	54.0	9.23	AV	289.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_20.41.18

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.11	3.82	74.0	16.89	Peak	264.96	150	Vertical	Pass
1**	5150.000	47.54	3.82	54.0	6.46	AV	264.96	150	Vertical	Pass
2	5145.450	58.09	3.95	74.0	15.91	Peak	273.00	150	Vertical	Pass
2**	5145.450	46.58	3.95	54.0	7.42	AV	273.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_20.39.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.19	3.82	74.0	16.81	Peak	242.01	150	Horizontal	Pass
1**	5150.000	47.72	3.82	54.0	6.28	AV	242.01	150	Horizontal	Pass
2	5144.800	59.42	3.97	74.0	14.58	Peak	230.00	150	Horizontal	Pass
2**	5144.800	46.88	3.97	54.0	7.12	AV	230.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.50.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.15	4.04	74.0	19.85	Peak	262.00	150	Vertical	Pass
1**	5350.000	44.03	4.04	54.0	9.97	AV	262.00	150	Vertical	Pass
2	5415.010	55.94	3.72	74.0	18.06	Peak	7.00	150	Vertical	Pass
2**	5415.010	43.85	3.72	54.0	10.15	AV	7.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-09_21.55.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.26	4.04	74.0	19.74	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.28	4.04	54.0	9.72	AV	360.00	150	Horizontal	Pass
2	5426.010	56.20	3.72	74.0	17.80	Peak	353.00	150	Horizontal	Pass
2**	5426.010	44.29	3.72	54.0	9.71	AV	353.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.26.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.46	3.82	74.0	15.54	Peak	227.01	150	Vertical	Pass
1**	5150.000	48.29	3.82	54.0	5.71	AV	227.01	150	Vertical	Pass
2	5109.700	57.14	3.57	74.0	16.86	Peak	66.00	150	Vertical	Pass
2**	5109.700	44.63	3.57	54.0	9.37	AV	66.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.24.59

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.62	3.82	74.0	13.38	Peak	277.00	150	Horizontal	Pass
1**	5150.000	49.89	3.82	54.0	4.11	AV	277.00	150	Horizontal	Pass
2	5133.750	61.06	3.94	74.0	12.94	Peak	248.00	150	Horizontal	Pass
2**	5133.750	48.47	3.94	54.0	5.53	AV	248.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.49.58

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.50	3.82	74.0	19.50	Peak	0.07	150	Vertical	Pass
1**	5150.000	44.68	3.82	54.0	9.32	AV	0.07	150	Vertical	Pass
2	4955.650	55.57	3.96	74.0	18.43	Peak	6.00	150	Vertical	Pass
2**	4955.650	43.94	3.96	54.0	10.06	AV	6.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.52.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.31	3.82	74.0	19.69	Peak	302.99	150	Horizontal	Pass
1**	5150.000	44.85	3.82	54.0	9.15	AV	302.99	150	Horizontal	Pass
2	4767.150	55.11	2.70	74.0	18.89	Peak	204.00	150	Horizontal	Pass
2**	4767.150	43.05	2.70	54.0	10.95	AV	204.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.02.18

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.75	4.04	74.0	18.25	Peak	286.00	150	Vertical	Pass
1**	5350.000	47.17	4.04	54.0	6.83	AV	286.00	150	Vertical	Pass
2	5360.560	61.58	4.23	74.0	12.42	Peak	210.00	150	Vertical	Pass
2**	5360.560	46.01	4.23	54.0	7.99	AV	210.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.00.05

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.68	4.04	74.0	15.32	Peak	272.00	150	Horizontal	Pass
1**	5350.000	48.48	4.04	54.0	5.52	AV	272.00	150	Horizontal	Pass
2	5351.760	60.59	4.08	74.0	13.41	Peak	246.00	150	Horizontal	Pass
2**	5351.760	48.51	4.08	54.0	5.49	AV	246.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.20.55

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.46	3.82	74.0	19.54	Peak	360.00	150	Vertical	Pass
1**	5150.000	44.39	3.82	54.0	9.61	AV	360.00	150	Vertical	Pass
2	5135.050	56.23	3.97	74.0	17.77	Peak	296.00	150	Vertical	Pass
2**	5135.050	44.53	3.97	54.0	9.47	AV	296.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.19.33

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.74	3.82	74.0	18.26	Peak	39.06	150	Horizontal	Pass
1**	5150.000	45.13	3.82	54.0	8.87	AV	39.06	150	Horizontal	Pass
2	4960.850	56.37	3.97	74.0	17.63	Peak	186.00	150	Horizontal	Pass
2**	4960.850	44.28	3.97	54.0	9.72	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.12.59

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.53	4.04	74.0	15.47	Peak	271.00	150	Vertical	Pass
1**	5350.000	47.65	4.04	54.0	6.35	AV	271.00	150	Vertical	Pass
2	5353.740	60.14	4.11	74.0	13.86	Peak	242.00	150	Vertical	Pass
2**	5353.740	47.46	4.11	54.0	6.54	AV	242.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.11.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.97	4.04	74.0	14.03	Peak	255.00	150	Horizontal	Pass
1**	5350.000	49.84	4.04	54.0	4.16	AV	255.00	150	Horizontal	Pass
2	5355.280	62.37	4.15	74.0	11.63	Peak	255.00	150	Horizontal	Pass
2**	5355.280	48.79	4.15	54.0	5.21	AV	255.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_11.09.59

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.01	3.82	74.0	19.99	Peak	141.97	150	Vertical	Pass
1**	5150.000	44.53	3.82	54.0	9.47	AV	141.97	150	Vertical	Pass
2	5053.150	55.56	3.70	74.0	18.44	Peak	157.00	150	Vertical	Pass
2**	5053.150	44.28	3.70	54.0	9.72	AV	157.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_11.15.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.85	3.82	74.0	19.15	Peak	222.99	150	Horizontal	Pass
1**	5150.000	44.74	3.82	54.0	9.26	AV	222.99	150	Horizontal	Pass
2	5149.350	56.59	3.84	74.0	17.41	Peak	165.00	150	Horizontal	Pass
2**	5149.350	44.82	3.84	54.0	9.18	AV	165.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.33.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.53	4.04	74.0	16.47	Peak	278.00	150	Vertical	Pass
1**	5350.000	48.03	4.04	54.0	5.97	AV	278.00	150	Vertical	Pass
2	5353.960	58.98	4.11	74.0	15.02	Peak	271.00	150	Vertical	Pass
2**	5353.960	47.18	4.11	54.0	6.82	AV	271.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.29.17

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.12	4.04	74.0	15.88	Peak	276.00	150	Horizontal	Pass
1**	5350.000	48.95	4.04	54.0	5.05	AV	276.00	150	Horizontal	Pass
2	5358.580	60.14	4.22	74.0	13.86	Peak	291.00	150	Horizontal	Pass
2**	5358.580	48.13	4.22	54.0	5.87	AV	291.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_13.42.57

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.34	4.04	74.0	16.66	Peak	174.00	150	Vertical	Pass
1**	5350.000	47.78	4.04	54.0	6.22	AV	174.00	150	Vertical	Pass
2	5361.000	58.17	4.21	74.0	15.83	Peak	171.00	150	Vertical	Pass
2**	5361.000	47.63	4.21	54.0	6.37	AV	171.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_13.41.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.40	4.04	74.0	11.60	Peak	0.00	150	Horizontal	Pass
1**	5350.000	51.92	4.04	54.0	2.08	AV	0.00	150	Horizontal	Pass
2	5359.350	63.64	4.23	74.0	10.36	Peak	355.00	150	Horizontal	Pass
2**	5359.350	51.48	4.23	54.0	2.52	AV	355.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.50.27

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.50	3.82	74.0	18.50	Peak	0.00	150	Vertical	Pass
1**	5150.000	45.02	3.82	54.0	8.98	AV	0.00	150	Vertical	Pass
2	5099.300	56.10	3.89	74.0	17.90	Peak	13.00	150	Vertical	Pass
2**	5099.300	44.29	3.89	54.0	9.71	AV	13.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.52.43

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.33	3.82	74.0	18.67	Peak	285.99	150	Horizontal	Pass
1**	5150.000	45.55	3.82	54.0	8.45	AV	285.99	150	Horizontal	Pass
2	4890.000	55.89	3.64	74.0	18.11	Peak	217.00	150	Horizontal	Pass
2**	4890.000	43.61	3.64	54.0	10.39	AV	217.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_18.28.55

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.52	4.04	74.0	15.48	Peak	170.00	150	Vertical	Pass
1**	5350.000	49.04	4.04	54.0	4.96	AV	170.00	150	Vertical	Pass
2	5352.530	62.65	4.09	74.0	11.35	Peak	268.00	150	Vertical	Pass
2**	5352.530	48.78	4.09	54.0	5.22	AV	268.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.12.16

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.36	4.04	74.0	14.64	Peak	360.00	150	Horizontal	Pass
1**	5350.000	48.67	4.04	54.0	5.33	AV	360.00	150	Horizontal	Pass
2	5351.210	60.90	4.06	74.0	13.10	Peak	14.00	150	Horizontal	Pass
2**	5351.210	48.61	4.06	54.0	5.39	AV	14.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_14.36.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.19	3.82	74.0	19.81	Peak	5.05	150	Vertical	Pass
1**	5150.000	44.10	3.82	54.0	9.90	AV	5.05	150	Vertical	Pass
2	5139.600	56.29	4.07	74.0	17.71	Peak	94.00	150	Vertical	Pass
2**	5139.600	44.07	4.07	54.0	9.93	AV	94.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_14.37.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.74	3.82	74.0	20.26	Peak	249.02	150	Horizontal	Pass
1**	5150.000	44.25	3.82	54.0	9.75	AV	249.02	150	Horizontal	Pass
2	5140.900	56.02	4.07	74.0	17.98	Peak	240.00	150	Horizontal	Pass
2**	5140.900	44.17	4.07	54.0	9.83	AV	240.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_14.53.14

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.42	4.04	74.0	18.58	Peak	360.00	150	Vertical	Pass
1**	5350.000	45.32	4.04	54.0	8.68	AV	360.00	150	Vertical	Pass
2	5353.960	57.55	4.11	74.0	16.45	Peak	282.00	150	Vertical	Pass
2**	5353.960	45.37	4.11	54.0	8.63	AV	282.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_14.39.14

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.48	4.04	74.0	13.52	Peak	4.00	150	Horizontal	Pass
1**	5350.000	49.55	4.04	54.0	4.45	AV	4.00	150	Horizontal	Pass
2	5353.410	62.12	4.10	74.0	11.88	Peak	358.00	150	Horizontal	Pass
2**	5353.410	48.71	4.10	54.0	5.29	AV	358.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.15.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.60	4.04	74.0	17.40	Peak	148.00	150	Vertical	Pass
1**	5350.000	47.38	4.04	54.0	6.62	AV	148.00	150	Vertical	Pass
2	5350.110	59.96	4.04	74.0	14.04	Peak	148.00	150	Vertical	Pass
2**	5350.110	47.40	4.04	54.0	6.60	AV	148.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.14.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.84	4.04	74.0	12.16	Peak	249.00	150	Horizontal	Pass
1**	5350.000	52.16	4.04	54.0	1.84	AV	249.00	150	Horizontal	Pass
2	5353.520	63.91	4.10	74.0	10.09	Peak	0.00	150	Horizontal	Pass
2**	5353.520	51.57	4.10	54.0	2.43	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.43.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.45	3.78	68.2	12.75	Peak	169.15	150	Vertical	Pass
1**	5460.000	45.74	3.78	54.0	8.26	AV	169.15	150	Vertical	Pass
2	5469.640	58.06	4.08	68.2	10.14	Peak	343.00	150	Vertical	Pass
2**	5469.640	46.90	4.08	--	-46.90	AV	343.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.44.52

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.06	3.78	68.2	12.14	Peak	260.00	150	Horizontal	Pass
1**	5460.000	46.45	3.78	54.0	7.55	AV	260.00	150	Horizontal	Pass
2	5468.800	59.26	4.06	68.2	8.94	Peak	294.00	150	Horizontal	Pass
2**	5468.800	47.50	4.06	--	-47.50	AV	294.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.49.32

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.60	4.31	68.2	4.60	Peak	355.00	150	Vertical	Pass
2	5751.875	61.29	4.25	68.2	6.91	Peak	265.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.51.30

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.95	4.31	68.2	4.25	Peak	297.00	150	Horizontal	Pass
2	5725.250	64.42	4.30	68.2	3.78	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.58.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.70	3.78	68.2	12.50	Peak	281.00	150	Vertical	Pass
1**	5460.000	46.27	3.78	54.0	7.73	AV	281.00	150	Vertical	Pass
2	5467.720	59.42	4.03	68.2	8.78	Peak	283.00	150	Vertical	Pass
2**	5467.720	47.88	4.03	--	-47.88	AV	283.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.59.22

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.05	3.78	68.2	10.15	Peak	266.35	150	Horizontal	Pass
1**	5460.000	48.09	3.78	54.0	5.91	AV	266.35	150	Horizontal	Pass
2	5469.160	62.27	4.07	68.2	5.93	Peak	291.00	150	Horizontal	Pass
2**	5469.160	49.59	4.07	--	-49.59	AV	291.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.11.58

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.19	4.31	68.2	4.01	Peak	182.00	150	Vertical	Pass
2	5726.125	65.74	4.27	68.2	2.46	Peak	285.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.13.37

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.69	4.31	68.2	5.51	Peak	229.00	150	Horizontal	Pass
2	5726.875	66.27	4.25	68.2	1.93	Peak	278.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.18.15

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.59	3.78	68.2	12.61	Peak	257.99	150	Vertical	Pass
1**	5460.000	45.88	3.78	54.0	8.12	AV	257.99	150	Vertical	Pass
2	5467.120	57.83	4.01	68.2	10.37	Peak	280.00	150	Vertical	Pass
2**	5467.120	46.90	4.01	--	-46.90	AV	280.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.16.52

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.09	3.78	68.2	11.11	Peak	263.01	150	Horizontal	Pass
1**	5460.000	47.59	3.78	54.0	6.41	AV	263.01	150	Horizontal	Pass
2	5468.560	58.98	4.06	68.2	9.22	Peak	272.00	150	Horizontal	Pass
2**	5468.560	48.85	4.06	--	-48.85	AV	272.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.30.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.91	4.31	68.2	9.29	Peak	360.00	150	Vertical	Pass
2	5730.000	61.04	4.16	68.2	7.16	Peak	267.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.32.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.00	4.31	68.2	8.20	Peak	279.00	150	Horizontal	Pass
2	5726.125	61.33	4.27	68.2	6.87	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_21.12.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.83	3.78	68.2	8.37	Peak	270.98	150	Vertical	Pass
1**	5460.000	47.73	3.78	54.0	6.27	AV	270.98	150	Vertical	Pass
2	5467.120	62.83	4.01	68.2	5.37	Peak	268.00	150	Vertical	Pass
2**	5467.120	49.15	4.01	--	-49.15	AV	268.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_21.09.17

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	64.96	3.78	68.2	3.24	Peak	279.97	150	Horizontal	Pass
1**	5460.000	50.58	3.78	54.0	3.42	AV	279.97	150	Horizontal	Pass
2	5467.960	65.92	4.04	68.2	2.28	Peak	277.00	150	Horizontal	Pass
2**	5467.960	51.53	4.04	--	-51.53	AV	277.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_05.06.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.67	4.31	68.2	9.53	Peak	284.00	150	Vertical	Pass
2	5731.375	60.28	4.17	68.2	7.92	Peak	263.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_05.07.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.72	4.31	68.2	9.48	Peak	28.00	150	Horizontal	Pass
2	5739.500	60.45	4.30	68.2	7.75	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.40.46

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.65	3.78	68.2	11.55	Peak	236.04	150	Vertical	Pass
1**	5460.000	46.95	3.78	54.0	7.05	AV	236.04	150	Vertical	Pass
2	5469.760	62.32	4.09	68.2	5.88	Peak	277.00	150	Vertical	Pass
2**	5469.760	48.51	4.09	--	-48.51	AV	277.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.39.17

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.88	3.78	68.2	9.32	Peak	271.99	150	Horizontal	Pass
1**	5460.000	48.90	3.78	54.0	5.10	AV	271.99	150	Horizontal	Pass
2	5469.040	65.79	4.07	68.2	2.41	Peak	276.00	150	Horizontal	Pass
2**	5469.040	50.60	4.07	--	-50.60	AV	276.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_01.21.25

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.27	4.31	68.2	3.93	Peak	245.00	150	Vertical	Pass
2	5725.375	65.07	4.30	68.2	3.13	Peak	352.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_01.19.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.34	4.31	68.2	4.86	Peak	302.00	150	Horizontal	Pass
2	5728.875	65.22	4.20	68.2	2.98	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_01.24.04

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.52	3.78	68.2	12.68	Peak	360.00	100	Vertical	Pass
1**	5460.000	46.09	3.78	54.0	7.91	AV	360.00	100	Vertical	Pass
2	5468.440	59.47	4.05	68.2	8.73	Peak	288.00	100	Vertical	Pass
2**	5468.440	47.29	4.05	--	-47.29	AV	288.00	100	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_01.25.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.86	3.78	68.2	11.34	Peak	277.67	150	Horizontal	Pass
1**	5460.000	47.50	3.78	54.0	6.50	AV	277.67	150	Horizontal	Pass
2	5469.640	63.77	4.08	68.2	4.43	Peak	222.00	150	Horizontal	Pass
2**	5469.640	49.16	4.08	--	-49.16	AV	222.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.12.10

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.12	4.31	68.2	10.08	Peak	0.00	150	Vertical	Pass
2	5727.375	60.79	4.24	68.2	7.41	Peak	351.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.14.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.30	4.31	68.2	8.90	Peak	227.00	150	Horizontal	Pass
2	5725.250	60.54	4.30	68.2	7.66	Peak	296.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.00.06

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.93	3.78	68.2	13.27	Peak	114.58	150	Vertical	Pass
1**	5460.000	45.55	3.78	54.0	8.45	AV	114.58	150	Vertical	Pass
2	5467.120	59.98	4.01	68.2	8.22	Peak	278.00	150	Vertical	Pass
2**	5467.120	46.82	4.01	--	-46.82	AV	278.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_22.58.51

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.97	3.78	68.2	11.23	Peak	295.33	150	Horizontal	Pass
1**	5460.000	47.45	3.78	54.0	6.55	AV	295.33	150	Horizontal	Pass
2	5465.200	60.69	3.95	68.2	7.51	Peak	291.00	150	Horizontal	Pass
2**	5465.200	48.34	3.95	--	-48.34	AV	291.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.04.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH112 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.38	4.31	68.2	10.82	Peak	172.00	150	Vertical	Pass
2	5812.125	57.45	5.02	68.2	10.75	Peak	282.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.06.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH112 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.18	4.31	68.2	11.02	Peak	22.00	150	Horizontal	Pass
2	5763.125	58.32	4.65	68.2	9.88	Peak	309.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.08.37

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.26	3.81	68.2	12.94	Peak	275.72	150	Vertical	Pass
2	5634.375	57.51	3.71	68.2	10.69	Peak	254.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.09.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.43	3.81	68.2	12.77	Peak	289.00	150	Horizontal	Pass
2	5643.875	56.90	3.76	68.2	11.30	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.17.49

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.27	6.44	68.2	10.93	Peak	0.06	150	Vertical	Pass
2	5968.050	59.11	6.30	68.2	9.09	Peak	349.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.16.42

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.48	6.44	68.2	11.72	Peak	343.02	150	Horizontal	Pass
2	5931.600	57.92	6.29	68.2	10.28	Peak	280.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.19.22

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.41	3.81	68.2	12.79	Peak	306.06	150	Vertical	Pass
2	5642.500	57.18	3.74	68.2	11.02	Peak	175.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.20.33

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.55	3.81	68.2	11.65	Peak	273.76	150	Horizontal	Pass
2	5636.875	56.93	3.72	68.2	11.27	Peak	294.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.27.49

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.87	6.44	68.2	11.33	Peak	133.83	150	Vertical	Pass
2	5939.100	58.56	6.06	68.2	9.64	Peak	194.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.26.40

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	357.90	150	Horizontal	Pass
2	5932.800	58.97	6.25	68.2	9.23	Peak	33.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.30.16

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.04	3.81	68.2	12.16	Peak	83.12	150	Vertical	Pass
2	5641.500	56.95	3.74	68.2	11.25	Peak	188.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.31.22

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.48	3.81	68.2	12.72	Peak	285.00	150	Horizontal	Pass
2	5648.000	57.31	3.80	68.2	10.89	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.56.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.53	6.44	68.2	10.67	Peak	0.36	150	Vertical	Pass
2	5937.900	58.77	6.08	68.2	9.43	Peak	51.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.54.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	6.44	68.2	11.42	Peak	283.79	150	Horizontal	Pass
2	5947.800	58.22	6.18	68.2	9.98	Peak	153.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_02.43.32

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.69	3.81	68.2	9.51	Peak	347.83	150	Vertical	Pass
2	5638.875	59.47	3.74	68.2	8.73	Peak	276.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_02.42.15

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.99	3.81	68.2	9.21	Peak	299.98	150	Horizontal	Pass
2	5647.250	60.71	3.79	68.2	7.49	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.37.05

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.90	3.81	68.2	12.30	Peak	190.81	150	Vertical	Pass
2	5645.625	57.21	3.78	68.2	10.99	Peak	354.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.36.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.23	3.81	68.2	12.97	Peak	272.08	150	Horizontal	Pass
2	5647.750	57.13	3.80	68.2	11.07	Peak	301.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.43.13

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.01	6.44	68.2	10.19	Peak	286.09	150	Vertical	Pass
2	5957.700	58.49	6.12	68.2	9.71	Peak	192.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.44.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.72	6.44	68.2	11.48	Peak	0.25	150	Horizontal	Pass
2	5937.300	58.35	6.10	68.2	9.85	Peak	282.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.31.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.76	3.81	68.2	11.44	Peak	0.01	150	Vertical	Pass
2	5646.750	57.39	3.79	68.2	10.81	Peak	254.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_03.29.41

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.42	3.81	68.2	12.78	Peak	309.00	150	Horizontal	Pass
2	5631.750	57.47	3.69	68.2	10.73	Peak	40.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.50.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.63	6.44	68.2	10.57	Peak	270.96	150	Vertical	Pass
2	5946.450	58.76	6.17	68.2	9.44	Peak	245.00	150	Vertical	Pass

	辐射边带 Radiated Bandedge	文件编号(No.):	ECTR4-R21
		版本(Version):	V1.0


Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.51.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.83	6.44	68.2	10.37	Peak	314.60	150	Horizontal	Pass
2	5936.850	58.56	6.12	68.2	9.64	Peak	93.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.54.04

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.51	3.81	68.2	11.69	Peak	197.10	150	Vertical	Pass
2	5637.875	57.46	3.73	68.2	10.74	Peak	156.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.52.11

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.17	3.81	68.2	11.03	Peak	303.72	150	Horizontal	Pass
2	5643.000	58.99	3.75	68.2	9.21	Peak	288.00	150	Horizontal	Pass


Aux. Antenna:

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.37.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.32	3.82	74.0	19.68	Peak	346.00	150	Vertical	Pass
1**	5150.000	44.60	3.82	54.0	9.40	AV	346.00	150	Vertical	Pass
2	5096.700	55.76	3.79	74.0	18.24	Peak	41.00	150	Vertical	Pass
2**	5096.700	44.16	3.79	54.0	9.84	AV	41.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.34.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.02	3.82	74.0	16.98	Peak	0.05	150	Horizontal	Pass
1**	5150.000	46.76	3.82	54.0	7.24	AV	0.05	150	Horizontal	Pass
2	5149.350	58.26	3.84	74.0	15.74	Peak	242.00	150	Horizontal	Pass
2**	5149.350	46.75	3.84	54.0	7.25	AV	242.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_15.54.27

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	4.04	74.0	19.02	Peak	202.00	150	Vertical	Pass
1**	5350.000	44.35	4.04	54.0	9.65	AV	202.00	150	Vertical	Pass
2	5359.130	56.43	4.23	74.0	17.57	Peak	45.00	150	Vertical	Pass
2**	5359.130	44.49	4.23	54.0	9.51	AV	45.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.52.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.01	4.04	74.0	17.99	Peak	255.00	150	Horizontal	Pass
1**	5350.000	45.20	4.04	54.0	8.80	AV	255.00	150	Horizontal	Pass
2	5374.750	57.21	4.01	74.0	16.79	Peak	0.00	150	Horizontal	Pass
2**	5374.750	44.66	4.01	54.0	9.34	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.04.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.36	3.82	74.0	18.64	Peak	359.96	150	Vertical	Pass
1**	5150.000	44.70	3.82	54.0	9.30	AV	359.96	150	Vertical	Pass
2	4795.750	55.20	2.74	74.0	18.80	Peak	291.00	150	Vertical	Pass
2**	4795.750	42.81	2.74	54.0	11.19	AV	291.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.03.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.00	3.82	74.0	16.00	Peak	353.93	150	Horizontal	Pass
1**	5150.000	47.81	3.82	54.0	6.19	AV	353.93	150	Horizontal	Pass
2	5147.400	59.19	3.89	74.0	14.81	Peak	0.00	150	Horizontal	Pass
2**	5147.400	47.42	3.89	54.0	6.58	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.11.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.46	4.04	74.0	19.54	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.36	4.04	54.0	9.64	AV	360.00	150	Vertical	Pass
2	5362.870	56.68	4.15	74.0	17.32	Peak	34.00	150	Vertical	Pass
2**	5362.870	44.43	4.15	54.0	9.57	AV	34.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.10.42

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.01	4.04	74.0	18.99	Peak	96.00	150	Horizontal	Pass
1**	5350.000	45.04	4.04	54.0	8.96	AV	96.00	150	Horizontal	Pass
2	5391.580	56.30	4.01	74.0	17.70	Peak	0.00	150	Horizontal	Pass
2**	5391.580	44.41	4.01	54.0	9.59	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_19.07.10

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.99	3.82	74.0	20.01	Peak	341.93	150	Vertical	Pass
1**	5150.000	45.18	3.82	54.0	8.82	AV	341.93	150	Vertical	Pass
2	4939.400	56.05	4.01	74.0	17.95	Peak	83.00	150	Vertical	Pass
2**	4939.400	43.76	4.01	54.0	10.24	AV	83.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_19.01.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	58.36	3.96	74.0	15.64	Peak	2.00	150	Horizontal	Pass
1**	5134.400	47.23	3.96	54.0	6.77	AV	2.00	150	Horizontal	Pass
2	5148.700	60.52	3.85	74.0	13.48	Peak	0.00	150	Horizontal	Pass
2**	5148.700	48.35	3.85	54.0	5.65	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.19.44

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.28	4.04	74.0	19.72	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.57	4.04	54.0	9.43	AV	360.00	150	Vertical	Pass
2	5361.990	56.30	4.19	74.0	17.70	Peak	304.00	150	Vertical	Pass
2**	5361.990	44.61	4.19	54.0	9.39	AV	304.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.18.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.54	4.04	74.0	18.46	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.37	4.04	54.0	8.63	AV	0.00	150	Horizontal	Pass
2	5359.460	57.34	4.23	74.0	16.66	Peak	22.00	150	Horizontal	Pass
2**	5359.460	45.34	4.23	54.0	8.66	AV	22.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_19.42.10

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.03	3.82	74.0	18.97	Peak	112.00	150	Vertical	Pass
1**	5150.000	45.21	3.82	54.0	8.79	AV	112.00	150	Vertical	Pass
2	5135.700	56.16	3.98	74.0	17.84	Peak	209.00	150	Vertical	Pass
2**	5135.700	44.76	3.98	54.0	9.24	AV	209.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-09_19.44.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.51	3.82	74.0	14.49	Peak	0.00	150	Horizontal	Pass
1**	5150.000	50.11	3.82	54.0	3.89	AV	0.00	150	Horizontal	Pass
2	5134.400	61.51	3.96	74.0	12.49	Peak	246.00	150	Horizontal	Pass
2**	5134.400	49.54	3.96	54.0	4.46	AV	246.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.34.02

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.46	3.82	74.0	18.54	Peak	294.97	150	Vertical	Pass
1**	5150.000	45.36	3.82	54.0	8.64	AV	294.97	150	Vertical	Pass
2	5034.950	56.20	3.69	74.0	17.80	Peak	193.00	150	Vertical	Pass
2**	5034.950	43.93	3.69	54.0	10.07	AV	193.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_16.32.37

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.78	3.82	74.0	13.22	Peak	350.00	150	Horizontal	Pass
1**	5150.000	50.04	3.82	54.0	3.96	AV	350.00	150	Horizontal	Pass
2	5144.800	64.25	3.97	74.0	9.75	Peak	221.00	150	Horizontal	Pass
2**	5144.800	48.98	3.97	54.0	5.02	AV	221.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_16.26.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.48	4.04	74.0	19.52	Peak	99.00	150	Vertical	Pass
1**	5350.000	44.40	4.04	54.0	9.60	AV	99.00	150	Vertical	Pass
2	5428.540	56.60	3.70	74.0	17.40	Peak	187.00	150	Vertical	Pass
2**	5428.540	44.02	3.70	54.0	9.98	AV	187.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_16.25.16

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.58	4.04	74.0	18.42	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.68	4.04	54.0	8.32	AV	0.00	150	Horizontal	Pass
2	5354.290	57.50	4.12	74.0	16.50	Peak	243.00	150	Horizontal	Pass
2**	5354.290	45.61	4.12	54.0	8.39	AV	243.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_20.43.37

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.85	3.82	74.0	20.15	Peak	60.06	150	Vertical	Pass
1**	5150.000	44.43	3.82	54.0	9.57	AV	60.06	150	Vertical	Pass
2	4886.100	55.81	3.89	74.0	18.19	Peak	234.00	150	Vertical	Pass
2**	4886.100	43.76	3.89	54.0	10.24	AV	234.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_20.46.07

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.44	3.82	74.0	15.56	Peak	357.98	150	Horizontal	Pass
1**	5150.000	47.71	3.82	54.0	6.29	AV	357.98	150	Horizontal	Pass
2	5140.250	57.87	4.08	74.0	16.13	Peak	0.00	150	Horizontal	Pass
2**	5140.250	46.94	4.08	54.0	7.06	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_22.00.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.53	4.04	74.0	19.47	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.21	4.04	54.0	9.79	AV	360.00	150	Vertical	Pass
2	5385.200	55.79	4.06	74.0	18.21	Peak	295.00	150	Vertical	Pass
2**	5385.200	43.84	4.06	54.0	10.16	AV	295.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.57.29

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.53	4.04	74.0	19.47	Peak	0.00	150	Horizontal	Pass
1**	5350.000	44.73	4.04	54.0	9.27	AV	0.00	150	Horizontal	Pass
2	5362.980	56.41	4.15	74.0	17.59	Peak	53.00	150	Horizontal	Pass
2**	5362.980	44.59	4.15	54.0	9.41	AV	53.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.29.30

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.38	3.82	74.0	19.62	Peak	359.94	150	Vertical	Pass
1**	5150.000	44.61	3.82	54.0	9.39	AV	359.94	150	Vertical	Pass
2	4895.200	55.42	3.54	74.0	18.58	Peak	87.00	150	Vertical	Pass
2**	4895.200	43.40	3.54	54.0	10.60	AV	87.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-09_21.36.42

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.9
Model Number:	Ranger 3	Humidity (%RH):	49
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.74	3.82	74.0	16.26	Peak	29.07	150	Horizontal	Pass
1**	5150.000	48.57	3.82	54.0	5.43	AV	29.07	150	Horizontal	Pass
2	5137.650	59.09	4.03	74.0	14.91	Peak	13.00	150	Horizontal	Pass
2**	5137.650	48.31	4.03	54.0	5.69	AV	13.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.57.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.35	3.82	74.0	19.65	Peak	0.02	150	Vertical	Pass
1**	5150.000	44.24	3.82	54.0	9.76	AV	0.02	150	Vertical	Pass
2	4908.200	55.54	3.51	74.0	18.46	Peak	352.00	150	Vertical	Pass
2**	4908.200	43.66	3.51	54.0	10.34	AV	352.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_16.58.43

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.66	3.82	--	62.34	Peak	117.00	150	Horizontal	Pass
1**	5150.000	44.54	3.82	--	-44.54	AV	117.00	150	Horizontal	N/A
2	5120.100	55.72	3.71	74.0	18.28	Peak	265.00	150	Horizontal	Pass
2**	5120.100	44.11	3.71	54.0	9.89	AV	265.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.03.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.32	4.04	74.0	19.68	Peak	286.00	150	Vertical	Pass
1**	5350.000	44.86	4.04	54.0	9.14	AV	286.00	150	Vertical	Pass
2	5353.630	57.82	4.11	74.0	16.18	Peak	282.00	150	Vertical	Pass
2**	5353.630	44.92	4.11	54.0	9.08	AV	282.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.06.46

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.54	4.04	74.0	16.46	Peak	2.00	150	Horizontal	Pass
1**	5350.000	46.72	4.04	54.0	7.28	AV	2.00	150	Horizontal	Pass
2	5380.360	58.32	4.05	74.0	15.68	Peak	360.00	150	Horizontal	Pass
2**	5380.360	45.44	4.05	54.0	8.56	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.22.43

EUT Name:

Intelligent Mobile Data Capture Terminal

Temp.(°C):

23.1

Model Number:

Ranger 3

Humidity (%RH):

51

Sample Number:

SC-SH25C0065-S03

Pressure(kPa):

101

Test Standard:

47 CFR Part 15E

Work Mode:

5.3G WIFI 11n20 CH52 P=17

Test Site:

966#2

Test Voltage:


AC 120V/60Hz

Test Engineer:

Zhou Xu

Remark:

实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.62	3.82	74.0	19.38	Peak	31.05	150	Vertical	Pass
1**	5150.000	44.30	3.82	54.0	9.70	AV	31.05	150	Vertical	Pass
2	5020.000	56.05	3.48	74.0	17.95	Peak	359.00	150	Vertical	Pass
2**	5020.000	43.72	3.48	54.0	10.28	AV	359.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.24.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.59	3.82	74.0	19.41	Peak	297.96	150	Horizontal	Pass
1**	5150.000	44.57	3.82	54.0	9.43	AV	297.96	150	Horizontal	Pass
2	5060.300	56.27	3.75	74.0	17.73	Peak	120.00	150	Horizontal	Pass
2**	5060.300	44.23	3.75	54.0	9.77	AV	120.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.14.15

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	4.04	74.0	18.61	Peak	142.00	150	Vertical	Pass
1**	5350.000	45.39	4.04	54.0	8.61	AV	142.00	150	Vertical	Pass
2	5364.740	55.95	4.10	74.0	18.05	Peak	89.00	150	Vertical	Pass
2**	5364.740	44.87	4.10	54.0	9.13	AV	89.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_17.17.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.68	4.04	74.0	16.32	Peak	236.00	150	Horizontal	Pass
1**	5350.000	47.93	4.04	54.0	6.07	AV	236.00	150	Horizontal	Pass
2	5352.310	60.00	4.09	74.0	14.00	Peak	360.00	150	Horizontal	Pass
2**	5352.310	47.65	4.09	54.0	6.35	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.43.09

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.22	3.82	74.0	19.78	Peak	63.03	150	Vertical	Pass
1**	5150.000	44.18	3.82	54.0	9.82	AV	63.03	150	Vertical	Pass
2	5092.150	56.00	3.58	74.0	18.00	Peak	285.00	150	Vertical	Pass
2**	5092.150	43.90	3.58	54.0	10.10	AV	285.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.41.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.39	3.82	74.0	19.61	Peak	344.00	150	Horizontal	Pass
1**	5150.000	44.71	3.82	54.0	9.29	AV	344.00	150	Horizontal	Pass
2	5144.800	56.34	3.97	74.0	17.66	Peak	0.00	150	Horizontal	Pass
2**	5144.800	44.61	3.97	54.0	9.39	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_11.03.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	4.04	74.0	17.63	Peak	175.00	150	Vertical	Pass
1**	5350.000	45.79	4.04	54.0	8.21	AV	175.00	150	Vertical	Pass
2	5362.650	56.94	4.16	74.0	17.06	Peak	39.00	150	Vertical	Pass
2**	5362.650	45.04	4.16	54.0	8.96	AV	39.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_11.00.56

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.75	4.04	74.0	15.25	Peak	4.00	150	Horizontal	Pass
1**	5350.000	48.97	4.04	54.0	5.03	AV	4.00	150	Horizontal	Pass
2	5350.330	60.30	4.05	74.0	13.70	Peak	240.00	150	Horizontal	Pass
2**	5350.330	48.90	4.05	54.0	5.10	AV	240.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_13.15.48

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.09	4.04	74.0	13.91	Peak	271.00	150	Vertical	Pass
1**	5350.000	49.85	4.04	54.0	4.15	AV	271.00	150	Vertical	Pass
2	5355.720	62.26	4.16	74.0	11.74	Peak	274.00	150	Vertical	Pass
2**	5355.720	48.75	4.16	54.0	5.25	AV	274.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_13.12.51

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.94	4.04	74.0	12.06	Peak	285.00	150	Horizontal	Pass
1**	5350.000	52.29	4.04	54.0	1.71	AV	285.00	150	Horizontal	Pass
2	5353.080	64.46	4.10	74.0	9.54	Peak	280.00	150	Horizontal	Pass
2**	5353.080	50.97	4.10	54.0	3.03	AV	280.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.55.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.41	3.82	74.0	19.59	Peak	4.01	150	Vertical	Pass
1**	5150.000	44.18	3.82	54.0	9.82	AV	4.01	150	Vertical	Pass
2	4938.100	55.52	3.92	74.0	18.48	Peak	82.00	150	Vertical	Pass
2**	4938.100	43.98	3.92	54.0	10.02	AV	82.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_17.54.02

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.65	3.82	74.0	19.35	Peak	71.04	150	Horizontal	Pass
1**	5150.000	44.55	3.82	54.0	9.45	AV	71.04	150	Horizontal	Pass
2	4839.300	56.31	4.27	74.0	17.69	Peak	0.00	150	Horizontal	Pass
2**	4839.300	43.61	4.27	54.0	10.39	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.07.11

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.32	4.04	74.0	17.68	Peak	277.00	150	Vertical	Pass
1**	5350.000	45.43	4.04	54.0	8.57	AV	277.00	150	Vertical	Pass
2	5367.710	56.24	4.04	74.0	17.76	Peak	185.00	150	Vertical	Pass
2**	5367.710	44.72	4.04	54.0	9.28	AV	185.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.10.47

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.11	4.04	74.0	14.89	Peak	0.00	150	Horizontal	Pass
1**	5350.000	48.98	4.04	54.0	5.02	AV	0.00	150	Horizontal	Pass
2	5350.440	61.69	4.05	74.0	12.31	Peak	357.00	150	Horizontal	Pass
2**	5350.440	48.66	4.05	54.0	5.34	AV	357.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.26.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.06	3.82	74.0	19.94	Peak	278.97	150	Vertical	Pass
1**	5150.000	44.30	3.82	54.0	9.70	AV	278.97	150	Vertical	Pass
2	4923.800	55.85	3.59	74.0	18.15	Peak	0.00	150	Vertical	Pass
2**	4923.800	43.87	3.59	54.0	10.13	AV	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.22.21

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.80	3.82	74.0	19.20	Peak	293.96	150	Horizontal	Pass
1**	5150.000	44.80	3.82	54.0	9.20	AV	293.96	150	Horizontal	Pass
2	5010.250	55.82	3.73	74.0	18.18	Peak	360.00	150	Horizontal	Pass
2**	5010.250	43.87	3.73	54.0	10.13	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_19.28.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.90	4.04	74.0	18.10	Peak	260.00	150	Vertical	Pass
1**	5350.000	46.00	4.04	54.0	8.00	AV	260.00	150	Vertical	Pass
2	5353.300	58.04	4.10	74.0	15.96	Peak	144.00	150	Vertical	Pass
2**	5353.300	45.77	4.10	54.0	8.23	AV	144.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_19.19.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.46	4.04	74.0	13.54	Peak	237.00	150	Horizontal	Pass
1**	5350.000	49.15	4.04	54.0	4.85	AV	237.00	150	Horizontal	Pass
2	5353.850	63.74	4.11	74.0	10.26	Peak	3.00	150	Horizontal	Pass
2**	5353.850	49.14	4.11	54.0	4.86	AV	3.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.02.31

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.01	4.04	74.0	14.99	Peak	272.00	150	Vertical	Pass
1**	5350.000	49.73	4.04	54.0	4.27	AV	272.00	150	Vertical	Pass
2	5357.590	62.67	4.20	74.0	11.33	Peak	278.00	150	Vertical	Pass
2**	5357.590	49.46	4.20	54.0	4.54	AV	278.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_15.03.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.18	4.04	74.0	11.82	Peak	285.00	150	Horizontal	Pass
1**	5350.000	51.91	4.04	54.0	2.09	AV	285.00	150	Horizontal	Pass
2	5358.690	64.25	4.22	74.0	9.75	Peak	292.00	150	Horizontal	Pass
2**	5358.690	50.54	4.22	54.0	3.46	AV	292.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.47.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.29	3.78	68.2	12.91	Peak	278.16	150	Vertical	Pass
1**	5460.000	45.00	3.78	54.0	9.00	AV	278.16	150	Vertical	Pass
2	5463.880	56.66	3.90	68.2	11.54	Peak	113.00	150	Vertical	Pass
2**	5463.880	45.23	3.90	--	-45.23	AV	113.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.46.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.32	3.78	68.2	9.88	Peak	8.35	150	Horizontal	Pass
1**	5460.000	47.00	3.78	54.0	7.00	AV	8.35	150	Horizontal	Pass
2	5468.200	60.89	4.05	68.2	7.31	Peak	242.00	150	Horizontal	Pass
2**	5468.200	47.58	4.05	--	-47.58	AV	242.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.55.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.74	4.31	68.2	9.46	Peak	138.00	150	Vertical	Pass
2	5726.375	62.18	4.26	68.2	6.02	Peak	138.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.54.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.39	4.31	68.2	7.81	Peak	192.00	150	Horizontal	Pass
2	5725.750	64.27	4.28	68.2	3.93	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.01.56

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.32	3.78	68.2	12.88	Peak	130.32	150	Vertical	Pass
1**	5460.000	45.27	3.78	54.0	8.73	AV	130.32	150	Vertical	Pass
2	5469.040	57.45	4.07	68.2	10.75	Peak	138.00	150	Vertical	Pass
2**	5469.040	46.57	4.07	--	-46.57	AV	138.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.00.40

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.43	3.78	68.2	9.77	Peak	14.99	150	Horizontal	Pass
1**	5460.000	47.88	3.78	54.0	6.12	AV	14.99	150	Horizontal	Pass
2	5469.280	62.13	4.08	68.2	6.07	Peak	27.00	150	Horizontal	Pass
2**	5469.280	49.30	4.08	--	-49.30	AV	27.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.03.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.48	4.31	68.2	8.72	Peak	163.00	150	Vertical	Pass
2	5726.500	61.81	4.26	68.2	6.39	Peak	168.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.04.56

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.44	4.31	68.2	5.76	Peak	216.00	150	Horizontal	Pass
2	5732.250	63.86	4.18	68.2	4.34	Peak	223.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.23.06

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.93	3.78	68.2	13.27	Peak	70.41	150	Vertical	Pass
1**	5460.000	45.66	3.78	54.0	8.34	AV	70.41	150	Vertical	Pass
2	5466.880	57.63	4.00	68.2	10.57	Peak	102.00	150	Vertical	Pass
2**	5466.880	46.60	4.00	--	-46.60	AV	102.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.24.29

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.07	3.78	68.2	10.13	Peak	131.86	150	Horizontal	Pass
1**	5460.000	47.80	3.78	54.0	6.20	AV	131.86	150	Horizontal	Pass
2	5469.640	61.27	4.08	68.2	6.93	Peak	0.00	150	Horizontal	Pass
2**	5469.640	49.61	4.08	--	-49.61	AV	0.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.28.42

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.45	4.31	68.2	10.75	Peak	71.00	150	Vertical	Pass
2	5833.000	59.19	5.31	68.2	9.01	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.26.29

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.25	4.31	68.2	8.95	Peak	222.00	150	Horizontal	Pass
2	5725.125	60.44	4.31	68.2	7.76	Peak	222.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_21.49.18

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.04	3.78	68.2	12.16	Peak	219.92	150	Vertical	Pass
1**	5460.000	47.01	3.78	54.0	6.99	AV	219.92	150	Vertical	Pass
2	5467.720	60.07	4.03	68.2	8.13	Peak	140.00	150	Vertical	Pass
2**	5467.720	48.28	4.03	--	-48.28	AV	140.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_21.47.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.36	3.78	68.2	6.84	Peak	8.68	150	Horizontal	Pass
1**	5460.000	51.77	3.78	54.0	2.23	AV	8.68	150	Horizontal	Pass
2	5468.200	65.61	4.05	68.2	2.59	Peak	229.00	150	Horizontal	Pass
2**	5468.200	52.99	4.05	--	-52.99	AV	229.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_05.09.49

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.24	4.31	68.2	10.96	Peak	167.00	150	Vertical	Pass
2	5725.250	59.34	4.30	68.2	8.86	Peak	141.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_05.08.36

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.27	4.31	68.2	9.93	Peak	360.00	150	Horizontal	Pass
2	5728.125	61.29	4.22	68.2	6.91	Peak	224.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_00.43.44

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.77	3.78	68.2	12.43	Peak	132.71	150	Vertical	Pass
1**	5460.000	45.61	3.78	54.0	8.39	AV	132.71	150	Vertical	Pass
2	5467.840	57.94	4.04	68.2	10.26	Peak	142.00	150	Vertical	Pass
2**	5467.840	47.07	4.04	--	-47.07	AV	142.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_00.44.55

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.23	3.78	68.2	8.97	Peak	252.11	150	Horizontal	Pass
1**	5460.000	48.19	3.78	54.0	5.81	AV	252.11	150	Horizontal	Pass
2	5467.480	62.37	4.03	68.2	5.83	Peak	15.00	150	Horizontal	Pass
2**	5467.480	49.23	4.03	--	-49.23	AV	15.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_01.06.16

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.73	4.31	68.2	8.47	Peak	346.00	150	Vertical	Pass
2	5742.375	60.27	4.24	68.2	7.93	Peak	163.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_01.03.41

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.49	4.31	68.2	5.71	Peak	222.00	150	Horizontal	Pass
2	5729.750	64.85	4.17	68.2	3.35	Peak	229.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_01.28.40

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.02	3.78	68.2	13.18	Peak	26.34	150	Vertical	Pass
1**	5460.000	45.67	3.78	54.0	8.33	AV	26.34	150	Vertical	Pass
2	5469.880	58.92	4.09	68.2	9.28	Peak	117.00	150	Vertical	Pass
2**	5469.880	47.06	4.09	--	-47.06	AV	117.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_01.27.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.69	3.78	68.2	9.51	Peak	241.41	150	Horizontal	Pass
1**	5460.000	48.49	3.78	54.0	5.51	AV	241.41	150	Horizontal	Pass
2	5466.640	62.70	4.00	68.2	5.50	Peak	6.00	150	Horizontal	Pass
2**	5466.640	49.61	4.00	--	-49.61	AV	6.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.17.34

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.98	4.31	68.2	11.22	Peak	135.00	150	Vertical	Pass
2	5776.250	58.02	4.94	68.2	10.18	Peak	135.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.15.58

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.02	4.31	68.2	10.18	Peak	216.00	150	Horizontal	Pass
2	5729.500	59.60	4.18	68.2	8.60	Peak	222.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_22.55.20

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.59	3.78	68.2	9.61	Peak	160.97	150	Vertical	Pass
1**	5460.000	47.86	3.78	54.0	6.14	AV	160.97	150	Vertical	Pass
2	5467.000	62.21	4.01	68.2	5.99	Peak	144.00	150	Vertical	Pass
2**	5467.000	49.10	4.01	--	-49.10	AV	144.00	150	Vertical	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_22.57.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	63.44	3.78	68.2	4.76	Peak	208.68	150	Horizontal	Pass
1**	5460.000	51.95	3.78	54.0	2.05	AV	208.68	150	Horizontal	Pass
2	5464.960	66.07	3.94	68.2	2.13	Peak	23.00	150	Horizontal	Pass
2**	5464.960	52.64	3.94	--	-52.64	AV	23.00	150	Horizontal	N/A

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-10_23.10.22

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH112 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.66	4.31	68.2	12.54	Peak	59.00	150	Vertical	Pass
2	5751.250	57.90	4.21	68.2	10.30	Peak	313.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-10_23.08.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH112 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	4.31	68.2	10.30	Peak	218.00	150	Horizontal	Pass
2	5726.250	60.27	4.26	68.2	7.93	Peak	199.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.12.20

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.93	3.81	68.2	12.27	Peak	324.81	150	Vertical	Pass
2	5644.750	57.23	3.77	68.2	10.97	Peak	138.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.11.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.13	3.81	68.2	12.07	Peak	360.00	150	Horizontal	Pass
2	5649.625	57.38	3.81	68.2	10.82	Peak	224.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.14.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.73	6.44	68.2	11.47	Peak	162.25	150	Vertical	Pass
2	5928.600	58.58	6.35	68.2	9.62	Peak	131.00	150	Vertical	Pass


Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.15.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.96	6.44	68.2	10.24	Peak	235.93	150	Horizontal	Pass
2	5947.500	58.98	6.18	68.2	9.22	Peak	339.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.23.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.17	3.81	68.2	13.03	Peak	174.97	150	Vertical	Pass
2	5649.125	57.79	3.81	68.2	10.41	Peak	352.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.22.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.56	3.81	68.2	11.64	Peak	359.83	150	Horizontal	Pass
2	5634.125	57.91	3.70	68.2	10.29	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.24.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.28	6.44	68.2	10.92	Peak	165.98	150	Vertical	Pass
2	5931.900	59.20	6.28	68.2	9.00	Peak	161.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.25.27

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.28	6.44	68.2	9.92	Peak	215.01	150	Horizontal	Pass
2	5956.800	59.72	6.13	68.2	8.48	Peak	215.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_05.01.28

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.19	3.81	68.2	13.01	Peak	253.82	150	Vertical	Pass
2	5644.500	57.46	3.77	68.2	10.74	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_05.00.18

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.53	3.81	68.2	12.67	Peak	265.95	150	Horizontal	Pass
2	5638.250	57.39	3.73	68.2	10.81	Peak	71.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.34.05

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.62	6.44	68.2	9.58	Peak	240.93	150	Vertical	Pass
2	5948.100	58.73	6.18	68.2	9.47	Peak	5.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.33.00

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	6.44	68.2	11.42	Peak	166.91	150	Horizontal	Pass
2	5933.100	58.26	6.24	68.2	9.94	Peak	349.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_02.44.52

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.44	3.81	68.2	11.76	Peak	140.99	150	Vertical	Pass
2	5648.000	58.17	3.80	68.2	10.03	Peak	105.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_02.46.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.24	3.81	68.2	9.96	Peak	236.99	150	Horizontal	Pass
2	5647.125	59.13	3.79	68.2	9.07	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.38.13

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.27	3.81	68.2	12.93	Peak	359.82	150	Vertical	Pass
2	5641.375	57.12	3.74	68.2	11.08	Peak	168.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.39.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.09	3.81	68.2	11.11	Peak	215.81	150	Horizontal	Pass
2	5645.500	57.63	3.77	68.2	10.57	Peak	221.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.42.01

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.43	6.44	68.2	10.77	Peak	158.25	150	Vertical	Pass
2	5942.100	58.75	6.08	68.2	9.45	Peak	354.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.40.54

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.92	6.44	68.2	10.28	Peak	206.03	150	Horizontal	Pass
2	5935.800	59.24	6.15	68.2	8.96	Peak	237.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-11_04.48.51

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.70	3.81	68.2	11.50	Peak	316.79	150	Vertical	Pass
2	5642.625	56.77	3.74	68.2	11.43	Peak	209.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_04.47.38

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.22	3.81	68.2	11.98	Peak	232.89	150	Horizontal	Pass
2	5644.000	57.35	3.77	68.2	10.85	Peak	186.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.32.26

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.67	6.44	68.2	11.53	Peak	153.01	150	Vertical	Pass
2	5934.000	58.56	6.21	68.2	9.64	Peak	141.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.33.34

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.52	6.44	68.2	10.68	Peak	217.01	150	Horizontal	Pass
2	5938.050	59.37	6.08	68.2	8.83	Peak	212.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.55.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.32	3.81	68.2	11.88	Peak	123.00	150	Vertical	Pass
2	5644.250	56.92	3.77	68.2	11.28	Peak	252.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-11_03.56.35

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.1
Model Number:	Ranger 3	Humidity (%RH):	51
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.41	3.81	68.2	11.79	Peak	0.01	150	Horizontal	Pass
2	5646.000	57.66	3.78	68.2	10.54	Peak	0.00	150	Horizontal	Pass