





1.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:39200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-49.19	-40	9.19	Pass	401
2288	2292	1	RMS	2291.14	-49.06	-37	12.06	Pass	401
2292	2296	1	RMS	2294.32	-49.02	-31	18.02	Pass	401
2296	2300	1	RMS	2298.44	-49.04	-25	24.04	Pass	401
2300	2305	1	RMS	2304	-49.68	-13	36.68	Pass	6
2305	2320	1	RMS	2319.963	-49.13	-13	36.13	Pass	401
2320	2324	1	RMS	2324	-49.64	-25	24.64	Pass	5
2324	2328	1	RMS	2325.2	-48.99	-31	17.99	Pass	401
2328	2337	1	RMS	2336.82	-48.73	-37	11.73	Pass	401
2337	2341	1	RMS	2340.93	-47.32	-31	16.32	Pass	401
2341	2345	1	RMS	2345	-44.66	-25	19.66	Pass	5
2345	2349	1	RMS	2349	-37.34	-13	24.34	Pass	401
2349	2350	0.1	RMS	2350	-49.01	-13	36.01	Pass	401
2350	2360	0.1	RMS	2357.025	-6.15	60	66.15	Pass	401
2360	2361	0.1	RMS	2360	-46.89	-13	33.89	Pass	401
2361	2365	1	RMS	2361	-42.69	-13	29.69	Pass	5
2365	2395	1	RMS	2365	-44.88	-40	4.88	Pass*	31



11. LTE_Band40(2305-2315)_Part27


11.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2291.97	-48.7	-37	11.7	Pass	401
2292	2296	1	RMS	2295.97	-47.2	-31	16.2	Pass	401
2296	2300	1	RMS	2299.92	-44.82	-25	19.82	Pass	401
2300	2304	1	RMS	2304	-40.25	-13	27.25	Pass	5
2304	2305	0.01	RMS	2305	-38.89	-13	25.89	Pass	401
2305	2315	0.1	RMS	2305.35	12.02	60	47.98	Pass	401
2315	2316	0.01	RMS	2315.065	-66.29	-13	53.29	Pass	401
2316	2320	1	RMS	2316.11	-47.69	-13	34.69	Pass	401
2320	2324	1	RMS	2320.02	-48.54	-25	23.54	Pass	401
2324	2328	1	RMS	2324.26	-48.76	-31	17.76	Pass	401
2328	2337	1	RMS	2328.248	-49.14	-37	12.14	Pass	401
2337	2341	1	RMS	2337.12	-49	-31	18	Pass	401
2341	2345	1	RMS	2343.62	-48.99	-25	23.99	Pass	401
2345	2360	1	RMS	2350.963	-49.22	-13	36.22	Pass	401
2360	2365	1	RMS	2361.913	-49.25	-13	36.25	Pass	401
2365	2395	1	RMS	2392.9	-49.16	-40	9.16	Pass	401




11.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.1	-49.21	-40	9.21	Pass	401
2288	2292	1	RMS	2290.17	-49.02	-37	12.02	Pass	401
2292	2296	1	RMS	2295.92	-48.76	-31	17.76	Pass	401
2296	2300	1	RMS	2299.99	-46.35	-25	21.35	Pass	401
2300	2304	1	RMS	2304	-38.4	-13	25.4	Pass	5
2304	2305	0.1	RMS	2304.995	-38.92	-13	25.92	Pass	401
2305	2315	0.1	RMS	2306.65	-2.28	60	62.28	Pass	401
2315	2316	0.1	RMS	2315.01	-56.56	-13	43.56	Pass	401
2316	2320	1	RMS	2316.17	-47.14	-13	34.14	Pass	401
2320	2324	1	RMS	2320	-49.47	-25	24.47	Pass	5
2324	2328	1	RMS	2324.32	-48.95	-31	17.95	Pass	401
2328	2337	1	RMS	2330.835	-49.24	-37	12.24	Pass	401
2337	2341	1	RMS	2337.79	-49.04	-31	18.04	Pass	401
2341	2345	1	RMS	2341.98	-49.02	-25	24.02	Pass	401
2345	2360	1	RMS	2346.725	-49.23	-13	36.23	Pass	401
2360	2365	1	RMS	2361.463	-49.25	-13	36.25	Pass	401
2365	2395	1	RMS	2393.95	-49.18	-40	9.18	Pass	401




11.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:38725, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2291.95	-48.75	-37	11.75	Pass	401
2292	2296	1	RMS	2295.99	-47.31	-31	16.31	Pass	401
2296	2300	1	RMS	2300	-45.1	-25	20.1	Pass	401
2300	2304	1	RMS	2304	-40.52	-13	27.52	Pass	5
2304	2305	0.01	RMS	2305	-39.29	-13	26.29	Pass	401
2305	2315	0.1	RMS	2305.325	11.6	60	48.4	Pass	401
2315	2316	0.01	RMS	2315.04	-66.58	-13	53.58	Pass	401
2316	2320	1	RMS	2316.02	-47.94	-13	34.94	Pass	401
2320	2324	1	RMS	2320.03	-48.62	-25	23.62	Pass	401
2324	2328	1	RMS	2324.29	-48.83	-31	17.83	Pass	401
2328	2337	1	RMS	2328	-49.11	-37	12.11	Pass	401
2337	2341	1	RMS	2337.07	-49.02	-31	18.02	Pass	401
2341	2345	1	RMS	2341.9	-49.04	-25	24.04	Pass	401
2345	2360	1	RMS	2354.225	-49.19	-13	36.19	Pass	401
2360	2365	1	RMS	2361.85	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2392.375	-49.17	-40	9.17	Pass	401




11.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:38725, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2204.62	-49.24	-40	9.24	Pass	401
2288	2292	1	RMS	2292	-49.02	-37	12.02	Pass	401
2292	2296	1	RMS	2295.47	-48.81	-31	17.81	Pass	401
2296	2300	1	RMS	2299.99	-46.08	-25	21.08	Pass	401
2300	2304	1	RMS	2304	-39.26	-13	26.26	Pass	5
2304	2305	0.1	RMS	2304.995	-40.03	-13	27.03	Pass	401
2305	2315	0.1	RMS	2308.35	-2.96	60	62.96	Pass	401
2315	2316	0.1	RMS	2315.008	-56.35	-13	43.35	Pass	401
2316	2320	1	RMS	2316.11	-47.15	-13	34.15	Pass	401
2320	2324	1	RMS	2320	-49.49	-25	24.49	Pass	5
2324	2328	1	RMS	2324.45	-48.97	-31	17.97	Pass	401
2328	2337	1	RMS	2328.608	-49.22	-37	12.22	Pass	401
2337	2341	1	RMS	2337.12	-49.03	-31	18.03	Pass	401
2341	2345	1	RMS	2343.65	-48.99	-25	23.99	Pass	401
2345	2360	1	RMS	2353.325	-49.23	-13	36.23	Pass	401
2360	2365	1	RMS	2362.125	-49.26	-13	36.26	Pass	401
2365	2395	1	RMS	2386.825	-49.17	-40	9.17	Pass	401




11.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.16	-40	9.16	Pass	401
2288	2292	1	RMS	2291.75	-48.95	-37	11.95	Pass	401
2292	2296	1	RMS	2292.71	-48.86	-31	17.86	Pass	401
2296	2300	1	RMS	2300	-48.64	-25	23.64	Pass	401
2300	2304	1	RMS	2303.98	-47.11	-13	34.11	Pass	401
2304	2305	0.01	RMS	2304.968	-64.84	-13	51.84	Pass	401
2305	2315	0.1	RMS	2314.65	11.83	60	48.17	Pass	401
2315	2316	0.01	RMS	2315	-38.72	-13	25.72	Pass	401
2316.5	2320	1	RMS	2316.5	-36.07	-13	23.07	Pass	401
2320	2324	1	RMS	2320	-44.55	-25	19.55	Pass	5
2324	2328	1	RMS	2324.11	-46.54	-31	15.54	Pass	401
2328	2337	1	RMS	2328	-48.5	-37	11.5	Pass	401
2337	2341	1	RMS	2337.42	-48.87	-31	17.87	Pass	401
2341	2345	1	RMS	2341.75	-48.93	-25	23.93	Pass	401
2345	2360	1	RMS	2347.7	-49.13	-13	36.13	Pass	401
2360	2365	1	RMS	2364.225	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2394.85	-49.13	-40	9.13	Pass	401




11.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.44	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2290.55	-49.05	-37	12.05	Pass	401
2292	2296	1	RMS	2294.39	-49.02	-31	18.02	Pass	401
2296	2300	1	RMS	2299.99	-48.79	-25	23.79	Pass	401
2300	2304	1	RMS	2304	-47.49	-13	34.49	Pass	5
2304	2305	0.1	RMS	2304.445	-56.18	-13	43.18	Pass	401
2305	2315	0.1	RMS	2312.575	-2.43	60	62.43	Pass	401
2315	2316	0.1	RMS	2315	-38.72	-13	25.72	Pass	401
2316.5	2320	1	RMS	2316.5	-39.19	-13	26.19	Pass	5
2320	2324	1	RMS	2320	-46.96	-25	21.96	Pass	5
2324	2328	1	RMS	2324.01	-48.63	-31	17.63	Pass	401
2328	2337	1	RMS	2328.068	-49.16	-37	12.16	Pass	401
2337	2341	1	RMS	2337.76	-48.99	-31	17.99	Pass	401
2341	2345	1	RMS	2343.63	-49.01	-25	24.01	Pass	401
2345	2360	1	RMS	2354.338	-49.2	-13	36.2	Pass	401
2360	2365	1	RMS	2360.063	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2385.325	-49.14	-40	9.14	Pass	401




11.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:38775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.15	-40	9.15	Pass	401
2288	2292	1	RMS	2291.9	-48.91	-37	11.91	Pass	401
2292	2296	1	RMS	2292.32	-48.9	-31	17.9	Pass	401
2296	2300	1	RMS	2299.98	-48.68	-25	23.68	Pass	401
2300	2304	1	RMS	2303.86	-47.37	-13	34.37	Pass	401
2304	2305	0.01	RMS	2304.853	-65.36	-13	52.36	Pass	401
2305	2315	0.1	RMS	2314.675	11.15	60	48.85	Pass	401
2315	2316	0.01	RMS	2315.003	-38.25	-13	25.25	Pass	401
2316.5	2320	1	RMS	2316.509	-36.61	-13	23.61	Pass	401
2320	2324	1	RMS	2320	-45.18	-25	20.18	Pass	5
2324	2328	1	RMS	2324.17	-46.5	-31	15.5	Pass	401
2328	2337	1	RMS	2328	-48.41	-37	11.41	Pass	401
2337	2341	1	RMS	2337.21	-48.87	-31	17.87	Pass	401
2341	2345	1	RMS	2341.72	-48.95	-25	23.95	Pass	401
2345	2360	1	RMS	2346.163	-49.17	-13	36.17	Pass	401
2360	2365	1	RMS	2361.388	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2393.05	-49.13	-40	9.13	Pass	401




11.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:38775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-49.16	-40	9.16	Pass	401
2288	2292	1	RMS	2291.02	-49.06	-37	12.06	Pass	401
2292	2296	1	RMS	2292.12	-49.03	-31	18.03	Pass	401
2296	2300	1	RMS	2299.54	-48.84	-25	23.84	Pass	401
2300	2304	1	RMS	2304	-47.7	-13	34.7	Pass	5
2304	2305	0.1	RMS	2304.998	-56.11	-13	43.11	Pass	401
2305	2315	0.1	RMS	2312.5	-2.74	60	62.74	Pass	401
2315	2316	0.1	RMS	2315	-39.49	-13	26.49	Pass	401
2316	2320	1	RMS	2316	-24.55	-13	11.55	Pass	401
2320	2324	1	RMS	2320	-46.56	-25	21.56	Pass	5
2324	2328	1	RMS	2324.03	-48.62	-31	17.62	Pass	401
2328	2337	1	RMS	2328.788	-49.19	-37	12.19	Pass	401
2337	2341	1	RMS	2340.74	-49	-31	18	Pass	401
2341	2345	1	RMS	2343.63	-49.01	-25	24.01	Pass	401
2345	2360	1	RMS	2350.325	-49.2	-13	36.2	Pass	401
2360	2365	1	RMS	2362.175	-49.24	-13	36.24	Pass	401
2365	2395	1	RMS	2394.625	-49.15	-40	9.15	Pass	401




11.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.19	-40	9.19	Pass	401
2288	2292	1	RMS	2291.79	-48.95	-37	11.95	Pass	401
2292	2296	1	RMS	2295.95	-47.57	-31	16.57	Pass	401
2296	2300	1	RMS	2298.06	-46.35	-25	21.35	Pass	401
2300	2304	1	RMS	2304	-39.17	-13	26.17	Pass	5
2304	2305	0.01	RMS	2305	-45	-13	32	Pass	401
2305	2315	0.1	RMS	2305.6	12.34	60	47.66	Pass	401
2315	2316	0.01	RMS	2315.013	-60.39	-13	47.39	Pass	401
2316	2320	1	RMS	2316	-46.03	-13	33.03	Pass	401
2320	2324	1	RMS	2320.94	-41.38	-25	16.38	Pass	401
2324	2328	1	RMS	2324.01	-45.99	-31	14.99	Pass	401
2328	2337	1	RMS	2328.293	-49.18	-37	12.18	Pass	401
2337	2341	1	RMS	2337.54	-49.02	-31	18.02	Pass	401
2341	2345	1	RMS	2344.01	-49.02	-25	24.02	Pass	401
2345	2360	1	RMS	2346.763	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2362.875	-49.25	-13	36.25	Pass	401
2365	2395	1	RMS	2393.5	-49.16	-40	9.16	Pass	401




11.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-49.14	-40	9.14	Pass	401
2288	2292	1	RMS	2291.89	-48.27	-37	11.27	Pass	401
2292	2296	1	RMS	2295.97	-46.92	-31	15.92	Pass	401
2296	2300	1	RMS	2299.99	-42.23	-25	17.23	Pass	401
2300	2304	1	RMS	2304	-40.36	-13	27.36	Pass	5
2304	2305	0.1	RMS	2305	-46.7	-13	33.7	Pass	401
2305	2315	0.1	RMS	2309.25	-4.82	60	64.82	Pass	401
2315	2316	0.1	RMS	2315	-46.54	-13	33.54	Pass	401
2316	2320	1	RMS	2316	-36.36	-13	23.36	Pass	401
2320	2324	1	RMS	2320	-43.98	-25	18.98	Pass	5
2324	2328	1	RMS	2324.01	-46.83	-31	15.83	Pass	401
2328	2337	1	RMS	2328.945	-48.26	-37	11.26	Pass	401
2337	2341	1	RMS	2337.48	-48.96	-31	17.96	Pass	401
2341	2345	1	RMS	2342.3	-49.02	-25	24.02	Pass	401
2345	2360	1	RMS	2351.3	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2362.65	-49.26	-13	36.26	Pass	401
2365	2395	1	RMS	2394.1	-49.16	-40	9.16	Pass	401




11.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2291.67	-49.02	-37	12.02	Pass	401
2292	2296	1	RMS	2295.98	-47.79	-31	16.79	Pass	401
2296	2300	1	RMS	2299	-46.32	-25	21.32	Pass	401
2300	2304	1	RMS	2304	-40.47	-13	27.47	Pass	5
2304	2305	0.01	RMS	2304.998	-45.38	-13	32.38	Pass	401
2305	2315	0.1	RMS	2305.575	11.49	60	48.51	Pass	401
2315	2316	0.01	RMS	2315.003	-61.91	-13	48.91	Pass	401
2316	2320	1	RMS	2316.01	-46.16	-13	33.16	Pass	401
2320	2324	1	RMS	2320.98	-41.7	-25	16.7	Pass	401
2324	2328	1	RMS	2324.01	-46.34	-31	15.34	Pass	401
2328	2337	1	RMS	2328.135	-49.23	-37	12.23	Pass	401
2337	2341	1	RMS	2340.76	-49.04	-31	18.04	Pass	401
2341	2345	1	RMS	2344.27	-49.03	-25	24.03	Pass	401
2345	2360	1	RMS	2346.2	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2362.9	-49.27	-13	36.27	Pass	401
2365	2395	1	RMS	2393.875	-49.18	-40	9.18	Pass	401




11.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-49.16	-40	9.16	Pass	401
2288	2292	1	RMS	2291.95	-48.6	-37	11.6	Pass	401
2292	2296	1	RMS	2295.97	-46.98	-31	15.98	Pass	401
2296	2300	1	RMS	2299.92	-43.21	-25	18.21	Pass	401
2300	2304	1	RMS	2304	-40.85	-13	27.85	Pass	5
2304	2305	0.1	RMS	2305	-47.27	-13	34.27	Pass	401
2305	2315	0.1	RMS	2308.325	-6.44	60	66.44	Pass	401
2315	2316	0.1	RMS	2315.005	-46.05	-13	33.05	Pass	401
2316	2320	1	RMS	2316.01	-36.98	-13	23.98	Pass	401
2320	2324	1	RMS	2320	-44.06	-25	19.06	Pass	5
2324	2328	1	RMS	2324	-46.75	-31	15.75	Pass	401
2328	2337	1	RMS	2328.023	-48.6	-37	11.6	Pass	401
2337	2341	1	RMS	2338.88	-49.04	-31	18.04	Pass	401
2341	2345	1	RMS	2341.84	-49.02	-25	24.02	Pass	401
2345	2360	1	RMS	2350.663	-49.23	-13	36.23	Pass	401
2360	2365	1	RMS	2362.675	-49.28	-13	36.28	Pass	401
2365	2395	1	RMS	2394.25	-49.19	-40	9.19	Pass	401




11.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2249.72	-49.23	-40	9.23	Pass	401
2288	2292	1	RMS	2291.84	-49.03	-37	12.03	Pass	401
2292	2296	1	RMS	2295.99	-46.6	-31	15.6	Pass	401
2296	2300	1	RMS	2299.05	-41.32	-25	16.32	Pass	401
2300	2304	1	RMS	2302.82	-45.75	-13	32.75	Pass	401
2304	2305	0.01	RMS	2304.97	-60.42	-13	47.42	Pass	401
2305	2315	0.1	RMS	2314.4	11.96	60	48.04	Pass	401
2315	2316	0.01	RMS	2315	-44.47	-13	31.47	Pass	401
2316.5	2320	1	RMS	2316.5	-42.02	-13	29.02	Pass	5
2320	2324	1	RMS	2322	-46.51	-25	21.51	Pass	5
2324	2328	1	RMS	2324.04	-47.08	-31	16.08	Pass	401
2328	2337	1	RMS	2328.023	-49.16	-37	12.16	Pass	401
2337	2341	1	RMS	2337.52	-49.01	-31	18.01	Pass	401
2341	2345	1	RMS	2341.37	-49.01	-25	24.01	Pass	401
2345	2360	1	RMS	2349.313	-49.23	-13	36.23	Pass	401
2360	2365	1	RMS	2364.35	-49.25	-13	36.25	Pass	401
2365	2395	1	RMS	2393.575	-49.18	-40	9.18	Pass	401




11.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-49.16	-40	9.16	Pass	401
2288	2292	1	RMS	2291.66	-48.31	-37	11.31	Pass	401
2292	2296	1	RMS	2295.97	-47.12	-31	16.12	Pass	401
2296	2300	1	RMS	2299.88	-42.6	-25	17.6	Pass	401
2300	2304	1	RMS	2304	-40.41	-13	27.41	Pass	5
2304	2305	0.1	RMS	2304.993	-46.75	-13	33.75	Pass	401
2305	2315	0.1	RMS	2308.325	-4.8	60	64.8	Pass	401
2315	2316	0.1	RMS	2315	-46.35	-13	33.35	Pass	401
2316	2320	1	RMS	2316.01	-36.43	-13	23.43	Pass	401
2320	2324	1	RMS	2321	-43.99	-25	18.99	Pass	5
2324	2328	1	RMS	2324.05	-47.08	-31	16.08	Pass	401
2328	2337	1	RMS	2328.968	-48.41	-37	11.41	Pass	401
2337	2341	1	RMS	2337.24	-48.97	-31	17.97	Pass	401
2341	2345	1	RMS	2341.21	-49.04	-25	24.04	Pass	401
2345	2360	1	RMS	2353.813	-49.25	-13	36.25	Pass	401
2360	2365	1	RMS	2360.225	-49.27	-13	36.27	Pass	401
2365	2395	1	RMS	2394.1	-49.2	-40	9.2	Pass	401




11.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.23	-40	9.23	Pass	401
2288	2292	1	RMS	2291.86	-49.06	-37	12.06	Pass	401
2292	2296	1	RMS	2295.99	-46.98	-31	15.98	Pass	401
2296	2300	1	RMS	2299.07	-41.94	-25	16.94	Pass	401
2300	2304	1	RMS	2303.98	-46.03	-13	33.03	Pass	401
2304	2305	0.01	RMS	2305	-61.16	-13	48.16	Pass	401
2305	2315	0.1	RMS	2314.425	11.65	60	48.35	Pass	401
2315	2316	0.01	RMS	2315	-45.58	-13	32.58	Pass	401
2316.5	2320	1	RMS	2316.518	-41.86	-13	28.86	Pass	401
2320	2324	1	RMS	2322	-46.87	-25	21.87	Pass	5
2324	2328	1	RMS	2324.9	-47.34	-31	16.34	Pass	401
2328	2337	1	RMS	2328.068	-49.12	-37	12.12	Pass	401
2337	2341	1	RMS	2340.44	-49.02	-31	18.02	Pass	401
2341	2345	1	RMS	2344.26	-49.02	-25	24.02	Pass	401
2345	2360	1	RMS	2351.9	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2364.15	-49.26	-13	36.26	Pass	401
2365	2395	1	RMS	2392.75	-49.17	-40	9.17	Pass	401



11.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.9	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2291.93	-48.53	-37	11.53	Pass	401
2292	2296	1	RMS	2295.96	-47.07	-31	16.07	Pass	401
2296	2300	1	RMS	2300	-42.95	-25	17.95	Pass	401
2300	2304	1	RMS	2304	-40.96	-13	27.96	Pass	5
2304	2305	0.1	RMS	2304.985	-46.76	-13	33.76	Pass	401
2305	2315	0.1	RMS	2308.325	-6.08	60	66.08	Pass	401
2315	2316	0.1	RMS	2315	-46.13	-13	33.13	Pass	401
2316	2320	1	RMS	2316	-36.86	-13	23.86	Pass	401
2320	2324	1	RMS	2320	-44.15	-25	19.15	Pass	5
2324	2328	1	RMS	2324	-46.81	-31	15.81	Pass	401
2328	2337	1	RMS	2328.135	-48.64	-37	11.64	Pass	401
2337	2341	1	RMS	2340.91	-49.05	-31	18.05	Pass	401
2341	2345	1	RMS	2342.14	-49.04	-25	24.04	Pass	401
2345	2360	1	RMS	2351.113	-49.25	-13	36.25	Pass	401
2360	2365	1	RMS	2364.875	-49.29	-13	36.29	Pass	401
2365	2395	1	RMS	2393.35	-49.19	-40	9.19	Pass	401



10. LTE_Band41 120M


10.2. LTE Band Edge_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2531	-27.82	-13	14.82	Pass	45
2534	2535	0.05	RMS	2535	-22.85	-13	9.85	Pass	401
2535	2540	0.1	RMS	2535.338	19.88	30	10.12	Pass	401




10.3. LTE Band Edge_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.65	-13	15.65	Pass	45
2534	2535	0.05	RMS	2534.998	-31.35	-13	18.35	Pass	401
2535	2540	0.1	RMS	2538.875	5.43	30	24.57	Pass	401




10.4. LTE Band Edge_Part22-24-27(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2531	-29.3	-13	16.3	Pass	45
2534	2535	0.05	RMS	2535	-23.8	-13	10.8	Pass	401
2535	2540	0.1	RMS	2535.338	19.23	30	10.77	Pass	401




10.5. LTE Band Edge_Part22-24-27(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.54	-13	15.54	Pass	45
2534	2535	0.05	RMS	2535	-32.38	-13	19.38	Pass	401
2535	2540	0.1	RMS	2538.65	5.06	30	24.94	Pass	401




10.6. LTE Band Edge_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.675	19.79	30	10.21	Pass	401
2655	2656	0.05	RMS	2655	-22.28	-10	12.28	Pass	401
2656	2660	1	RMS	2659	-21.71	-10	11.71	Pass	5
2660	2661	1	RMS	2660.01	-32.34	-13	19.34	Pass	401
2661	2680	1	RMS	2661.19	-39.02	-25	14.02	Pass	401




10.7. LTE Band Edge_Part22-24-27(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.538	6.12	30	23.88	Pass	401
2655	2656	0.1	RMS	2655.003	-23.67	-10	13.67	Pass	401
2656	2660	1	RMS	2656	-15.19	-10	5.19	Pass*	401
2660	2661	1	RMS	2660.018	-33.93	-13	20.93	Pass	401
2661	2680	1	RMS	2661.048	-35.1	-25	10.1	Pass	401




10.8. LTE Band Edge_Part22-24-27(Subtest:7, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.65	18.75	30	11.25	Pass	401
2655	2656	0.05	RMS	2655	-23.63	-10	13.63	Pass	21
2656	2660	1	RMS	2659	-22.54	-10	12.54	Pass	5
2660	2661	1	RMS	2660.005	-33.46	-13	20.46	Pass	401
2661	2680	1	RMS	2661.19	-39.81	-25	14.81	Pass	401




10.9. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.5	4.7	30	25.3	Pass	401
2655	2656	0.1	RMS	2655.008	-25.71	-10	15.71	Pass	401
2656	2660	1	RMS	2656	-23.87	-10	13.87	Pass	5
2660	2661	1	RMS	2660.01	-33.79	-13	20.79	Pass	401
2661	2680	1	RMS	2661	-35.75	-25	10.75	Pass	401



10.10. LTE Band Edge_Part22-24-27(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-31.14	-13	18.14	Pass	45
2534	2535	0.1	RMS	2535	-25.82	-13	12.82	Pass	401
2535	2545	0.1	RMS	2535.575	19.86	30	10.14	Pass	401



10.11. LTE Band Edge_Part22-24-27(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-33.32	-13	20.32	Pass	45
2534	2535	0.1	RMS	2534.995	-37.29	-13	24.29	Pass	401
2535	2545	0.1	RMS	2543	2.98	30	27.02	Pass	401

