


Main Antenna:

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.01.11

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5679.138	58.78	4.37	88.2	29.42	Peak	138.00	150	Vertical	Pass
1**	5679.138	47.07	4.37	68.2	21.13	AV	138.00	150	Vertical	Pass
2	5892.700	59.98	5.96	88.2	28.22	Peak	325.00	150	Vertical	Pass
2**	5892.700	48.23	5.96	68.2	19.97	AV	325.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_10.59.14

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5833.625	59.54	5.32	88.2	28.66	Peak	133.00	150	Horizontal	Pass
1**	5833.625	47.76	5.32	68.2	20.44	AV	133.00	150	Horizontal	Pass
2	5918.837	60.55	6.52	88.2	27.65	Peak	151.00	150	Horizontal	Pass
2**	5918.837	48.55	6.52	68.2	19.65	AV	151.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.07.39

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.463	58.51	4.29	88.2	29.69	Peak	265.00	150	Vertical	Pass
1**	5725.463	47.33	4.29	68.2	20.87	AV	265.00	150	Vertical	Pass
2	5920.750	59.71	6.53	88.2	28.49	Peak	353.00	150	Vertical	Pass
2**	5920.750	48.51	6.53	68.2	19.69	AV	353.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.08.53

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5700.175	58.65	3.98	88.2	29.55	Peak	121.00	150	Horizontal	Pass
1**	5700.175	46.96	3.98	68.2	21.24	AV	121.00	150	Horizontal	Pass
2	5870.600	60.19	5.19	88.2	28.01	Peak	243.00	150	Horizontal	Pass
2**	5870.600	47.88	5.19	68.2	20.32	AV	243.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.22.45

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.112	58.09	3.59	88.2	30.11	Peak	0.00	150	Vertical	Pass
1**	5614.112	46.36	3.59	68.2	21.84	AV	0.00	150	Vertical	Pass
2	5924.150	60.64	6.45	88.2	27.56	Peak	0.00	150	Vertical	Pass
2**	5924.150	49.72	6.45	68.2	18.48	AV	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.20.19

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5772.638	59.88	4.79	88.2	28.32	Peak	0.00	150	Horizontal	Pass
1**	5772.638	47.59	4.79	68.2	20.61	AV	0.00	150	Horizontal	Pass
2	5906.087	60.61	6.21	88.2	27.59	Peak	278.00	150	Horizontal	Pass
2**	5906.087	48.92	6.21	68.2	19.28	AV	278.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.36.04

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH213 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7179.313	61.49	7.33	88.2	26.71	Peak	28.00	150	Vertical	Pass
1**	7179.313	50.49	7.33	68.2	17.71	AV	28.00	150	Vertical	Pass
2	7230.437	62.83	8.14	88.2	25.37	Peak	277.00	150	Vertical	Pass
2**	7230.437	50.97	8.14	68.2	17.23	AV	277.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.38.25

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH213 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7127.750	62.32	6.97	88.2	25.88	Peak	58.00	150	Horizontal	Pass
1**	7127.750	50.24	6.97	68.2	17.96	AV	58.00	150	Horizontal	Pass
2	7220.625	62.78	8.64	88.2	25.42	Peak	155.00	150	Horizontal	Pass
2**	7220.625	51.50	8.64	68.2	16.70	AV	155.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.43.08

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH211 P=10.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7165.687	61.96	7.20	88.2	26.24	Peak	167.00	150	Vertical	Pass
1**	7165.687	50.58	7.20	68.2	17.62	AV	167.00	150	Vertical	Pass
2	7230.375	63.21	8.14	88.2	24.99	Peak	90.00	150	Vertical	Pass
2**	7230.375	50.59	8.14	68.2	17.61	AV	90.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.40.52

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH211 P=10.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7148.562	61.41	6.76	88.2	26.79	Peak	332.00	150	Horizontal	Pass
1**	7148.562	50.09	6.76	68.2	18.11	AV	332.00	150	Horizontal	Pass
2	7208.563	62.59	8.65	88.2	25.61	Peak	360.00	150	Horizontal	Pass
2**	7208.563	51.40	8.65	68.2	16.80	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.45.29

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH199 P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7164.375	61.53	7.13	88.2	26.67	Peak	332.00	150	Vertical	Pass
1**	7164.375	50.58	7.13	68.2	17.62	AV	332.00	150	Vertical	Pass
2	7217.375	62.50	8.68	88.2	25.70	Peak	9.00	150	Vertical	Pass
2**	7217.375	51.25	8.68	68.2	16.95	AV	9.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.48.25

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH199 P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7141.500	60.91	6.83	88.2	27.29	Peak	196.00	150	Horizontal	Pass
1**	7141.500	50.35	6.83	68.2	17.85	AV	196.00	150	Horizontal	Pass
2	7237.938	63.18	8.14	88.2	25.02	Peak	360.00	150	Horizontal	Pass
2**	7237.938	50.97	8.14	68.2	17.23	AV	360.00	150	Horizontal	Pass


Aux. Antenna:

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.02.23

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.913	57.81	3.70	88.2	30.39	Peak	179.00	150	Vertical	Pass
1**	5603.913	46.55	3.70	68.2	21.65	AV	179.00	150	Vertical	Pass
2	5909.913	60.24	6.16	88.2	27.96	Peak	198.00	150	Vertical	Pass
2**	5909.913	48.54	6.16	68.2	19.66	AV	198.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_10.58.02

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5722.913	59.29	4.38	88.2	28.91	Peak	360.00	150	Horizontal	Pass
1**	5722.913	47.49	4.38	68.2	20.71	AV	360.00	150	Horizontal	Pass
2	5899.075	59.47	6.24	88.2	28.73	Peak	349.00	150	Horizontal	Pass
2**	5899.075	48.62	6.24	68.2	19.58	AV	349.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.06.05

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5721.850	58.69	4.41	88.2	29.51	Peak	224.00	150	Vertical	Pass
1**	5721.850	47.05	4.41	68.2	21.15	AV	224.00	150	Vertical	Pass
2	5915.650	59.41	6.41	88.2	28.79	Peak	349.00	150	Vertical	Pass
2**	5915.650	48.54	6.41	68.2	19.66	AV	349.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.10.59

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5677.012	58.23	4.36	88.2	29.97	Peak	160.00	150	Horizontal	Pass
1**	5677.012	47.61	4.36	68.2	20.59	AV	160.00	150	Horizontal	Pass
2	5899.075	59.47	6.24	88.2	28.73	Peak	74.00	150	Horizontal	Pass
2**	5899.075	48.76	6.24	68.2	19.44	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.21.32

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5740.975	58.47	4.28	88.2	29.73	Peak	9.00	150	Vertical	Pass
1**	5740.975	47.22	4.28	68.2	20.98	AV	9.00	150	Vertical	Pass
2	5907.575	61.05	6.20	88.2	27.15	Peak	279.00	150	Vertical	Pass
2**	5907.575	49.05	6.20	68.2	19.15	AV	279.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015
Test Time: 2026-08-12_11.19.12

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5704.000	58.32	4.04	88.2	29.88	Peak	316.00	150	Horizontal	Pass
1**	5704.000	46.98	4.04	68.2	21.22	AV	316.00	150	Horizontal	Pass
2	5918.837	61.44	6.52	88.2	26.76	Peak	330.00	150	Horizontal	Pass
2**	5918.837	49.78	6.52	68.2	18.42	AV	330.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.37.08

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH213 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7141.938	62.76	6.82	88.2	25.44	Peak	253.00	150	Vertical	Pass
1**	7141.938	50.09	6.82	68.2	18.11	AV	253.00	150	Vertical	Pass
2	7213.000	63.36	8.70	88.2	24.84	Peak	0.00	150	Vertical	Pass
2**	7213.000	51.24	8.70	68.2	16.96	AV	0.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.39.44

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH213 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7146.375	62.40	6.76	88.2	25.80	Peak	243.00	150	Horizontal	Pass
1**	7146.375	50.42	6.76	68.2	17.78	AV	243.00	150	Horizontal	Pass
2	7223.125	62.92	8.52	88.2	25.28	Peak	298.00	150	Horizontal	Pass
2**	7223.125	51.20	8.52	68.2	17.00	AV	298.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.44.18

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH211 P=10.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7135.437	62.64	6.92	88.2	25.56	Peak	282.00	150	Vertical	Pass
1**	7135.437	50.18	6.92	68.2	18.02	AV	282.00	150	Vertical	Pass
2	7215.437	62.76	8.69	88.2	25.44	Peak	200.00	150	Vertical	Pass
2**	7215.437	51.29	8.69	68.2	16.91	AV	200.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.41.58

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH211 P=10.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7160.750	62.49	7.02	88.2	25.71	Peak	271.00	150	Horizontal	Pass
1**	7160.750	50.27	7.02	68.2	17.93	AV	271.00	150	Horizontal	Pass
2	7210.687	63.02	8.74	88.2	25.18	Peak	290.00	150	Horizontal	Pass
2**	7210.687	51.50	8.74	68.2	16.70	AV	290.00	150	Horizontal	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.46.50

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH199 P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7143.125	61.45	6.80	88.2	26.75	Peak	349.00	150	Vertical	Pass
1**	7143.125	50.08	6.80	68.2	18.12	AV	349.00	150	Vertical	Pass
2	7216.625	62.70	8.68	88.2	25.50	Peak	150.00	150	Vertical	Pass
2**	7216.625	51.34	8.68	68.2	16.86	AV	150.00	150	Vertical	Pass

Test Result

Project Number: BL-SH2670015

Test Time: 2026-08-12_11.50.03

EUT Name:	Intelligent Mobile Data Capture Terminal	Temp.(°C):	23.6
Model Number:	Ranger 3	Humidity (%RH):	50
Sample Number:	SC-SH25C0065-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH199 P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7160.563	62.06	7.02	88.2	26.14	Peak	217.00	150	Horizontal	Pass
1**	7160.563	50.31	7.02	68.2	17.89	AV	217.00	150	Horizontal	Pass
2	7242.062	62.40	8.09	88.2	25.80	Peak	217.00	150	Horizontal	Pass
2**	7242.062	50.69	8.09	68.2	17.51	AV	217.00	150	Horizontal	Pass