


Annex A. In-Band Emissions

Main Antenna

1. 802.11ax_20M_Band5_CH1

1.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.66	5924.34	-53.1	-64.92	13.1	Pass
-30	-20	0.2	-29.94	5925.06	-53.28	-65.1	13.36	Pass
-20	-11	0.2	-11.04	5943.96	-31.67	-43.48	11.63	Pass
-11	-10	0.2	-11	5944	-32.44	-44.25	12.44	Pass
10	11	0.2	11	5966	-33.15	-44.96	13.15	Pass
11	20	0.2	11.34	5966.34	-32.49	-44.31	12.19	Pass
20	30	0.2	30	5985	-53.24	-65.06	13.24	Pass
30	60	0.2	30.72	5985.72	-52.15	-63.97	12.15	Pass



2. 802.11ax_20M_Band5_CH45

2.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.98	6143.02	-52.45	-65.65	12.45	Pass
-30	-20	0.2	-29.64	6145.36	-52.42	-65.62	12.85	Pass
-20	-11	0.2	-11.1	6163.9	-32.55	-45.75	12.46	Pass
-11	-10	0.2	-10.940055	6164.059946	-31.79	-44.99	12.99	Pass
10	11	0.2	11	6186	-33.82	-47.02	13.82	Pass
11	20	0.2	11.1	6186.1	-32.23	-45.43	12.14	Pass
20	30	0.2	30	6205	-53.38	-66.58	13.38	Pass
30	60	0.2	33	6208	-52.98	-66.18	12.98	Pass



3. 802.11ax_20M_Band5_CH93

3.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6384.88	-51.56	-65.3	11.56	Pass
-30	-20	0.2	-29.94	6385.06	-51.78	-65.52	11.86	Pass
-20	-11	0.2	-11.1	6403.9	-31.57	-45.3	11.48	Pass
-11	-10	0.2	-11	6404	-31.85	-45.59	11.85	Pass
10	11	0.2	11	6426	-33.88	-47.62	13.88	Pass
11	20	0.2	11	6426	-32.34	-46.08	12.34	Pass
20	30	0.2	29.94	6444.94	-52.74	-66.48	12.81	Pass
30	60	0.2	30.6	6445.6	-52.05	-65.78	12.05	Pass



4. 802.11ax_20M_Band6_CH97

4.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.34	6399.66	-52.06	-65.47	12.06	Pass
-30	-20	0.2	-30	6405	-52.46	-65.87	12.46	Pass
-20	-11	0.2	-11	6424	-31.58	-44.99	11.58	Pass
-11	-10	0.2	-11	6424	-32.14	-45.55	12.14	Pass
10	11	0.2	11	6446	-33.92	-47.33	13.92	Pass
11	20	0.2	11.1	6446.1	-33.07	-46.48	12.98	Pass
20	30	0.2	29.82	6464.82	-52.48	-65.89	12.69	Pass
30	60	0.2	31.5	6466.5	-52.64	-66.04	12.64	Pass



5. 802.11ax_20M_Band6_CH105

5.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.9	6444.1	-51.38	-64.61	11.38	Pass
-30	-20	0.2	-29.82	6445.18	-51.26	-64.49	11.47	Pass
-20	-11	0.2	-11.28	6463.72	-33.36	-46.59	13.12	Pass
-11	-10	0.2	-11	6464	-32.04	-45.27	12.04	Pass
10	11	0.2	11	6486	-33.57	-46.8	13.57	Pass
11	20	0.2	11.16	6486.16	-31.71	-44.94	11.57	Pass
20	30	0.2	29.58	6504.58	-51.57	-64.8	12.07	Pass
30	60	0.2	30.9	6505.9	-51.78	-65.01	11.78	Pass



6. 802.11ax_20M_Band6_CH113

6.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.54	6484.46	-51.89	-66.58	11.89	Pass
-30	-20	0.2	-29.64	6485.36	-51.69	-66.37	12.12	Pass
-20	-11	0.2	-11	6504	-32.38	-47.06	12.38	Pass
-11	-10	0.2	-11	6504	-32.28	-46.97	12.28	Pass
10	11	0.2	11	6526	-33.53	-48.22	13.53	Pass
11	20	0.2	11.1	6526.1	-30.47	-45.15	10.38	Pass
20	30	0.2	30	6545	-52.34	-67.02	12.34	Pass
30	60	0.2	30	6545	-52.34	-67.02	12.34	Pass



7. 802.11ax_20M_Band7_CH117

7.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.64	6499.36	-51.68	-65.72	11.68	Pass
-30	-20	0.2	-30	6505	-52.23	-66.27	12.23	Pass
-20	-11	0.2	-11.22	6523.78	-33.52	-47.56	13.33	Pass
-11	-10	0.2	-11	6524	-32.92	-46.96	12.92	Pass
10	11	0.2	11	6546	-34.01	-48.05	14.01	Pass
11	20	0.2	11	6546	-33.49	-47.53	13.49	Pass
20	30	0.2	29.34	6564.34	-52.77	-66.81	13.56	Pass
30	60	0.2	30.12	6565.12	-52.69	-66.73	12.69	Pass



8. 802.11ax_20M_Band7_CH153

8.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.78	6681.22	-51.7	-66.17	11.7	Pass
-30	-20	0.2	-29.76	6685.24	-51.33	-65.79	11.61	Pass
-20	-11	0.2	-11.16	6703.84	-32.11	-46.58	11.97	Pass
-11	-10	0.2	-11	6704	-32.23	-46.7	12.23	Pass
10	11	0.2	11	6726	-33.46	-47.93	13.46	Pass
11	20	0.2	11	6726	-32.69	-47.15	12.69	Pass
20	30	0.2	30	6745	-51.68	-66.15	11.68	Pass
30	60	0.2	33.06	6748.06	-51.6	-66.07	11.6	Pass



9. 802.11ax_20M_Band7_CH181

9.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.48	6824.52	-53.03	-65.91	13.03	Pass
-30	-20	0.2	-30	6825	-53.31	-66.19	13.31	Pass
-20	-11	0.2	-11	6844	-31.69	-44.57	11.69	Pass
-11	-10	0.2	-11	6844	-32.6	-45.48	12.6	Pass
10	11	0.2	11	6866	-33.02	-45.9	13.02	Pass
11	20	0.2	11	6866	-32.62	-45.5	12.62	Pass
20	30	0.2	30	6885	-53.64	-66.52	13.64	Pass
30	60	0.2	31.68	6886.68	-52.82	-65.7	12.82	Pass



10. 802.11ax_20M_Band8_CH185

10.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.44	6840.56	-53.05	-64.51	13.05	Pass
-30	-20	0.2	-29.94	6845.06	-53.07	-64.53	13.14	Pass
-20	-11	0.2	-11.16	6863.84	-33.43	-44.89	13.29	Pass
-11	-10	0.2	-11	6864	-32.05	-43.51	12.05	Pass
10	11	0.2	11	6886	-33.13	-44.59	13.13	Pass
11	20	0.2	11.1	6886.1	-32.69	-44.14	12.6	Pass
20	30	0.2	29.82	6904.82	-53.27	-64.73	13.49	Pass
30	60	0.2	31.2	6906.2	-52.85	-64.31	12.85	Pass



11. 802.11ax_20M_Band8_CH213

11.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.3	6981.7	-53.38	-65.23	13.38	Pass
-30	-20	0.2	-29.88	6985.12	-53.44	-65.3	13.59	Pass
-20	-11	0.2	-11.1	7003.9	-32.31	-44.16	12.22	Pass
-11	-10	0.2	-11	7004	-32.63	-44.49	12.63	Pass
10	11	0.2	10.880109	7025.880109	-31.76	-43.62	14.16	Pass
11	20	0.2	11.04	7026.04	-32.12	-43.97	12.08	Pass
20	30	0.2	29.58	7044.58	-53.71	-65.57	14.22	Pass
30	60	0.2	31.8	7046.8	-54.01	-65.87	14.01	Pass



12. 802.11ax_20M_Band8_CH229

12.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.08	7060.92	-52.42	-64.91	12.42	Pass
-30	-20	0.2	-29.82	7065.18	-52.12	-64.6	12.33	Pass
-20	-11	0.2	-19.14	7075.86	-39.66	-52.15	12.42	Pass
-11	-10	0.2	-11	7084	-31.01	-43.49	11.01	Pass
10	11	0.2	11	7106	-32.32	-44.8	12.32	Pass
11	20	0.2	11.04	7106.04	-32.19	-44.68	12.15	Pass
20	30	0.2	29.76	7124.76	-52.56	-65.05	12.85	Pass
30	60	0.2	31.74	7126.74	-52.83	-65.31	12.83	Pass



13. 802.11ax_20M_Band8_CH233

13.1 A.5-In-Band Emissions-20M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.9	7084.1	-52.51	-64.59	12.51	Pass
-30	-20	0.2	-29.94	7085.06	-52.4	-64.48	12.47	Pass
-20	-11	0.2	-11.22	7103.78	-32.55	-44.63	12.36	Pass
-11	-10	0.2	-11	7104	-32.09	-44.17	12.09	Pass
10	11	0.2	11	7126	-32.95	-45.02	12.95	Pass
11	20	0.2	11.1	7126.1	-31.73	-43.8	11.64	Pass
20	30	0.2	30	7145	-53.61	-65.68	13.61	Pass
30	60	0.2	30.9	7145.9	-52.81	-64.89	12.81	Pass




40M

1. 802.11ax_40M_Band5_CH3

1.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-66.36	5898.64	-51.47	-61.71	11.47	Pass
-60	-40	0.4	-58.8	5906.2	-51.57	-61.81	12.29	Pass
-40	-21	0.4	-21.529235	5943.470765	-41.19	-51.44	20.97	Pass
-21	-20	0.4	-21	5944	-46.12	-56.36	26.12	Pass
20	21	0.4	21	5986	-42.93	-53.17	22.93	Pass
21	40	0.4	21.289355	5986.289355	-40.6	-50.84	20.48	Pass
40	60	0.4	59.52	6024.52	-51.74	-61.98	12.03	Pass
60	120	0.4	64.44	6029.44	-51.55	-61.79	11.55	Pass



2. 802.11ax_40M_Band5_CH43

2.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6104.76	-52.08	-63.31	12.08	Pass
-60	-40	0.4	-59.28	6105.72	-52.18	-63.41	12.61	Pass
-40	-21	0.4	-21.529235	6143.470765	-41.26	-52.49	21.03	Pass
-21	-20	0.4	-21	6144	-46.53	-57.76	26.53	Pass
20	21	0.4	21	6186	-43.73	-54.96	23.73	Pass
21	40	0.4	21.409295	6186.409295	-41.25	-52.48	21.08	Pass
40	60	0.4	59.52	6224.52	-53.63	-64.86	13.92	Pass
60	120	0.4	69.24	6234.24	-52.91	-64.14	12.91	Pass



3. 802.11ax_40M_Band5_CH91

3.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6343.8	-51.71	-62.78	11.71	Pass
-60	-40	0.4	-58.68	6346.32	-51.3	-62.37	12.09	Pass
-40	-21	0.4	-21.529235	6383.470765	-41.66	-52.72	21.44	Pass
-21	-20	0.4	-21	6384	-46.63	-57.69	26.63	Pass
20	21	0.4	21	6426	-43.91	-54.98	23.91	Pass
21	40	0.4	21.169415	6426.169415	-41.5	-52.56	21.43	Pass
40	60	0.4	59.64	6464.64	-52.99	-64.06	13.21	Pass
60	120	0.4	60.48	6465.48	-53.29	-64.35	13.29	Pass



4. 802.11ax_40M_Band6_CH99

4.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6383.56	-51.37	-62.07	11.37	Pass
-60	-40	0.4	-59.88	6385.12	-52.02	-62.72	12.1	Pass
-40	-21	0.4	-21.529235	6423.470765	-41.39	-52.09	21.17	Pass
-21	-20	0.4	-21	6424	-46.74	-57.44	26.74	Pass
20	21	0.4	21	6466	-43.43	-54.12	23.43	Pass
21	40	0.4	21.289355	6466.289355	-40.81	-51.5	20.68	Pass
40	60	0.4	60	6505	-53.02	-63.72	13.02	Pass
60	120	0.4	60.72	6505.72	-52.66	-63.35	12.66	Pass



5. 802.11ax_40M_Band6_CH107

5.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.6	6421.4	-50.76	-61.38	10.76	Pass
-60	-40	0.4	-59.4	6425.6	-50.45	-61.08	10.81	Pass
-40	-21	0.4	-21.529235	6463.470765	-40.9	-51.52	20.67	Pass
-21	-20	0.4	-21	6464	-46.23	-56.86	26.23	Pass
20	21	0.4	21	6506	-43.04	-53.67	23.04	Pass
21	40	0.4	21.169415	6506.169415	-40.76	-51.39	20.69	Pass
40	60	0.4	59.28	6544.28	-52.09	-62.72	12.53	Pass
60	120	0.4	61.08	6546.08	-52.44	-63.07	12.44	Pass



6. 802.11ax_40M_Band6_CH115

6.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-68.28	6456.72	-50.74	-61.64	10.74	Pass
-60	-40	0.4	-59.88	6465.12	-51.25	-62.15	11.32	Pass
-40	-21	0.4	-21.529235	6503.470765	-40.81	-51.71	20.58	Pass
-21	-20	0.4	-21	6504	-46.11	-57.01	26.11	Pass
20	21	0.4	21	6546	-43.19	-54.09	23.19	Pass
21	40	0.4	21.409295	6546.409295	-41.35	-52.25	21.17	Pass
40	60	0.4	58.68	6583.68	-51.65	-62.55	12.44	Pass
60	120	0.4	60.24	6585.24	-52.4	-63.31	12.4	Pass



7. 802.11ax_40M_Band7_CH123

7.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.92	6500.08	-51.59	-62.83	11.59	Pass
-60	-40	0.4	-60	6505	-51.89	-63.12	11.89	Pass
-40	-21	0.4	-21.409295	6543.590705	-41.17	-52.41	21	Pass
-21	-20	0.4	-21	6544	-46.79	-58.03	26.79	Pass
20	21	0.4	21	6586	-43.5	-54.74	23.5	Pass
21	40	0.4	21.409295	6586.409295	-41.13	-52.36	20.95	Pass
40	60	0.4	59.88	6624.88	-53.18	-64.42	13.25	Pass
60	120	0.4	68.28	6633.28	-53.49	-64.73	13.49	Pass



8. 802.11ax_40M_Band7_CH155

8.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6664.04	-52.06	-63.86	12.06	Pass
-60	-40	0.4	-59.64	6665.36	-52.45	-64.25	12.66	Pass
-40	-21	0.4	-21.529235	6703.470765	-41.38	-53.19	21.16	Pass
-21	-20	0.4	-21	6704	-46.79	-58.6	26.79	Pass
20	21	0.4	21	6746	-43.24	-55.04	23.24	Pass
21	40	0.4	21.289355	6746.289355	-41.09	-52.89	20.97	Pass
40	60	0.4	59.28	6784.28	-52.33	-64.13	12.76	Pass
60	120	0.4	63.96	6788.96	-51.6	-63.4	11.6	Pass



9. 802.11ax_40M_Band7_CH179

9.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	6782.84	-51.12	-61.94	11.12	Pass
-60	-40	0.4	-59.76	6785.24	-51.4	-62.22	11.54	Pass
-40	-21	0.4	-21.529235	6823.470765	-41.36	-52.19	21.14	Pass
-21	-20	0.4	-21	6824	-46.41	-57.24	26.41	Pass
20	21	0.4	21	6866	-43.36	-54.18	23.36	Pass
21	40	0.4	21.289355	6866.289355	-41.14	-51.96	21.02	Pass
40	60	0.4	59.88	6904.88	-52.25	-63.08	12.33	Pass
60	120	0.4	62.16	6907.16	-51.9	-62.73	11.9	Pass



10. 802.11ax_40M_Band8_CH187

10.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.16	6819.84	-52.36	-60.69	12.36	Pass
-60	-40	0.4	-59.28	6825.72	-51.91	-60.24	12.34	Pass
-40	-21	0.4	-21.409295	6863.590705	-41.78	-50.11	21.61	Pass
-21	-20	0.4	-21	6864	-47.18	-55.51	27.18	Pass
20	21	0.4	21	6906	-43.19	-51.52	23.19	Pass
21	40	0.4	21.289355	6906.289355	-41.04	-49.37	20.92	Pass
40	60	0.4	59.16	6944.16	-52.86	-61.19	13.36	Pass
60	120	0.4	65.16	6950.16	-53.23	-61.56	13.23	Pass



11. 802.11ax_40M_Band8_CH211

11.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.48	6941.52	-52.1	-61.01	12.1	Pass
-60	-40	0.4	-58.56	6946.44	-51.92	-60.84	12.78	Pass
-40	-21	0.4	-21.409295	6983.590705	-41.56	-50.48	21.38	Pass
-21	-20	0.4	-21	6984	-46.95	-55.87	26.95	Pass
20	21	0.4	21	7026	-43.61	-52.53	23.61	Pass
21	40	0.4	21.289355	7026.289355	-41.65	-50.57	21.53	Pass
40	60	0.4	59.76	7064.76	-54.05	-62.97	14.19	Pass
60	120	0.4	60.84	7065.84	-54.03	-62.95	14.03	Pass



12. 802.11ax_40M_Band8_CH227

12.1 A.5-In-Band Emissions-40M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	7023.44	-51.23	-60.75	11.23	Pass
-60	-40	0.4	-59.88	7025.12	-51.42	-60.94	11.49	Pass
-40	-21	0.4	-21.529235	7063.470765	-41.17	-50.69	20.95	Pass
-21	-20	0.4	-21	7064	-46.41	-55.92	26.41	Pass
20	21	0.4	21	7106	-43.04	-52.56	23.04	Pass
21	40	0.4	21.289355	7106.289355	-40.91	-50.43	20.79	Pass
40	60	0.4	59.4	7144.4	-52.56	-62.08	12.92	Pass
60	120	0.4	61.2	7146.2	-52.61	-62.13	12.61	Pass




80M

1. 802.11ax_80M_Band5_CH7

1.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.68	5863.32	-51.85	-58.27	11.85	Pass
-120	-80	0.8	-119.52	5865.48	-51.78	-58.2	11.93	Pass
-80	-41	0.8	-41.37931	5943.62069	-37.7	-44.12	17.63	Pass
-41	-40	0.8	-41	5944	-38.4	-44.82	18.4	Pass
40	41	0.8	41	6026	-37.45	-43.87	17.45	Pass
41	80	0.8	41.13943	6026.13943	-37.24	-43.66	17.21	Pass
80	120	0.8	120	6105	-53.6	-60.02	13.6	Pass
120	240	0.8	125.76	6110.76	-53.32	-59.74	13.32	Pass



2. 802.11ax_80M_Band5_CH39

2.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-131.28	6013.72	-50.39	-58.48	10.39	Pass
-120	-80	0.8	-118.8	6026.2	-50.42	-58.51	10.78	Pass
-80	-41	0.8	-41.37931	6103.62069	-36.77	-44.86	16.69	Pass
-41	-40	0.8	-41	6104	-37.44	-45.53	17.44	Pass
40	41	0.8	41	6186	-36.99	-45.07	16.99	Pass
41	80	0.8	41.37931	6186.37931	-36.93	-45.02	16.85	Pass
80	120	0.8	119.76	6264.76	-52.74	-60.83	12.81	Pass
120	240	0.8	125.28	6270.28	-52.03	-60.12	12.03	Pass



3. 802.11ax_80M_Band5_CH87

3.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.92	6263.08	-50.89	-57.96	10.89	Pass
-120	-80	0.8	-120	6265	-51.11	-58.18	11.11	Pass
-80	-41	0.8	-41.13943	6343.86057	-37.68	-44.75	17.65	Pass
-41	-40	0.8	-41	6344	-37.78	-44.85	17.78	Pass
40	41	0.8	41	6426	-37.19	-44.26	17.19	Pass
41	80	0.8	41.13943	6426.13943	-36.93	-44.01	16.91	Pass
80	120	0.8	119.76	6504.76	-53.06	-60.14	13.14	Pass
120	240	0.8	120	6505	-52.41	-59.49	12.41	Pass



4. 802.11ax_80M_Band6_CH103

4.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6342.84	-51.53	-57.87	11.53	Pass
-120	-80	0.8	-117.84	6347.16	-51.12	-57.46	11.77	Pass
-80	-41	0.8	-41.37931	6423.62069	-37.67	-44	17.59	Pass
-41	-40	0.8	-41	6424	-38.56	-44.9	18.56	Pass
40	41	0.8	41	6506	-37.29	-43.63	17.29	Pass
41	80	0.8	41.13943	6506.13943	-37.17	-43.51	17.14	Pass
80	120	0.8	120	6585	-54.02	-60.36	14.02	Pass
120	240	0.8	122.16	6587.16	-53.6	-59.94	13.6	Pass



5. 802.11ax_80M_Band6_CH119

5.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.4	6422.6	-49.69	-58.06	9.69	Pass
-120	-80	0.8	-119.52	6425.48	-49.97	-58.35	10.12	Pass
-80	-41	0.8	-41.37931	6503.62069	-36.78	-45.15	16.7	Pass
-41	-40	0.8	-41	6504	-37.68	-46.06	17.68	Pass
40	41	0.8	41	6586	-37.56	-45.94	17.56	Pass
41	80	0.8	41.13943	6586.13943	-36.91	-45.29	16.88	Pass
80	120	0.8	119.76	6664.76	-52.39	-60.77	12.46	Pass
120	240	0.8	122.4	6667.4	-52.23	-60.61	12.23	Pass



6. 802.11ax_80M_Band7_CH135

6.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6501.4	-48.7	-56.64	8.7	Pass
-120	-80	0.8	-118.8	6506.2	-48.89	-56.84	9.25	Pass
-80	-41	0.8	-41.37931	6583.62069	-36.15	-44.1	16.08	Pass
-41	-40	0.8	-41	6584	-37.12	-45.07	17.12	Pass
40	41	0.8	41	6666	-36.28	-44.22	16.28	Pass
41	80	0.8	41	6666	-36.28	-44.22	16.28	Pass
80	120	0.8	119.04	6744.04	-51.77	-59.71	12.06	Pass
120	240	0.8	122.16	6747.16	-51.38	-59.32	11.38	Pass



7. 802.11ax_80M_Band7_CH151

7.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6583.56	-49.49	-56.95	9.49	Pass
-120	-80	0.8	-120	6585	-49.52	-56.99	9.52	Pass
-80	-41	0.8	-80	6625	-44.45	-51.91	16.45	Pass
-41	-40	0.8	-41	6664	-37.63	-45.09	17.63	Pass
40	41	0.8	41	6746	-35.99	-43.45	15.99	Pass
41	80	0.8	76.401799	6781.401799	-42.56	-50.03	15.3	Pass
80	120	0.8	119.52	6824.52	-51.48	-58.94	11.62	Pass
120	240	0.8	121.2	6826.2	-51.22	-58.69	11.22	Pass



8. 802.11ax_80M_Band7_CH167

8.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-124.32	6660.68	-50.85	-58.3	10.85	Pass
-120	-80	0.8	-119.28	6665.72	-50.8	-58.25	11.02	Pass
-80	-41	0.8	-76.641679	6708.358321	-43.65	-51.1	16.34	Pass
-41	-40	0.8	-41	6744	-37.35	-44.8	17.35	Pass
40	41	0.8	41	6826	-36.41	-43.86	16.41	Pass
41	80	0.8	41.13943	6826.13943	-36.1	-43.55	16.07	Pass
80	120	0.8	119.28	6904.28	-51.85	-59.3	12.07	Pass
120	240	0.8	121.92	6906.92	-51.98	-59.43	11.98	Pass



9. 802.11ax_80M_Band8_CH183

9.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.24	6744.76	-48.9	-54.99	8.9	Pass
-120	-80	0.8	-119.28	6745.72	-49.07	-55.16	9.28	Pass
-80	-41	0.8	-77.121439	6787.878561	-42.22	-48.32	14.81	Pass
-41	-40	0.8	-41	6824	-36.4	-42.49	16.4	Pass
40	41	0.8	41	6906	-35.66	-41.75	15.66	Pass
41	80	0.8	75.682159	6940.682159	-41.68	-47.77	14.56	Pass
80	120	0.8	119.04	6984.04	-50.82	-56.92	11.11	Pass
120	240	0.8	120.72	6985.72	-50.77	-56.86	10.77	Pass



10. 802.11ax_80M_Band8_CH199

10.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6823.56	-49.3	-55.89	9.3	Pass
-120	-80	0.8	-119.52	6825.48	-49.09	-55.68	9.24	Pass
-80	-41	0.8	-80	6865	-43.89	-50.48	15.89	Pass
-41	-40	0.8	-41	6904	-36.77	-43.36	16.77	Pass
40	41	0.8	41	6986	-36.21	-42.81	16.21	Pass
41	80	0.8	76.641679	7021.641679	-43.38	-49.97	16.07	Pass
80	120	0.8	120	7065	-51.75	-58.34	11.75	Pass
120	240	0.8	125.52	7070.52	-51.57	-58.16	11.57	Pass



11. 802.11ax_80M_Band8_CH215

11.1 A.5-In-Band Emissions-80M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6905	-49.28	-55.64	9.28	Pass
-120	-80	0.8	-119.28	6905.72	-49.11	-55.48	9.33	Pass
-80	-41	0.8	-79.76012	6945.23988	-43.7	-50.06	15.75	Pass
-41	-40	0.8	-41	6984	-36.7	-43.06	16.7	Pass
40	41	0.8	41	7066	-36.18	-42.54	16.18	Pass
41	80	0.8	79.76012	7104.76012	-43.35	-49.72	15.4	Pass
80	120	0.8	120	7145	-51.6	-57.96	11.6	Pass
120	240	0.8	124.56	7149.56	-51.79	-58.15	11.79	Pass




Aux. Antenna

1. 802.11ax_20M_Band5_CH1

1.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.5	5923.5	-52.25	-64.72	12.25	Pass
-30	-20	0.2	-29.88	5925.12	-52.51	-64.97	12.65	Pass
-20	-11	0.2	-11	5944	-32.13	-44.6	12.13	Pass
-11	-10	0.2	-11	5944	-31.82	-44.29	11.82	Pass
10	11	0.2	11	5966	-32.4	-44.87	12.4	Pass
11	20	0.2	11.22	5966.22	-32.01	-44.48	11.81	Pass
20	30	0.2	29.94	5984.94	-52.37	-64.84	12.44	Pass
30	60	0.2	30.42	5985.42	-51.75	-64.22	11.75	Pass



2. 802.11ax_20M_Band5_CH45

2.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30	6145	-54.67	-67.65	14.67	Pass
-30	-20	0.2	-29.94	6145.06	-54.58	-67.56	14.66	Pass
-20	-11	0.2	-11.16	6163.84	-32.68	-45.66	12.53	Pass
-11	-10	0.2	-11	6164	-32.32	-45.3	12.32	Pass
10	11	0.2	11	6186	-33.08	-46.06	13.08	Pass
11	20	0.2	11	6186	-32.87	-45.85	12.87	Pass
20	30	0.2	29.94	6204.94	-54.84	-67.82	14.91	Pass
30	60	0.2	31.56	6206.56	-54.34	-67.32	14.34	Pass



3. 802.11ax_20M_Band5_CH93

3.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.54	6384.46	-54.42	-66.29	14.42	Pass
-30	-20	0.2	-29.94	6385.06	-54.59	-66.46	14.66	Pass
-20	-11	0.2	-11	6404	-33.19	-45.06	13.19	Pass
-11	-10	0.2	-11	6404	-33.19	-45.06	13.19	Pass
10	11	0.2	11	6426	-33.88	-45.75	13.88	Pass
11	20	0.2	11.16	6426.16	-33.06	-44.94	12.92	Pass
20	30	0.2	29.46	6444.46	-53.98	-65.85	14.63	Pass
30	60	0.2	30.96	6445.96	-54.06	-65.94	14.06	Pass



4. 802.11ax_20M_Band6_CH97

4.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.4	6402.6	-53.82	-65.91	13.82	Pass
-30	-20	0.2	-29.88	6405.12	-53.55	-65.65	13.69	Pass
-20	-11	0.2	-11	6424	-34.08	-46.18	14.08	Pass
-11	-10	0.2	-11	6424	-32.33	-44.42	12.33	Pass
10	11	0.2	11	6446	-33.29	-45.39	13.29	Pass
11	20	0.2	11	6446	-31.99	-44.09	11.99	Pass
20	30	0.2	30	6465	-54.01	-66.11	14.01	Pass
30	60	0.2	31.62	6466.62	-53.42	-65.52	13.42	Pass



5. 802.11ax_20M_Band6_CH105

5.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.68	6443.32	-53.48	-65.84	13.48	Pass
-30	-20	0.2	-29.64	6445.36	-53.76	-66.13	14.2	Pass
-20	-11	0.2	-11.04	6463.96	-31.29	-43.65	11.25	Pass
-11	-10	0.2	-11	6464	-33.12	-45.49	13.12	Pass
10	11	0.2	11	6486	-33.64	-46	13.64	Pass
11	20	0.2	11	6486	-32.74	-45.11	12.74	Pass
20	30	0.2	29.7	6504.7	-52.85	-65.22	13.21	Pass
30	60	0.2	31.86	6506.86	-53.2	-65.57	13.2	Pass



6. 802.11ax_20M_Band6_CH113

6.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6484.88	-54.42	-65.27	14.42	Pass
-30	-20	0.2	-29.88	6485.12	-54.98	-65.83	15.12	Pass
-20	-11	0.2	-11.1	6503.9	-32.21	-43.07	12.13	Pass
-11	-10	0.2	-11	6504	-31.97	-42.82	11.97	Pass
10	11	0.2	11	6526	-33.98	-44.83	13.98	Pass
11	20	0.2	11	6526	-32.43	-43.28	12.43	Pass
20	30	0.2	30	6545	-55.44	-66.29	15.44	Pass
30	60	0.2	31.8	6546.8	-54.67	-65.52	14.67	Pass



7. 802.11ax_20M_Band7_CH117

7.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.54	6504.46	-51.82	-62.26	11.82	Pass
-30	-20	0.2	-29.82	6505.18	-52.28	-62.72	12.5	Pass
-20	-11	0.2	-11	6524	-32.39	-42.83	12.39	Pass
-11	-10	0.2	-11	6524	-32.35	-42.78	12.35	Pass
10	11	0.2	11	6546	-33.75	-44.18	13.75	Pass
11	20	0.2	11.1	6546.1	-32.5	-42.94	12.41	Pass
20	30	0.2	29.88	6564.88	-52.18	-62.61	12.32	Pass
30	60	0.2	31.92	6566.92	-52.19	-62.63	12.19	Pass



8. 802.11ax_20M_Band7_CH153

8.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-37.32	6677.68	-50.7	-62.63	10.7	Pass
-30	-20	0.2	-29.88	6685.12	-50.1	-62.03	10.24	Pass
-20	-11	0.2	-11.16	6703.84	-31.97	-43.89	11.82	Pass
-11	-10	0.2	-11	6704	-32.33	-44.26	12.33	Pass
10	11	0.2	11	6726	-33.37	-45.3	13.37	Pass
11	20	0.2	11	6726	-32.1	-44.02	12.1	Pass
20	30	0.2	30	6745	-51.26	-63.19	11.26	Pass
30	60	0.2	40.08	6755.08	-50.98	-62.91	10.98	Pass



9. 802.11ax_20M_Band7_CH181

9.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.78	6824.22	-50.16	-62.27	10.16	Pass
-30	-20	0.2	-29.82	6825.18	-50.59	-62.7	10.81	Pass
-20	-11	0.2	-11	6844	-33.06	-45.17	13.06	Pass
-11	-10	0.2	-11	6844	-32.49	-44.6	12.49	Pass
10	11	0.2	11	6866	-33.31	-45.42	13.31	Pass
11	20	0.2	11.1	6866.1	-33.55	-45.66	13.46	Pass
20	30	0.2	29.52	6884.52	-50.31	-62.42	10.89	Pass
30	60	0.2	33.78	6888.78	-50.77	-62.88	10.77	Pass



10. 802.11ax_20M_Band8_CH185

10.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.62	6843.38	-50.08	-60.15	10.08	Pass
-30	-20	0.2	-29.4	6845.6	-50	-60.08	10.72	Pass
-20	-11	0.2	-11.16	6863.84	-33.14	-43.21	13	Pass
-11	-10	0.2	-11	6864	-32.01	-42.08	12.01	Pass
10	11	0.2	11	6886	-33.29	-43.36	13.29	Pass
11	20	0.2	11	6886	-33.5	-43.58	13.5	Pass
20	30	0.2	29.64	6904.64	-50.31	-60.38	10.74	Pass
30	60	0.2	34.38	6909.38	-50.53	-60.61	10.53	Pass



11. 802.11ax_20M_Band8_CH213

11.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-39.12	6975.88	-49.37	-60.77	9.37	Pass
-30	-20	0.2	-29.94	6985.06	-49.79	-61.2	9.87	Pass
-20	-11	0.2	-11	7004	-33.22	-44.62	13.22	Pass
-11	-10	0.2	-11	7004	-31.89	-43.3	11.89	Pass
10	11	0.2	10.940055	7025.940054	-32.84	-44.24	14.03	Pass
11	20	0.2	11	7026	-33.47	-44.87	13.47	Pass
20	30	0.2	29.76	7044.76	-50.56	-61.96	10.85	Pass
30	60	0.2	32.1	7047.1	-50.1	-61.51	10.1	Pass



12. 802.11ax_20M_Band8_CH229

12.1 A.5-In-Band Emissions-20M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.36	7064.64	-50.42	-61.83	10.42	Pass
-30	-20	0.2	-29.7	7065.3	-50.62	-62.03	10.98	Pass
-20	-11	0.2	-11.1	7083.9	-32	-43.42	11.92	Pass
-11	-10	0.2	-11	7084	-31.61	-43.03	11.61	Pass
10	11	0.2	11	7106	-33.06	-44.47	13.06	Pass
11	20	0.2	11	7106	-31.02	-42.43	11.02	Pass
20	30	0.2	30	7125	-51.91	-63.32	11.91	Pass
30	60	0.2	36.72	7131.72	-51.39	-62.81	11.39	Pass



13. 802.11ax_20M_Band8_CH233

13.1 A.5-In-Band Emissions-20M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.88	7082.12	-49.22	-60.39	9.22	Pass
-30	-20	0.2	-29.94	7085.06	-49.48	-60.64	9.55	Pass
-20	-11	0.2	-11.04	7103.96	-31.79	-42.96	11.75	Pass
-11	-10	0.2	-10.940055	7104.059946	-30.84	-42.01	12.04	Pass
10	11	0.2	11	7126	-32.41	-43.57	12.41	Pass
11	20	0.2	11	7126	-33.07	-44.23	13.07	Pass
20	30	0.2	29.82	7144.82	-50.6	-61.77	10.82	Pass
30	60	0.2	30.18	7145.18	-50.42	-61.59	10.42	Pass



40M

1. 802.11ax_40M_Band5_CH3

1.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.64	5899.36	-53.47	-63.21	13.47	Pass
-60	-40	0.4	-60	5905	-53.44	-63.17	13.44	Pass
-40	-21	0.4	-21.529235	5943.470765	-41.36	-51.09	21.13	Pass
-21	-20	0.4	-21	5944	-46.81	-56.55	26.81	Pass
20	21	0.4	21	5986	-43.88	-53.61	23.88	Pass
21	40	0.4	21.289355	5986.289355	-41.19	-50.92	21.06	Pass
40	60	0.4	60	6025	-54.55	-64.28	14.55	Pass
60	120	0.4	61.8	6026.8	-54.14	-63.87	14.14	Pass



2. 802.11ax_40M_Band5_CH43

2.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	6103.44	-55.71	-64.36	15.71	Pass
-60	-40	0.4	-60	6105	-56.28	-64.94	16.28	Pass
-40	-21	0.4	-21.409295	6143.590705	-41.53	-50.19	21.36	Pass
-21	-20	0.4	-21	6144	-47.7	-56.36	27.7	Pass
20	21	0.4	21	6186	-44.07	-52.73	24.07	Pass
21	40	0.4	21.289355	6186.289355	-41.47	-50.13	21.35	Pass
40	60	0.4	59.52	6224.52	-55.58	-64.24	15.87	Pass
60	120	0.4	68.16	6233.16	-55.87	-64.53	15.87	Pass



3. 802.11ax_40M_Band5_CH91

3.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6344.16	-53.71	-62.6	13.71	Pass
-60	-40	0.4	-60	6345	-54.2	-63.09	14.2	Pass
-40	-21	0.4	-21.529235	6383.470765	-41.84	-50.73	21.62	Pass
-21	-20	0.4	-21	6384	-47.44	-56.34	27.44	Pass
20	21	0.4	21	6426	-43.65	-52.54	23.65	Pass
21	40	0.4	21.409295	6426.409295	-41.25	-50.14	21.07	Pass
40	60	0.4	60	6465	-54.66	-63.55	14.66	Pass
60	120	0.4	63	6468	-54.19	-63.08	14.19	Pass



4. 802.11ax_40M_Band6_CH99

4.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.32	6380.68	-54.6	-63.92	14.6	Pass
-60	-40	0.4	-60	6385	-55.23	-64.56	15.23	Pass
-40	-21	0.4	-21.409295	6423.590705	-41.8	-51.12	21.63	Pass
-21	-20	0.4	-21	6424	-47.83	-57.15	27.83	Pass
20	21	0.4	21	6466	-43.77	-53.09	23.77	Pass
21	40	0.4	21.289355	6466.289355	-41.26	-50.59	21.14	Pass
40	60	0.4	59.64	6504.64	-54.4	-63.72	14.61	Pass
60	120	0.4	65.04	6510.04	-54.3	-63.62	14.3	Pass



5. 802.11ax_40M_Band6_CH107

5.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6424.4	-54.67	-64.03	14.67	Pass
-60	-40	0.4	-58.56	6426.44	-54.37	-63.73	15.24	Pass
-40	-21	0.4	-21.409295	6463.590705	-41.39	-50.75	21.22	Pass
-21	-20	0.4	-21	6464	-47.64	-56.99	27.64	Pass
20	21	0.4	21	6506	-43.55	-52.91	23.55	Pass
21	40	0.4	21.289355	6506.289355	-41.21	-50.56	21.09	Pass
40	60	0.4	59.76	6544.76	-54.93	-64.28	15.07	Pass
60	120	0.4	64.32	6549.32	-54.79	-64.14	14.79	Pass



6. 802.11ax_40M_Band6_CH115

6.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	6464.64	-55.36	-62.35	15.36	Pass
-60	-40	0.4	-60	6465	-55.54	-62.53	15.54	Pass
-40	-21	0.4	-21.529235	6503.470765	-41.37	-48.36	21.14	Pass
-21	-20	0.4	-21	6504	-47.43	-54.42	27.43	Pass
20	21	0.4	21	6546	-43.85	-50.85	23.85	Pass
21	40	0.4	21.289355	6546.289355	-41.19	-48.18	21.06	Pass
40	60	0.4	59.52	6584.52	-54.97	-61.97	15.26	Pass
60	120	0.4	60.96	6585.96	-55.82	-62.81	15.82	Pass



7. 802.11ax_40M_Band7_CH123

7.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	6502.84	-49.93	-58.55	9.93	Pass
-60	-40	0.4	-59.4	6505.6	-49.86	-58.48	10.22	Pass
-40	-21	0.4	-21.409295	6543.590705	-41.11	-49.72	20.93	Pass
-21	-20	0.4	-21	6544	-46.19	-54.81	26.19	Pass
20	21	0.4	21	6586	-43.15	-51.76	23.15	Pass
21	40	0.4	21.289355	6586.289355	-40.25	-48.86	20.13	Pass
40	60	0.4	60	6625	-50.54	-59.16	10.54	Pass
60	120	0.4	60.36	6625.36	-50.34	-58.96	10.34	Pass



8. 802.11ax_40M_Band7_CH155

8.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.48	6661.52	-49.87	-58.88	9.87	Pass
-60	-40	0.4	-59.76	6665.24	-49.69	-58.69	9.83	Pass
-40	-21	0.4	-21.529235	6703.470765	-41.04	-50.05	20.82	Pass
-21	-20	0.4	-21	6704	-45.17	-54.18	25.17	Pass
20	21	0.4	21	6746	-42.62	-51.63	22.62	Pass
21	40	0.4	21.169415	6746.169415	-40.83	-49.84	20.76	Pass
40	60	0.4	59.28	6784.28	-50.11	-59.12	10.54	Pass
60	120	0.4	60.12	6785.12	-49.32	-58.33	9.32	Pass



9. 802.11ax_40M_Band7_CH179

9.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6784.4	-49.75	-59.77	9.75	Pass
-60	-40	0.4	-59.88	6785.12	-50.17	-60.19	10.24	Pass
-40	-21	0.4	-21.409295	6823.590705	-41.4	-51.42	21.23	Pass
-21	-20	0.4	-21	6824	-46.46	-56.47	26.46	Pass
20	21	0.4	21	6866	-43.3	-53.32	23.3	Pass
21	40	0.4	21.289355	6866.289355	-41.3	-51.32	21.18	Pass
40	60	0.4	58.44	6903.44	-50.57	-60.59	11.51	Pass
60	120	0.4	61.56	6906.56	-50.39	-60.4	10.39	Pass



10. 802.11ax_40M_Band8_CH187

10.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.4	6822.6	-49.73	-57.81	9.73	Pass
-60	-40	0.4	-58.92	6826.08	-49.41	-57.49	10.06	Pass
-40	-21	0.4	-21.409295	6863.590705	-41.33	-49.41	21.16	Pass
-21	-20	0.4	-21	6864	-46.42	-54.49	26.42	Pass
20	21	0.4	21	6906	-43.11	-51.18	23.11	Pass
21	40	0.4	21.289355	6906.289355	-41.26	-49.34	21.14	Pass
40	60	0.4	59.04	6944.04	-50.72	-58.79	11.29	Pass
60	120	0.4	67.44	6952.44	-51.14	-59.22	11.14	Pass



11. 802.11ax_40M_Band8_CH211

11.1 A.5-In-Band Emissions-40M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	6943.44	-49.83	-58.76	9.83	Pass
-60	-40	0.4	-59.4	6945.6	-49.66	-58.59	10.02	Pass
-40	-21	0.4	-21.409295	6983.590705	-40.91	-49.83	20.74	Pass
-21	-20	0.4	-21	6984	-46.26	-55.18	26.26	Pass
20	21	0.4	21	7026	-43.45	-52.37	23.45	Pass
21	40	0.4	21.289355	7026.289355	-40.98	-49.9	20.85	Pass
40	60	0.4	60	7065	-52.03	-60.96	12.03	Pass
60	120	0.4	63	7068	-51.56	-60.48	11.56	Pass



12. 802.11ax_40M_Band8_CH227

12.1 A.5-In-Band Emissions-40M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-66.84	7018.16	-49.19	-56.93	9.19	Pass
-60	-40	0.4	-59.64	7025.36	-49.57	-57.31	9.78	Pass
-40	-21	0.4	-39.88006	7045.11994	-48.29	-56.03	20.34	Pass
-21	-20	0.4	-21	7064	-45.82	-53.56	25.82	Pass
20	21	0.4	21	7106	-42.54	-50.29	22.54	Pass
21	40	0.4	21.289355	7106.289355	-40.72	-48.46	20.6	Pass
40	60	0.4	59.76	7144.76	-51.37	-59.11	11.51	Pass
60	120	0.4	60.48	7145.48	-50.96	-58.7	10.96	Pass




80M

1. 802.11ax_80M_Band5_CH7

1.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	5861.64	-52.99	-58.94	12.99	Pass
-120	-80	0.8	-119.76	5865.24	-53.26	-59.22	13.34	Pass
-80	-41	0.8	-41.37931	5943.62069	-36.91	-42.86	16.83	Pass
-41	-40	0.8	-41	5944	-37.84	-43.79	17.84	Pass
40	41	0.8	41	6026	-37.29	-43.24	17.29	Pass
41	80	0.8	41.13943	6026.13943	-36.89	-42.84	16.86	Pass
80	120	0.8	119.28	6104.28	-55.64	-61.59	15.85	Pass
120	240	0.8	126	6111	-54.7	-60.65	14.7	Pass



2. 802.11ax_80M_Band5_CH39

2.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-130.08	6014.92	-52.8	-59.06	12.8	Pass
-120	-80	0.8	-119.76	6025.24	-52.65	-58.91	12.72	Pass
-80	-41	0.8	-41.37931	6103.62069	-37.26	-43.53	17.18	Pass
-41	-40	0.8	-41	6104	-38.09	-44.36	18.09	Pass
40	41	0.8	41	6186	-37.17	-43.43	17.17	Pass
41	80	0.8	41.13943	6186.13943	-36.92	-43.19	16.9	Pass
80	120	0.8	119.28	6264.28	-53.59	-59.86	13.81	Pass
120	240	0.8	120.24	6265.24	-53.74	-60.01	13.74	Pass



3. 802.11ax_80M_Band5_CH87

3.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.68	6263.32	-53.63	-59.29	13.63	Pass
-120	-80	0.8	-119.52	6265.48	-53.65	-59.31	13.79	Pass
-80	-41	0.8	-41.37931	6343.62069	-37.71	-43.37	17.63	Pass
-41	-40	0.8	-41	6344	-38	-43.66	18	Pass
40	41	0.8	41	6426	-37.22	-42.88	17.22	Pass
41	80	0.8	41.13943	6426.13943	-37.05	-42.71	17.02	Pass
80	120	0.8	119.04	6504.04	-53.21	-58.87	13.5	Pass
120	240	0.8	126.24	6511.24	-53.62	-59.28	13.62	Pass



4. 802.11ax_80M_Band6_CH103

4.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6345	-53.82	-59.24	13.82	Pass
-120	-80	0.8	-119.76	6345.24	-53.61	-59.03	13.68	Pass
-80	-41	0.8	-41.37931	6423.62069	-37.8	-43.21	17.72	Pass
-41	-40	0.8	-41	6424	-38.59	-44.01	18.59	Pass
40	41	0.8	41	6506	-37.4	-42.82	17.4	Pass
41	80	0.8	41.13943	6506.13943	-36.99	-42.41	16.96	Pass
80	120	0.8	119.52	6584.52	-53.91	-59.33	14.05	Pass
120	240	0.8	129.12	6594.12	-54.2	-59.62	14.2	Pass



5. 802.11ax_80M_Band6_CH119

5.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6421.4	-52.96	-57.02	12.96	Pass
-120	-80	0.8	-118.8	6426.2	-52.66	-56.72	13.02	Pass
-80	-41	0.8	-41.37931	6503.62069	-37.31	-41.38	17.24	Pass
-41	-40	0.8	-41	6504	-37.89	-41.96	17.89	Pass
40	41	0.8	41	6586	-36.88	-40.95	16.88	Pass
41	80	0.8	41	6586	-36.88	-40.95	16.88	Pass
80	120	0.8	119.76	6664.76	-54.6	-58.66	14.67	Pass
120	240	0.8	121.2	6666.2	-54.49	-58.56	14.49	Pass



6. 802.11ax_80M_Band7_CH135

6.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6504.52	-49.25	-57.13	9.25	Pass
-120	-80	0.8	-120	6505	-50.12	-57.99	10.12	Pass
-80	-41	0.8	-41.37931	6583.62069	-36.91	-44.78	16.83	Pass
-41	-40	0.8	-41	6584	-37.41	-45.29	17.41	Pass
40	41	0.8	41	6666	-36.91	-44.78	16.91	Pass
41	80	0.8	41	6666	-36.91	-44.78	16.91	Pass
80	120	0.8	118.8	6743.8	-51.02	-58.9	11.38	Pass
120	240	0.8	123.36	6748.36	-50.85	-58.73	10.85	Pass



7. 802.11ax_80M_Band7_CH151

7.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.84	6581.16	-49.58	-56.43	9.58	Pass
-120	-80	0.8	-120	6585	-49.94	-56.79	9.94	Pass
-80	-41	0.8	-41.37931	6663.62069	-36.35	-43.2	16.27	Pass
-41	-40	0.8	-41	6664	-36.92	-43.77	16.92	Pass
40	41	0.8	41	6746	-36.35	-43.2	16.35	Pass
41	80	0.8	41.13943	6746.13943	-36.35	-43.19	16.32	Pass
80	120	0.8	119.76	6824.76	-50.58	-57.42	10.65	Pass
120	240	0.8	120.48	6825.48	-50.95	-57.8	10.95	Pass



8. 802.11ax_80M_Band7_CH167

8.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.96	6664.04	-49.79	-55.72	9.79	Pass
-120	-80	0.8	-120	6665	-50.06	-55.99	10.06	Pass
-80	-41	0.8	-41.37931	6743.62069	-36.33	-42.25	16.25	Pass
-41	-40	0.8	-41	6744	-37.58	-43.51	17.58	Pass
40	41	0.8	41	6826	-36.69	-42.62	16.69	Pass
41	80	0.8	41.13943	6826.13943	-36.48	-42.41	16.45	Pass
80	120	0.8	119.76	6904.76	-51.41	-57.34	11.48	Pass
120	240	0.8	124.56	6909.56	-50.97	-56.9	10.97	Pass



9. 802.11ax_80M_Band8_CH183

9.1 A.5-In-Band Emissions-80M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6741.64	-50.17	-56.03	10.17	Pass
-120	-80	0.8	-120	6745	-49.74	-55.6	9.74	Pass
-80	-41	0.8	-41.37931	6823.62069	-36.38	-42.23	16.3	Pass
-41	-40	0.8	-41	6824	-36.93	-42.78	16.93	Pass
40	41	0.8	41	6906	-36.55	-42.41	16.55	Pass
41	80	0.8	41.13943	6906.13943	-36.5	-42.36	16.48	Pass
80	120	0.8	118.56	6983.56	-51.7	-57.56	12.13	Pass
120	240	0.8	120.96	6985.96	-51.68	-57.54	11.68	Pass



10. 802.11ax_80M_Band8_CH199

10.1 A.5-In-Band Emissions-80M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6821.4	-48.64	-54.43	8.64	Pass
-120	-80	0.8	-119.76	6825.24	-49.08	-54.86	9.15	Pass
-80	-41	0.8	-41.37931	6903.62069	-36.55	-42.33	16.48	Pass
-41	-40	0.8	-41	6904	-36.74	-42.52	16.74	Pass
40	41	0.8	41	6986	-36.72	-42.5	16.72	Pass
41	80	0.8	41.13943	6986.13943	-36.32	-42.1	16.29	Pass
80	120	0.8	119.04	7064.04	-51.13	-56.91	11.42	Pass
120	240	0.8	122.16	7067.16	-51.17	-56.95	11.17	Pass



11. 802.11ax_80M_Band8_CH215

11.1 A.5-In-Band Emissions-80M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.92	6903.08	-49.29	-55.13	9.29	Pass
-120	-80	0.8	-119.04	6905.96	-49.16	-55	9.45	Pass
-80	-41	0.8	-41.37931	6983.62069	-36.96	-42.8	16.88	Pass
-41	-40	0.8	-41	6984	-37.43	-43.27	17.43	Pass
40	41	0.8	41	7066	-36.89	-42.73	16.89	Pass
41	80	0.8	41.13943	7066.13943	-36.87	-42.71	16.84	Pass
80	120	0.8	119.76	7144.76	-52.66	-58.5	12.74	Pass
120	240	0.8	123.6	7148.6	-52.3	-58.14	12.3	Pass

