



RB1#0:

Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest



Middle




Highest




Full RB:

Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal




Spurious Emissions at Antenna Terminal


Channel

15MHz Bandwidth QPSK

Lowest




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:44:58




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:45:14

Middle




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:45:46




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:46:19

Highest



ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:46:47





ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 19:47:16

Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest



Middle





Highest




1RB:


Out of band emission, Band Edge






Out of band emission, Band Edge







Full RB:


Out of band emission, Band Edge





Out of band emission, Band Edge





4.10 Antenna Port Test Data and Results for LTE Band 12

Serial Number:	2DYK-1	Test Date:	2024/1/2-2024/3/7
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jim Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5~26.5	Relative Humidity: (%)	40~55	ATM Pressure: (kPa)	101.1-101.9
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2023/9/29	2024/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Frequency for Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	699.7	707.5	715.3
3MHz	700.5	707.5	714.5
5MHz	701.5	707.5	713.5
10MHz	704	707.5	711

Test Data:

RF Output Power						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.65	22.65	22.60	19.4	34.77
	RB1#3	22.85	22.80	22.77		
	RB1#5	22.71	22.60	22.58		
	RB3#0	22.78	22.77	22.73		
	RB3#3	22.80	22.73	22.71		
	RB6#0	21.72	21.70	21.69		
1.4MHz 16QAM	RB1#0	21.69	21.70	21.73	18.54	34.77
	RB1#3	21.92	21.87	21.95		
	RB1#5	21.74	21.66	21.76		
	RB3#0	21.88	21.99	21.74		
	RB3#3	21.85	21.98	21.72		
	RB6#0	20.75	20.82	20.82		
3MHz QPSK	RB1#0	22.74	22.80	22.79	19.4	34.77
	RB1#8	22.85	22.74	22.71		
	RB1#14	22.82	22.73	22.68		
	RB6#0	21.77	21.72	21.72		
	RB6#9	21.79	21.68	21.73		
	RB15#0	21.82	21.81	21.80		
3MHz 16QAM	RB1#0	22.00	21.89	22.40	18.95	34.77
	RB1#8	21.96	21.82	22.27		
	RB1#14	21.98	21.79	22.23		
	RB6#0	20.86	20.75	20.90		
	RB6#9	20.84	20.81	20.81		
	RB15#0	20.86	20.90	20.90		
5MHz QPSK	RB1#0	22.74	22.73	22.67	19.41	34.77
	RB1#13	22.83	22.86	22.78		
	RB1#24	22.74	22.69	22.63		
	RB15#0	21.86	21.75	21.89		
	RB15#10	21.77	21.79	21.78		
	RB25#0	21.77	21.74	21.81		
5MHz 16QAM	RB1#0	21.61	22.03	21.79	18.64	34.77
	RB1#13	21.73	22.09	21.84		
	RB1#24	21.65	22.00	21.70		
	RB15#0	21.00	20.78	21.00		
	RB15#10	20.88	20.84	20.87		
	RB25#0	20.91	20.80	20.88		
10MHz QPSK	RB1#0	22.79	22.73	22.73	19.46	34.77
	RB1#25	22.91	22.85	22.84		
	RB1#49	22.72	22.70	22.70		

10MHz 16QAM	RB25#0	21.91	21.75	21.78	19.06	34.77
	RB25#25	21.92	21.79	21.71		
	RB50#0	21.89	21.77	21.81		
	RB1#0	21.80	22.37	21.89		
	RB1#25	21.98	22.51	22.06		
	RB1#49	21.75	22.31	21.79		
	RB25#0	21.04	20.89	20.90		
	RB25#25	21.08	20.94	20.81		
	RB50#0	21.01	20.85	20.83		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15

Result: Pass

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	4.70	5.54	5.51	13
	RB50#0	5.54	5.42	5.39	13
10MHz 16QAM	RB1#0	5.42	6.06	5.83	13
	RB50#0	6.49	6.38	6.46	13
Result:					Pass

Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.096	1.096	1.102	1.296	1.314	1.290
1.4MHz 16QAM	1.096	1.090	1.096	1.320	1.290	1.290
3MHz QPSK	2.683	2.695	2.683	2.868	2.868	2.880
3MHz 16QAM	2.683	2.683	2.683	2.880	2.880	2.880
5MHz QPSK	4.511	4.531	4.531	5.180	5.240	5.240
5MHz 16QAM	4.551	4.511	4.551	5.260	5.180	5.220
10MHz QPSK	8.981	8.981	8.942	10.000	9.960	9.840
10MHz 16QAM	8.981	8.942	8.942	9.920	9.760	9.840

Note: The test plots please refer to the Plots of Occupied Bandwidth

Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
---------	---

Out of band emission, Band Edge


Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
---------	--

Frequency Stability						
Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	699.465	699.00	715.459	716.00
	-20	3.8	699.462	699.00	715.462	716.00
	-10	3.8	699.468	699.00	715.456	716.00
	0	3.8	699.483	699.00	715.453	716.00
	10	3.8	699.468	699.00	715.450	716.00
	20	3.8	699.489	699.00	715.471	716.00
	30	3.8	699.516	699.00	715.492	716.00
	40	3.8	699.507	699.00	715.489	716.00
	50	3.8	699.516	699.00	715.477	716.00
Frequency Stability vs. Voltage	20	3.23	699.516	699.00	715.492	716.00
	20	4.18	699.504	699.00	715.495	716.00
					Result:	Pass

Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	699.465	699.00	715.465	716.00
	-20	3.8	699.462	699.00	715.465	716.00
	-10	3.8	699.486	699.00	715.456	716.00
	0	3.8	699.471	699.00	715.462	716.00
	10	3.8	699.465	699.00	715.462	716.00
	20	3.8	699.489	699.00	715.471	716.00
	30	3.8	699.507	699.00	715.477	716.00
	40	3.8	699.498	699.00	715.483	716.00
	50	3.8	699.495	699.00	715.495	716.00
Frequency Stability vs. Voltage	20	3.23	699.498	699.00	715.495	716.00
	20	4.18	699.516	699.00	715.498	716.00
					Result:	Pass

Test Plots(Note: The 7.5 dB is the Insertion loss of the RF cable and Power Splitter, which was offset into the Spectrum Analyzer.)

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle




Highest




RB1#0:

Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle




Highest




Full RB:

Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal




Spurious Emissions at Antenna Terminal


Channel

5MHz Bandwidth QPSK

Lowest




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:04:35




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:04:54

Middle




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:05:20




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:05:42

Highest



ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:06:00




ProjectNo.:CR231168756 Tester:Jim Wei
Date: 16.JAN.2024 20:06:30

Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK

Lowest




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:15:46




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:16:09

Middle




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:16:38




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:17:00

Highest




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:17:26




ProjectNo.:CR231168756 TestersJim Wei
Date: 16.JAN.2024 20:17:45

1RB:







Out of band emission, Band Edge





Out of band emission, Band Edge



Out of band emission, Band Edge


Mode	Lowest	Highest
16QAM 1.4MHz	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -29.60 dBm 699.0000 MHz CF 699.0 MHz 501 pts Span 3.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 19-JAN-2024 23:53:01	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -21.64 dBm 716.0000 MHz CF 716.0 MHz 501 pts Span 3.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 19-JAN-2024 23:54:27
16QAM 3MHz	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -24.15 dBm 699.0000 MHz CF 699.0 MHz 501 pts Span 6.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 19-JAN-2024 23:56:08	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -22.30 dBm 716.0000 MHz CF 716.0 MHz 501 pts Span 6.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 19-JAN-2024 23:57:47
16QAM 5MHz	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -19.69 dBm 699.0000 MHz CF 699.0 MHz 501 pts Span 10.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 20-JAN-2024 00:00:55	 Spectrum 2 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPer MI[1] -19.05 dBm 716.0000 MHz CF 716.0 MHz 501 pts Span 10.0 MHz ProjectNo.:CR231168756 TestersJlm Wei Date: 20-JAN-2024 00:02:16


Out of band emission, Band Edge

Mode	Lowest	Highest
16QAM 10MHz	 ProjectNo.:CR231168756 TestersJlm Wel Date: 20.JAN.2024 00:03:46	 ProjectNo.:CR231168756 TestersJlm Wel Date: 20.JAN.2024 00:04:27


Full RB:


Out of band emission, Band Edge





Out of band emission, Band Edge





4.11 Antenna Port Test Data and Results for LTE Band 17

Serial Number:	2DYK-1	Test Date:	2024/1/2-2024/3/7
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jim Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5~26.5	Relative Humidity: (%)	40~55	ATM Pressure: (kPa)	101.1-101.9
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2023/9/29	2024/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Frequency for Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	706.5	710	713.5
10MHz	709	710	711

Test Data:**RF Output Power**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	22.72	22.62	22.51	19.31	34.77
	RB1#13	22.76	22.65	22.73		
	RB1#24	22.64	22.58	22.55		
	RB15#0	21.74	21.72	21.81		
	RB15#10	21.81	21.68	21.75		
	RB25#0	21.74	21.64	21.75		
5MHz 16QAM	RB1#0	22.02	21.65	21.56	18.65	34.77
	RB1#13	22.10	21.75	21.66		
	RB1#24	21.99	21.68	21.50		
	RB15#0	20.79	20.78	20.95		
	RB15#10	20.84	20.80	20.84		
	RB25#0	20.82	20.75	20.84		
10MHz QPSK	RB1#0	22.82	22.81	22.81	19.5	34.77
	RB1#25	22.95	22.90	22.93		
	RB1#49	22.75	22.81	22.75		
	RB25#0	21.79	21.79	21.83		
	RB25#25	21.79	21.75	21.78		
	RB50#0	21.80	21.80	21.83		
10MHz 16QAM	RB1#0	22.41	21.96	21.85	19.05	34.77
	RB1#25	22.50	22.07	22.05		
	RB1#49	22.36	21.92	21.77		
	RB25#0	20.92	20.89	21.02		
	RB25#25	20.91	20.87	20.92		
	RB50#0	20.87	20.88	20.94		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15**Result:****Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.33	5.04	5.48	13
	RB50#0	5.42	5.51	5.42	13
10MHz 16QAM	RB1#0	6.03	6.43	6.61	13
	RB50#0	6.41	6.32	6.46	13
Result:					Pass

Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.551	4.511	4.551	5.240	5.200	5.200
5MHz 16QAM	4.551	4.531	4.531	5.240	5.200	5.180
10MHz QPSK	8.981	8.942	8.981	9.960	9.760	9.880
10MHz 16QAM	8.942	8.942	8.981	9.760	9.840	9.840

Note: The test plots please refer to the Plots of Occupied Bandwidth

Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---

Frequency Stability

Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	704.465	704.00	715.450	716.00
	-20	3.8	704.471	704.00	715.459	716.00
	-10	3.8	704.477	704.00	715.444	716.00
	0	3.8	704.468	704.00	715.459	716.00
	10	3.8	704.468	704.00	715.453	716.00
	20	3.8	704.489	704.00	715.471	716.00
	30	3.8	704.495	704.00	715.483	716.00
	40	3.8	704.507	704.00	715.477	716.00
	50	3.8	704.492	704.00	715.477	716.00
Frequency Stability vs. Voltage	20	3.23	704.498	704.00	715.489	716.00
	20	4.18	704.510	704.00	715.492	716.00
					Result:	Pass

Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	704.520	704.00	715.453	716.00
	-20	3.8	704.502	704.00	715.456	716.00
	-10	3.8	704.508	704.00	715.456	716.00
	0	3.8	704.511	704.00	715.462	716.00
	10	3.8	704.526	704.00	715.447	716.00
	20	3.8	704.529	704.00	715.471	716.00
	30	3.8	704.556	704.00	715.480	716.00
	40	3.8	704.535	704.00	715.474	716.00
	50	3.8	704.535	704.00	715.486	716.00
Frequency Stability vs. Voltage	20	3.23	704.556	704.00	715.489	716.00
	20	4.18	704.544	704.00	715.483	716.00
					Result:	Pass

Test Plots:(Note: The 7.5dB is the Insertion loss of the RF cable and Power Splitter, which was offset into the Spectrum Analyzer.)

Occupied Bandwidth

