

Card Slot	1*Nano SIM
Smart Card Reader	No
Magnetic Card Reader	No
NFC	Yes
Certification	Google EDLA/ FCC/CE/ROHS

Safety Warning

- Please insert the AC plug into the AC socket corresponding to the input voltage of the power adapter;
- It is strictly forbidden to use it at a site with the existence of any potential explosive gas;
- Operating temperature: 0°C~45°C,Storage temperature:-20°C~60°C.
- To avoid injury, unauthorized persons shall not open the power adapter;



This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmentally safe recycling.

Android is a trademark of Google LLC
Suitable for mounting at heights < 2 m
Manufacturer: Shanghai Xiangcheng Communication Technology Co.,Ltd

FCC Regulations

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/ TV technician for help.
- Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. To comply with FCC RF Exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for the transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device is restricted to indoor use only when operating in 5150 to 5250MHz frequency range.




Pegasus 1

Kiosk

Where design aesthetics
meets better self-service
experience.



Camera Interface



NFC
Printer

Scanner



Feed Key

Power Key



Open Cover
Key

NFC Card Reader:

The NFC antenna is located on the printer cover. It's used to sense the chip and acquire data through a contactless way.

Power Button:

Used for changing the running states of the device, such as pressing for 2-3 seconds to power on/off, and pressing for 10 seconds to restart automatically when the device is crashed.

Feed key:

Used for advance the paper feed out the printer

Open cover key:

Used for open the printer cover when the paper needs to be changed. In case of power failure or other circumstances, the printer cover can be forcibly opened by inserting a hard object into the hole on the rear cover.

We offer two additional optional mounting brackets to support the fixed method on the table and wall



Product Model	Pegasus 1
Operating System	Powered by Android™
Processor	2*A76@ 2.2GHz, 6*A55@ 2.0GHz
Memory	4GB RAM + 32GB ROM 4GB RAM + 64GB ROM(Optional) 6GB RAM + 128GB ROM(Optional)
Network	Support 3G/4G
Display	15.6" FHD, 1920*1080 + Touch
Scanner	Yes
Communication	Ethernet: 100Mbps WIFI: IEEE 802.11 a/b/g/n/ac (2.4G/5G) Bluetooth 5.2
Printer	3" Printer, 250mm/s
Environment	Operating Temperature: 0°C ~ +45°C Storage Temperature: -20°C ~ +60°C Humidity: 5%-95%
Audio	Speaker (>98dB)
Mic	2 pcs
Power Supply	Input: AC100-240V Output: 24V/2.5A
Peripheral port	2*Type A, 1*Type C 1*DC Jack, 1*RJ45 1*Micro USB for debug

REVISION			
ZONE	REV	DESCRIPTION	DATE
			

封底

封面

Card Slot	1*Nano SIM
Smart Card Reader	No
Magnetic Card Reader	No
NFC	Yes
Certification	Google EDLA/ FCC/CE/ROHS

Safety Warning

- Please insert the AC plug into the AC socket corresponding to the input voltage of the power adapter;
- It is strictly forbidden to use it at a site with the existence of any potential explosive gas;
- Operating temperature: 0°C~45°C,Storage temperature:-20°C~60°C. To avoid injury, unauthorized persons shall not open the power • adapter;



This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmentally safe recycling.

Android is a trademark of Google LLC
Suitable for mounting at heights < 2 m
Manufacturer: Shanghai Xiangcheng Communication Technology Co.,Ltd

FCC Regulations

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/ TV technician for help.
- Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. To comply with FCC RF Exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for the transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device is restricted to indoor use only when operating in 5150 to 5250MHz frequency range.



NFC Card Reader:

The NFC antenna is located on the printer cover. It's used to sense the chip and acquire data through a contactless way.

Power Button:

Used for changing the running states of the device, such as pressing for 2-3 seconds to power on/off, and pressing for 10 seconds to restart automatically when the device is crashed.

Feed key:

Used for advance the paper feed out the printer


Open cover key:

Used for open the printer cover when the paper needs to be changed.In case of power failure or other circumstances, the printer cover can be forcibly opened by inserting a hard object into the hole on the rear cover.

We offer two additional optional mounting brackets to support the fixed method on the table and wall



Product Model	Pegasus 1
Operating System	Powered by Android™
Processor	2*A76@ 2.2GHz, 6*A55@ 2.0GHz
Memory	4GB RAM + 32GB ROM 4GB RAM + 64GB ROM(Optional) 6GB RAM + 128GB ROM(Optional)
Network	Support 3G/4G
Display	15.6" FHD, 1920*1080 + Touch
Scanner	Yes
Communication	Ethernet: 100Mbps WiFi:IEEE 802.11 a/b/g/n/ac (2.4G/5G) Bluetooth 5.2
Printer	3" Printer, 250mm/s
Environment	Operating Temperature: 0°C ~ +45°C Storage Temperature: -20°C ~ +60°C Humidity: 5%-95%
Audio	Speaker (>98dB)
Mic	2 pcs
Power Supply	Input: AC100-240V Output: 24V/2.5A
Peripheral port	2*Type A, 1*Type C 1*DC Jack, 1*RJ45 1*Micro USB for debug

 Pantone 266c

材质：128g铜版纸

尺寸：展开300*150mm，成品100*150mm

印刷：专色印刷包心折

边缘要整齐，不允许破损、污渍

公差:± 2mm

SIZE		DRAWING	王鑫	PART NO.			
UNIT	mm			TITLE	K0161_通用_快速指南_V2		
SCALE	1 : 1	CHECKED	毕蒙	Vender	仨睿		
SHEET	1 of 1	APPR.		DATE	2025.2.28	REV	V0.5

3rd ANGLE PROJECTION			 祥承科技				
							