


CQASZ20260601291E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.69	2402.36	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS

Test Graphs






Date: 30 JUN 2026 14:51:10


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.071	2401.4845	2402.5554	---	---
		2440	1.067	2439.4885	2440.5554	---	---
		2480	1.051	2479.4965	2480.5475	---	---

Test Graphs






Date: 30 JUN 2026 14:51:16


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	0.03	≤30	PASS
	2440	1.89	≤30	PASS
	2480	1.36	≤30	PASS

Test Graphs Peak






Date: 30 JUN 2026 14:51:21


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.81	≤8.00	PASS
	2440	-14.57	≤8.00	PASS
	2480	-15.30	≤8.00	PASS

Test Graphs






Date: 30 JUN 2026 14:51:26

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-0.76	-44.39	≤ -20.76	PASS
	High	2480	0.90	-42.35	≤ -19.1	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-0.67	-0.67	---	PASS
		30~1000	-0.67	-50.82	≤-20.67	PASS
		1000~26500	-0.67	-43.31	≤-20.67	PASS
	2440	Reference	1.54	1.54	---	PASS
		30~1000	1.54	-51.12	≤-18.46	PASS
		1000~26500	1.54	-46.43	≤-18.46	PASS
	2480	Reference	0.33	0.33	---	PASS
		30~1000	0.33	-51.83	≤-19.67	PASS
		1000~26500	0.33	-48.22	≤-19.67	PASS


Test Graphs






Date: 30 JUN 2026 14:46:52

BLE_1M_Ant1_2440_0~Reference




Date: 30 JUN 2026 14:49:23

BLE_1M_Ant1_2440_30~1000




Date: 30 JUN 2026 14:49:27

BLE_1M_Ant1_2440_1000~26500




Date: 30 JUN 2026 14:49:38

BLE_1M_Ant1_2480_0~Reference




Date: 30 JUN 2026 14:53:00

BLE_1M_Ant1_2480_30~1000



Date: 30 JUN 2026 14:53:04

BLE_1M_Ant1_2480_1000~26500




Date: 30 JUN 2026 14:53:15


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 30 JUN 2026 14:57:11