

RF Test Data for Bluetooth(BDR+EDR) (Conducted Measurements)

General Description of EUT	
Product Name:	DIGITAL PIANO
Test Model:	DDP-400
Sample ID:	20211201-01_01-2#
Environmental Conditions	
Temperature:	25℃
Relative Humidity:	55%
Test Voltage:	DC 15V
Test Engineer:	Huangjianping
Note: For a more detailed features description, please refer to the report TB-FCC185579	

Contents

1.Maximum Conducted Output Power	3
2.-20dB Bandwidth	10
3.Occupied Channel Bandwidth	16
4.Carrier Frequencies Separation	22
5.Number of Hopping Channel	28
6.Band Edge	31
7.Band Edge(Hopping)	38
8.Conducted RF Spurious Emission	45
9.Restrict Band	55
10.Dwell Time	62

1.Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	0.984	0	0.984	21	Pass
NVNT	1-DH1	2441	Ant1	0.236	0	0.236	21	Pass
NVNT	1-DH1	2480	Ant1	-0.132	0	-0.132	21	Pass
NVNT	2-DH1	2402	Ant1	1.911	0	1.911	21	Pass
NVNT	2-DH1	2441	Ant1	1.577	0	1.577	21	Pass
NVNT	2-DH1	2480	Ant1	1.255	0	1.255	21	Pass
NVNT	3-DH1	2402	Ant1	2.779	0	2.779	21	Pass
NVNT	3-DH1	2441	Ant1	2.118	0	2.118	21	Pass
NVNT	3-DH1	2480	Ant1	1.661	0	1.661	21	Pass

Test Graphs

Power NVNT 1-DH1 2402MHz Ant1



Power NVNT 1-DH1 2441MHz Ant1





Power NVNT 2-DH1 2402MHz Ant1



Power NVNT 2-DH1 2441MHz Ant1





Power NVNT 3-DH1 2402MHz Ant1



Power NVNT 3-DH1 2441MHz Ant1





2.-20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	0.9	---	Pass
NVNT	1-DH1	2441	Ant1	0.9	---	Pass
NVNT	1-DH1	2480	Ant1	0.91	---	Pass
NVNT	2-DH1	2402	Ant1	1.24	---	Pass
NVNT	2-DH1	2441	Ant1	1.24	---	Pass
NVNT	2-DH1	2480	Ant1	1.21	---	Pass
NVNT	3-DH1	2402	Ant1	1.2	---	Pass
NVNT	3-DH1	2441	Ant1	1.21	---	Pass
NVNT	3-DH1	2480	Ant1	1.2	---	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2480MHz Ant1




3.Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH1	2402	Ant1	0.796
NVNT	1-DH1	2441	Ant1	0.787
NVNT	1-DH1	2480	Ant1	0.796
NVNT	2-DH1	2402	Ant1	1.145
NVNT	2-DH1	2441	Ant1	1.144
NVNT	2-DH1	2480	Ant1	1.143
NVNT	3-DH1	2402	Ant1	1.121
NVNT	3-DH1	2441	Ant1	1.133
NVNT	3-DH1	2480	Ant1	1.12

Test Graphs

OBW NVNT 1-DH1 2402MHz Ant1



OBW NVNT 1-DH1 2441MHz Ant1



OBW NVNT 1-DH1 2480MHz Ant1



OBW NVNT 2-DH1 2402MHz Ant1



OBW NVNT 2-DH1 2441MHz Ant1



OBW NVNT 2-DH1 2480MHz Ant1



OBW NVNT 3-DH1 2402MHz Ant1



OBW NVNT 3-DH1 2441MHz Ant1



OBW NVNT 3-DH1 2480MHz Ant1



4.Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2402.017	2402.995	0.978	0.6	Pass
NVNT	1-DH1	Ant1	2440.993	2441.992	0.999	0.6	Pass
NVNT	1-DH1	Ant1	2478.99	2479.989	0.999	0.607	Pass
NVNT	2-DH1	Ant1	2401.957	2402.875	0.918	0.827	Pass
NVNT	2-DH1	Ant1	2440.993	2441.995	1.002	0.827	Pass
NVNT	2-DH1	Ant1	2478.99	2480.004	1.014	0.807	Pass
NVNT	3-DH1	Ant1	2401.933	2402.809	0.876	0.8	Pass
NVNT	3-DH1	Ant1	2440.804	2441.797	0.993	0.807	Pass
NVNT	3-DH1	Ant1	2478.804	2479.803	0.999	0.8	Pass

Test Graphs

CFS NVNT 1-DH1 2402MHz Ant1



CFS NVNT 1-DH1 2441MHz Ant1




CFS NVNT 1-DH1 2480MHz Ant1



CFS NVNT 2-DH1 2402MHz Ant1



CFS NVNT 2-DH1 2441MHz Ant1




CFS NVNT 2-DH1 2480MHz Ant1




CFS NVNT 3-DH1 2402MHz Ant1



CFS NVNT 3-DH1 2441MHz Ant1



CFS NVNT 3-DH1 2480MHz Ant1




5.Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass

Test Graphs


Hopping No. NVNT 1-DH1 2441MHz Ant1



Hopping No. NVNT 2-DH1 2441MHz Ant1



Hopping No. NVNT 3-DH1 2441MHz Ant1




6.Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-54.13	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-53.87	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-53.85	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-54.14	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-54.13	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-51.77	-20	Pass

Test Graphs

Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Emission




Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Emission




Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Emission




7.Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-53.67	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-53.46	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-53.66	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-52.73	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-52.77	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-52.62	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Emission




Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Emission




Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Emission




8. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-43	-20	Pass
NVNT	1-DH1	2441	Ant1	-42.82	-20	Pass
NVNT	1-DH1	2480	Ant1	-42.75	-20	Pass
NVNT	2-DH1	2402	Ant1	-41.9	-20	Pass
NVNT	2-DH1	2441	Ant1	-44.96	-20	Pass
NVNT	2-DH1	2480	Ant1	-49.72	-20	Pass
NVNT	3-DH1	2402	Ant1	-45.41	-20	Pass
NVNT	3-DH1	2441	Ant1	-51.28	-20	Pass
NVNT	3-DH1	2480	Ant1	-47.77	-20	Pass

Test Graphs


Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Emission




Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Emission




Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Emission




Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Emission




Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Emission




Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Emission




Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Emission




9.Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-46.81	2	50.45	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-56.79	2	40.47	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2357.136	-43.56	2	53.7	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2383.824	-56.55	2	40.71	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-47.47	2	49.79	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-56.67	2	40.59	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-47.56	2	49.7	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-56.44	2	40.82	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.944	-44.03	2	53.23	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2497.552	-56.35	2	40.91	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-47.78	2	49.48	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-56.59	2	40.67	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-47.57	2	49.69	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-57.09	2	40.17	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2344.464	-44.1	2	53.16	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2332.56	-56.55	2	40.71	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-46.95	2	50.31	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-56.81	2	40.45	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-44.6	2	52.66	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-55.76	2	41.5	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2496.184	-43.75	2	53.51	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2490.184	-55.45	2	41.81	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-45.99	2	51.27	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-55.48	2	41.78	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-46.96	2	50.3	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-57.06	2	40.2	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2364.624	-43.82	2	53.44	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2344.272	-56.69	2	40.57	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-47.55	2	49.71	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-56.87	2	40.39	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-45.27	2	51.99	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-56.49	2	40.77	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2493.304	-43.51	2	53.75	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.968	-56.36	2	40.9	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-46.58	2	50.68	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-56.62	2	40.64	Average	54	Pass

Test Graphs

Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Average



Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Average




10.Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.388	124.16	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.644	263.04	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.89	308.267	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.389	124.48	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.647	263.52	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.899	309.227	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.386	123.52	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.647	263.52	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.898	309.12	31600	400	Pass

Test Graphs

Dwell NVNT 1-DH1 2441MHz Ant1



Dwell NVNT 1-DH3 2441MHz Ant1




Dwell NVNT 1-DH5 2441MHz Ant1



Dwell NVNT 2-DH1 2441MHz Ant1



Dwell NVNT 2-DH3 2441MHz Ant1



Dwell NVNT 2-DH5 2441MHz Ant1



Dwell NVNT 3-DH1 2441MHz Ant1



Dwell NVNT 3-DH3 2441MHz Ant1



Dwell NVNT 3-DH5 2441MHz Ant1

