



11A_Ant1_5240_5360~40000




11A_Ant1_5745_30~5650




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~5140



11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant1_5220_30~5140



11N20SISO_Ant1_5220_5360~40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000




11N20SISO_Ant1_5825_30~5650



11N20SISO_Ant1_5825_5925~40000




11N40SISO_Ant1_5190_30~5140



11N40SISO_Ant1_5190_5360~40000




11N40SISO_Ant1_5230_30~5140




11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5755_30~5650



11N40SISO_Ant1_5755_5925~40000




11N40SISO_Ant1_5795_30~5650




11N40SISO_Ant1_5795_5925~40000




11AC20SISO_Ant1_5180_30~5140



11AC20SISO_Ant1_5180_5360~40000




11AC20SISO_Ant1_5220_30~5140



11AC20SISO_Ant1_5220_5360~40000




11AC20SISO_Ant1_5240_30~5140




11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5745_30~5650




11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5785_30~5650



11AC20SISO_Ant1_5785_5925~40000




11AC20SISO_Ant1_5825_30~5650



11AC20SISO_Ant1_5825_5925~40000



11AC40SISO_Ant1_5190_30~5140



11AC40SISO_Ant1_5190_5360~40000




11AC40SISO_Ant1_5230_30~5140




11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650




11AC40SISO_Ant1_5795_5925~40000




11AX20SISO_Ant1_5180_30~5140




11AX20SISO_Ant1_5180_5360~40000




11AX20SISO_Ant1_5220_30~5140



11AX20SISO_Ant1_5220_5360~40000




11AX20SISO_Ant1_5240_30~5140




11AX20SISO_Ant1_5240_5360~40000




11AX20SISO_Ant1_5745_30~5650




11AX20SISO_Ant1_5745_5925~40000




11AX20SISO_Ant1_5785_30~5650




11AX20SISO_Ant1_5785_5925~40000




11AX20SISO_Ant1_5825_30~5650



11AX20SISO_Ant1_5825_5925~40000




11AX40SISO_Ant1_5190_30~5140



11AX40SISO_Ant1_5190_5360~40000




11AX40SISO_Ant1_5230_30~5140




11AX40SISO_Ant1_5230_5360~40000




11AX40SISO_Ant1_5755_30~5650



11AX40SISO_Ant1_5755_5925~40000



11AX40SISO_Ant1_5795_30~5650



11AX40SISO_Ant1_5795_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-61.73	2.00	1.33	-58.4	≤-41.20	PASS
				AV	5148.900	-48.51	2.00	1.33	-45.18	≤-41.20	PASS
				AV	5150.000	-48.96	2.00	1.33	-45.63	≤-41.20	PASS
				Peak	4500.000	-54.08	2.00	0.00	-52.08	≤-27.00	PASS
				Peak	5148.200	-38.41	2.00	0.00	-36.41	≤-27.00	PASS
				Peak	5150.000	-38.34	2.00	0.00	-36.34	≤-27.00	PASS
		High	5240	AV	5350.000	-58.2	2.00	1.03	-55.17	≤-41.20	PASS
				AV	5364.240	-57.64	2.00	1.03	-54.61	≤-41.20	PASS
				AV	5460.000	-59.15	2.00	1.03	-56.12	≤-41.20	PASS
				Peak	5350.000	-47.89	2.00	0.00	-45.89	≤-27.00	PASS
				Peak	5400.480	-45.32	2.00	0.00	-43.32	≤-27.00	PASS
				Peak	5460.000	-49.81	2.00	0.00	-47.81	≤-27.00	PASS
		Low	5745	Peak	5650.000	-47.522	2.00	0.00	-45.522	≤-27.00	PASS
				Peak	5700.000	-43.04	2.00	0.00	-41.04	≤10.00	PASS
				Peak	5720.000	-38.47	2.00	0.00	-36.47	≤15.60	PASS
				Peak	5725.000	-29.7	2.00	0.00	-27.7	≤27.00	PASS
		High	5825	Peak	5850.000	-40.311	2.00	0.00	-38.311	≤27.00	PASS
				Peak	5855.000	-40.85	2.00	0.00	-38.85	≤15.60	PASS
				Peak	5875.000	-49.2	2.00	0.00	-47.2	≤10.00	PASS
				Peak	5925.000	-50.4	2.00	0.00	-48.4	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-62.12	2.00	1.06	-59.06	≤-41.20	PASS
				AV	5148.900	-48.66	2.00	1.06	-45.6	≤-41.20	PASS
				AV	5150.000	-48.14	2.00	1.06	-45.08	≤-41.20	PASS
				Peak	4500.000	-53.37	2.00	0.00	-51.37	≤-27.00	PASS
				Peak	5146.100	-37.69	2.00	0.00	-35.69	≤-27.00	PASS
				Peak	5150.000	-38.85	2.00	0.00	-36.85	≤-27.00	PASS
		High	5240	AV	5350.000	-58.42	2.00	1.06	-55.36	≤-41.20	PASS
				AV	5354.880	-57.39	2.00	1.06	-54.33	≤-41.20	PASS
				AV	5460.000	-59.3	2.00	1.06	-56.24	≤-41.20	PASS
				Peak	5350.000	-48	2.00	0.00	-46	≤-27.00	PASS
				Peak	5399.520	-47.17	2.00	0.00	-45.17	≤-27.00	PASS
				Peak	5460.000	-50.65	2.00	0.00	-48.65	≤-27.00	PASS
		Low	5745	Peak	5650.000	-48.362	2.00	0.00	-46.362	≤-27.00	PASS
				Peak	5700.000	-41.98	2.00	0.00	-39.98	≤10.00	PASS
				Peak	5720.000	-38.62	2.00	0.00	-36.62	≤15.60	PASS
				Peak	5725.000	-30.49	2.00	0.00	-28.49	≤27.00	PASS

		High	5825	Peak	5850.000	-38.075	2.00	0.00	-36.075	≤27.00	PASS
				Peak	5855.000	-41.98	2.00	0.00	-39.98	≤15.60	PASS
				Peak	5875.000	-48.75	2.00	0.00	-46.75	≤10.00	PASS
				Peak	5925.000	-50.29	2.00	0.00	-48.29	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-62.22	2.00	1.06	-59.16	≤-41.20	PASS
				AV	5148.900	-49.47	2.00	1.06	-46.41	≤-41.20	PASS
				AV	5150.000	-50.34	2.00	1.06	-47.28	≤-41.20	PASS
				Peak	4500.000	-54.38	2.00	0.00	-52.38	≤-27.00	PASS
				Peak	5138.400	-38.61	2.00	0.00	-36.61	≤-27.00	PASS
				Peak	5150.000	-41.59	2.00	0.00	-39.59	≤-27.00	PASS
		High	5230	AV	5350.000	-60.18	2.00	1.06	-57.12	≤-41.20	PASS
				AV	5362.760	-59.72	2.00	1.06	-56.66	≤-41.20	PASS
				AV	5460.000	-60.4	2.00	1.06	-57.34	≤-41.20	PASS
				Peak	5350.000	-52.19	2.00	0.00	-50.19	≤-27.00	PASS
				Peak	5370.820	-49.37	2.00	0.00	-47.37	≤-27.00	PASS
				Peak	5460.000	-51.82	2.00	0.00	-49.82	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.575	2.00	0.00	-48.575	≤-27.00	PASS
				Peak	5700.000	-44.6	2.00	0.00	-42.6	≤10.00	PASS
				Peak	5720.000	-36.34	2.00	0.00	-34.34	≤15.60	PASS
				Peak	5725.000	-37.51	2.00	0.00	-35.51	≤27.00	PASS
		High	5795	Peak	5850.000	-49.578	2.00	0.00	-47.578	≤27.00	PASS
				Peak	5855.000	-49.06	2.00	0.00	-47.06	≤15.60	PASS
				Peak	5875.000	-51.24	2.00	0.00	-49.24	≤10.00	PASS
				Peak	5925.000	-51.51	2.00	0.00	-49.51	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-62.28	2.00	0.76	-59.52	≤-41.20	PASS
				AV	5148.900	-51.56	2.00	0.76	-48.8	≤-41.20	PASS
				AV	5150.000	-51.69	2.00	0.76	-48.93	≤-41.20	PASS
				Peak	4500.000	-52.92	2.00	0.00	-50.92	≤-27.00	PASS
				Peak	5149.600	-42.27	2.00	0.00	-40.27	≤-27.00	PASS
				Peak	5150.000	-40.56	2.00	0.00	-38.56	≤-27.00	PASS
		High	5240	AV	5350.000	-59.92	2.00	0.79	-57.13	≤-41.20	PASS
				AV	5433.360	-59.68	2.00	0.79	-56.89	≤-41.20	PASS
				AV	5460.000	-60.95	2.00	0.79	-58.16	≤-41.20	PASS
				Peak	5350.000	-51.58	2.00	0.00	-49.58	≤-27.00	PASS
				Peak	5459.280	-49.26	2.00	0.00	-47.26	≤-27.00	PASS
				Peak	5460.000	-51.74	2.00	0.00	-49.74	≤-27.00	PASS
		Low	5745	Peak	5650.000	-50.433	2.00	0.00	-48.433	≤-27.00	PASS
				Peak	5700.000	-51.55	2.00	0.00	-49.55	≤10.00	PASS
				Peak	5720.000	-46.54	2.00	0.00	-44.54	≤15.60	PASS
				Peak	5725.000	-40.55	2.00	0.00	-38.55	≤27.00	PASS
		High	5825	Peak	5850.000	-39.701	2.00	0.00	-37.701	≤27.00	PASS
				Peak	5855.000	-46.8	2.00	0.00	-44.8	≤15.60	PASS
				Peak	5875.000	-52.37	2.00	0.00	-50.37	≤10.00	PASS

				Peak	5925.000	-52.68	2.00	0.00	-50.68	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-62.43	2.00	1.12	-59.31	≤-41.20	PASS
				AV	5148.900	-48.86	2.00	1.12	-45.74	≤-41.20	PASS
				AV	5150.000	-48.82	2.00	1.12	-45.7	≤-41.20	PASS
				Peak	4500.000	-53.95	2.00	0.00	-51.95	≤-27.00	PASS
				Peak	5139.100	-38.9	2.00	0.00	-36.9	≤-27.00	PASS
				Peak	5150.000	-39.07	2.00	0.00	-37.07	≤-27.00	PASS
		High	5230	AV	5350.000	-60.53	2.00	1.06	-57.47	≤-41.20	PASS
				AV	5350.280	-59.77	2.00	1.06	-56.71	≤-41.20	PASS
				AV	5460.000	-60.03	2.00	1.06	-56.97	≤-41.20	PASS
				Peak	5350.000	-51.44	2.00	0.00	-49.44	≤-27.00	PASS
				Peak	5403.580	-48.76	2.00	0.00	-46.76	≤-27.00	PASS
				Peak	5460.000	-51.21	2.00	0.00	-49.21	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.432	2.00	0.00	-48.432	≤-27.00	PASS
				Peak	5700.000	-46.07	2.00	0.00	-44.07	≤10.00	PASS
				Peak	5720.000	-38.94	2.00	0.00	-36.94	≤15.60	PASS
				Peak	5725.000	-40.05	2.00	0.00	-38.05	≤27.00	PASS
		High	5795	Peak	5850.000	-45.42	2.00	0.00	-43.42	≤27.00	PASS
				Peak	5855.000	-48.73	2.00	0.00	-46.73	≤15.60	PASS
				Peak	5875.000	-51.97	2.00	0.00	-49.97	≤10.00	PASS
				Peak	5925.000	-52.02	2.00	0.00	-50.02	≤-27.00	PASS
11AX20S ISO	Ant1	Low	5180	AV	4500.000	-61.27	2.00	0.76	-58.51	≤-41.20	PASS
				AV	5143.300	-54.22	2.00	0.76	-51.46	≤-41.20	PASS
				AV	5150.000	-54.27	2.00	0.76	-51.51	≤-41.20	PASS
				Peak	4500.000	-53.74	2.00	0.00	-51.74	≤-27.00	PASS
				Peak	5149.600	-42.88	2.00	0.00	-40.88	≤-27.00	PASS
				Peak	5150.000	-45.8	2.00	0.00	-43.8	≤-27.00	PASS
		High	5240	AV	5350.000	-59.13	2.00	0.79	-56.34	≤-41.20	PASS
				AV	5354.880	-58.77	2.00	0.79	-55.98	≤-41.20	PASS
				AV	5460.000	-60.89	2.00	0.79	-58.1	≤-41.20	PASS
				Peak	5350.000	-51.14	2.00	0.00	-49.14	≤-27.00	PASS
				Peak	5351.280	-49.29	2.00	0.00	-47.29	≤-27.00	PASS
				Peak	5460.000	-51.27	2.00	0.00	-49.27	≤-27.00	PASS
		Low	5745	Peak	5650.000	-47.039	2.00	0.00	-45.039	≤-27.00	PASS
				Peak	5700.000	-46.35	2.00	0.00	-44.35	≤10.00	PASS
				Peak	5720.000	-41.55	2.00	0.00	-39.55	≤15.60	PASS
				Peak	5725.000	-38.07	2.00	0.00	-36.07	≤27.00	PASS
		High	5825	Peak	5850.000	-33.138	2.00	0.00	-31.138	≤27.00	PASS
				Peak	5855.000	-44.17	2.00	0.00	-42.17	≤15.60	PASS
				Peak	5875.000	-50.12	2.00	0.00	-48.12	≤10.00	PASS
				Peak	5925.000	-51.35	2.00	0.00	-49.35	≤-27.00	PASS
11AX40S ISO	Ant1	Low	5190	AV	4500.000	-61.65	2.00	0.87	-58.78	≤-41.20	PASS
				AV	5149.600	-47.66	2.00	0.87	-44.79	≤-41.20	PASS

				AV	5150.000	-47.87	2.00	0.87	-45	≤-41.20	PASS
				Peak	4500.000	-52.89	2.00	0.00	-50.89	≤-27.00	PASS
				Peak	5144.000	-38.3	2.00	0.00	-36.3	≤-27.00	PASS
				Peak	5150.000	-39.85	2.00	0.00	-37.85	≤-27.00	PASS
		High	5230	AV	5350.000	-60.45	2.00	1.12	-57.33	≤-41.20	PASS
				AV	5350.540	-60.05	2.00	1.12	-56.93	≤-41.20	PASS
				AV	5460.000	-61.57	2.00	1.12	-58.45	≤-41.20	PASS
				Peak	5350.000	-51.52	2.00	0.00	-49.52	≤-27.00	PASS
				Peak	5404.880	-50.36	2.00	0.00	-48.36	≤-27.00	PASS
				Peak	5460.000	-52.52	2.00	0.00	-50.52	≤-27.00	PASS
		Low	5755	Peak	5650.000	-47.545	2.00	0.00	-45.545	≤-27.00	PASS
				Peak	5700.000	-40.77	2.00	0.00	-38.77	≤10.00	PASS
				Peak	5720.000	-37.19	2.00	0.00	-35.19	≤15.60	PASS
				Peak	5725.000	-35.93	2.00	0.00	-33.93	≤27.00	PASS
		High	5795	Peak	5850.000	-42.765	2.00	0.00	-40.765	≤27.00	PASS
				Peak	5855.000	-46.04	2.00	0.00	-44.04	≤15.60	PASS
				Peak	5875.000	-48.99	2.00	0.00	-46.99	≤10.00	PASS
				Peak	5925.000	-50.44	2.00	0.00	-48.44	≤-27.00	PASS

Note:

1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.