

FCC Appendix RF Test Data for 5.3GWIFI

Product Name: W6C Tablet

Test Model: W6C

Environmental Conditions


Temperature:	24.1°C
Relative Humidity:	53.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Zoey Cao
Supervised by:	Eric Wang


1 Emission Bandwidth

Test Result


TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5260	38.000	5240.400	5278.400	---	---
		5280	37.560	5261.800	5299.360	---	---
		5320	38.040	5300.920	5338.960	---	---
11N20SISO	Ant1	5260	38.720	5241.200	5279.920	---	---
		5280	39.680	5260.320	5300.000	---	---
		5320	39.840	5300.120	5339.960	---	---
11N40SISO	Ant1	5270	79.920	5230.000	5309.920	---	---
		5310	79.360	5270.560	5349.920	---	---
11AC20SISO	Ant1	5260	39.400	5240.600	5280.000	---	---
		5280	38.760	5261.000	5299.760	---	---
		5320	38.560	5301.360	5339.920	---	---
11AC40SISO	Ant1	5270	78.240	5231.600	5309.840	---	---
		5310	79.840	5270.080	5349.920	---	---
11AC80SISO	Ant1	5290	160.000	5210.000	5370.000	---	---

Test Graphs








11N20SISO_Ant1_5260




11N20SISO_Ant1_5280










11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280







2 Maximum conducted output power

Test Result Channel Power


Test Mode	Antenna	Freq(MHz)	Measured Power [dBm]	DC Factor [dB]	Result [dBm]	Limit Conducted (dBm)	Verdict
11A	Ant1	5260	15.47	0.56	16.03	24	PASS
		5280	15.92	0.56	16.48	24	PASS
		5320	16.23	0.56	16.79	24	PASS
11N20SISO	Ant1	5260	15.50	0.53	16.03	24	PASS
		5280	15.89	0.53	16.42	24	PASS
		5320	16.35	0.53	16.88	24	PASS
11N40SISO	Ant1	5270	15.58	1.01	16.59	24	PASS
		5310	16.17	1.01	17.18	24	PASS
11AC20SISO	Ant1	5260	15.58	0.53	16.11	24	PASS
		5280	15.97	0.53	16.50	24	PASS
		5320	16.26	0.53	16.79	24	PASS
11AC40SISO	Ant1	5270	15.56	1.17	16.73	24	PASS
		5310	16.05	1.17	17.22	24	PASS
11AC80SISO	Ant1	5290	15.09	2.27	17.36	24	PASS


3 Maximum power spectral density

Test Result


TestMode	Antenna	Freq (MHz)	Conducted PSD [dBm/MHz]	DC Factor	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5260	2.9	0.56	3.46	11.00	PASS
		5280	3.42	0.53	3.95	11.00	PASS
		5320	3.7	0.56	4.26	11.00	PASS
11N20SISO	Ant1	5260	2.86	0.53	3.39	11.00	PASS
		5280	2.97	0.53	3.50	11.00	PASS
		5320	3.2	0.53	3.73	11.00	PASS
11N40SISO	Ant1	5270	-0.09	1.01	0.92	11.00	PASS
		5310	-0.18	1.01	0.83	11.00	PASS
11AC20SISO	Ant1	5260	3.06	0.53	3.59	11.00	PASS
		5280	2.95	0.53	3.48	11.00	PASS
		5320	3.33	0.53	3.86	11.00	PASS
11AC40SISO	Ant1	5270	0.05	1.01	1.06	11.00	PASS
		5310	0.21	1.17	1.38	11.00	PASS
11AC80SISO	Ant1	5290	-3.63	2.27	-1.36	11.00	PASS

Test Graphs







11N20SISO_Ant1_5320




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310





11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280







D.4 Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBUV/m]	Limit [dBUV/m]	Verdict
11A	Ant1	Low	5260	AV	4500.000	-66.71	≤-43.76	2.00	0.56	31.05	≤54	PASS
				AV	4786.770	-61.47	≤-43.76	2.00	0.56	36.29	≤54	PASS
				AV	5150.000	-62.66	≤-43.76	2.00	0.56	35.10	≤54	PASS
				Peak	4500.000	-59.18	≤-23.20	2.00	0.00	38.02	≤68.2	PASS
				Peak	4785.980	-52.24	≤-23.20	2.00	0.00	44.96	≤68.2	PASS
				Peak	5150.000	-53.06	≤-23.20	2.00	0.00	44.14	≤68.2	PASS
		High	5320	AV	5350.000	-46.28	≤-44.96	2.00	1.76	52.68	≤54	PASS
				AV	5350.240	-45.62	≤-44.96	2.00	1.76	53.34	≤54	PASS
				AV	5460.000	-66.22	≤-44.96	2.00	1.76	32.74	≤54	PASS
				Peak	5350.000	-34.92	≤-23.20	2.00	0.00	62.28	≤68.2	PASS
				Peak	5351.040	-33.79	≤-23.20	2.00	0.00	63.41	≤68.2	PASS
				Peak	5460.000	-55.49	≤-23.20	2.00	0.00	41.71	≤68.2	PASS
11N20SISO	Ant1	Low	5260	AV	4500.000	-66.47	≤-43.73	2.00	0.53	31.26	≤54	PASS
				AV	4786.770	-61.84	≤-43.73	2.00	0.53	35.89	≤54	PASS
				AV	5150.000	-63.25	≤-43.73	2.00	0.53	34.48	≤54	PASS
				Peak	4500.000	-58.88	≤-23.20	2.00	0.00	38.32	≤68.2	PASS
				Peak	4787.560	-52.77	≤-23.20	2.00	0.00	44.43	≤68.2	PASS
				Peak	5150.000	-54.7	≤-23.20	2.00	0.00	42.50	≤68.2	PASS
		High	5320	AV	5350.000	-46.19	≤-45.34	2.00	2.14	53.15	≤54	PASS
				AV	5350.240	-45.99	≤-45.34	2.00	2.14	53.35	≤54	PASS
				AV	5460.000	-65.98	≤-45.34	2.00	2.14	33.36	≤54	PASS
				Peak	5350.000	-34.41	≤-23.20	2.00	0.00	62.79	≤68.2	PASS
				Peak	5351.360	-31.49	≤-23.20	2.00	0.00	65.71	≤68.2	PASS
				Peak	5460.000	-58.18	≤-23.20	2.00	0.00	39.02	≤68.2	PASS
11N40SISO	Ant1	Low	5270	AV	4500.000	-66.91	≤-44.21	2.00	1.01	31.30	≤54	PASS
				AV	5147.800	-57.78	≤-44.21	2.00	1.01	40.43	≤54	PASS
				AV	5150.000	-58.77	≤-44.21	2.00	1.01	39.44	≤54	PASS
				Peak	4500.000	-59.27	≤-23.20	2.00	0.00	37.93	≤68.2	PASS
				Peak	5148.590	-45.71	≤-23.20	2.00	0.00	51.49	≤68.2	PASS
				Peak	5150.000	-46.71	≤-23.20	2.00	0.00	50.49	≤68.2	PASS
		High	5310	AV	5350.000	-48.81	≤-45.63	2.00	2.43	50.82	≤54	PASS
				AV	5355.360	-48.25	≤-45.63	2.00	2.43	51.38	≤54	PASS
				AV	5460.000	-56.98	≤-45.63	2.00	2.43	42.65	≤54	PASS
				Peak	5350.000	-39.76	≤-23.20	2.00	0.00	57.44	≤68.2	PASS
				Peak	5353.920	-30.31	≤-23.20	2.00	0.00	66.89	≤68.2	PASS
				Peak	5460.000	-49.1	≤-23.20	2.00	0.00	48.10	≤68.2	PASS


11AC20SISO	Ant1	Low	5260	AV	4500.000	-66.6	≤-43.73	2.00	0.53	31.13	≤54	PASS
				AV	4787.560	-61.9	≤-43.73	2.00	0.53	35.83	≤54	PASS
				AV	5150.000	-62.69	≤-43.73	2.00	0.53	35.04	≤54	PASS
				Peak	4500.000	-57.73	≤-23.20	2.00	0.00	39.47	≤68.2	PASS
				Peak	5076.700	-52.85	≤-23.20	2.00	0.00	44.35	≤68.2	PASS
				Peak	5150.000	-54.37	≤-23.20	2.00	0.00	42.83	≤68.2	PASS
		High	5320	AV	5350.000	-45.44	≤-45.20	2.00	2.00	53.76	≤54	PASS
				AV	5350.080	-45.44	≤-45.20	2.00	2.00	53.76	≤54	PASS
				AV	5460.000	-66.17	≤-45.20	2.00	2.00	33.03	≤54	PASS
				Peak	5350.000	-35.43	≤-23.20	2.00	0.00	61.77	≤68.2	PASS
				Peak	5352.640	-33.29	≤-23.20	2.00	0.00	63.91	≤68.2	PASS
				Peak	5460.000	-59.47	≤-23.20	2.00	0.00	37.73	≤68.2	PASS
11AC40SISO	Ant1	Low	5270	AV	4500.000	-66.93	≤-44.21	2.00	1.01	31.28	≤54	PASS
				AV	4806.520	-58.14	≤-44.21	2.00	1.01	40.07	≤54	PASS
				AV	5150.000	-58.91	≤-44.21	2.00	1.01	39.30	≤54	PASS
				Peak	4500.000	-57.44	≤-23.20	2.00	0.00	39.76	≤68.2	PASS
				Peak	5142.270	-47.69	≤-23.20	2.00	0.00	49.51	≤68.2	PASS
				Peak	5150.000	-49.05	≤-23.20	2.00	0.00	48.15	≤68.2	PASS
		High	5310	AV	5350.000	-48.98	≤-45.63	2.00	2.43	50.65	≤54	PASS
				AV	5350.880	-48.92	≤-45.63	2.00	2.43	50.71	≤54	PASS
				AV	5460.000	-56.8	≤-45.63	2.00	2.43	42.83	≤54	PASS
				Peak	5350.000	-38.35	≤-23.20	2.00	0.00	58.85	≤68.2	PASS
				Peak	5352.160	-36.47	≤-23.20	2.00	0.00	60.73	≤68.2	PASS
				Peak	5460.000	-49.07	≤-23.20	2.00	0.00	48.13	≤68.2	PASS
11AC80SISO	Ant1	Low	5290	AV	4500.000	-67.44	≤-45.47	2.00	2.27	32.03	≤54	PASS
				AV	5142.400	-51.59	≤-45.47	2.00	2.27	47.88	≤54	PASS
				AV	5150.000	-51.99	≤-45.47	2.00	2.27	47.48	≤54	PASS
				Peak	4500.000	-59.42	≤-23.20	2.00	0.00	37.78	≤68.2	PASS
				Peak	5135.200	-38.19	≤-23.20	2.00	0.00	59.01	≤68.2	PASS
				Peak	5150.000	-39.78	≤-23.20	2.00	0.00	57.42	≤68.2	PASS
		High	5290	AV	5350.000	-48.34	≤-46.56	2.00	3.36	52.22	≤54	PASS
				AV	5350.400	-47.92	≤-46.56	2.00	3.36	52.64	≤54	PASS
				AV	5460.000	-57.66	≤-46.56	2.00	3.36	42.90	≤54	PASS
				Peak	5350.000	-40.36	≤-23.20	2.00	0.00	56.84	≤68.2	PASS
				Peak	5356.000	-36.71	≤-23.20	2.00	0.00	60.49	≤68.2	PASS
				Peak	5460.000	-49.27	≤-23.20	2.00	0.00	47.93	≤68.2	PASS

Note:


- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs








11A_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5260_AV










11N40SISO_Ant1_Low_5270_AV




11N40SISO_Ant1_Low_5270_Peak










11AC20SISO_Ant1_Low_5260_Peak




11AC20SISO_Ant1_High_5320_AV









11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC80SISO_Ant1_Low_5290_AV



11AC80SISO_Ant1_Low_5290_Peak



11AC80SISO_Ant1_High_5290_AV



D.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N20SI SO	Ant1	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.787879	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N40SI SO	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5310	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.787879	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC40S ISO	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS

		5310	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC80S ISO	Ant1	5290	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5280	NV	-30	20000.00	3.787879	20	PASS
			NV	-20	20000.00	3.787879	20	PASS
			NV	-10	-20000.00	-3.787879	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.787879	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N20SI SO	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.802281	20	PASS

			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5280	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.759398	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N40SI SO	Ant1	5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.802281	20	PASS
			NV	0	0.00	0.000000	20	PASS

			NV	10	-20000.00	-3.802281	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5280	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC40S ISO	Ant1	5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80S ISO	Ant1	5290	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS


			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

D.6 Duty Cycle


Test Result

TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	Limit	Verdict
11A	Ant1	5260	1.39	1.58	87.97	0.56	---	---
		5280	1.39	1.57	88.54	0.53	---	---
		5320	0.12	0.18	66.67	1.76	---	---
11N20SISO	Ant1	5260	1.30	1.47	88.44	0.53	---	---
		5280	1.30	1.47	88.44	0.53	---	---
		5320	0.11	0.18	61.11	2.14	---	---
11N40SISO	Ant1	5270	0.07	0.14	50.00	3.01	---	---
		5310	0.08	0.14	57.14	2.43	---	---
11AC20SISO	Ant1	5260	1.31	1.48	88.51	0.53	---	---
		5280	1.31	1.48	88.51	0.53	---	---
		5320	0.12	0.19	63.16	2.00	---	---
11AC40SISO	Ant1	5270	0.65	0.82	79.27	1.01	---	---
		5310	0.08	0.14	57.14	2.43	---	---
11AC80SISO	Ant1	5290	0.06	0.13	46.15	3.36	---	---


11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320



11N20SISO_Ant1_5320



11N40SISO_Ant1_5270



11N40SISO_Ant1_5310

