

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
BACKGROUND - WHITE
MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02
CORNER RADIUS - .05 ± .02
ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02

4. DIE CUT TO LINER.
PERFORATE LINER BETWEEN LABELS.
PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND
SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND
LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
6. LABEL MUST BE PROCURED FROM UL AUTHORIZED
SUPPLIER.
7. REFERENCE S14913.
8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART
MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L.
RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8.
EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE
LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION

CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION
WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED
BY 21CFR 20.61, DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: D. Dominguez	DATE: 03/13/23	 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	MATERIAL: 2				
	APPLIED FINISH: None		TITLE: LABEL, CTF FCC – IC ID		
DIMENSIONS IN INCHES TOLERANCES .XX ± .02 .XXX ± .010			SCALE 1/1	SIZE B	DWG NO. 80005182-101
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.			REV. A		
			DO NOT SCALE DRAWING		SHEET 1 OF 1

1	2	3	4																																																									
A	102		A																																																									
B	GLP systems Track Centrifuge Module (CM) Abbott Automation Solutions GmbH Sachsenkamp 5 20097 HAMBURG GERMANY +49 40 809051-111 Product of Germany SN M20AXXXX ③ REF 06Q03-51 ③ (12789 A) ③ YYYY-MM-DD ③ ⑦ 220 - 230V AC~50/60Hz ⑦ net power P_{typ} 1661W / ⑦ P_{max} 2394W ⑦ 2727 Volt Amps Max UNIT 1 ③ (20039855-101) ③ Data matrix code ④ (01) 00380740208691 (21) M20AXXXX (240) 06Q03-51 CE		B																																																									
C	Fonts: 1) Calibri 11 bold 2) Calibri 8 bold 3) Calibri 8 normal 4) Calibri 7 normal 5) Calibri 7 bold 6) Arial 7 bold 7) Calibri 10 normal		C																																																									
D	THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2. RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.		D																																																									
E	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Item -No.</th> <th style="width:45%;">Title</th> <th style="width:40%;">Article-No.</th> </tr> <tr> <td style="text-align: center;">1</td> <td>Etikett 5" Polyester ws glanz</td> <td style="text-align: center;">30006224-101</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Transferfolie Harz sw</td> <td style="text-align: center;">30006291-101</td> </tr> </table>			Item -No.	Title	Article-No.	1	Etikett 5" Polyester ws glanz	30006224-101	2	Transferfolie Harz sw	30006291-101	E																																															
Item -No.	Title	Article-No.																																																										
1	Etikett 5" Polyester ws glanz	30006224-101																																																										
2	Transferfolie Harz sw	30006291-101																																																										
F	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width:15%; text-align: center;"> </td> <td style="width:15%;">General tolerances</td> <td style="width:15%;">Surface finish</td> <td style="width:20%;">Scale 1:1</td> <td colspan="2" style="width:35%;">Weight: 0.00 g</td> </tr> <tr> <td style="text-align: center;">DIN ISO 2768 - mK</td> <td style="text-align: center;">DIN ISO 1302</td> <td>Material</td> <td style="width:15%;">Sale No. 12789</td> <td style="width:15%;">Revision A</td> </tr> <tr> <td></td> <td style="text-align: center;">Date</td> <td style="text-align: center;">Signature</td> <td colspan="3" rowspan="4" style="text-align: center; vertical-align: middle;"> Device Label Centrifuge Module (CM) </td> </tr> <tr> <td></td> <td style="text-align: center;">Cre. Part</td> <td style="text-align: center;">wredekk</td> </tr> <tr> <td></td> <td style="text-align: center;">Cre. Drw.</td> <td style="text-align: center;">wredekk</td> </tr> <tr> <td></td> <td style="text-align: center;">Appv'd</td> <td style="text-align: center;">kbe</td> </tr> <tr> <td></td> <td style="text-align: center;">Standard</td> <td></td> <td colspan="3" rowspan="2" style="text-align: center; vertical-align: middle;"> Article No. 20039855-101 </td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td colspan="2" style="text-align: center;"> Abbott Sachsenkamp 5, 20097 Hamburg </td> <td colspan="2" style="text-align: center;"> Sheet 1 / 1 </td> <td style="text-align: center;">F</td> </tr> <tr> <td></td> <td style="text-align: center;">Rev.</td> <td style="text-align: center;">Change</td> <td style="text-align: center;">Date</td> <td style="text-align: center;">Name</td> <td style="text-align: center;">Refer to protection notice ISO 16016</td> <td style="text-align: center;">Replacement for: 20034345</td> <td style="text-align: center;">Replaced by:</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>				General tolerances	Surface finish	Scale 1:1	Weight: 0.00 g		DIN ISO 2768 - mK	DIN ISO 1302	Material	Sale No. 12789	Revision A		Date	Signature	Device Label Centrifuge Module (CM)				Cre. Part	wredekk		Cre. Drw.	wredekk		Appv'd	kbe		Standard		Article No. 20039855-101							Abbott Sachsenkamp 5, 20097 Hamburg		Sheet 1 / 1		F		Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20034345	Replaced by:	1	2	3	4				
	General tolerances	Surface finish	Scale 1:1		Weight: 0.00 g																																																							
	DIN ISO 2768 - mK	DIN ISO 1302	Material	Sale No. 12789	Revision A																																																							
	Date	Signature	Device Label Centrifuge Module (CM)																																																									
	Cre. Part	wredekk																																																										
	Cre. Drw.	wredekk																																																										
	Appv'd	kbe																																																										
	Standard		Article No. 20039855-101																																																									
	Abbott Sachsenkamp 5, 20097 Hamburg		Sheet 1 / 1		F																																																							
	Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20034345	Replaced by:																																																					
1	2	3	4																																																									



Front view
hood closed



Label locations

Front view
hood open



Product label
IC HVIN location

FCC IC label location
(Permanent acrylic
adhesive)