

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
BACKGROUND - WHITE
MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02
CORNER RADIUS - .05 ± .02
ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02

4. DIE CUT TO LINER.
PERFORATE LINER BETWEEN LABELS.
PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND
SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND
LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
6. LABEL MUST BE PROCURED FROM UL AUTHORIZED
SUPPLIER.
7. REFERENCE S14913.
8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART
MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L.
RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8.
EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE
LATEST REVISION OF ABBOTT SPECIFICATION S205053.




CONFIDENTIAL INFORMATION

CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION
WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED
BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: S. Goldston	DATE: 03/03/23	ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA			
	MATERIAL: 2		TITLE: LABEL, R3L FCC - IC ID			
	APPLIED FINISH: None					
DIMENSIONS IN INCHES TOLERANCES .XX ± .02 .XXX ± .010	ANGULAR ± 2° 63 ✓		SCALE 1/1	SIZE B	DWG NO. 80005173-101	REV. A
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.		DO NOT SCALE DRAWING			SHEET 1 OF 1	

1	2	3	4																																										
A				A																																									
B	12.7 * 31.75 * ①06R08-51 ②(12799 A) ②(35032927-101) Abbott			B																																									
C	Fonts: 1) Calibri 8 normal 2) Calibri 7 normal			C																																									
D	*: Deviating dimensions require the consent of Abbott / *: Abweichende Maße bedürfen der Zustimmung durch Abbott			D																																									
E	Material requirements: self-adhesive, abrasion-proof, temperature-resistant from -20 to +80°C / Materialanforderungen: Selbstklebend, abriebfest und temperaturbeständig von -20 bis +80°C			E																																									
F	<table><tr><td colspan="2"></td><td>General tolerances DIN ISO 2768 - mK</td><td>Surface finish DIN ISO 1302</td><td>Scale 1:1 Material</td><td>Weight: 0.00 g Sale No. 12799 Revision A</td></tr><tr><td></td><td></td><td>Date</td><td>Signature</td><td colspan="2" rowspan="5">Component Label, Roundabout 3-entry</td></tr><tr><td></td><td></td><td>Cre. Part 27.07.2023</td><td>wredekk</td></tr><tr><td></td><td></td><td>Cre. Drw. 27.07.2023</td><td>wredekk</td></tr><tr><td></td><td></td><td>Appv`d</td><td></td></tr><tr><td></td><td></td><td>Standard</td><td></td></tr><tr><td></td><td></td><td colspan="3"> Sachsenkamp 5, 20097 Hamburg</td><td>Article No. 35032927-101 Sheet 1 / 1</td></tr><tr><td>Rev.</td><td>Change</td><td>Date</td><td>Name</td><td>Refer to protection notice ISO 16016</td><td>Replacement for:</td><td>Replaced by:</td></tr></table>					General tolerances DIN ISO 2768 - mK	Surface finish DIN ISO 1302	Scale 1:1 Material	Weight: 0.00 g Sale No. 12799 Revision A			Date	Signature	Component Label, Roundabout 3-entry				Cre. Part 27.07.2023	wredekk			Cre. Drw. 27.07.2023	wredekk			Appv`d				Standard				 Sachsenkamp 5, 20097 Hamburg			Article No. 35032927-101 Sheet 1 / 1	Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for:	Replaced by:	F
		General tolerances DIN ISO 2768 - mK	Surface finish DIN ISO 1302	Scale 1:1 Material	Weight: 0.00 g Sale No. 12799 Revision A																																								
		Date	Signature	Component Label, Roundabout 3-entry																																									
		Cre. Part 27.07.2023	wredekk																																										
		Cre. Drw. 27.07.2023	wredekk																																										
		Appv`d																																											
		Standard																																											
		 Sachsenkamp 5, 20097 Hamburg			Article No. 35032927-101 Sheet 1 / 1																																								
Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for:	Replaced by:																																							
1	2	3	4																																										



Component label
IC HVIN location

FCC/IC label location
(Permanent acrylic adhesive)