

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
BACKGROUND - WHITE
MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02
CORNER RADIUS - .05 ± .02
ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02

4. DIE CUT TO LINER.
PERFORATE LINER BETWEEN LABELS.
PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND
SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND
LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
6. LABEL MUST BE PROCURED FROM UL AUTHORIZED
SUPPLIER.
7. REFERENCE S14913.
8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART
MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L.
RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8.
EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE
LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION
CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION
WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED
BY 21CFR 20.61, DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: D. Dominguez	DATE: 03/13/23	 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	MATERIAL:	2			
	APPLIED FINISH:	None	TITLE: LABEL, RCP FCC – IC ID		
	DIMENSIONS IN INCHES TOLERANCES .XX ± .02 .XXX ± .010		SCALE 1/1	SIZE B	DWG NO. 80005178-101
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.		ANGULAR ± 2° 63 ✓		REV. A	
			DO NOT SCALE DRAWING		SHEET 1 OF 1

1	2	3	4																																														
A	102		A																																														
B	GLP systems Track ① Recapper Module SL Double ② Abbott Automation ④ Solutions GmbH Sachsenkamp 5 20097 HAMBURG GERMANY +49 40 809051-111 Product of Germany ⑤ SN M25Exxxxxx ③ REF 06Q09-91 ③ (12792 A) ③ YYYY-MM-DD ③ ⑦ AC 220 V - 230 V '50/60 Hz ⑦ net power P_{typ} 86W / ⑦ P_{max} 179W ⑦ 216 Volt Amps Max UNIT 1 ③ (20039879-101) ③ Data matrix code ④ (01) 00380740208721 (21) M25Exxxxxx (240) 06Q09-91 CE Abbott		B																																														
C	Fonts: 1) Calibri 11 bold 2) Calibri 8 bold 3) Calibri 8 normal 4) Calibri 7 normal 5) Calibri 7 bold 6) Arial 7 bold 7) Calibri 10 normal		C																																														
D	THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2. RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.		D																																														
E	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%;">Item -No.</th> <th style="width: 60%;">Title</th> <th style="width: 30%;">Article-No.</th> </tr> <tr> <td style="text-align: center;">1</td> <td>Etikett 5" Polyester ws glanz</td> <td style="text-align: center;">30006224-101</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Transferfolie Harz sw</td> <td style="text-align: center;">30006291-101</td> </tr> </table>			Item -No.	Title	Article-No.	1	Etikett 5" Polyester ws glanz	30006224-101	2	Transferfolie Harz sw	30006291-101	E																																				
Item -No.	Title	Article-No.																																															
1	Etikett 5" Polyester ws glanz	30006224-101																																															
2	Transferfolie Harz sw	30006291-101																																															
F	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%; text-align: center;"> </td> <td style="width: 15%;"> General tolerances DIN ISO 2768 - mK </td> <td style="width: 15%;"> Surface finish DIN ISO 1302 </td> <td style="width: 20%;"> Scale 1:1 Material See Bill of Material </td> <td style="width: 10%;"> Weight: 0.00 g Sale No. 12792 </td> <td style="width: 10%;"> Revision A </td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Date</td> <td style="text-align: center;">Signature</td> <td colspan="3" rowspan="4" style="text-align: center; vertical-align: middle;"> Device Label Recapper Module SL Double </td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Cre. Part</td> <td style="text-align: center;">kiw</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Cre. Drw.</td> <td style="text-align: center;">kiw</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Appv'd</td> <td style="text-align: center;">evg</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Standard</td> <td></td> <td colspan="3" rowspan="2" style="text-align: center; vertical-align: middle;"> Article No. 20039879-101 </td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">Rev.</td> <td style="text-align: center;">Change</td> <td style="text-align: center;">Date</td> <td style="text-align: center;">Name</td> <td colspan="2" style="text-align: center;">Refer to protection notice ISO 16016</td> <td style="text-align: center;">Replacement for: 20034352</td> <td style="text-align: center;">Replaced by:</td> </tr> </table>					General tolerances DIN ISO 2768 - mK	Surface finish DIN ISO 1302	Scale 1:1 Material See Bill of Material	Weight: 0.00 g Sale No. 12792	Revision A			Date	Signature	Device Label Recapper Module SL Double					Cre. Part	kiw			Cre. Drw.	kiw			Appv'd	evg			Standard		Article No. 20039879-101							Rev.	Change	Date	Name	Refer to protection notice ISO 16016		Replacement for: 20034352	Replaced by:	F
		General tolerances DIN ISO 2768 - mK	Surface finish DIN ISO 1302	Scale 1:1 Material See Bill of Material	Weight: 0.00 g Sale No. 12792	Revision A																																											
		Date	Signature	Device Label Recapper Module SL Double																																													
		Cre. Part	kiw																																														
		Cre. Drw.	kiw																																														
		Appv'd	evg																																														
		Standard		Article No. 20039879-101																																													
Rev.	Change	Date	Name	Refer to protection notice ISO 16016		Replacement for: 20034352	Replaced by:																																										
1	2	3	4																																														



Label locations



Front view
hood open



Product label
IC HVIN location



FCC IC label location
(Permanent acrylic
adhesive)

