

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
BACKGROUND - WHITE
MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02
CORNER RADIUS - .05 ± .02
ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02

4. DIE CUT TO LINER.
PERFORATE LINER BETWEEN LABELS.
PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND
SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND
LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
6. LABEL MUST BE PROCURED FROM UL AUTHORIZED
SUPPLIER.
7. REFERENCE S14913.
8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART
MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L.
RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8.
EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE
LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION
CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION
WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED
BY 21CFR 20.61, DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: D. Dominguez	DATE: 03/13/23	 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA			
	MATERIAL: 2					
DIMENSIONS IN INCHES TOLERANCES .XX ± .02 ANGULAR .XXX ± .010 ± 2° 63 ✓ THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	APPLIED FINISH: None		TITLE: LABEL, RMR FCC – IC ID			
			SCALE 1/1	SIZE B	DWG NO. 80005179-101	REV. A
			DO NOT SCALE DRAWING		SHEET 1 OF 1	

	1	2	3	4																																																																																													
A	ATTENTION PRELIMINARY DRAFT! Only for Information. ACHTUNG VORENTWURF! Nur zur Information.																																																																																																
B	102 51 R2 GLP systems Track Remover Module SL (REM) SN M26Bxxxxxx REF 06Q11-61 (12809 A) YYYY-MM-DD ③ ③ ③ ① ② ④ ⑤ ⑦ ⑦ ⑦ ⑦ Abbott Automation Solutions GmbH Sachsenkamp 5 20097 HAMBURG GERMANY +49 40 809051-111 Product of Germany ③ ③ ③ ③ ③ ③ ③ ③ Data matrix code ④ (01) 00380740208738 (21) M26Bxxxxxx (240) 06Q11-61 CE Abbott <tr><td>C</td><td colspan="4"> Fonts: 1) Calibri 11 bold 2) Calibri 8 bold 3) Calibri 8 normal 4) Calibri 7 normal 5) Calibri 7 bold 6) Arial 7 bold 7) Calibri 10 normal THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2. RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS. </td></tr><tr><td>D</td><td colspan="4"></td></tr><tr><td>E</td><td colspan="5"><table><tr><th>Item -No.</th><th>Title</th><th>Manufacturer</th><th>Manufact. part-no.</th><th>Material</th><th>Article-No.</th></tr><tr><td>1</td><td>Etikett 5" Polyester ws glanz</td><td>Zebra Technologies</td><td>880261-050D</td><td>Z-Ultimate® 3000T White</td><td>30006224</td></tr><tr><td>2</td><td>Transferfolie Harz sw</td><td>Zebra Technologies</td><td>05095GS11007</td><td>Base Film: Polyester black</td><td>30006291</td></tr></table></td></tr><tr><td>F</td><td colspan="5"><table><tr><td colspan="2"></td><td>General tolerances DIN ISO 2768 – mK</td><td>Surface finish DIN ISO 1302</td><td>Scale 1:1 Material</td><td>Weight: 0.00 g Sale No. 12809 Revision</td></tr><tr><td></td><td></td><td>Date</td><td>Signature</td><td colspan="2">Title</td></tr><tr><td></td><td></td><td>Cre. Part 05.12.2022</td><td>kiw</td><td colspan="2">Device Label</td></tr><tr><td></td><td></td><td>Cre. Drw. 10.02.2023</td><td>kiw</td><td colspan="2">Remover Module SL (REM)</td></tr><tr><td></td><td></td><td>Appv`d</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td>Standard</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td colspan="2"> Sachsenkamp 5, 20097 Hamburg</td><td>Article No. 20039880</td><td>Sheet 1 / 1 A4</td></tr><tr><td>Rev.</td><td>Change</td><td>Date</td><td>Name</td><td>Refer to protection notice ISO 16016</td><td>Replacement for: 20035043 Replaced by:</td></tr></table></td></tr><tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td></tr>				C	Fonts: 1) Calibri 11 bold 2) Calibri 8 bold 3) Calibri 8 normal 4) Calibri 7 normal 5) Calibri 7 bold 6) Arial 7 bold 7) Calibri 10 normal THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2. RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.				D					E	<table><tr><th>Item -No.</th><th>Title</th><th>Manufacturer</th><th>Manufact. part-no.</th><th>Material</th><th>Article-No.</th></tr><tr><td>1</td><td>Etikett 5" Polyester ws glanz</td><td>Zebra Technologies</td><td>880261-050D</td><td>Z-Ultimate® 3000T White</td><td>30006224</td></tr><tr><td>2</td><td>Transferfolie Harz sw</td><td>Zebra Technologies</td><td>05095GS11007</td><td>Base Film: Polyester black</td><td>30006291</td></tr></table>					Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.	1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ultimate® 3000T White	30006224	2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291	F	<table><tr><td colspan="2"></td><td>General tolerances DIN ISO 2768 – mK</td><td>Surface finish DIN ISO 1302</td><td>Scale 1:1 Material</td><td>Weight: 0.00 g Sale No. 12809 Revision</td></tr><tr><td></td><td></td><td>Date</td><td>Signature</td><td colspan="2">Title</td></tr><tr><td></td><td></td><td>Cre. Part 05.12.2022</td><td>kiw</td><td colspan="2">Device Label</td></tr><tr><td></td><td></td><td>Cre. Drw. 10.02.2023</td><td>kiw</td><td colspan="2">Remover Module SL (REM)</td></tr><tr><td></td><td></td><td>Appv`d</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td>Standard</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td colspan="2"> Sachsenkamp 5, 20097 Hamburg</td><td>Article No. 20039880</td><td>Sheet 1 / 1 A4</td></tr><tr><td>Rev.</td><td>Change</td><td>Date</td><td>Name</td><td>Refer to protection notice ISO 16016</td><td>Replacement for: 20035043 Replaced by:</td></tr></table>							General tolerances DIN ISO 2768 – mK	Surface finish DIN ISO 1302	Scale 1:1 Material	Weight: 0.00 g Sale No. 12809 Revision			Date	Signature	Title				Cre. Part 05.12.2022	kiw	Device Label				Cre. Drw. 10.02.2023	kiw	Remover Module SL (REM)				Appv`d						Standard						 Sachsenkamp 5, 20097 Hamburg		Article No. 20039880	Sheet 1 / 1 A4	Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20035043 Replaced by:		1	2	3	4
C	Fonts: 1) Calibri 11 bold 2) Calibri 8 bold 3) Calibri 8 normal 4) Calibri 7 normal 5) Calibri 7 bold 6) Arial 7 bold 7) Calibri 10 normal THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2. RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.																																																																																																
D																																																																																																	
E	<table><tr><th>Item -No.</th><th>Title</th><th>Manufacturer</th><th>Manufact. part-no.</th><th>Material</th><th>Article-No.</th></tr><tr><td>1</td><td>Etikett 5" Polyester ws glanz</td><td>Zebra Technologies</td><td>880261-050D</td><td>Z-Ultimate® 3000T White</td><td>30006224</td></tr><tr><td>2</td><td>Transferfolie Harz sw</td><td>Zebra Technologies</td><td>05095GS11007</td><td>Base Film: Polyester black</td><td>30006291</td></tr></table>					Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.	1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ultimate® 3000T White	30006224	2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291																																																																										
Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.																																																																																												
1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ultimate® 3000T White	30006224																																																																																												
2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291																																																																																												
F	<table><tr><td colspan="2"></td><td>General tolerances DIN ISO 2768 – mK</td><td>Surface finish DIN ISO 1302</td><td>Scale 1:1 Material</td><td>Weight: 0.00 g Sale No. 12809 Revision</td></tr><tr><td></td><td></td><td>Date</td><td>Signature</td><td colspan="2">Title</td></tr><tr><td></td><td></td><td>Cre. Part 05.12.2022</td><td>kiw</td><td colspan="2">Device Label</td></tr><tr><td></td><td></td><td>Cre. Drw. 10.02.2023</td><td>kiw</td><td colspan="2">Remover Module SL (REM)</td></tr><tr><td></td><td></td><td>Appv`d</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td>Standard</td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td colspan="2"> Sachsenkamp 5, 20097 Hamburg</td><td>Article No. 20039880</td><td>Sheet 1 / 1 A4</td></tr><tr><td>Rev.</td><td>Change</td><td>Date</td><td>Name</td><td>Refer to protection notice ISO 16016</td><td>Replacement for: 20035043 Replaced by:</td></tr></table>							General tolerances DIN ISO 2768 – mK	Surface finish DIN ISO 1302	Scale 1:1 Material	Weight: 0.00 g Sale No. 12809 Revision			Date	Signature	Title				Cre. Part 05.12.2022	kiw	Device Label				Cre. Drw. 10.02.2023	kiw	Remover Module SL (REM)				Appv`d						Standard						 Sachsenkamp 5, 20097 Hamburg		Article No. 20039880	Sheet 1 / 1 A4	Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20035043 Replaced by:																																												
		General tolerances DIN ISO 2768 – mK	Surface finish DIN ISO 1302	Scale 1:1 Material	Weight: 0.00 g Sale No. 12809 Revision																																																																																												
		Date	Signature	Title																																																																																													
		Cre. Part 05.12.2022	kiw	Device Label																																																																																													
		Cre. Drw. 10.02.2023	kiw	Remover Module SL (REM)																																																																																													
		Appv`d																																																																																															
		Standard																																																																																															
		 Sachsenkamp 5, 20097 Hamburg		Article No. 20039880	Sheet 1 / 1 A4																																																																																												
Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20035043 Replaced by:																																																																																												
	1	2	3	4																																																																																													



Label locations



Front view
hood open

Product label
IC HVIN location

FCC IC label location
(Permanent acrylic
adhesive)

