





EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	
EUT View 2	

EUT View 3	 A black rectangular remote control is shown from a top-down perspective. It features six circular buttons arranged in two columns. The left column contains buttons labeled 'Timing', 'CCT+', and 'Light+'. The right column contains buttons labeled 'On/Off', 'CCT-', and 'Light-'. The 'lastar' logo is printed in blue at the bottom. A metal ruler is positioned horizontally below the remote, showing markings from 18 to 29 cm.
EUT View 4	 The bottom view of the remote control is shown. The 'lastar' logo is visible on the left side. The buttons are arranged in two columns: the left column has 'Light+', 'Light-', and 'CCT+'; the right column has 'CCT-', 'Timing', and 'On/Off'. A metal ruler is placed horizontally below the remote, showing markings from 20 to 31 cm.

EUT View 5	 A top-down view of a black rectangular electronic device. The device has a blue 'Lostar' logo at the top. Below the logo, there are two rows of three circular buttons each. The top row buttons are labeled 'Light+', 'CCT+', and 'Timing'. The bottom row buttons are labeled 'Light-', 'CCT-', and 'On/Off'. A metal ruler is placed horizontally below the device, showing markings from 21 to 31 cm.
EUT View 6	 A bottom-up view of the same black rectangular electronic device. The device has a blue 'Lostar' logo on the right side. Above the logo, there are two rows of three circular buttons each. The top row buttons are labeled 'Light+', 'CCT+', and 'Timing'. The bottom row buttons are labeled 'Light-', 'CCT-', and 'On/Off'. A metal ruler is placed horizontally below the device, showing markings from 22 to 31 cm.