



Appendix A

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: True wireless headphones

Trade Mark: N/A

Test Model: Minipods2

Environmental Conditions

Temperature:	25.5℃
Relative Humidity:	52.4%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

Page

COVER PAGE


1 Duty Cycle	3
1.1 Test Result	3
1.2 Test Graphs	4
2 Maximum Conducted Peak Output Power	7
2.1 Test Result	7
2.2 Test Graphs	8
3 20dB Bandwidth	11
3.1 Test Result	11
3.2 Test Graphs	12
4 Carrier Frequency Separation	15
4.1 Test Result	15
4.2 Test Graphs	16
5 Hopping Channel Number	17
5.1 Test Result	17
5.2 Test Graphs	18
6 Dwell Time	19
6.1 Test Result	19
6.2 Test Graphs	20
7 RF Conducted Spurious Emissions	22
7.1 Test Result	22
7.2 Test Graphs	23
8 Band-edge for RF Conducted Emissions	29
8.1 Test Result	29
8.2 Test Graphs	30
9 Restrict-band band-edge measurements	38
9.1 Test Result	38
9.2 Test Graphs	39


1 Duty Cycle


1.1 Test Result

Mode	Frequency (MHz)	Duty Cycle (%)	1/T (kHz)
1-DH1	2402	31.21	2.63
1-DH1	2441	32	2.56
1-DH1	2480	31.83	2.56
2-DH1	2402	32.8	2.5
2-DH1	2441	32.01	2.56
2-DH1	2480	32	2.56

1.2 Test Graphs








2 Maximum Conducted Peak Output Power


2.1 Test Result

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-2.15	21	Pass
	MCH	-2.36	21	Pass
	HCH	-1.35	21	Pass
$\pi/4$ DQPSK	LCH	-1.54	21	Pass
	MCH	-1.87	21	Pass
	HCH	-0.67	21	Pass


2.2 Test Graphs



GFSK/HCH




$\pi/4$ DQPSK/LCH



$\pi/4$ DQPSK/MCH



$\pi/4$ DQPSK/HCH




3 20dB Bandwidth


3.1 Test Result

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.968	Not Specified	Pass
	MCH	1.01	Not Specified	Pass
	HCH	1.028	Not Specified	Pass
$\pi/4$ DQPSK	LCH	1.248	Not Specified	Pass
	MCH	1.278	Not Specified	Pass
	HCH	1.226	Not Specified	Pass


3.2 Test Graphs




GFSK/HCH


 $\pi/4$ DQPSK/LCH


$\pi/4$ DQPSK/MCH



$\pi/4$ DQPSK/HCH




4 Carrier Frequency Separation

4.1 Test Result

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	MCH	1.009	0.673	Pass
$\pi/4$ DQPSK	MCH	1.001	0.852	Pass

4.2 Test Graphs




5 Hopping Channel Number

5.1 Test Result

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	≥ 15	PASS
$\pi/4$ DQPSK	Hop	79	≥ 15	PASS

5.2 Test Graphs




6 Dwell Time



6.1 Test Result

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[ms]	Limit [s]	Verdict
GFSK	DH5	MCH	2.886	113	326.118	0.4	Pass
$\pi/4$ DQPSK	2DH5	MCH	2.892	123	355.716	0.4	Pass

6.2 Test Graphs



$\pi/4$ DQPSK
_2DH5/MCH




7 RF Conducted Spurious Emissions

7.1 Test Result


Mode	Channel	Max. Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	-39.06	-20	Pass
	MCH	-38.1	-20	Pass
	HCH	-40	-20	Pass
$\pi/4$ DQPSK	LCH	-39.09	-20	Pass
	MCH	-38.49	-20	Pass
	HCH	-39.77	-20	Pass

7.2 Test Graphs




GFSK_MCH_Graphs

Pref




Puw




GFSK_HCH_Graphs

Pref




Puw




$\pi/4$ DQPSK_LCH_Graphs

Pref




Puw




π /4DQPSK_MCH_Graphs

Pref




Puw




$\pi/4$ DQPSK_HCH_Graphs

Pref



Puw



8 Band-edge for RF Conducted Emissions

8.1 Test Result

Mode	Channel	Carrier Frequency [MHz]	Frequency Hopping	Max Spurious Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	2402	Off	-52.51	-20	Pass
			On	-51.46	-20	Pass
	HCH	2480	Off	-52.19	-20	Pass
			On	-52.01	-20	Pass
$\pi/4$ DQPSK	LCH	2402	Off	-52.94	-20	Pass
			On	-51.84	-20	Pass
	HCH	2480	Off	-52.37	-20	Pass
			On	-51.5	-20	Pass