


Mode: N20

Channel: 5200MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2992.6000       | 35.81            | 41.82          | 6.01        | 68.23          | 26.41       | 150         | 0         | PK  | Vertical | PASS    |
| 2   | 3588.4000       | 34.98            | 42.65          | 7.67        | 68.23          | 25.58       | 150         | 147       | PK  | Vertical | PASS    |
| 3   | 7709.9100       | 51.78            | 43.29          | -8.49       | 74.00          | 30.71       | 150         | 64        | PK  | Vertical | PASS    |
| 4   | 8787.7800       | 59.37            | 52.87          | -6.50       | 68.23          | 15.36       | 150         | 89        | PK  | Vertical | PASS    |
| 5   | 10401.2300      | 63.09            | 59.19          | -3.90       | 68.23          | 9.04        | 150         | 116       | PK  | Vertical | PASS    |
| 6   | 14049.6400      | 47.63            | 49.45          | 1.82        | 68.23          | 18.78       | 150         | 292       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5240MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1831.0000       | 35.97            | 37.20          | 1.23        | 68.23          | 31.03       | 150         | 145       | PK  | Horizontal | PASS    |
| 2   | 2113.6000       | 36.74            | 38.87          | 2.13        | 68.23          | 29.36       | 150         | 196       | PK  | Horizontal | PASS    |
| 3   | 6947.4100       | 52.36            | 42.94          | -9.42       | 68.23          | 25.29       | 150         | 330       | PK  | Horizontal | PASS    |
| 4   | 8916.4900       | 50.52            | 44.39          | -6.13       | 68.23          | 23.84       | 150         | 159       | PK  | Horizontal | PASS    |
| 5   | 10480.5300      | 63.14            | 59.42          | -3.72       | 68.23          | 8.81        | 150         | 88        | PK  | Horizontal | PASS    |
| 6   | 14025.8500      | 47.95            | 49.57          | 1.62        | 68.23          | 18.66       | 150         | 218       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5240MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2101.0000       | 36.43            | 38.64          | 2.21        | 68.23          | 29.59       | 150         | 4         | PK  | Vertical | PASS    |
| 2   | 3459.4000       | 34.63            | 41.62          | 6.99        | 68.23          | 26.61       | 150         | 305       | PK  | Vertical | PASS    |
| 3   | 7658.0600       | 51.97            | 43.58          | -8.39       | 74.00          | 30.42       | 150         | 169       | PK  | Vertical | PASS    |
| 4   | 8766.4300       | 53.95            | 47.25          | -6.70       | 68.23          | 20.98       | 150         | 95        | PK  | Vertical | PASS    |
| 5   | 10478.0900      | 62.99            | 59.27          | -3.72       | 68.23          | 8.96        | 150         | 0         | PK  | Vertical | PASS    |
| 6   | 14306.4500      | 48.05            | 49.19          | 1.14        | 68.23          | 19.04       | 150         | 83        | PK  | Vertical | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5260MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2546.2000       | 36.40            | 40.34          | 3.94        | 68.23          | 27.89       | 150         | 122       | PK  | Horizontal | PASS    |
| 2   | 3131.8000       | 36.07            | 42.41          | 6.34        | 68.23          | 25.82       | 150         | 244       | PK  | Horizontal | PASS    |
| 3   | 7712.3500       | 52.59            | 44.16          | -8.43       | 74.00          | 29.84       | 150         | 2         | PK  | Horizontal | PASS    |
| 4   | 10519.5700      | 58.51            | 54.97          | -3.54       | 68.23          | 13.26       | 150         | 90        | PK  | Horizontal | PASS    |
| 5   | 12825.3700      | 48.12            | 47.66          | -0.46       | 68.23          | 20.57       | 150         | 8         | PK  | Horizontal | PASS    |
| 6   | 14041.7100      | 46.98            | 49.08          | 2.10        | 68.23          | 19.15       | 150         | 8         | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5260MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1815.4000       | 35.48            | 36.57          | 1.09        | 68.23          | 31.66       | 150         | 315       | PK  | Vertical | PASS    |
| 2   | 3330.4000       | 35.13            | 41.79          | 6.66        | 68.23          | 26.44       | 150         | 47        | PK  | Vertical | PASS    |
| 3   | 7967.9400       | 51.79            | 44.22          | -7.57       | 68.23          | 24.01       | 150         | 15        | PK  | Vertical | PASS    |
| 4   | 8761.5500       | 52.29            | 45.55          | -6.74       | 68.23          | 22.68       | 150         | 28        | PK  | Vertical | PASS    |
| 5   | 10515.9100      | 60.57            | 56.99          | -3.58       | 68.23          | 11.24       | 150         | 41        | PK  | Vertical | PASS    |
| 6   | 13990.4700      | 48.81            | 50.04          | 1.23        | 68.23          | 18.19       | 150         | 209       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5280MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2338.0000       | 35.79            | 38.61          | 2.82        | 74.00          | 35.39       | 150         | 358       | PK  | Horizontal | PASS    |
| 2   | 3257.8000       | 34.82            | 41.44          | 6.62        | 68.23          | 26.79       | 150         | 96        | PK  | Horizontal | PASS    |
| 3   | 8526.7000       | 51.52            | 44.21          | -7.31       | 68.23          | 24.02       | 150         | 313       | PK  | Horizontal | PASS    |
| 4   | 10558.6100      | 60.05            | 56.81          | -3.24       | 68.23          | 11.42       | 150         | 69        | PK  | Horizontal | PASS    |
| 5   | 11677.3500      | 48.42            | 46.43          | -1.99       | 74.00          | 27.57       | 150         | 50        | PK  | Horizontal | PASS    |
| 6   | 14030.1200      | 48.07            | 49.85          | 1.78        | 68.23          | 18.38       | 150         | 37        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5280MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2920.6000       | 38.80            | 44.25          | 5.45        | 68.23          | 23.98       | 150         | 106       | PK  | Vertical | PASS    |
| 2   | 3669.4000       | 34.55            | 42.58          | 8.03        | 74.00          | 31.42       | 150         | 23        | PK  | Vertical | PASS    |
| 3   | 7040.1300       | 52.55            | 43.24          | -9.31       | 68.23          | 24.99       | 150         | 19        | PK  | Vertical | PASS    |
| 4   | 8763.9900       | 56.94            | 50.23          | -6.71       | 68.23          | 18.00       | 150         | 84        | PK  | Vertical | PASS    |
| 5   | 10562.8800      | 59.95            | 56.72          | -3.23       | 68.23          | 11.51       | 150         | 356       | PK  | Vertical | PASS    |
| 6   | 13883.1100      | 47.38            | 48.76          | 1.38        | 68.23          | 19.47       | 150         | 52        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5320MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1905.4000       | 36.92            | 38.43          | 1.51        | 68.23          | 29.80       | 150         | 62        | PK  | Horizontal | PASS    |
| 2   | 2843.8000       | 35.48            | 40.80          | 5.32        | 74.00          | 33.20       | 150         | 194       | PK  | Horizontal | PASS    |
| 3   | 4286.8000       | 33.44            | 43.96          | 10.52       | 74.00          | 30.04       | 150         | 142       | PK  | Horizontal | PASS    |
| 4   | 8809.7400       | 50.40            | 43.91          | -6.49       | 68.23          | 24.32       | 150         | 240       | PK  | Horizontal | PASS    |
| 5   | 10639.1300      | 59.39            | 55.97          | -3.42       | 74.00          | 18.03       | 150         | 80        | PK  | Horizontal | PASS    |
| 6   | 13847.7300      | 47.20            | 48.63          | 1.43        | 68.23          | 19.60       | 150         | 304       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5320MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1926.4000       | 37.46            | 38.89          | 1.43        | 68.23          | 29.34       | 150         | 4         | PK  | Vertical | PASS    |
| 2   | 3643.6000       | 33.80            | 41.71          | 7.91        | 74.00          | 32.29       | 150         | 36        | PK  | Vertical | PASS    |
| 3   | 6948.0200       | 52.76            | 43.34          | -9.42       | 68.23          | 24.89       | 150         | 160       | PK  | Vertical | PASS    |
| 4   | 8760.9400       | 60.72            | 53.98          | -6.74       | 68.23          | 14.25       | 150         | 82        | PK  | Vertical | PASS    |
| 5   | 10636.0800      | 61.79            | 58.40          | -3.39       | 74.00          | 15.60       | 150         | 0         | PK  | Vertical | PASS    |
| 6   | 13841.6300      | 47.79            | 49.30          | 1.51        | 68.23          | 18.93       | 150         | 309       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3885.0000       | 34.58            | 43.70          | 9.12        | 74.00          | 30.30       | 150         | 61        | PK  | Horizontal | PASS    |
| 2   | 4874.3750       | 34.15            | 46.87          | 12.72       | 74.00          | 27.13       | 150         | 298       | PK  | Horizontal | PASS    |
| 3   | 7962.0000       | 51.77            | 44.18          | -7.59       | 68.23          | 24.05       | 150         | 245       | PK  | Horizontal | PASS    |
| 4   | 9562.2000       | 50.37            | 46.14          | -4.23       | 68.23          | 22.09       | 150         | 4         | PK  | Horizontal | PASS    |
| 5   | 10998.6000      | 51.48            | 48.49          | -2.99       | 74.00          | 25.51       | 150         | 345       | PK  | Horizontal | PASS    |
| 6   | 15357.6000      | 47.27            | 50.38          | 3.11        | 74.00          | 23.62       | 150         | 141       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3918.7500       | 34.53            | 43.87          | 9.34        | 74.00          | 30.13       | 150         | 16        | PK  | Vertical | PASS    |
| 2   | 4970.0000       | 35.80            | 49.54          | 13.74       | 74.00          | 24.46       | 150         | 329       | PK  | Vertical | PASS    |
| 3   | 7072.2000       | 54.57            | 45.18          | -9.39       | 68.23          | 23.05       | 150         | 262       | PK  | Vertical | PASS    |
| 4   | 8796.6000       | 56.61            | 50.21          | -6.40       | 68.23          | 18.02       | 150         | 92        | PK  | Vertical | PASS    |
| 5   | 11002.2000      | 52.69            | 49.69          | -3.00       | 74.00          | 24.31       | 150         | 280       | PK  | Vertical | PASS    |
| 6   | 15313.8000      | 47.72            | 50.95          | 3.23        | 68.23          | 17.28       | 150         | 300       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5600MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3847.5000       | 35.79            | 44.88          | 9.09        | 74.00          | 29.12       | 150         | 142       | PK  | Horizontal | PASS    |
| 2   | 4912.5000       | 33.56            | 46.40          | 12.84       | 74.00          | 27.60       | 150         | 155       | PK  | Horizontal | PASS    |
| 3   | 8569.8000       | 51.97            | 44.82          | -7.15       | 68.23          | 23.41       | 150         | 101       | PK  | Horizontal | PASS    |
| 4   | 10161.6000      | 52.31            | 48.15          | -4.16       | 68.23          | 20.08       | 150         | 52        | PK  | Horizontal | PASS    |
| 5   | 11198.4000      | 54.78            | 52.35          | -2.43       | 74.00          | 21.65       | 150         | 58        | PK  | Horizontal | PASS    |
| 6   | 14632.8000      | 49.36            | 50.74          | 1.38        | 68.23          | 17.49       | 150         | 58        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5600MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 4976.2500       | 34.34            | 48.10          | 13.76       | 74.00          | 25.90       | 150         | 0         | PK  | Vertical | PASS    |
| 2   | 8110.2000       | 53.59            | 45.83          | -7.76       | 74.00          | 28.17       | 150         | 24        | PK  | Vertical | PASS    |
| 3   | 8757.6000       | 53.81            | 47.04          | -6.77       | 68.23          | 21.19       | 150         | 93        | PK  | Vertical | PASS    |
| 4   | 11202.0000      | 53.44            | 51.09          | -2.35       | 74.00          | 22.91       | 150         | 191       | PK  | Vertical | PASS    |
| 5   | 14538.0000      | 48.47            | 50.40          | 1.93        | 68.23          | 17.83       | 150         | 143       | PK  | Vertical | PASS    |
| 6   | 16795.2000      | 49.18            | 53.46          | 4.28        | 68.23          | 14.77       | 150         | 80        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5700MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2684.3600       | 35.58            | 40.20          | 4.62        | 68.23          | 28.03       | 150         | 93        | PK  | Horizontal | PASS    |
| 2   | 3849.8800       | 34.12            | 43.18          | 9.06        | 74.00          | 30.82       | 150         | 129       | PK  | Horizontal | PASS    |
| 3   | 9325.4100       | 50.65            | 45.18          | -5.47       | 74.00          | 28.82       | 150         | 258       | PK  | Horizontal | PASS    |
| 4   | 10185.7800      | 50.38            | 46.03          | -4.35       | 68.23          | 22.20       | 150         | 252       | PK  | Horizontal | PASS    |
| 5   | 11404.6800      | 52.03            | 49.10          | -2.93       | 74.00          | 24.90       | 150         | 50        | PK  | Horizontal | PASS    |
| 6   | 14088.8100      | 48.21            | 49.69          | 1.48        | 68.23          | 18.54       | 150         | 252       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5700MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 4969.8400       | 34.07            | 47.80          | 13.73       | 74.00          | 26.20       | 150         | 107       | PK  | Vertical | PASS    |
| 2   | 8787.3600       | 56.67            | 50.06          | -6.61       | 68.23          | 18.17       | 150         | 93        | PK  | Vertical | PASS    |
| 3   | 9625.8000       | 51.02            | 46.15          | -4.87       | 68.23          | 22.08       | 150         | 139       | PK  | Vertical | PASS    |
| 4   | 11402.6400      | 50.45            | 47.45          | -3.00       | 74.00          | 26.55       | 150         | 238       | PK  | Vertical | PASS    |
| 5   | 14042.9100      | 47.10            | 49.15          | 2.05        | 68.23          | 19.08       | 150         | 309       | PK  | Vertical | PASS    |
| 6   | 17105.9700      | 52.10            | 56.08          | 3.98        | 68.23          | 12.15       | 150         | 75        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2013.8800       | 35.56            | 37.39          | 1.83        | 68.23          | 30.84       | 150         | 306       | PK  | Horizontal | PASS    |
| 2   | 3098.4800       | 35.19            | 41.68          | 6.49        | 68.23          | 26.55       | 150         | 117       | PK  | Horizontal | PASS    |
| 3   | 8653.7400       | 52.09            | 45.31          | -6.78       | 68.23          | 22.92       | 150         | 339       | PK  | Horizontal | PASS    |
| 4   | 10167.9300      | 50.98            | 46.70          | -4.28       | 68.23          | 21.53       | 150         | 199       | PK  | Horizontal | PASS    |
| 5   | 13055.5500      | 47.02            | 47.36          | 0.34        | 68.23          | 20.87       | 150         | 76        | PK  | Horizontal | PASS    |
| 6   | 14860.4400      | 48.57            | 50.81          | 2.24        | 68.23          | 17.42       | 150         | 82        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3891.3600       | 34.18            | 43.37          | 9.19        | 74.00          | 30.63       | 150         | 62        | PK  | Vertical | PASS    |
| 2   | 4877.3600       | 34.38            | 47.01          | 12.63       | 74.00          | 26.99       | 150         | 118       | PK  | Vertical | PASS    |
| 3   | 8779.2000       | 59.24            | 52.70          | -6.54       | 68.23          | 15.53       | 150         | 97        | PK  | Vertical | PASS    |
| 4   | 9951.6900       | 50.73            | 46.37          | -4.36       | 68.23          | 21.86       | 150         | 242       | PK  | Vertical | PASS    |
| 5   | 11489.8500      | 50.81            | 48.56          | -2.25       | 74.00          | 25.44       | 150         | 114       | PK  | Vertical | PASS    |
| 6   | 15358.2000      | 48.05            | 50.82          | 2.77        | 74.00          | 23.18       | 150         | 102       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 4187.8400       | 35.18            | 45.36          | 10.18       | 74.00          | 28.64       | 150         | 299       | PK  | Horizontal | PASS    |
| 2   | 4973.9200       | 33.02            | 46.85          | 13.83       | 74.00          | 27.15       | 150         | 313       | PK  | Horizontal | PASS    |
| 3   | 9335.6100       | 51.95            | 46.60          | -5.35       | 74.00          | 27.40       | 150         | 95        | PK  | Horizontal | PASS    |
| 4   | 11569.9200      | 51.07            | 49.16          | -1.91       | 74.00          | 24.84       | 150         | 209       | PK  | Horizontal | PASS    |
| 5   | 13743.5400      | 48.95            | 49.15          | 0.20        | 68.23          | 19.08       | 150         | 58        | PK  | Horizontal | PASS    |
| 6   | 15856.9800      | 48.32            | 50.91          | 2.59        | 74.00          | 23.09       | 150         | 255       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 4271.4800       | 34.51            | 44.90          | 10.39       | 74.00          | 29.10       | 150         | 228       | PK  | Vertical | PASS    |
| 2   | 8795.0100       | 56.46            | 49.79          | -6.67       | 68.23          | 18.44       | 150         | 89        | PK  | Vertical | PASS    |
| 3   | 10858.9800      | 49.98            | 46.62          | -3.36       | 74.00          | 27.38       | 150         | 123       | PK  | Vertical | PASS    |
| 4   | 11569.9200      | 52.93            | 51.02          | -1.91       | 74.00          | 22.98       | 150         | 359       | PK  | Vertical | PASS    |
| 5   | 15626.9700      | 46.99            | 50.47          | 3.48        | 74.00          | 23.53       | 150         | 102       | PK  | Vertical | PASS    |
| 6   | 17482.8600      | 48.49            | 53.08          | 4.59        | 68.23          | 15.15       | 150         | 347       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 4241.5600       | 35.41            | 45.61          | 10.20       | 74.00          | 28.39       | 150         | 189       | PK  | Horizontal | PASS    |
| 2   | 5065.0400       | 34.48            | 47.71          | 13.23       | 74.00          | 26.29       | 150         | 60        | PK  | Horizontal | PASS    |
| 3   | 9397.3200       | 50.19            | 45.35          | -4.84       | 74.00          | 28.65       | 150         | 106       | PK  | Horizontal | PASS    |
| 4   | 11651.0100      | 50.01            | 47.89          | -2.12       | 74.00          | 26.11       | 150         | 150       | PK  | Horizontal | PASS    |
| 5   | 14036.7900      | 47.38            | 49.41          | 2.03        | 68.23          | 18.82       | 150         | 74        | PK  | Horizontal | PASS    |
| 6   | 17121.2700      | 48.32            | 52.29          | 3.97        | 68.23          | 15.94       | 150         | 86        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3727.4800       | 35.93            | 44.05          | 8.12        | 74.00          | 29.95       | 150         | 269       | PK  | Vertical | PASS    |
| 2   | 4975.9600       | 33.11            | 46.88          | 13.77       | 74.00          | 27.12       | 150         | 206       | PK  | Vertical | PASS    |
| 3   | 8759.3100       | 54.54            | 47.93          | -6.61       | 68.23          | 20.30       | 150         | 83        | PK  | Vertical | PASS    |
| 4   | 11654.5800      | 52.26            | 50.14          | -2.12       | 74.00          | 23.86       | 150         | 12        | PK  | Vertical | PASS    |
| 5   | 14032.7100      | 48.20            | 50.07          | 1.87        | 68.23          | 18.16       | 150         | 280       | PK  | Vertical | PASS    |
| 6   | 17473.6800      | 50.23            | 54.55          | 4.32        | 68.23          | 13.68       | 150         | 71        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3767.8000       | 34.00            | 42.62          | 8.62        | 74.00          | 31.38       | 150         | 198       | PK  | Horizontal | PASS    |
| 2   | 4386.4000       | 35.40            | 46.03          | 10.63       | 74.00          | 27.97       | 150         | 34        | PK  | Horizontal | PASS    |
| 3   | 7052.9400       | 53.23            | 44.04          | -9.19       | 68.23          | 24.19       | 150         | 275       | PK  | Horizontal | PASS    |
| 4   | 8021.0100       | 51.41            | 44.01          | -7.40       | 68.23          | 24.22       | 150         | 92        | PK  | Horizontal | PASS    |
| 5   | 10380.4900      | 56.31            | 52.56          | -3.75       | 68.23          | 15.67       | 150         | 99        | PK  | Horizontal | PASS    |
| 6   | 14941.4600      | 48.16            | 49.47          | 1.31        | 68.23          | 18.76       | 150         | 40        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3199.6000       | 39.98            | 46.38          | 6.40        | 68.23          | 21.85       | 150         | 45        | PK  | Vertical | PASS    |
| 2   | 3826.6000       | 34.71            | 43.40          | 8.69        | 74.00          | 30.60       | 150         | 326       | PK  | Vertical | PASS    |
| 3   | 7914.8700       | 52.19            | 44.33          | -7.86       | 68.23          | 23.90       | 150         | 160       | PK  | Vertical | PASS    |
| 4   | 9946.1700       | 51.30            | 47.43          | -3.87       | 68.23          | 20.80       | 150         | 11        | PK  | Vertical | PASS    |
| 5   | 10379.2700      | 59.58            | 55.82          | -3.76       | 68.23          | 12.41       | 150         | 73        | PK  | Vertical | PASS    |
| 6   | 13873.3500      | 48.68            | 50.11          | 1.43        | 68.23          | 18.12       | 150         | 326       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5230MHz

Test Graph



### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3770.8000       | 34.79            | 43.52          | 8.73        | 74.00          | 30.48       | 150         | 40        | PK  | Horizontal | PASS    |
| 2   | 4288.6000       | 34.47            | 45.02          | 10.55       | 74.00          | 28.98       | 150         | 354       | PK  | Horizontal | PASS    |
| 3   | 7988.0700       | 51.68            | 44.30          | -7.38       | 68.23          | 23.93       | 150         | 100       | PK  | Horizontal | PASS    |
| 4   | 10469.5500      | 52.62            | 48.88          | -3.74       | 68.23          | 19.35       | 150         | 205       | PK  | Horizontal | PASS    |
| 5   | 13655.5800      | 48.56            | 49.62          | 1.06        | 68.23          | 18.61       | 150         | 64        | PK  | Horizontal | PASS    |
| 6   | 16658.0000      | 48.64            | 52.41          | 3.77        | 68.23          | 15.82       | 150         | 160       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5230MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 4000.0000       | 35.97            | 45.27          | 9.30        | 74.00          | 28.73       | 150         | 103       | PK  | Vertical | PASS    |
| 2   | 6462.4600       | 52.98            | 42.84          | -10.14      | 68.23          | 25.39       | 150         | 102       | PK  | Vertical | PASS    |
| 3   | 6869.3300       | 53.35            | 43.62          | -9.73       | 68.23          | 24.61       | 150         | 66        | PK  | Vertical | PASS    |
| 4   | 8776.1900       | 60.78            | 54.16          | -6.62       | 68.23          | 14.07       | 150         | 83        | PK  | Vertical | PASS    |
| 5   | 10479.3100      | 54.54            | 50.82          | -3.72       | 68.23          | 17.41       | 150         | 356       | PK  | Vertical | PASS    |
| 6   | 14721.8600      | 48.36            | 50.41          | 2.05        | 68.23          | 17.82       | 150         | 289       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5270MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3745.6000       | 34.97            | 43.62          | 8.65        | 74.00          | 30.38       | 150         | 168       | PK  | Horizontal | PASS    |
| 2   | 4329.4000       | 34.33            | 44.74          | 10.41       | 74.00          | 29.26       | 150         | 118       | PK  | Horizontal | PASS    |
| 3   | 8783.5100       | 51.75            | 45.20          | -6.55       | 68.23          | 23.03       | 150         | 66        | PK  | Horizontal | PASS    |
| 4   | 10545.8000      | 52.65            | 49.10          | -3.55       | 68.23          | 19.13       | 150         | 77        | PK  | Horizontal | PASS    |
| 5   | 13334.1100      | 47.12            | 48.03          | 0.91        | 74.00          | 25.97       | 150         | 230       | PK  | Horizontal | PASS    |
| 6   | 16054.1000      | 48.74            | 51.71          | 2.97        | 74.00          | 22.29       | 150         | 0         | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5270MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3775.6000       | 35.45            | 44.19          | 8.74        | 74.00          | 29.81       | 150         | 147       | PK  | Vertical | PASS    |
| 2   | 4233.4000       | 34.41            | 44.66          | 10.25       | 74.00          | 29.34       | 150         | 116       | PK  | Vertical | PASS    |
| 3   | 7829.4700       | 52.94            | 44.49          | -8.45       | 68.23          | 23.74       | 150         | 282       | PK  | Vertical | PASS    |
| 4   | 8793.8800       | 61.10            | 54.66          | -6.44       | 68.23          | 13.57       | 150         | 92        | PK  | Vertical | PASS    |
| 5   | 10547.0200      | 53.56            | 50.03          | -3.53       | 68.23          | 18.20       | 150         | 46        | PK  | Vertical | PASS    |
| 6   | 13873.3500      | 49.73            | 51.16          | 1.43        | 68.23          | 17.07       | 150         | 92        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3824.2000       | 35.25            | 43.91          | 8.66        | 74.00          | 30.09       | 150         | 4         | PK  | Horizontal | PASS    |
| 2   | 4484.8000       | 33.40            | 44.73          | 11.33       | 68.23          | 23.50       | 150         | 339       | PK  | Horizontal | PASS    |
| 3   | 8296.7300       | 52.30            | 44.99          | -7.31       | 74.00          | 29.01       | 150         | 242       | PK  | Horizontal | PASS    |
| 4   | 9578.3400       | 50.72            | 46.44          | -4.28       | 68.23          | 21.79       | 150         | 162       | PK  | Horizontal | PASS    |
| 5   | 10615.9500      | 54.70            | 51.53          | -3.17       | 74.00          | 22.47       | 150         | 92        | PK  | Horizontal | PASS    |
| 6   | 13858.7100      | 47.97            | 49.25          | 1.28        | 68.23          | 18.98       | 150         | 0         | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3839.8000       | 34.81            | 43.98          | 9.17        | 74.00          | 30.02       | 150         | 124       | PK  | Vertical | PASS    |
| 2   | 4740.4000       | 33.08            | 45.39          | 12.31       | 74.00          | 28.61       | 150         | 124       | PK  | Vertical | PASS    |
| 3   | 7387.2200       | 53.85            | 44.57          | -9.28       | 74.00          | 29.43       | 150         | 160       | PK  | Vertical | PASS    |
| 4   | 8784.7300       | 56.77            | 50.23          | -6.54       | 68.23          | 18.00       | 150         | 89        | PK  | Vertical | PASS    |
| 5   | 10622.0500      | 53.11            | 49.85          | -3.26       | 74.00          | 24.15       | 150         | 18        | PK  | Vertical | PASS    |
| 6   | 13872.7400      | 48.04            | 49.46          | 1.42        | 68.23          | 18.77       | 150         | 244       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5510MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3813.7500       | 34.79            | 43.65          | 8.86        | 74.00          | 30.35       | 150         | 42        | PK  | Horizontal | PASS    |
| 2   | 4250.0000       | 34.68            | 45.13          | 10.45       | 74.00          | 28.87       | 150         | 52        | PK  | Horizontal | PASS    |
| 3   | 8025.6000       | 53.14            | 45.65          | -7.49       | 74.00          | 28.35       | 150         | 340       | PK  | Horizontal | PASS    |
| 4   | 9655.8000       | 50.89            | 46.58          | -4.31       | 68.23          | 21.65       | 150         | 250       | PK  | Horizontal | PASS    |
| 5   | 11057.4000      | 49.65            | 46.83          | -2.82       | 74.00          | 27.17       | 150         | 269       | PK  | Horizontal | PASS    |
| 6   | 13863.0000      | 48.23            | 49.53          | 1.30        | 68.23          | 18.70       | 150         | 181       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5510MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 4183.1250       | 34.61            | 44.73          | 10.12       | 74.00          | 29.27       | 150         | 58        | PK  | Vertical | PASS    |
| 2   | 4978.7500       | 33.45            | 47.11          | 13.66       | 74.00          | 26.89       | 150         | 248       | PK  | Vertical | PASS    |
| 3   | 8770.8000       | 54.02            | 47.35          | -6.67       | 68.23          | 20.88       | 150         | 86        | PK  | Vertical | PASS    |
| 4   | 10324.8000      | 50.14            | 46.79          | -3.35       | 68.23          | 21.44       | 150         | 67        | PK  | Vertical | PASS    |
| 5   | 13327.2000      | 47.13            | 47.76          | 0.63        | 74.00          | 26.24       | 150         | 117       | PK  | Vertical | PASS    |
| 6   | 16524.0000      | 46.20            | 50.42          | 4.22        | 68.23          | 17.81       | 150         | 283       | PK  | Vertical | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5590MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 3033.1250       | 36.14            | 42.20          | 6.06        | 68.23          | 26.03       | 150         | 183       | PK  | Horizontal | PASS    |
| 2   | 4493.1250       | 34.64            | 46.00          | 11.36       | 68.23          | 22.23       | 150         | 0         | PK  | Horizontal | PASS    |
| 3   | 7453.2000       | 53.93            | 44.78          | -9.15       | 74.00          | 29.22       | 150         | 30        | PK  | Horizontal | PASS    |
| 4   | 10596.0000      | 50.15            | 47.15          | -3.00       | 68.23          | 21.08       | 150         | 62        | PK  | Horizontal | PASS    |
| 5   | 11685.0000      | 50.18            | 48.09          | -2.09       | 74.00          | 25.91       | 150         | 290       | PK  | Horizontal | PASS    |
| 6   | 13868.4000      | 49.36            | 50.72          | 1.36        | 68.23          | 17.51       | 150         | 290       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5590MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 3032.5000       | 36.32            | 42.37          | 6.05        | 68.23          | 25.86       | 150         | 64        | PK  | Vertical | PASS    |
| 2   | 4951.8750       | 34.54            | 47.93          | 13.39       | 74.00          | 26.07       | 150         | 237       | PK  | Vertical | PASS    |
| 3   | 7416.6000       | 52.72            | 43.80          | -8.92       | 74.00          | 30.20       | 150         | 280       | PK  | Vertical | PASS    |
| 4   | 9792.6000       | 51.33            | 46.92          | -4.41       | 68.23          | 21.31       | 150         | 214       | PK  | Vertical | PASS    |
| 5   | 11198.4000      | 49.97            | 47.54          | -2.43       | 74.00          | 26.46       | 150         | 165       | PK  | Vertical | PASS    |
| 6   | 14063.4000      | 48.90            | 50.38          | 1.48        | 68.23          | 17.85       | 150         | 233       | PK  | Vertical | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level