





11N40SISO_Ant1_2437




11N40SISO_Ant1_2452



Appendix H: Emissions in Restricted Bands

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.68	42.35	74.00	31.65	35.82	40.49	54.00	13.51	100	354	Horizontal	PASS
2	2379.9600	5.04	47.02	52.06	74.00	21.94	40.86	45.90	54.00	8.10	100	79	Horizontal	PASS
3	2380.9500	5.03	48.02	53.05	74.00	20.95	41.47	46.50	54.00	7.50	100	70	Horizontal	PASS
4	2385.2400	5.03	49.27	54.30	74.00	19.70	42.83	47.86	54.00	6.14	100	73	Horizontal	PASS
5	2389.4200	4.95	47.97	52.92	74.00	21.08	43.32	48.27	54.00	5.73	100	79	Horizontal	PASS
6	2390.0000	4.95	42.27	47.22	74.00	26.78	40.16	45.11	54.00	8.89	100	64	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.47	42.14	4.67	74.00	31.86	100	284	PK	Vertical	PASS
2	2325.7300	39.23	44.09	4.86	74.00	29.91	100	243	PK	Vertical	PASS
3	2354.2200	39.43	44.40	4.97	74.00	29.60	100	189	PK	Vertical	PASS
4	2376.3300	41.25	46.30	5.05	74.00	27.70	100	126	PK	Vertical	PASS
5	2379.8500	42.90	47.94	5.04	74.00	26.06	100	122	PK	Vertical	PASS
6	2390.0000	38.95	43.90	4.95	74.00	30.10	100	126	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5252	5.46	53.23	58.69	74.00	15.31	37.449	42.91	54.00	11.09	150	76	Horizontal	PASS
2	2484.3565	5.49	52.16	57.65	74.00	16.35	36.98	42.47	54.00	11.53	150	50	Horizontal	PASS
3	2484.7802	5.52	51.18	56.70	74.00	17.30	35.01	40.53	54.00	13.47	150	80	Horizontal	PASS
4	2489.7522	5.57	48.95	54.52	74.00	19.48	33.80	39.37	54.00	14.63	150	72	Horizontal	PASS
5	2499.3285	5.50	49.09	54.59	74.00	19.41	32.97	38.47	54.00	15.53	150	53	Horizontal	PASS
6	2500.0000	5.50	41.31	46.81	74.00	27.19	31.22	36.72	54.00	17.28	150	72	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.99	44.45	5.46	74.00	29.55	150	279	PK	Vertical	PASS
2	2484.4365	44.32	49.81	5.49	74.00	24.19	150	100	PK	Vertical	PASS
3	2487.2262	42.97	48.49	5.52	74.00	25.51	150	163	PK	Vertical	PASS
4	2491.0711	42.17	47.72	5.55	74.00	26.28	150	303	PK	Vertical	PASS
5	2493.3573	41.23	46.81	5.58	74.00	27.19	150	307	PK	Vertical	PASS
6	2500.0000	39.25	44.75	5.50	74.00	29.25	150	68	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2412MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.57	42.24	74.00	31.76	35.33	40.00	54.00	14.00	150	96	Horizontal	PASS
2	2379.1900	5.05	50.27	55.32	74.00	18.68	37.49	42.54	54.00	11.46	150	62	Horizontal	PASS
3	2385.4600	5.02	51.77	56.79	74.00	17.21	40.24	45.26	54.00	8.74	150	58	Horizontal	PASS
4	2387.9900	4.94	53.29	58.23	74.00	15.77	41.01	45.95	54.00	8.05	150	65	Horizontal	PASS
5	2389.0900	4.95	55.01	59.96	74.00	14.04	42.79	47.74	54.00	6.26	150	65	Horizontal	PASS
6	2390.0000	4.95	54.43	59.38	74.00	14.62	44.39	49.34	54.00	4.66	150	55	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.25	40.92	4.67	74.00	33.08	150	63	PK	Vertical	PASS
2	2379.5200	44.38	49.42	5.04	74.00	24.58	150	105	PK	Vertical	PASS
3	2383.0400	45.02	50.04	5.02	74.00	23.96	150	105	PK	Vertical	PASS
4	2386.1200	45.39	50.39	5.00	74.00	23.61	150	105	PK	Vertical	PASS
5	2388.4300	48.57	53.51	4.94	74.00	20.49	150	116	PK	Vertical	PASS
6	2390.0000	47.00	51.95	4.95	74.00	22.05	150	247	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2462MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	58.54	64.00	74.00	10.00	44.22	49.68	54.00	4.32	150	43	Horizontal	PASS
2	2483.7730	5.45	64.33	69.78	74.00	4.22	43.00	48.45	54.00	5.55	150	55	Horizontal	PASS
3	2484.1167	5.47	63.98	69.45	74.00	4.55	42.71	48.18	54.00	5.82	150	62	Horizontal	PASS
4	2484.7082	5.52	63.05	68.57	74.00	5.43	42.16	47.68	54.00	6.32	150	39	Horizontal	PASS
5	2485.3717	5.51	61.05	66.56	74.00	7.44	40.83	46.34	54.00	7.66	150	59	Horizontal	PASS
6	2500.0000	5.50	47.52	53.02	74.00	20.98	36.34	41.84	54.00	12.16	150	66	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2462MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	52.73	58.19	74.00	15.81	42.15	47.61	54.00	6.39	150	264	Vertical	PASS
2	2483.9408	5.45	53.61	59.06	74.00	14.94	43.46	48.91	54.00	5.09	150	275	Vertical	PASS
3	2484.4604	5.50	53.46	58.96	74.00	15.04	43.32	48.82	54.00	5.18	150	275	Vertical	PASS
4	2484.9400	5.54	50.87	56.41	74.00	17.59	40.43	45.97	54.00	8.03	150	64	Vertical	PASS
5	2485.4836	5.51	49.73	55.24	74.00	18.76	39.57	45.08	54.00	8.92	150	271	Vertical	PASS
6	2500.0000	5.50	38.51	44.01	74.00	29.99	38.23	43.73	54.00	10.27	150	275	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2412MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	38.35	43.02	74.00	30.98	27.05	31.72	54.00	22.28	150	80	Horizontal	PASS
2	2380.9500	5.03	50.03	55.06	74.00	18.94	35.17	40.20	54.00	13.80	150	64	Horizontal	PASS
3	2384.5800	5.04	53.11	58.15	74.00	15.85	38.57	43.61	54.00	10.39	150	58	Horizontal	PASS
4	2387.0000	4.96	54.34	59.30	74.00	14.70	38.84	43.80	54.00	10.20	150	64	Horizontal	PASS
5	2389.2000	4.95	56.07	61.02	74.00	12.98	39.83	44.78	54.00	9.22	150	61	Horizontal	PASS
6	2390.9920	4.95	61.93	66.88	73.87	6.99	40.68	45.63	53.91	8.28	150	58	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2412MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	36.29	40.96	74.00	33.04	34.84	39.51	54.00	14.49	150	0	Vertical	PASS
2	2383.3700	5.02	45.82	50.84	74.00	23.16	42.17	47.19	54.00	6.81	150	111	Vertical	PASS
3	2384.9100	5.04	47.39	52.43	74.00	21.57	40.25	45.29	54.00	8.71	150	111	Vertical	PASS
4	2387.2200	4.95	48.51	53.46	74.00	20.54	40.17	45.12	54.00	8.88	150	108	Vertical	PASS
5	2388.6500	4.95	49.02	53.97	74.00	20.03	35.90	40.85	54.00	13.15	150	111	Vertical	PASS
6	2390.0000	4.95	48.15	53.10	74.00	20.90	34.73	39.68	54.00	14.32	150	236	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	62.23	67.69	74.00	6.31	43.78	49.24	54.00	4.76	150	66	Horizontal	PASS
2	2484.0927	5.47	62.85	68.32	74.00	5.68	42.60	48.07	54.00	5.93	150	51	Horizontal	PASS
3	2484.6763	5.51	61.14	66.65	74.00	7.35	40.96	46.47	54.00	7.53	150	66	Horizontal	PASS
4	2485.6994	5.49	60.4	65.89	74.00	8.11	39.99	45.48	54.00	8.52	150	47	Horizontal	PASS
5	2487.6898	5.48	58.81	64.29	74.00	9.71	38.69	44.17	54.00	9.83	150	47	Horizontal	PASS
6	2500.0000	5.50	45.92	51.42	74.00	22.58	35.77	41.27	54.00	12.73	150	54	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462MHz

Test Graph




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	54.04	59.50	74.00	14.50	33.15	38.61	54.00	15.39	150	152	Vertical	PASS
2	2484.0208	5.45	51.6	57.05	74.00	16.95	31.29	36.74	54.00	17.26	150	273	Vertical	PASS
3	2484.5404	5.50	50.62	56.12	74.00	17.88	30.39	35.89	54.00	18.11	150	276	Vertical	PASS
4	2485.7954	5.48	49.69	55.17	74.00	18.83	30.56	36.04	54.00	17.96	150	276	Vertical	PASS
5	2486.1791	5.48	49.51	54.99	74.00	19.01	31.38	36.86	54.00	17.14	150	265	Vertical	PASS
6	2500.0000	5.50	38.8	44.30	74.00	29.70	28.35	33.85	54.00	20.15	150	228	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.85	42.52	74.00	31.48	35.45	40.12	54.00	13.88	150	91	Horizontal	PASS
2	2380.7300	5.03	54.37	59.40	74.00	14.60	44.46	49.49	54.00	4.51	150	66	Horizontal	PASS
3	2384.2500	5.04	54.34	59.38	74.00	14.62	43.17	48.21	54.00	5.79	150	57	Horizontal	PASS
4	2386.6700	4.97	54.54	59.51	74.00	14.49	43.55	48.52	54.00	5.48	150	57	Horizontal	PASS
5	2389.3100	4.95	56.97	61.92	74.00	12.08	44.84	49.79	54.00	4.21	150	60	Horizontal	PASS
6	2390.0000	4.95	53.56	58.51	74.00	15.49	45.79	50.74	54.00	3.26	150	57	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.32	41.99	74.00	32.01	36.00	40.67	54.00	13.33	150	37	Vertical	PASS
2	2380.7300	5.03	47.28	52.31	74.00	21.69	43.11	48.14	54.00	5.86	150	122	Vertical	PASS
3	2384.8000	5.04	47.68	52.72	74.00	21.28	42.89	47.93	54.00	6.07	150	109	Vertical	PASS
4	2388.4300	4.94	50.53	55.47	74.00	18.53	45.79	50.73	54.00	3.27	150	109	Vertical	PASS
5	2389.7500	4.95	51.84	56.79	74.00	17.21	44.06	49.01	54.00	4.99	150	116	Vertical	PASS
6	2390.0000	4.95	47.17	52.12	74.00	21.88	45.48	50.43	54.00	3.57	150	106	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode: N40

Channel: 2452MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	59.89	65.35	74.00	8.65	44.35	49.81	54.00	4.19	150	65	Horizontal	PASS
2	2484.9161	5.53	63.12	68.65	74.00	5.35	45.09	50.62	54.00	3.38	150	61	Horizontal	PASS
3	2487.0584	5.54	62.31	67.85	74.00	6.15	43.10	48.64	54.00	5.36	150	42	Horizontal	PASS
4	2488.7130	5.53	61.84	67.37	74.00	6.63	41.73	47.26	54.00	6.74	150	61	Horizontal	PASS
5	2489.3445	5.56	61.82	67.38	74.00	6.62	40.68	46.24	54.00	7.76	150	53	Horizontal	PASS
6	2500.0000	5.50	54.55	60.05	74.00	13.95	34.22	39.72	54.00	14.28	150	46	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2452MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	51.21	56.67	74.00	17.33	44.07	49.53	54.00	4.47	150	150	Vertical	PASS
2	2485.5236	5.50	51.87	57.37	74.00	16.63	43.69	49.19	54.00	4.81	150	274	Vertical	PASS
3	2486.7386	5.52	52.18	57.70	74.00	16.30	41.96	47.48	54.00	6.52	150	220	Vertical	PASS
4	2487.1863	5.53	51.93	57.46	74.00	16.54	39.70	45.23	54.00	8.77	150	220	Vertical	PASS
5	2489.0008	5.56	51.5	57.06	74.00	16.94	38.28	43.84	54.00	10.16	150	266	Vertical	PASS
6	2500.0000	5.50	43.61	49.11	74.00	24.89	33.06	38.56	54.00	15.44	150	157	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (B-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	39.0219	42.68	26.77	-15.91	40.00	13.23	150	10	PK	Horizontal	PASS
2	109.0629	38.44	19.61	-18.83	43.50	23.89	150	340	PK	Horizontal	PASS
3	209.3709	46.93	27.82	-19.11	43.50	15.68	150	150	PK	Horizontal	PASS
4	468.5809	31.89	20.27	-11.62	46.00	25.73	150	60	PK	Horizontal	PASS
5	562.5833	32.81	23.20	-9.61	46.00	22.80	150	30	PK	Horizontal	PASS
6	743.2153	30.90	24.19	-6.71	46.00	21.81	150	40	PK	Horizontal	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	45.3275	50.62	34.73	-15.89	40.00	5.27	150	40	PK	Vertical	PASS
2	106.9287	38.49	19.46	-19.03	43.50	24.04	150	270	PK	Vertical	PASS
3	205.9756	39.29	20.26	-19.03	43.50	23.24	150	350	PK	Vertical	PASS
4	340.4310	32.44	17.39	-15.05	46.00	28.61	150	100	PK	Vertical	PASS
5	450.1490	38.45	26.74	-11.71	46.00	19.26	150	290	PK	Vertical	PASS
6	796.3766	31.75	26.00	-5.75	46.00	20.00	150	270	PK	Vertical	PASS

Mode: B

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1380.2000	39.12	38.76	-0.36	74.00	35.24	150	36	PK	Horizontal	PASS
2	1600.2000	38.87	39.21	0.34	74.00	34.79	150	82	PK	Horizontal	PASS
3	4824.0000	65.46	50.55	-14.91	74.00	23.45	150	16	PK	Horizontal	PASS
4	7235.0000	57.26	48.20	-9.06	74.00	25.80	150	348	PK	Horizontal	PASS
5	9870.5000	51.58	47.27	-4.31	74.00	26.73	150	1	PK	Horizontal	PASS
6	12830.5000	47.60	46.91	-0.69	74.00	27.09	150	88	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1327.0000	39.40	38.90	-0.50	74.00	35.10	150	102	PK	Vertical	PASS
2	1842.4000	38.89	40.21	1.32	74.00	33.79	150	157	PK	Vertical	PASS
3	4824.0000	65.78	50.87	-14.91	74.00	23.13	150	177	PK	Vertical	PASS
4	7236.0000	56.62	47.58	-9.04	74.00	26.42	150	91	PK	Vertical	PASS
5	8795.5000	56.78	49.92	-6.86	74.00	24.08	150	76	PK	Vertical	PASS
6	12042.0000	49.11	47.34	-1.77	74.00	26.66	150	254	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1441.2000	39.41	39.28	-0.13	74.00	34.72	150	236	PK	Horizontal	PASS
2	1957.8000	38.32	40.03	1.71	74.00	33.97	150	317	PK	Horizontal	PASS
3	4874.0000	66.98	52.78	-14.20	74.00	21.22	150	22	PK	Horizontal	PASS
4	7312.0000	57.10	47.56	-9.54	74.00	26.44	150	332	PK	Horizontal	PASS
5	9786.0000	51.63	46.95	-4.68	74.00	27.05	150	293	PK	Horizontal	PASS
6	11533.0000	49.94	47.61	-2.33	74.00	26.39	150	107	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1571.0000	38.88	39.12	0.24	74.00	34.88	150	220	PK	Vertical	PASS
2	3836.0000	57.32	39.73	-17.59	74.00	34.27	150	44	PK	Vertical	PASS
3	4874.0000	66.23	52.03	-14.20	74.00	21.97	150	177	PK	Vertical	PASS
4	7308.0000	56.81	47.23	-9.58	74.00	26.77	150	76	PK	Vertical	PASS
5	9745.0000	52.13	47.43	-4.70	74.00	26.57	150	324	PK	Vertical	PASS
6	11105.5000	49.46	46.58	-2.88	74.00	27.42	150	270	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1646.6000	39.62	40.01	0.39	74.00	33.99	150	61	PK	Horizontal	PASS
2	2163.2000	39.40	41.66	2.26	74.00	32.34	150	240	PK	Horizontal	PASS
3	4924.0000	65.75	52.07	-13.68	74.00	21.93	150	14	PK	Horizontal	PASS
4	7385.5000	57.13	47.71	-9.42	74.00	26.29	150	316	PK	Horizontal	PASS
5	9878.5000	50.94	46.74	-4.20	74.00	27.26	150	201	PK	Horizontal	PASS
6	12042.5000	48.48	46.71	-1.77	74.00	27.29	150	84	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1600.0000	40.40	40.74	0.34	74.00	33.26	150	192	PK	Vertical	PASS
2	1829.2000	39.01	40.22	1.21	74.00	33.78	150	339	PK	Vertical	PASS
3	4924.0000	65.65	51.97	-13.68	74.00	22.03	150	146	PK	Vertical	PASS
4	7388.0000	58.22	48.74	-9.48	74.00	25.26	150	91	PK	Vertical	PASS
5	8768.5000	56.41	49.78	-6.63	74.00	24.22	150	123	PK	Vertical	PASS
6	11628.0000	49.32	47.31	-2.01	74.00	26.69	150	108	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1291.2000	39.31	38.90	-0.41	74.00	35.10	150	114	PK	Horizontal	PASS
2	1630.8000	39.05	39.53	0.48	74.00	34.47	150	60	PK	Horizontal	PASS
3	4824.0000	57.70	42.79	-14.91	74.00	31.21	150	14	PK	Horizontal	PASS
4	6432.0000	54.35	43.78	-10.57	74.00	30.22	150	53	PK	Horizontal	PASS
5	7230.0000	58.29	49.11	-9.18	74.00	24.89	150	356	PK	Horizontal	PASS
6	8394.5000	52.60	45.11	-7.49	74.00	28.89	150	315	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2412MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1325.4000	39.92	39.48	-0.44	74.00	34.52	150	100	PK	Vertical	PASS
2	1838.2000	39.32	40.63	1.31	74.00	33.37	150	210	PK	Vertical	PASS
3	4828.5000	60.75	46.01	-14.74	74.00	27.99	150	284	PK	Vertical	PASS
4	7228.0000	58.19	48.89	-9.30	74.00	25.11	150	135	PK	Vertical	PASS
5	8776.0000	55.90	49.36	-6.54	74.00	24.64	150	82	PK	Vertical	PASS
6	11703.5000	49.74	47.35	-2.39	74.00	26.65	150	229	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1484.8000	39.13	39.13	0.00	74.00	34.87	150	134	PK	Horizontal	PASS
2	1987.4000	38.53	40.36	1.83	74.00	33.64	150	66	PK	Horizontal	PASS
3	4879.0000	59.42	45.32	-14.10	74.00	28.68	150	18	PK	Horizontal	PASS
4	7316.0000	56.96	47.62	-9.34	74.00	26.38	150	341	PK	Horizontal	PASS
5	8460.0000	53.27	45.96	-7.31	74.00	28.04	150	217	PK	Horizontal	PASS
6	11088.5000	49.73	46.78	-2.95	74.00	27.22	150	186	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1411.4000	39.50	39.20	-0.30	74.00	34.80	150	280	PK	Vertical	PASS
2	1881.2000	38.44	39.88	1.44	74.00	34.12	150	90	PK	Vertical	PASS
3	4867.0000	58.65	44.36	-14.29	74.00	29.64	150	277	PK	Vertical	PASS
4	7313.0000	58.76	49.27	-9.49	74.00	24.73	150	0	PK	Vertical	PASS
5	9513.0000	49.90	45.18	-4.72	74.00	28.82	150	58	PK	Vertical	PASS
6	12175.5000	48.40	47.01	-1.39	74.00	26.99	150	112	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1377.4000	39.00	38.65	-0.35	74.00	35.35	150	320	PK	Horizontal	PASS
2	1648.2000	39.26	39.67	0.41	74.00	34.33	150	238	PK	Horizontal	PASS
3	3836.0000	54.60	37.01	-17.59	74.00	36.99	150	51	PK	Horizontal	PASS
4	4924.5000	61.29	47.58	-13.71	74.00	26.42	150	12	PK	Horizontal	PASS
5	7392.0000	59.27	49.74	-9.53	74.00	24.26	150	340	PK	Horizontal	PASS
6	9790.0000	49.87	45.24	-4.63	74.00	28.76	150	106	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: G

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1457.6000	38.92	38.85	-0.07	74.00	35.15	150	260	PK	Vertical	PASS
2	1911.2000	39.03	40.45	1.42	74.00	33.55	150	265	PK	Vertical	PASS
3	4916.0000	57.67	44.32	-13.35	74.00	29.68	150	159	PK	Vertical	PASS
4	5853.0000	55.87	43.82	-12.05	74.00	30.18	150	276	PK	Vertical	PASS
5	7390.0000	58.15	48.63	-9.52	74.00	25.37	150	97	PK	Vertical	PASS
6	10390.5000	50.14	46.05	-4.09	74.00	27.95	150	190	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2412MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1438.4000	-0.15	39.5	39.35	74.00	34.65	39.32	39.17	54.00	14.83	150	360	Horizontal	PASS
2	2099.0000	2.21	38.7	40.91	74.00	33.09	38.34	40.55	54.00	13.45	150	162	Horizontal	PASS
3	4033.5000	-17.42	53.76	36.34	74.00	37.66	52.37	34.95	54.00	19.05	150	332	Horizontal	PASS
4	4829.0000	-14.72	55.62	40.90	74.00	33.10	53.13	38.41	54.00	15.59	150	38	Horizontal	PASS
5	7122.0000	-9.63	52.16	42.53	74.00	31.47	50.45	40.82	54.00	13.18	150	38	Horizontal	PASS
6	8955.5000	-6.52	52.02	45.50	74.00	28.50	50.31	43.79	54.00	10.21	150	1	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level