


Mode: N40

Channel: 5670MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	4334.3750	35.23	45.61	10.38	74.00	28.39	150	263	PK	Horizontal	PASS
2	6814.2000	54.36	44.37	-9.99	68.23	23.86	150	4	PK	Horizontal	PASS
3	9966.6000	50.79	46.99	-3.80	68.23	21.24	150	38	PK	Horizontal	PASS
4	11358.0000	55.73	52.72	-3.01	74.00	21.28	150	274	PK	Horizontal	PASS
5	14059.8000	48.30	49.76	1.46	68.23	18.47	150	208	PK	Horizontal	PASS
6	17021.4000	51.30	55.70	4.40	68.23	12.53	150	281	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5670MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	3344.3750	36.71	43.46	6.75	68.23	24.77	150	356	PK	Vertical	PASS
2	4177.5000	35.12	45.05	9.93	74.00	28.95	150	235	PK	Vertical	PASS
3	7458.6000	54.13	45.03	-9.10	74.00	28.97	150	153	PK	Vertical	PASS
4	8788.2000	54.82	48.32	-6.50	68.23	19.91	150	244	PK	Vertical	PASS
5	11702.4000	50.73	48.31	-2.42	74.00	25.69	150	226	PK	Vertical	PASS
6	15976.2000	48.02	51.14	3.12	74.00	22.86	150	134	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5710MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	3897.5000	35.48	44.43	8.95	74.00	29.57	150	150	PK	Horizontal	PASS
2	4487.5000	33.71	45.12	11.41	68.23	23.11	150	0	PK	Horizontal	PASS
3	7908.6000	52.85	44.85	-8.00	68.23	23.38	150	184	PK	Horizontal	PASS
4	10024.8000	51.16	46.87	-4.29	68.23	21.36	150	238	PK	Horizontal	PASS
5	11440.2000	58.74	56.49	-2.25	74.00	17.51	150	61	PK	Horizontal	PASS
6	17138.4000	56.13	60.74	4.61	68.23	7.49	150	296	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5710MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	3861.8750	35.12	43.98	8.86	74.00	30.02	150	74	PK	Vertical	PASS
2	4756.2500	33.52	45.75	12.23	74.00	28.25	150	201	PK	Vertical	PASS
3	7613.4000	53.18	44.30	-8.88	74.00	29.70	150	320	PK	Vertical	PASS
4	8760.0000	54.81	48.06	-6.75	68.23	20.17	150	91	PK	Vertical	PASS
5	11422.2000	51.52	49.11	-2.41	74.00	24.89	150	307	PK	Vertical	PASS
6	15844.2000	48.63	51.43	2.80	74.00	22.57	150	30	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5755MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	3825.4000	35.71	44.39	8.68	74.00	29.61	150	276	PK	Horizontal	PASS
2	5152.7600	34.73	48.18	13.45	68.23	20.05	150	261	PK	Horizontal	PASS
3	9214.7400	50.99	46.39	-4.60	68.23	21.84	150	127	PK	Horizontal	PASS
4	12157.4400	49.18	48.32	-0.86	74.00	25.68	150	191	PK	Horizontal	PASS
5	13725.6900	49.98	50.43	0.45	68.23	17.80	150	218	PK	Horizontal	PASS
6	17138.6100	49.08	53.09	4.01	68.23	15.14	150	92	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5755MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	4470.7200	34.15	45.28	11.13	68.23	22.95	150	333	PK	Vertical	PASS
2	5148.6800	33.87	47.51	13.64	74.00	26.49	150	266	PK	Vertical	PASS
3	8784.3000	53.22	46.64	-6.58	68.23	21.59	150	280	PK	Vertical	PASS
4	11544.4200	50.20	47.99	-2.21	74.00	26.01	150	286	PK	Vertical	PASS
5	14049.5400	49.50	51.34	1.84	68.23	16.89	150	240	PK	Vertical	PASS
6	16361.3700	48.58	51.87	3.29	68.23	16.36	150	306	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5795MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	4326.5600	35.26	45.67	10.41	74.00	28.33	150	151	PK	Horizontal	PASS
2	5099.7200	34.27	47.43	13.16	74.00	26.57	150	104	PK	Horizontal	PASS
3	9994.0200	51.15	47.08	-4.07	68.23	21.15	150	166	PK	Horizontal	PASS
4	11084.9100	50.72	48.00	-2.72	74.00	26.00	150	127	PK	Horizontal	PASS
5	12911.7300	48.93	48.85	-0.08	68.23	19.38	150	275	PK	Horizontal	PASS
6	14565.6600	47.85	50.40	2.55	68.23	17.83	150	229	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5795MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	4217.0800	34.16	44.48	10.32	74.00	29.52	150	64	PK	Vertical	PASS
2	4975.9600	34.29	48.06	13.77	74.00	25.94	150	124	PK	Vertical	PASS
3	8965.8600	52.57	46.38	-6.19	68.23	21.85	150	309	PK	Vertical	PASS
4	11592.8700	51.28	49.24	-2.04	74.00	24.76	150	10	PK	Vertical	PASS
5	13881.2400	48.35	49.77	1.42	68.23	18.46	150	172	PK	Vertical	PASS
6	14534.5500	48.47	50.31	1.84	68.23	17.92	150	134	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Out of band



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	13.09	35.95	49.04	68.23	19.19	25.22	38.31	54.00	15.69	150	69	Horizontal	PASS
2	4969.7000	15.72	39.8	55.52	74.00	18.48	29.49	45.21	54.00	8.79	150	185	Horizontal	PASS
3	5014.5250	15.54	39.11	54.65	74.00	19.35	30.85	46.39	54.00	7.61	150	55	Horizontal	PASS
4	5052.0625	15.14	39.19	54.33	74.00	19.67	31.68	46.82	54.00	7.18	150	66	Horizontal	PASS
5	5142.8125	15.43	39.41	54.84	74.00	19.16	32.88	48.31	54.00	5.69	150	35	Horizontal	PASS
6	5150.0000	15.63	40.66	56.29	74.00	17.71	33.98	49.61	54.00	4.39	150	66	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5180MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	13.09	37.34	50.43	68.23	17.80	26.80	39.89	54.00	14.11	150	186	Vertical	PASS
2	4965.9875	15.39	39.01	54.40	74.00	19.60	28.64	44.03	54.00	9.97	150	136	Vertical	PASS
3	5020.5750	15.32	39.51	54.83	74.00	19.17	31.21	46.53	54.00	7.47	150	55	Vertical	PASS
4	5044.2250	15.26	39.52	54.78	74.00	19.22	32.25	47.51	54.00	6.49	150	105	Vertical	PASS
5	5147.9000	15.64	40.23	55.87	74.00	18.13	33.84	49.48	54.00	4.52	150	284	Vertical	PASS
6	5150.0000	15.63	38.01	53.64	74.00	20.36	34.69	50.32	54.00	3.68	150	313	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5320MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	41.74	57.45	68.23	10.78	33.16	48.87	54.00	5.13	150	50	Horizontal	PASS
2	5352.7750	15.84	46.48	62.32	74.00	11.68	32.02	47.86	54.00	6.14	150	50	Horizontal	PASS
3	5357.3125	16.19	42.56	58.75	74.00	15.25	31.94	48.13	54.00	5.87	150	28	Horizontal	PASS
4	5418.7750	15.89	38.78	54.67	74.00	19.33	28.41	44.30	54.00	9.70	150	50	Horizontal	PASS
5	5436.7875	15.72	41	56.72	74.00	17.28	26.68	42.40	54.00	11.60	150	50	Horizontal	PASS
6	5470.0000	15.50	37.02	52.52	68.23	15.71	25.50	41.00	53.33	12.33	150	28	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5320MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	37.91	53.62	68.23	14.61	34.13	49.84	54.00	4.16	150	299	Vertical	PASS
2	5357.8625	16.23	38.75	54.98	74.00	19.02	33.08	49.31	54.00	4.69	150	306	Vertical	PASS
3	5367.0750	15.82	38.26	54.08	74.00	19.92	32.93	48.75	54.00	5.25	150	182	Vertical	PASS
4	5397.6000	15.79	37.58	53.37	74.00	20.63	31.04	46.83	54.00	7.17	150	359	Vertical	PASS
5	5450.1250	15.97	38.65	54.62	74.00	19.38	28.34	44.31	54.00	9.69	150	274	Vertical	PASS
6	5460.0000	15.84	35.15	50.99	74.00	23.01	24.99	40.83	54.00	13.17	150	43	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	34.62	50.33	68.23	17.90	33.76	49.47	54.00	4.53	150	193	Horizontal	PASS
2	5356.9000	16.15	37.76	53.91	74.00	20.09	34.57	50.72	54.00	3.28	150	211	Horizontal	PASS
3	5408.6000	16.08	38.2	54.28	74.00	19.72	34.85	50.93	54.00	3.07	150	28	Horizontal	PASS
4	5448.3375	15.98	37.88	53.86	74.00	20.14	33.48	49.46	54.00	4.54	150	77	Horizontal	PASS
5	5457.8250	15.83	38.57	54.40	74.00	19.60	34.35	50.18	54.00	3.82	150	320	Horizontal	PASS
6	5460.0000	15.84	35.35	51.19	74.00	22.81	34.78	50.62	54.00	3.38	150	182	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	35.23	50.94	68.23	17.29	34.48	50.19	54.00	3.81	150	352	Vertical	PASS
2	5355.1125	15.98	36.94	52.92	74.00	21.08	34.49	50.47	54.00	3.53	150	318	Vertical	PASS
3	5390.3125	15.91	38.28	54.19	74.00	19.81	32.03	47.94	54.00	6.06	150	275	Vertical	PASS
4	5416.3000	15.93	37.53	53.46	74.00	20.54	31.16	47.09	54.00	6.91	150	171	Vertical	PASS
5	5432.5250	15.61	37.51	53.12	74.00	20.88	30.02	45.63	54.00	8.37	150	185	Vertical	PASS
6	5460.0000	15.84	36.3	52.14	74.00	21.86	25.63	41.47	54.00	12.53	150	282	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5675.7500	37.29	51.46	14.17	87.31	35.85	150	84	PK	Horizontal	PASS
2	5700.5000	37.31	52.22	14.91	105.34	53.12	150	160	PK	Horizontal	PASS
3	5728.2500	57.68	72.45	14.77	122.20	49.75	150	267	PK	Horizontal	PASS
4	5762.3750	56.65	71.36	14.71	122.20	50.84	150	56	PK	Horizontal	PASS
5	5773.2500	39.74	54.37	14.63	122.20	67.83	150	274	PK	Horizontal	PASS
6	5793.1250	38.10	52.62	14.52	122.20	69.58	150	38	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5684.0000	37.02	51.23	14.21	93.41	42.18	150	224	PK	Vertical	PASS
2	5712.1250	38.04	52.43	14.39	108.60	56.17	150	56	PK	Vertical	PASS
3	5726.7500	46.87	61.54	14.67	122.20	60.66	150	125	PK	Vertical	PASS
4	5763.8750	49.52	64.25	14.73	122.20	57.95	150	344	PK	Vertical	PASS
5	5774.3750	41.41	56.07	14.66	122.20	66.13	150	321	PK	Vertical	PASS
6	5793.1250	37.37	51.89	14.52	122.20	70.31	150	88	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5732.7500	36.82	51.76	14.94	122.20	70.44	150	55	PK	Horizontal	PASS
2	5755.2500	38.00	52.63	14.63	122.20	69.57	150	21	PK	Horizontal	PASS
3	5768.0000	52.30	66.87	14.57	122.20	55.33	150	21	PK	Horizontal	PASS
4	5803.6250	55.60	70.03	14.43	122.20	52.17	150	266	PK	Horizontal	PASS
5	5808.1250	43.46	57.85	14.39	122.20	64.35	150	8	PK	Horizontal	PASS
6	5817.1250	38.28	52.88	14.60	122.20	69.32	150	52	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5727.5000	37.72	52.44	14.72	122.20	69.76	150	259	PK	Vertical	PASS
2	5756.7500	37.36	52.00	14.64	122.20	70.20	150	297	PK	Vertical	PASS
3	5773.2500	53.43	68.06	14.63	122.20	54.14	150	4	PK	Vertical	PASS
4	5803.2500	50.19	64.61	14.42	122.20	57.59	150	282	PK	Vertical	PASS
5	5811.1250	38.01	52.47	14.46	122.20	69.73	150	351	PK	Vertical	PASS
6	5826.1250	37.14	51.69	14.55	122.20	70.51	150	335	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5732.3750	37.10	52.04	14.94	122.20	70.16	150	203	PK	Horizontal	PASS
2	5753.0000	37.57	52.14	14.57	122.20	70.06	150	116	PK	Horizontal	PASS
3	5779.2500	38.86	53.52	14.66	122.20	68.68	150	27	PK	Horizontal	PASS
4	5842.2500	53.91	68.66	14.75	122.20	53.54	150	276	PK	Horizontal	PASS
5	5847.8750	46.62	61.33	14.71	122.20	60.87	150	58	PK	Horizontal	PASS
6	5871.1250	37.96	52.88	14.92	106.28	53.40	150	203	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5747.7500	37.57	52.28	14.71	122.20	69.92	150	184	PK	Vertical	PASS
2	5763.8750	37.21	51.94	14.73	122.20	70.26	150	343	PK	Vertical	PASS
3	5804.0000	43.01	57.44	14.43	122.20	64.76	150	349	PK	Vertical	PASS
4	5840.7500	50.83	65.55	14.72	122.20	56.65	150	330	PK	Vertical	PASS
5	5853.1250	37.41	52.08	14.67	115.07	62.99	150	34	PK	Vertical	PASS
6	5864.7500	38.48	53.35	14.87	108.07	54.72	150	334	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	13.09	36.97	50.06	68.23	18.17	26.43	39.52	54.00	14.48	150	305	Horizontal	PASS
2	4953.3375	15.32	39.56	54.88	74.00	19.12	29.10	44.42	54.00	9.58	150	262	Horizontal	PASS
3	4976.3000	15.76	40.08	55.84	74.00	18.16	30.80	46.56	54.00	7.44	150	262	Horizontal	PASS
4	5071.8625	15.21	40.44	55.65	74.00	18.35	31.07	46.28	54.00	7.72	150	238	Horizontal	PASS
5	5104.4500	15.38	39.74	55.12	74.00	18.88	33.20	48.58	54.00	5.42	150	90	Horizontal	PASS
6	5150.0000	15.63	39.91	55.54	74.00	18.46	34.63	50.26	54.00	3.74	150	64	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	13.09	35.49	48.58	68.23	19.65	25.05	38.14	54.00	15.86	150	335	Vertical	PASS
2	4871.5250	14.77	40.44	55.21	74.00	18.79	30.69	45.46	54.00	8.54	150	170	Vertical	PASS
3	4922.4000	15.16	39.99	55.15	74.00	18.85	31.62	46.78	54.00	7.22	150	335	Vertical	PASS
4	5091.9375	15.12	39.7	54.82	74.00	19.18	32.39	47.51	54.00	6.49	150	95	Vertical	PASS
5	5144.4625	15.51	39.31	54.82	74.00	19.18	33.81	49.32	54.00	4.68	150	307	Vertical	PASS
6	5150.0000	15.63	38.29	53.92	74.00	20.08	34.84	50.47	54.00	3.53	150	310	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	41.49	57.20	68.23	11.03	35.09	50.80	54.00	3.20	150	69	Horizontal	PASS
2	5350.9875	15.75	44.9	60.65	74.00	13.35	34.59	50.34	54.00	3.66	150	37	Horizontal	PASS
3	5352.6375	15.83	43.1	58.93	74.00	15.07	32.63	48.46	54.00	5.54	150	37	Horizontal	PASS
4	5357.7250	16.22	40.35	56.57	74.00	17.43	30.79	47.01	54.00	6.99	150	274	Horizontal	PASS
5	5451.2250	15.94	39.5	55.44	74.00	18.56	29.28	45.22	54.00	8.78	150	73	Horizontal	PASS
6	5460.0000	15.84	35.73	51.57	74.00	22.43	25.39	41.23	54.00	12.77	150	16	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	37.18	52.89	68.23	15.34	34.66	50.37	54.00	3.63	150	359	Vertical	PASS
2	5351.5375	15.78	38.09	53.87	74.00	20.13	33.82	49.60	54.00	4.40	150	246	Vertical	PASS
3	5355.3875	16.01	38.41	54.42	74.00	19.58	32.88	48.89	54.00	5.11	150	317	Vertical	PASS
4	5378.3500	15.88	36.84	52.72	74.00	21.28	30.53	46.41	54.00	7.59	150	43	Vertical	PASS
5	5447.3750	15.98	37.07	53.05	74.00	20.95	26.67	42.65	54.00	11.35	150	232	Vertical	PASS
6	5460.0000	15.84	35.26	51.10	74.00	22.90	25.03	40.87	54.00	13.13	150	165	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	35.8	51.51	68.23	16.72	24.69	40.40	54.00	13.60	150	51	Horizontal	PASS
2	5358.8250	16.28	38.44	54.72	74.00	19.28	28.13	44.41	54.00	9.59	150	79	Horizontal	PASS
3	5378.4875	15.88	37.79	53.67	74.00	20.33	31.43	47.31	54.00	6.69	150	83	Horizontal	PASS
4	5403.6500	15.97	37.59	53.56	74.00	20.44	32.13	48.10	54.00	5.90	150	284	Horizontal	PASS
5	5428.2625	15.64	38.87	54.51	74.00	19.49	33.57	49.21	54.00	4.79	150	18	Horizontal	PASS
6	5460.0000	15.84	37.47	53.31	74.00	20.69	34.27	50.11	54.00	3.89	150	66	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: N40

Channel: 5510MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	35.72	51.43	68.23	16.80	25.59	41.30	54.00	12.70	150	25	Vertical	PASS
2	5380.0000	15.93	37.74	53.67	74.00	20.33	27.47	43.40	54.00	10.60	150	108	Vertical	PASS
3	5423.7250	15.77	37.85	53.62	74.00	20.38	31.66	47.43	54.00	6.57	150	46	Vertical	PASS
4	5435.2750	15.65	38.49	54.14	74.00	19.86	32.87	48.52	54.00	5.48	150	311	Vertical	PASS
5	5452.3250	15.91	37.55	53.46	74.00	20.54	33.82	49.73	54.00	4.27	150	78	Vertical	PASS
6	5460.0000	15.84	35.56	51.40	74.00	22.60	34.24	50.08	54.00	3.92	150	220	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5755MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5684.7500	38.53	52.78	14.25	93.96	41.18	150	8	PK	Horizontal	PASS
2	5717.0000	39.90	54.39	14.49	109.96	55.57	150	29	PK	Horizontal	PASS
3	5722.2500	44.04	58.62	14.58	115.93	57.31	150	29	PK	Horizontal	PASS
4	5790.5000	42.93	57.53	14.60	122.20	64.67	150	12	PK	Horizontal	PASS
5	5810.3750	37.59	51.99	14.40	122.20	70.21	150	278	PK	Horizontal	PASS
6	5828.3750	39.35	53.92	14.57	122.20	68.28	150	29	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5755MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5690.3750	38.45	53.04	14.59	98.11	45.07	150	4	PK	Vertical	PASS
2	5706.8750	37.29	51.94	14.65	107.13	55.19	150	246	PK	Vertical	PASS
3	5727.5000	40.22	54.94	14.72	122.20	67.26	150	338	PK	Vertical	PASS
4	5786.0000	40.10	54.74	14.64	122.20	67.46	150	8	PK	Vertical	PASS
5	5815.2500	38.48	53.03	14.55	122.20	69.17	150	295	PK	Vertical	PASS
6	5833.2500	37.33	51.90	14.57	122.20	70.30	150	341	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5795MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5716.6250	37.79	52.26	14.47	109.86	57.60	150	92	PK	Horizontal	PASS
2	5755.2500	39.17	53.80	14.63	122.20	68.40	150	10	PK	Horizontal	PASS
3	5769.8750	46.97	61.58	14.61	122.20	60.62	150	20	PK	Horizontal	PASS
4	5820.8750	42.67	57.19	14.52	122.20	65.01	150	46	PK	Horizontal	PASS
5	5846.3750	38.01	52.73	14.72	122.20	69.47	150	1	PK	Horizontal	PASS
6	5862.5000	38.01	52.84	14.83	108.70	55.86	150	27	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5795MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5731.6250	37.00	51.92	14.92	122.20	70.28	150	94	PK	Vertical	PASS
2	5754.1250	36.76	51.36	14.60	122.20	70.84	150	113	PK	Vertical	PASS
3	5774.3750	42.49	57.15	14.66	122.20	65.05	150	302	PK	Vertical	PASS
4	5820.1250	39.84	54.33	14.49	122.20	67.87	150	287	PK	Vertical	PASS
5	5846.7500	37.58	52.27	14.69	122.20	69.93	150	222	PK	Vertical	PASS
6	5864.7500	37.29	52.16	14.87	108.07	55.91	150	81	PK	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

18-40GHz (worst case)



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20651.132	-2.14	40.27	38.13	74.00	35.87	34.93	32.79	54.00	21.21	100	82	Horizontal	PASS
2	24025.001	3.13	41.49	44.62	74.00	29.38	36.66	39.79	54.00	14.21	100	24	Horizontal	PASS
3	26243.812	3.70	43.12	46.82	74.00	27.18	35.66	39.36	54.00	14.64	100	100	Horizontal	PASS
4	29334.966	4.94	42.42	47.36	74.00	26.64	38.16	43.10	54.00	10.90	100	100	Horizontal	PASS
5	33331.466	7.61	44.88	52.49	74.00	21.51	40.11	47.72	54.00	6.28	100	100	Horizontal	PASS
6	36696.534	11.51	46.58	58.09	74.00	15.91	38.06	49.57	54.00	4.43	100	100	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5180MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20633.531	-2.16	41.05	38.89	74.00	35.11	35.03	32.87	54.00	21.13	100	222	Vertical	PASS
2	23950.197	3.03	42.31	45.34	74.00	28.66	36.48	39.51	54.00	14.49	100	152	Vertical	PASS
3	26181.109	3.72	43.93	47.65	74.00	26.35	37.55	41.27	54.00	12.73	100	83	Vertical	PASS
4	28885.044	5.28	42.57	47.85	74.00	26.15	35.50	40.78	54.00	13.22	100	320	Vertical	PASS
5	33537.176	7.72	45.88	53.60	74.00	20.40	38.18	45.90	54.00	8.10	100	9	Vertical	PASS
6	37038.651	11.56	46.8	58.36	74.00	15.64	38.15	49.71	54.00	4.29	100	103	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	21036.151	-1.61	40.69	39.08	74.00	34.92	32.90	31.29	54.00	22.71	100	193	Horizonta	PASS
2	23742.287	2.53	43.04	45.57	74.00	28.43	37.59	40.12	54.00	13.88	100	233	Horizonta	PASS
3	26226.211	3.71	42.84	46.55	74.00	27.45	36.90	40.61	54.00	13.39	100	67	Horizonta	PASS
4	29499.975	4.66	42.91	47.57	74.00	26.43	36.86	41.52	54.00	12.48	100	141	Horizonta	PASS
5	33379.869	7.64	45.47	53.11	74.00	20.89	40.02	47.66	54.00	6.34	100	216	Horizonta	PASS
6	36545.827	11.47	47.14	58.61	74.00	15.39	38.36	49.83	54.00	4.17	100	198	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	22341.917	-0.88	40.8	39.92	74.00	34.08	36.10	35.22	54.00	18.78	100	165	Vertical	PASS
2	24377.018	2.93	42.23	45.16	74.00	28.84	35.91	38.84	54.00	15.16	100	155	Vertical	PASS
3	26186.609	3.72	44.1	47.82	74.00	26.18	40.02	43.74	54.00	10.26	100	240	Vertical	PASS
4	29211.760	5.14	43.27	48.41	74.00	25.59	36.13	41.27	54.00	12.73	100	250	Vertical	PASS
5	34004.700	7.98	44.85	52.83	74.00	21.17	40.71	48.69	54.00	5.31	100	13	Vertical	PASS
6	36875.843	11.57	47.41	58.98	74.00	15.02	39.69	51.26	54.00	2.74	100	245	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20623.631	-2.18	40.86	38.68	74.00	35.32	35.65	33.47	54.00	20.53	100	341	Horizonta	PASS
2	22429.921	-0.65	42.31	41.66	74.00	32.34	38.50	37.85	54.00	16.15	100	0	Horizonta	PASS
3	26216.310	3.70	43.91	47.61	74.00	26.39	38.58	42.28	54.00	11.72	100	341	Horizonta	PASS
4	30207.310	4.18	43.66	47.84	74.00	26.16	37.98	42.16	54.00	11.84	100	170	Horizonta	PASS
5	34350.117	8.11	44.98	53.09	74.00	20.91	37.24	45.35	54.00	8.65	100	25	Horizonta	PASS
6	36630.531	11.49	47.11	58.60	74.00	15.40	37.04	48.53	54.00	5.47	100	71	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20041.702	-3.05	40.16	37.11	74.00	36.89	35.63	32.58	54.00	21.42	100	328	Vertical	PASS
2	23993.099	3.13	42.68	45.81	74.00	28.19	36.82	39.95	54.00	14.05	100	328	Vertical	PASS
3	26252.612	3.69	43.89	47.58	74.00	26.42	37.86	41.55	54.00	12.45	100	94	Vertical	PASS
4	30909.145	5.44	42.78	48.22	74.00	25.78	38.02	43.46	54.00	10.54	100	221	Vertical	PASS
5	33277.563	7.58	45	52.58	74.00	21.42	38.51	46.09	54.00	7.91	100	54	Vertical	PASS
6	36543.627	11.47	47.77	59.24	74.00	14.76	39.02	50.49	54.00	3.51	100	99	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix G: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.606	10.26	36.71	56.00	19.29	27.53	46.00	18.47	L1	PASS
2	2.262	10.28	34.69	56.00	21.31	21.75	46.00	24.25	L1	PASS
3	5.307	10.35	35.37	60.00	24.63	23.89	50.00	26.11	L1	PASS
4	9.765	10.44	40.77	60.00	19.23	32.68	50.00	17.32	L1	PASS
5	11.856	10.48	45.21	60.00	14.79	33.09	50.00	16.91	L1	PASS
6	12.561	10.50	45.05	60.00	14.95	34.38	50.00	15.62	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.606	10.26	40.21	56.00	15.79	23.12	46.00	22.88	N	PASS
2	1.356	10.30	33.02	56.00	22.98	21.54	46.00	24.46	N	PASS
3	3.534	10.40	34.60	56.00	21.40	21.32	46.00	24.68	N	PASS
4	11.163	10.49	46.54	60.00	13.46	31.55	50.00	18.45	N	PASS
5	12.555	10.55	53.30	60.00	6.70	33.22	50.00	16.78	N	PASS
6	13.257	10.58	47.65	60.00	12.35	26.80	50.00	23.20	N	PASS