


Mode: N20

Channel: 2412MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1497.0000	38.25	38.18	-0.07	74.00	35.82	150	214	PK	Vertical	PASS
2	1871.0000	38.63	40.07	1.44	74.00	33.93	150	350	PK	Vertical	PASS
3	4389.0000	56.09	39.54	-16.55	74.00	34.46	150	184	PK	Vertical	PASS
4	5013.0000	53.25	39.46	-13.79	74.00	34.54	150	99	PK	Vertical	PASS
5	7243.0000	56.59	47.53	-9.06	74.00	26.47	150	130	PK	Vertical	PASS
6	8769.0000	51.84	45.21	-6.63	74.00	28.79	150	91	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1423.4000	39.22	38.94	-0.28	74.00	35.06	150	265	PK	Horizontal	PASS
2	1664.2000	38.93	39.35	0.42	74.00	34.65	150	100	PK	Horizontal	PASS
3	4873.5000	57.63	43.42	-14.21	74.00	30.58	150	22	PK	Horizontal	PASS
4	7305.0000	52.48	43.00	-9.48	74.00	31.00	150	14	PK	Horizontal	PASS
5	8439.0000	50.98	44.04	-6.94	74.00	29.96	150	292	PK	Horizontal	PASS
6	10223.5000	49.67	45.64	-4.03	74.00	28.36	150	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: N20

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1469.6000	39.24	39.14	-0.10	74.00	34.86	150	220	PK	Vertical	PASS
2	1757.2000	39.35	40.16	0.81	74.00	33.84	150	305	PK	Vertical	PASS
3	4873.5000	56.94	42.73	-14.21	74.00	31.27	150	162	PK	Vertical	PASS
4	5850.5000	54.82	42.71	-12.11	74.00	31.29	150	232	PK	Vertical	PASS
5	8797.0000	54.60	47.71	-6.89	74.00	26.29	150	84	PK	Vertical	PASS
6	10867.0000	50.52	47.08	-3.44	74.00	26.92	150	123	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1235.4000	39.16	38.70	-0.46	74.00	35.30	150	122	PK	Horizontal	PASS
2	1583.4000	39.03	39.25	0.22	74.00	34.75	150	256	PK	Horizontal	PASS
3	4922.0000	59.34	45.74	-13.60	74.00	28.26	150	6	PK	Horizontal	PASS
4	6215.5000	51.61	40.91	-10.70	74.00	33.09	150	153	PK	Horizontal	PASS
5	7394.5000	53.45	43.90	-9.55	74.00	30.10	150	137	PK	Horizontal	PASS
6	9812.0000	49.69	45.33	-4.36	74.00	28.67	150	254	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1326.8000	39.70	39.21	-0.49	74.00	34.79	150	112	PK	Vertical	PASS
2	1755.2000	38.33	39.12	0.79	74.00	34.88	150	323	PK	Vertical	PASS
3	4921.0000	57.86	44.31	-13.55	74.00	29.69	150	286	PK	Vertical	PASS
4	6378.5000	52.60	42.47	-10.13	74.00	31.53	150	145	PK	Vertical	PASS
5	8762.5000	57.86	51.17	-6.69	74.00	22.83	150	90	PK	Vertical	PASS
6	10780.5000	49.65	46.49	-3.16	74.00	27.51	150	255	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2422MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1423.4000	38.58	38.30	-0.28	74.00	35.70	150	262	PK	Horizontal	PASS
2	1990.2000	38.78	40.61	1.83	74.00	33.39	150	352	PK	Horizontal	PASS
3	4217.5000	53.26	36.09	-17.17	74.00	37.91	150	201	PK	Horizontal	PASS
4	4845.5000	55.49	40.86	-14.63	74.00	33.14	150	21	PK	Horizontal	PASS
5	7230.0000	52.60	43.42	-9.18	74.00	30.58	150	341	PK	Horizontal	PASS
6	9738.0000	50.14	45.38	-4.76	74.00	28.62	150	201	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2422MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1326.6000	39.47	38.99	-0.48	74.00	35.01	150	104	PK	Vertical	PASS
2	1791.4000	38.73	39.73	1.00	74.00	34.27	150	299	PK	Vertical	PASS
3	4176.0000	53.82	36.67	-17.15	74.00	37.33	150	176	PK	Vertical	PASS
4	4844.0000	53.99	39.42	-14.57	74.00	34.58	150	68	PK	Vertical	PASS
5	6324.5000	53.18	42.28	-10.90	74.00	31.72	150	269	PK	Vertical	PASS
6	8784.5000	53.07	46.47	-6.60	74.00	27.53	150	246	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1418.8000	38.30	37.99	-0.31	74.00	36.01	150	82	PK	Horizontal	PASS
2	1879.4000	38.20	39.64	1.44	74.00	34.36	150	301	PK	Horizontal	PASS
3	4876.0000	56.71	42.54	-14.17	74.00	31.46	150	21	PK	Horizontal	PASS
4	6498.5000	52.00	41.98	-10.02	74.00	32.02	150	52	PK	Horizontal	PASS
5	9241.5000	49.54	44.63	-4.91	74.00	29.37	150	230	PK	Horizontal	PASS
6	11695.0000	48.30	45.96	-2.34	74.00	28.04	150	215	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2437MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1390.8000	39.14	38.71	-0.43	74.00	35.29	150	93	PK	Vertical	PASS
2	1841.8000	39.31	40.64	1.33	74.00	33.36	150	215	PK	Vertical	PASS
3	4826.5000	54.15	39.33	-14.82	74.00	34.67	150	92	PK	Vertical	PASS
4	6498.5000	53.25	43.23	-10.02	74.00	30.77	150	264	PK	Vertical	PASS
5	8771.0000	51.50	44.91	-6.59	74.00	29.09	150	240	PK	Vertical	PASS
6	9964.0000	50.47	46.43	-4.04	74.00	27.57	150	169	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2452MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.0000	39.28	39.03	-0.25	74.00	34.97	150	101	PK	Horizontal	PASS
2	1703.8000	39.18	39.79	0.61	74.00	34.21	150	64	PK	Horizontal	PASS
3	4907.0000	56.94	43.70	-13.24	74.00	30.30	150	30	PK	Horizontal	PASS
4	7349.0000	53.24	44.30	-8.94	74.00	29.70	150	208	PK	Horizontal	PASS
5	9223.0000	49.80	44.86	-4.94	74.00	29.14	150	108	PK	Horizontal	PASS
6	10183.0000	50.59	46.20	-4.39	74.00	27.80	150	348	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2452MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1412.4000	38.77	38.47	-0.30	74.00	35.53	150	216	PK	Vertical	PASS
2	1665.2000	39.48	39.89	0.41	74.00	34.11	150	221	PK	Vertical	PASS
3	4923.5000	54.46	40.80	-13.66	74.00	33.20	150	356	PK	Vertical	PASS
4	5863.5000	55.15	43.34	-11.81	74.00	30.66	150	192	PK	Vertical	PASS
5	7622.0000	51.99	42.97	-9.02	74.00	31.03	150	169	PK	Vertical	PASS
6	8767.0000	54.23	47.58	-6.65	74.00	26.42	150	84	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.3	10.32	36.94	60.24	23.30	24.17	50.24	26.07	L1	PASS
2	0.603	10.26	38.48	56.00	17.52	28.82	46.00	17.18	L1	PASS
3	3.03	10.29	34.81	56.00	21.19	23.23	46.00	22.77	L1	PASS
4	11.86	10.48	46.05	60.00	13.95	29.65	50.00	20.35	L1	PASS
5	12.553	10.50	46.97	60.00	13.03	35.93	50.00	14.07	L1	PASS
6	13.945	10.53	43.10	60.00	16.90	32.24	50.00	17.76	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.447	10.27	37.71	56.93	19.22	21.69	46.93	25.24	N	PASS
2	0.612	10.26	38.26	56.00	17.74	22.93	46.00	23.07	N	PASS
3	5.271	10.41	35.96	60.00	24.04	23.13	50.00	26.87	N	PASS
4	11.857	10.52	49.66	60.00	10.34	33.77	50.00	16.23	N	PASS
5	12.55	10.55	53.09	60.00	6.91	34.24	50.00	15.76	N	PASS
6	13.255	10.58	51.98	60.00	8.02	35.39	50.00	14.61	N	PASS