

			LV	NT	-20000.00	-3.433476		PASS
			HV	NT	-20000.00	-3.433476		PASS
11N40SI SO	Ant1	5190	NV	NT	-40000.00	-7.707129		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	-40000.00	-7.707129		PASS
		5230	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5270	NV	NT	-40000.00	-7.590133		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5310	NV	NT	-40000.00	-7.532957		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5510	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5550	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5670	NV	NT	-40000.00	-7.054674		PASS
			LV	NT	-200000.0 0	-35.27336 9		PASS
			HV	NT	-80000.00	-14.10934 7		PASS
		5755	NV	NT	-80000.00	-13.90095 6		PASS
			LV	NT	-40000.00	-6.950478		PASS
			HV	NT	0.00	0.000000		PASS
		5795	NV	NT	-40000.00	-6.902502		PASS
			LV	NT	-40000.00	-6.902502		PASS
			HV	NT	-80000.00	-13.80500 4		PASS

Temperature								
TestMod e	Antenn a	Freque ncy[MH z]	Voltage [Vdc]	Tempe rature (°C)	Deviation (Hz)	Deviation (ppm)	Limit	Verdi ct
11A	Ant1	5180	NV	-30	0.00	0.000000	within the band of operation	PASS
			NV	-20	-20000.00	-3.861004		PASS
			NV	-10	-20000.00	-3.861004		PASS
			NV	0	0.00	0.000000		PASS

			NV	10	-20000.00	-3.861004	within the band of operation	PASS
			NV	20	-20000.00	-3.861004		PASS
			NV	30	-20000.00	-3.861004		PASS
			NV	40	-20000.00	-3.861004		PASS
			NV	50	0.00	0.000000		PASS
		5200	NV	-30	0.00	0.000000		PASS
			NV	-20	-20000.00	-3.846154		PASS
			NV	-10	-20000.00	-3.846154		PASS
			NV	0	-20000.00	-3.846154		PASS
			NV	10	-20000.00	-3.846154		PASS
			NV	20	-20000.00	-3.846154		PASS
			NV	30	0.00	0.000000		PASS
			NV	40	-20000.00	-3.846154		PASS
			NV	50	0.00	0.000000		PASS
		5240	NV	-30	-20000.00	-3.816794		PASS
			NV	-20	0.00	0.000000		PASS
			NV	-10	-20000.00	-3.816794		PASS
			NV	0	-20000.00	-3.816794		PASS
			NV	10	-20000.00	-3.816794		PASS
			NV	20	-20000.00	-3.816794		PASS
			NV	30	0.00	0.000000		PASS
			NV	40	0.00	0.000000		PASS
			NV	50	-20000.00	-3.816794		PASS
		5260	NV	-30	-20000.00	-3.802281		PASS
			NV	-20	-20000.00	-3.802281		PASS
			NV	-10	-20000.00	-3.802281		PASS
			NV	0	-20000.00	-3.802281		PASS
			NV	10	0.00	0.000000		PASS
			NV	20	-20000.00	-3.802281		PASS
			NV	30	-20000.00	-3.802281		PASS
			NV	40	0.00	0.000000		PASS
			NV	50	-20000.00	-3.802281		PASS
		5280	NV	-30	0.00	0.000000		PASS
			NV	-20	-20000.00	-3.787879		PASS
			NV	-10	-20000.00	-3.787879		PASS
			NV	0	0.00	0.000000		PASS
			NV	10	-20000.00	-3.787879		PASS
			NV	20	0.00	0.000000		PASS
			NV	30	0.00	0.000000		PASS
			NV	40	0.00	0.000000		PASS
			NV	50	-20000.00	-3.787879		PASS
		5320	NV	-30	0.00	0.000000		PASS

			NV	-20	-20000.00	-3.759398	PASS
			NV	-10	-20000.00	-3.759398	PASS
			NV	0	0.00	0.000000	PASS
			NV	10	-20000.00	-3.759398	PASS
			NV	20	-20000.00	-3.759398	PASS
			NV	30	0.00	0.000000	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	-20000.00	-3.759398	PASS
		5500	NV	-30	-20000.00	-3.636364	PASS
			NV	-20	-20000.00	-3.636364	PASS
			NV	-10	0.00	0.000000	PASS
			NV	0	0.00	0.000000	PASS
			NV	10	-20000.00	-3.636364	PASS
			NV	20	0.00	0.000000	PASS
			NV	30	-20000.00	-3.636364	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	0.00	0.000000	PASS
		5580	NV	-30	0.00	0.000000	PASS
			NV	-20	-20000.00	-3.584229	PASS
			NV	-10	-40000.00	-7.168459	PASS
			NV	0	0.00	0.000000	PASS
			NV	10	-20000.00	-3.584229	PASS
			NV	20	-20000.00	-3.584229	PASS
			NV	30	-20000.00	-3.584229	PASS
			NV	40	-20000.00	-3.584229	PASS
			NV	50	0.00	0.000000	PASS
		5700	NV	-30	-20000.00	-3.508772	PASS
			NV	-20	-20000.00	-3.508772	PASS
			NV	-10	-20000.00	-3.508772	PASS
			NV	0	0.00	0.000000	PASS
			NV	10	-20000.00	-3.508772	PASS
			NV	20	-20000.00	-3.508772	PASS
			NV	30	0.00	0.000000	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	-20000.00	-3.508772	PASS
		5745	NV	-30	-20000.00	-3.481288	PASS
			NV	-20	20000.00	3.481288	PASS
			NV	-10	0.00	0.000000	PASS
			NV	0	-20000.00	-3.481288	PASS
			NV	10	-20000.00	-3.481288	PASS
			NV	20	20000.00	3.481288	PASS
			NV	30	0.00	0.000000	PASS

			NV	40	-20000.00	-3.481288		PASS
			NV	50	-20000.00	-3.481288		PASS
		5785	NV	-30	0.00	0.000000		PASS
			NV	-20	-20000.00	-3.457217		PASS
			NV	-10	-20000.00	-3.457217		PASS
			NV	0	-20000.00	-3.457217		PASS
			NV	10	-20000.00	-3.457217		PASS
			NV	20	-20000.00	-3.457217		PASS
			NV	30	0.00	0.000000		PASS
			NV	40	-20000.00	-3.457217		PASS
			NV	50	-20000.00	-3.457217		PASS
		5825	NV	-30	-20000.00	-3.433476		PASS
			NV	-20	-20000.00	-3.433476		PASS
			NV	-10	-20000.00	-3.433476		PASS
			NV	0	-20000.00	-3.433476		PASS
			NV	10	0.00	0.000000		PASS
			NV	20	-20000.00	-3.433476		PASS
			NV	30	-20000.00	-3.433476		PASS
			NV	40	-20000.00	-3.433476		PASS
			NV	50	-20000.00	-3.433476		PASS
11N40SI SO	Ant1	5190	NV	-30	-40000.00	-7.707129		PASS
			NV	-20	-40000.00	-7.707129		PASS
			NV	-10	0.00	0.000000		PASS
			NV	0	0.00	0.000000		PASS
			NV	10	0.00	0.000000		PASS
			NV	20	0.00	0.000000		PASS
			NV	30	-40000.00	-7.707129		PASS
			NV	40	0.00	0.000000		PASS
			NV	50	0.00	0.000000		PASS
		5230	NV	-30	0.00	0.000000		PASS
			NV	-20	-40000.00	-7.648184		PASS
			NV	-10	-40000.00	-7.648184		PASS
			NV	0	40000.00	7.648184		PASS
			NV	10	-40000.00	-7.648184		PASS
			NV	20	-40000.00	-7.648184		PASS
			NV	30	-80000.00	-15.29636 7		PASS
			NV	40	-80000.00	-15.29636 7		PASS
			NV	50	-40000.00	-7.648184		PASS
		5270	NV	-30	-40000.00	-7.590133		PASS
			NV	-20	0.00	0.000000		PASS

			NV	-10	0.00	0.000000	PASS
			NV	0	-40000.00	-7.590133	PASS
			NV	10	-160000.0 0	-30.36053 1	PASS
			NV	20	0.00	0.000000	PASS
			NV	30	-40000.00	-7.590133	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	0.00	0.000000	PASS
		5310	NV	-30	-40000.00	-7.532957	PASS
			NV	-20	-200000.0 0	-37.66478 3	PASS
			NV	-10	-40000.00	-7.532957	PASS
			NV	0	-80000.00	-15.06591 3	PASS
			NV	10	-40000.00	-7.532957	PASS
			NV	20	-40000.00	-7.532957	PASS
			NV	30	-80000.00	-15.06591 3	PASS
			NV	40	-40000.00	-7.532957	PASS
			NV	50	0.00	0.000000	PASS
		5510	NV	-30	-40000.00	-7.259528	PASS
			NV	-20	-160000.0 0	-29.03811 3	PASS
			NV	-10	160000.0 0	29.038113	PASS
			NV	0	0.00	0.000000	PASS
			NV	10	-40000.00	-7.259528	PASS
			NV	20	0.00	0.000000	PASS
			NV	30	0.00	0.000000	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	0.00	0.000000	PASS
		5550	NV	-30	-80000.00	-14.41441 4	PASS
			NV	-20	0.00	0.000000	PASS
			NV	-10	-40000.00	-7.207207	PASS
			NV	0	120000.0 0	21.621622	PASS
			NV	10	0.00	0.000000	PASS
			NV	20	0.00	0.000000	PASS
			NV	30	-40000.00	-7.207207	PASS
			NV	40	40000.00	7.207207	PASS
			NV	50	40000.00	7.207207	PASS

		5670	NV	-30	-40000.00	-7.054674	PASS
			NV	-20	0.00	0.000000	PASS
			NV	-10	-40000.00	-7.054674	PASS
			NV	0	-80000.00	-14.109347	PASS
			NV	10	0.00	0.000000	PASS
			NV	20	-40000.00	-7.054674	PASS
			NV	30	-160000.00	-28.218695	PASS
			NV	40	-80000.00	-14.109347	PASS
			NV	50	-80000.00	-14.109347	PASS
		5755	NV	-30	-360000.00	-62.554301	PASS
			NV	-20	-320000.00	-55.603823	PASS
			NV	-10	-80000.00	-13.900956	PASS
			NV	0	-40000.00	-6.950478	PASS
			NV	10	-360000.00	-62.554301	PASS
			NV	20	-80000.00	-13.900956	PASS
			NV	30	-80000.00	-13.900956	PASS
			NV	40	-40000.00	-6.950478	PASS
			NV	50	-80000.00	-13.900956	PASS
		5795	NV	-30	-80000.00	-13.805004	PASS
			NV	-20	-40000.00	-6.902502	PASS
			NV	-10	-40000.00	-6.902502	PASS
			NV	0	-40000.00	-6.902502	PASS
			NV	10	-80000.00	-13.805004	PASS
			NV	20	0.00	0.000000	PASS
			NV	30	0.00	0.000000	PASS
			NV	40	0.00	0.000000	PASS
			NV	50	-80000.00	-13.805004	PASS


Appendix H: Unwant Emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (N20-5180MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	42.7083	45.10	29.23	-15.87	40.00	10.77	150	20	PK	Horizontal	PASS
2	109.1599	37.33	18.51	-18.82	43.50	24.99	150	120	PK	Horizontal	PASS
3	186.2826	41.70	23.61	-18.09	43.50	19.89	150	250	PK	Horizontal	PASS
4	215.3855	44.96	25.83	-19.13	43.50	17.67	150	310	PK	Horizontal	PASS
5	365.4595	33.64	19.11	-14.53	46.00	26.89	150	20	PK	Horizontal	PASS
6	687.6288	33.62	25.75	-7.87	46.00	20.25	150	200	PK	Horizontal	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.4916	47.37	31.39	-15.98	40.00	8.61	150	170	PK	Vertical	PASS
2	107.5108	36.69	17.69	-19.00	43.50	25.81	150	310	PK	Vertical	PASS
3	187.5438	41.20	22.85	-18.35	43.50	20.65	150	270	PK	Vertical	PASS
4	323.1633	30.08	15.23	-14.85	46.00	30.77	150	60	PK	Vertical	PASS
5	531.2491	31.49	20.82	-10.67	46.00	25.18	150	100	PK	Vertical	PASS
6	687.6288	33.33	25.46	-7.87	46.00	20.54	150	120	PK	Vertical	PASS

Mode: A

Channel: 5180MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1532.8000	36.22	36.30	0.08	74.00	37.70	150	199	PK	Horizontal	PASS
2	2903.2000	36.53	42.02	5.49	68.23	26.21	150	310	PK	Horizontal	PASS
3	3785.2000	34.67	43.22	8.55	74.00	30.78	150	93	PK	Horizontal	PASS
4	7466.5200	53.78	44.66	-9.12	74.00	29.34	150	236	PK	Horizontal	PASS
5	10287.1600	50.81	47.37	-3.44	68.23	20.86	150	280	PK	Horizontal	PASS
6	12836.3500	48.23	47.76	-0.47	68.23	20.47	150	35	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5180MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1715.8000	37.05	37.72	0.67	68.23	30.51	150	260	PK	Vertical	PASS
2	2628.4000	36.36	40.59	4.23	68.23	27.64	150	273	PK	Vertical	PASS
3	3743.2000	34.95	43.60	8.65	74.00	30.40	150	326	PK	Vertical	PASS
4	7095.6400	54.80	45.21	-9.59	68.23	23.02	150	69	PK	Vertical	PASS
5	9821.1200	51.03	47.07	-3.96	68.23	21.16	150	36	PK	Vertical	PASS
6	15532.5500	52.31	54.47	2.16	74.00	19.53	150	350	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5200MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1815.4000	37.56	38.65	1.09	68.23	29.58	150	28	PK	Horizontal	PASS
2	2655.4000	36.35	40.72	4.37	68.23	27.51	150	283	PK	Horizontal	PASS
3	6932.7700	54.97	45.46	-9.51	68.23	22.77	150	37	PK	Horizontal	PASS
4	9567.9700	50.52	46.27	-4.25	68.23	21.96	150	310	PK	Horizontal	PASS
5	13054.1200	49.00	49.02	0.02	68.23	19.21	150	6	PK	Horizontal	PASS
6	15304.4100	48.17	51.26	3.09	68.23	16.97	150	266	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5200MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1732.0000	36.41	37.10	0.69	68.23	31.13	150	324	PK	Vertical	PASS
2	2512.6000	36.14	39.89	3.75	68.23	28.34	150	250	PK	Vertical	PASS
3	4033.0000	34.19	43.90	9.71	74.00	30.10	150	342	PK	Vertical	PASS
4	7866.0700	52.99	44.52	-8.47	68.23	23.71	150	99	PK	Vertical	PASS
5	11091.1400	49.59	46.80	-2.79	74.00	27.20	150	0	PK	Vertical	PASS
6	15602.7000	53.37	56.57	3.20	74.00	17.43	150	356	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5240MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1565.8000	36.92	37.14	0.22	74.00	36.86	150	9	PK	Horizontal	PASS
2	1879.0000	36.57	38.01	1.44	68.23	30.22	150	286	PK	Horizontal	PASS
3	2933.2000	35.50	41.23	5.73	68.23	27.00	150	18	PK	Horizontal	PASS
4	7985.0200	52.37	45.03	-7.34	68.23	23.20	150	52	PK	Horizontal	PASS
5	9559.4300	51.30	47.08	-4.22	68.23	21.15	150	222	PK	Horizontal	PASS
6	11100.9000	50.24	47.50	-2.74	74.00	26.50	150	70	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5240MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1655.2000	36.35	36.81	0.46	68.23	31.42	150	322	PK	Vertical	PASS
2	2176.0000	35.58	37.97	2.39	68.23	30.26	150	37	PK	Vertical	PASS
3	2873.8000	36.23	41.62	5.39	74.00	32.38	150	291	PK	Vertical	PASS
4	9028.1200	51.34	45.40	-5.94	74.00	28.60	150	66	PK	Vertical	PASS
5	11433.3500	50.53	48.21	-2.32	74.00	25.79	150	6	PK	Vertical	PASS
6	15714.3300	53.33	55.58	2.25	74.00	18.42	150	342	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1433.2000	36.74	36.54	-0.20	68.23	31.69	150	157	PK	Horizontal	PASS
2	2137.6000	36.02	38.16	2.14	68.23	30.07	150	204	PK	Horizontal	PASS
3	2639.2000	36.69	40.70	4.01	68.23	27.53	150	127	PK	Horizontal	PASS
4	7013.2900	55.12	45.90	-9.22	68.23	22.33	150	34	PK	Horizontal	PASS
5	9170.8600	51.03	45.33	-5.70	74.00	28.67	150	292	PK	Horizontal	PASS
6	11551.0800	50.13	48.10	-2.03	74.00	25.90	150	67	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

Mode: A

Channel: 5260MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1594.6000	35.96	36.28	0.32	74.00	37.72	150	193	PK	Vertical	PASS
2	2569.6000	36.01	39.88	3.87	68.23	28.35	150	349	PK	Vertical	PASS
3	4314.4000	34.04	44.33	10.29	74.00	29.67	150	66	PK	Vertical	PASS
4	7941.1000	52.57	44.46	-8.11	68.23	23.77	150	279	PK	Vertical	PASS
5	9815.6300	51.08	47.06	-4.02	68.23	21.17	150	299	PK	Vertical	PASS
6	15777.1600	51.80	54.31	2.51	74.00	19.69	150	0	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5280MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1470.4000	36.90	36.81	-0.09	74.00	37.19	150	133	PK	Horizontal	PASS
2	2060.2000	36.83	38.62	1.79	68.23	29.61	150	181	PK	Horizontal	PASS
3	3003.4000	35.82	41.76	5.94	68.23	26.47	150	9	PK	Horizontal	PASS
4	7039.5200	54.23	44.93	-9.30	68.23	23.30	150	45	PK	Horizontal	PASS
5	8108.8500	52.43	44.69	-7.74	74.00	29.31	150	336	PK	Horizontal	PASS
6	15841.8200	51.37	54.19	2.82	74.00	19.81	150	84	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5280MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1594.0000	36.46	36.78	0.32	74.00	37.22	150	119	PK	Vertical	PASS
2	1804.0000	37.41	38.43	1.02	68.23	29.80	150	317	PK	Vertical	PASS
3	2991.4000	35.76	41.79	6.03	68.23	26.44	150	110	PK	Vertical	PASS
4	7039.5200	53.41	44.11	-9.30	68.23	24.12	150	349	PK	Vertical	PASS
5	11078.3300	50.65	47.78	-2.87	74.00	26.22	150	187	PK	Vertical	PASS
6	15830.8400	51.05	53.83	2.78	74.00	20.17	150	349	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5320MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1672.0000	37.01	37.38	0.37	74.00	36.62	150	24	PK	Horizontal	PASS
2	2324.2000	35.64	38.50	2.86	74.00	35.50	150	354	PK	Horizontal	PASS
3	3026.8000	35.49	41.53	6.04	68.23	26.70	150	160	PK	Horizontal	PASS
4	7093.2000	55.65	46.13	-9.52	68.23	22.10	150	46	PK	Horizontal	PASS
5	9703.3900	50.71	46.53	-4.18	68.23	21.70	150	264	PK	Horizontal	PASS
6	11934.7700	49.39	47.69	-1.70	74.00	26.31	150	237	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5320MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1917.4000	36.95	38.31	1.36	68.23	29.92	150	140	PK	Vertical	PASS
2	2230.6000	37.21	39.90	2.69	74.00	34.10	150	354	PK	Vertical	PASS
3	3640.0000	35.47	43.55	8.08	74.00	30.45	150	295	PK	Vertical	PASS
4	9175.1300	51.87	46.20	-5.67	74.00	27.80	150	55	PK	Vertical	PASS
5	9629.5800	52.80	48.22	-4.58	68.23	20.01	150	254	PK	Vertical	PASS
6	14044.7600	49.19	51.18	1.99	68.23	17.05	150	99	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5500MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1460.0000	36.47	36.40	-0.07	74.00	37.60	150	207	PK	Horizontal	PASS
2	2446.8750	35.56	38.80	3.24	68.23	29.43	150	324	PK	Horizontal	PASS
3	3182.5000	35.70	42.16	6.46	68.23	26.07	150	294	PK	Horizontal	PASS
4	7333.2000	55.36	46.05	-9.31	74.00	27.95	150	23	PK	Horizontal	PASS
5	9688.2000	51.33	47.22	-4.11	68.23	21.01	150	211	PK	Horizontal	PASS
6	10573.8000	50.61	47.29	-3.32	68.23	20.94	150	68	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1638.1250	37.14	37.46	0.32	68.23	30.77	150	197	PK	Vertical	PASS
2	2820.0000	35.73	40.91	5.18	74.00	33.09	150	94	PK	Vertical	PASS
3	3787.5000	34.75	43.21	8.46	74.00	30.79	150	172	PK	Vertical	PASS
4	7983.6000	52.21	44.90	-7.31	68.23	23.33	150	47	PK	Vertical	PASS
5	10084.2000	50.39	46.50	-3.89	68.23	21.73	150	10	PK	Vertical	PASS
6	12286.8000	49.05	47.60	-1.45	74.00	26.40	150	288	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: A

Channel: 5600MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1672.5000	37.33	37.70	0.37	74.00	36.30	150	132	PK	Horizontal	PASS
2	2513.7500	35.51	39.26	3.75	68.23	28.97	150	132	PK	Horizontal	PASS
3	3167.5000	35.09	41.48	6.39	68.23	26.75	150	86	PK	Horizontal	PASS
4	7465.8000	54.00	44.89	-9.11	74.00	29.11	150	35	PK	Horizontal	PASS
5	10606.8000	50.55	47.52	-3.03	74.00	26.48	150	220	PK	Horizontal	PASS
6	13579.2000	48.38	48.94	0.56	68.23	19.29	150	96	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5600MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1644.3750	37.12	37.47	0.35	68.23	30.76	150	152	PK	Vertical	PASS
2	2670.0000	35.52	39.71	4.19	68.23	28.52	150	360	PK	Vertical	PASS
3	3433.1250	34.86	41.92	7.06	68.23	26.31	150	167	PK	Vertical	PASS
4	7972.8000	52.53	45.06	-7.47	68.23	23.17	150	46	PK	Vertical	PASS
5	11778.0000	50.32	48.20	-2.12	74.00	25.80	150	137	PK	Vertical	PASS
6	13292.4000	47.48	47.94	0.46	74.00	26.06	150	245	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2217.2000	36.09	38.66	2.57	74.00	35.34	150	302	PK	Horizontal	PASS
2	2844.1600	36.82	42.15	5.33	74.00	31.85	150	55	PK	Horizontal	PASS
3	3766.9200	35.04	43.62	8.58	74.00	30.38	150	328	PK	Horizontal	PASS
4	9894.5700	51.40	46.97	-4.43	68.23	21.26	150	231	PK	Horizontal	PASS
5	12285.4500	49.10	47.88	-1.22	74.00	26.12	150	336	PK	Horizontal	PASS
6	15286.8000	48.11	50.75	2.64	68.23	17.48	150	310	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1509.3200	36.90	36.99	0.09	74.00	37.01	150	164	PK	Vertical	PASS
2	2829.8800	35.79	41.09	5.30	74.00	32.91	150	201	PK	Vertical	PASS
3	4189.8800	34.40	44.61	10.21	74.00	29.39	150	321	PK	Vertical	PASS
4	9419.7600	51.04	45.88	-5.16	74.00	28.12	150	259	PK	Vertical	PASS
5	10861.0200	50.97	47.61	-3.36	74.00	26.39	150	39	PK	Vertical	PASS
6	13878.6900	48.36	49.82	1.46	68.23	18.41	150	259	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

Mode: A

Channel: 5745MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2217.8800	35.70	38.27	2.57	74.00	35.73	150	360	PK	Horizontal	PASS
2	2982.8800	36.03	42.00	5.97	68.23	26.23	150	137	PK	Horizontal	PASS
3	3785.2800	36.22	44.77	8.55	74.00	29.23	150	313	PK	Horizontal	PASS
4	9224.4300	51.29	46.64	-4.65	68.23	21.59	150	302	PK	Horizontal	PASS
5	11583.6900	49.42	47.49	-1.93	74.00	26.51	150	30	PK	Horizontal	PASS
6	14045.9700	47.90	49.85	1.95	68.23	18.38	150	144	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2338.2400	36.45	39.27	2.82	74.00	34.73	150	66	PK	Vertical	PASS
2	2680.2800	37.10	41.57	4.47	68.23	26.66	150	150	PK	Vertical	PASS
3	3708.4400	34.93	43.33	8.40	74.00	30.67	150	36	PK	Vertical	PASS
4	9627.3300	51.47	46.62	-4.85	68.23	21.61	150	9	PK	Vertical	PASS
5	11490.3600	50.06	47.79	-2.27	74.00	26.21	150	356	PK	Vertical	PASS
6	14037.8100	48.16	50.23	2.07	68.23	18.00	150	230	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: A

Channel: 5785MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1620.1600	36.47	36.77	0.30	74.00	37.23	150	38	PK	Horizontal	PASS
2	1946.5600	36.20	37.69	1.49	68.23	30.54	150	239	PK	Horizontal	PASS
3	2425.9600	35.82	39.14	3.32	68.23	29.09	150	89	PK	Horizontal	PASS
4	9387.6300	51.23	46.06	-5.17	74.00	27.94	150	244	PK	Horizontal	PASS
5	10683.0300	50.29	46.48	-3.81	74.00	27.52	150	160	PK	Horizontal	PASS
6	13589.0100	48.22	48.89	0.67	68.23	19.34	150	304	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5785MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1869.0400	36.57	37.98	1.41	68.23	30.25	150	174	PK	Vertical	PASS
2	3040.6800	35.20	41.37	6.17	68.23	26.86	150	10	PK	Vertical	PASS
3	4492.4800	33.24	44.63	11.39	68.23	23.60	150	216	PK	Vertical	PASS
4	9872.1300	51.94	47.52	-4.42	68.23	20.71	150	179	PK	Vertical	PASS
5	11562.7800	51.29	49.37	-1.92	74.00	24.63	150	63	PK	Vertical	PASS
6	14974.6800	48.49	50.56	2.07	68.23	17.67	150	135	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1676.6000	36.39	36.82	0.43	74.00	37.18	150	126	PK	Horizontal	PASS
2	2183.2000	35.84	38.31	2.47	68.23	29.92	150	14	PK	Horizontal	PASS
3	3627.5200	35.07	42.76	7.69	74.00	31.24	150	112	PK	Horizontal	PASS
4	9472.8000	51.96	46.83	-5.13	74.00	27.17	150	336	PK	Horizontal	PASS
5	11024.7300	50.18	47.26	-2.92	74.00	26.74	150	114	PK	Horizontal	PASS
6	12732.7200	48.93	48.16	-0.77	68.23	20.07	150	114	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1791.5200	36.76	37.76	1.00	68.23	30.47	150	62	PK	Vertical	PASS
2	3184.8400	35.42	41.88	6.46	68.23	26.35	150	310	PK	Vertical	PASS
3	3938.9600	35.84	44.97	9.13	74.00	29.03	150	319	PK	Vertical	PASS
4	10011.3600	50.56	46.58	-3.98	68.23	21.65	150	265	PK	Vertical	PASS
5	11620.9200	48.88	47.19	-1.69	74.00	26.81	150	176	PK	Vertical	PASS
6	14564.6400	47.61	50.19	2.58	68.23	18.04	150	207	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5180MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1567.0000	35.95	36.18	0.23	74.00	37.82	150	312	PK	Horizontal	PASS
2	2061.4000	36.64	38.47	1.83	68.23	29.76	150	20	PK	Horizontal	PASS
3	2946.4000	34.96	40.67	5.71	68.23	27.56	150	175	PK	Horizontal	PASS
4	6906.5400	54.96	45.77	-9.19	68.23	22.46	150	181	PK	Horizontal	PASS
5	9827.2200	51.05	47.00	-4.05	68.23	21.23	150	42	PK	Horizontal	PASS
6	11464.4600	49.86	47.56	-2.30	74.00	26.44	150	4	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5180MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1778.8000	36.21	37.16	0.95	68.23	31.07	150	290	PK	Vertical	PASS
2	2894.2000	36.31	41.51	5.20	74.00	32.49	150	64	PK	Vertical	PASS
3	3770.2000	35.38	44.11	8.73	74.00	29.89	150	253	PK	Vertical	PASS
4	7647.0800	53.97	45.42	-8.55	74.00	28.58	150	239	PK	Vertical	PASS
5	10583.0100	49.94	46.65	-3.29	68.23	21.58	150	307	PK	Vertical	PASS
6	15545.3600	50.52	52.72	2.20	74.00	21.28	150	109	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5200MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1411.0000	36.98	36.68	-0.30	74.00	37.32	150	54	PK	Horizontal	PASS
2	2051.8000	35.25	37.06	1.81	68.23	31.17	150	54	PK	Horizontal	PASS
3	3082.6000	35.18	41.37	6.19	68.23	26.86	150	147	PK	Horizontal	PASS
4	8173.5100	52.52	44.81	-7.71	74.00	29.19	150	65	PK	Horizontal	PASS
5	10130.3900	51.39	47.16	-4.23	68.23	21.07	150	355	PK	Horizontal	PASS
6	13845.2900	48.46	49.92	1.46	68.23	18.31	150	210	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5200MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2012.2000	36.53	38.37	1.84	68.23	29.86	150	141	PK	Vertical	PASS
2	2581.0000	35.27	39.43	4.16	68.23	28.80	150	325	PK	Vertical	PASS
3	3593.2000	34.41	42.17	7.76	68.23	26.06	150	14	PK	Vertical	PASS
4	8163.7500	53.84	46.12	-7.72	74.00	27.88	150	159	PK	Vertical	PASS
5	12064.7000	49.28	47.64	-1.64	74.00	26.36	150	251	PK	Vertical	PASS
6	13828.8200	48.77	50.26	1.49	68.23	17.97	150	309	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1929.4000	35.95	37.42	1.47	68.23	30.81	150	64	PK	Horizontal	PASS
2	2765.8000	35.48	40.41	4.93	74.00	33.59	150	68	PK	Horizontal	PASS
3	3563.2000	34.87	42.40	7.53	68.23	25.83	150	205	PK	Horizontal	PASS
4	6986.4500	54.24	44.99	-9.25	68.23	23.24	150	144	PK	Horizontal	PASS
5	7726.3800	52.62	43.99	-8.63	74.00	30.01	150	269	PK	Horizontal	PASS
6	11554.7400	49.26	47.34	-1.92	74.00	26.66	150	202	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: N20

Channel: 5240MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1855.6000	36.85	38.10	1.25	68.23	30.13	150	7	PK	Vertical	PASS
2	2669.2000	35.95	40.12	4.17	68.23	28.11	150	356	PK	Vertical	PASS
3	3306.4000	34.78	41.45	6.67	68.23	26.78	150	216	PK	Vertical	PASS
4	8157.6500	52.50	44.76	-7.74	74.00	29.24	150	176	PK	Vertical	PASS
5	11030.1400	50.59	47.67	-2.92	74.00	26.33	150	285	PK	Vertical	PASS
6	15723.4800	51.25	53.49	2.24	74.00	20.51	150	109	PK	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level