


Mode: N20

Channel: 5260MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1991.2000       | 36.15            | 37.97          | 1.82        | 68.23          | 30.26       | 150         | 159       | PK  | Horizontal | PASS    |
| 2   | 2584.6000       | 35.06            | 38.99          | 3.93        | 68.23          | 29.24       | 150         | 21        | PK  | Horizontal | PASS    |
| 3   | 3154.6000       | 35.15            | 41.55          | 6.40        | 68.23          | 26.68       | 150         | 270       | PK  | Horizontal | PASS    |
| 4   | 7013.2900       | 54.13            | 44.91          | -9.22       | 68.23          | 23.32       | 150         | 181       | PK  | Horizontal | PASS    |
| 5   | 9546.6200       | 51.04            | 46.81          | -4.23       | 68.23          | 21.42       | 150         | 19        | PK  | Horizontal | PASS    |
| 6   | 12829.6400      | 48.16            | 47.69          | -0.47       | 68.23          | 20.54       | 150         | 181       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5260MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1508.2000       | 36.25            | 36.31          | 0.06        | 74.00          | 37.69       | 150         | 274       | PK  | Vertical | PASS    |
| 2   | 2185.6000       | 35.80            | 38.24          | 2.44        | 68.23          | 29.99       | 150         | 128       | PK  | Vertical | PASS    |
| 3   | 3398.2000       | 34.74            | 41.55          | 6.81        | 68.23          | 26.68       | 150         | 93        | PK  | Vertical | PASS    |
| 4   | 7703.8100       | 52.73            | 44.26          | -8.47       | 74.00          | 29.74       | 150         | 354       | PK  | Vertical | PASS    |
| 5   | 10815.4200      | 50.18            | 46.95          | -3.23       | 74.00          | 27.05       | 150         | 354       | PK  | Vertical | PASS    |
| 6   | 15783.2600      | 50.74            | 53.27          | 2.53        | 74.00          | 20.73       | 150         | 111       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5280MHz

Test Graph




Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1693.0000       | 36.60            | 37.14          | 0.54        | 74.00          | 36.86       | 150         | 168       | PK  | Horizontal | PASS    |
| 2   | 2390.2000       | 35.71            | 38.66          | 2.95        | 68.23          | 29.57       | 150         | 339       | PK  | Horizontal | PASS    |
| 3   | 3100.0000       | 34.60            | 41.11          | 6.51        | 68.23          | 27.12       | 150         | 114       | PK  | Horizontal | PASS    |
| 4   | 7039.5200       | 55.27            | 45.97          | -9.30       | 68.23          | 22.26       | 150         | 145       | PK  | Horizontal | PASS    |
| 5   | 9951.0500       | 50.76            | 46.98          | -3.78       | 68.23          | 21.25       | 150         | 48        | PK  | Horizontal | PASS    |
| 6   | 12009.1900      | 49.35            | 47.70          | -1.65       | 74.00          | 26.30       | 150         | 301       | PK  | Horizontal | PASS    |

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



| Suspected Data List |                 |                  |                |             |                |             |             |           |     |          |         |
|---------------------|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
| 1                   | 1840.0000       | 35.95            | 37.28          | 1.33        | 68.23          | 30.95       | 150         | 208       | PK  | Vertical | PASS    |
| 2                   | 2563.6000       | 35.62            | 39.31          | 3.69        | 68.23          | 28.92       | 150         | 120       | PK  | Vertical | PASS    |
| 3                   | 2878.6000       | 36.05            | 41.52          | 5.47        | 74.00          | 32.48       | 150         | 13        | PK  | Vertical | PASS    |
| 4                   | 8427.8800       | 52.41            | 45.32          | -7.09       | 74.00          | 28.68       | 150         | 19        | PK  | Vertical | PASS    |
| 5                   | 14053.3000      | 48.02            | 49.71          | 1.69        | 68.23          | 18.52       | 150         | 180       | PK  | Vertical | PASS    |
| 6                   | 15837.5500      | 51.67            | 54.49          | 2.82        | 74.00          | 19.51       | 150         | 105       | PK  | Vertical | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




| Suspected Data List |                 |                  |                |             |                |             |             |           |     |            |         |
|---------------------|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
| 1                   | 1717.6000       | 36.71            | 37.37          | 0.66        | 68.23          | 30.86       | 150         | 40        | PK  | Horizontal | PASS    |
| 2                   | 2305.6000       | 35.70            | 38.32          | 2.62        | 68.23          | 29.91       | 150         | 190       | PK  | Horizontal | PASS    |
| 3                   | 3049.6000       | 35.28            | 41.39          | 6.11        | 68.23          | 26.84       | 150         | 129       | PK  | Horizontal | PASS    |
| 4                   | 7092.5900       | 54.62            | 45.12          | -9.50       | 68.23          | 23.11       | 150         | 162       | PK  | Horizontal | PASS    |
| 5                   | 9170.2500       | 51.66            | 45.96          | -5.70       | 74.00          | 28.04       | 150         | 267       | PK  | Horizontal | PASS    |
| 6                   | 11659.0500      | 50.41            | 48.18          | -2.23       | 74.00          | 25.82       | 150         | 44        | PK  | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

Mode: N20

Channel: 5320MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2594.8000       | 35.25            | 39.29          | 4.04        | 68.23          | 28.94       | 150         | 90        | PK  | Vertical | PASS    |
| 2   | 3389.2000       | 35.29            | 41.88          | 6.59        | 68.23          | 26.35       | 150         | 304       | PK  | Vertical | PASS    |
| 3   | 3950.8000       | 35.85            | 45.28          | 9.43        | 74.00          | 28.72       | 150         | 334       | PK  | Vertical | PASS    |
| 4   | 8301.6100       | 52.29            | 45.01          | -7.28       | 74.00          | 28.99       | 150         | 178       | PK  | Vertical | PASS    |
| 5   | 10213.9600      | 50.74            | 46.68          | -4.06       | 68.23          | 21.55       | 150         | 237       | PK  | Vertical | PASS    |
| 6   | 15964.4300      | 51.74            | 54.63          | 2.89        | 74.00          | 19.37       | 150         | 106       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1537.5000       | 35.95            | 36.05          | 0.10        | 74.00          | 37.95       | 150         | 18        | PK  | Horizontal | PASS    |
| 2   | 2195.0000       | 35.54            | 37.92          | 2.38        | 68.23          | 30.31       | 150         | 13        | PK  | Horizontal | PASS    |
| 3   | 3251.2500       | 35.41            | 41.91          | 6.50        | 68.23          | 26.32       | 150         | 356       | PK  | Horizontal | PASS    |
| 4   | 7333.2000       | 55.84            | 46.53          | -9.31       | 74.00          | 27.47       | 150         | 147       | PK  | Horizontal | PASS    |
| 5   | 10826.4000      | 50.37            | 47.07          | -3.30       | 74.00          | 26.93       | 150         | 153       | PK  | Horizontal | PASS    |
| 6   | 14053.2000      | 48.21            | 49.90          | 1.69        | 68.23          | 18.33       | 150         | 160       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5500MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1400.0000       | 36.51            | 36.21          | -0.30       | 74.00          | 37.79       | 150         | 4         | PK  | Vertical | PASS    |
| 2   | 2211.8750       | 35.04            | 37.63          | 2.59        | 74.00          | 36.37       | 150         | 222       | PK  | Vertical | PASS    |
| 3   | 3481.2500       | 35.02            | 42.02          | 7.00        | 68.23          | 26.21       | 150         | 356       | PK  | Vertical | PASS    |
| 4   | 7608.6000       | 52.92            | 44.06          | -8.86       | 74.00          | 29.94       | 150         | 128       | PK  | Vertical | PASS    |
| 5   | 9953.4000       | 50.55            | 46.82          | -3.73       | 68.23          | 21.41       | 150         | 162       | PK  | Vertical | PASS    |
| 6   | 11837.4000      | 49.55            | 47.75          | -1.80       | 74.00          | 26.25       | 150         | 326       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5600MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1880.0000       | 36.08            | 37.52          | 1.44        | 68.23          | 30.71       | 150         | 310       | PK  | Horizontal | PASS    |
| 2   | 2795.6250       | 35.15            | 40.28          | 5.13        | 74.00          | 33.72       | 150         | 139       | PK  | Horizontal | PASS    |
| 3   | 3792.5000       | 34.30            | 42.69          | 8.39        | 74.00          | 31.31       | 150         | 135       | PK  | Horizontal | PASS    |
| 4   | 7466.4000       | 54.89            | 45.77          | -9.12       | 74.00          | 28.23       | 150         | 149       | PK  | Horizontal | PASS    |
| 5   | 11206.2000      | 49.70            | 47.55          | -2.15       | 74.00          | 26.45       | 150         | 188       | PK  | Horizontal | PASS    |
| 6   | 11913.0000      | 49.69            | 47.84          | -1.85       | 74.00          | 26.16       | 150         | 325       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5600MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1890.0000       | 35.53            | 36.92          | 1.39        | 68.23          | 31.31       | 150         | 7         | PK  | Vertical | PASS    |
| 2   | 2685.0000       | 36.07            | 40.71          | 4.64        | 68.23          | 27.52       | 150         | 174       | PK  | Vertical | PASS    |
| 3   | 3733.1250       | 34.23            | 42.54          | 8.31        | 74.00          | 31.46       | 150         | 342       | PK  | Vertical | PASS    |
| 4   | 7294.8000       | 53.78            | 44.81          | -8.97       | 74.00          | 29.19       | 150         | 296       | PK  | Vertical | PASS    |
| 5   | 9739.2000       | 50.76            | 46.19          | -4.57       | 68.23          | 22.04       | 150         | 88        | PK  | Vertical | PASS    |
| 6   | 13626.0000      | 48.81            | 49.48          | 0.67        | 68.23          | 18.75       | 150         | 88        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5700MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2088.0000       | 36.06            | 38.08          | 2.02        | 68.23          | 30.15       | 150         | 167       | PK  | Horizontal | PASS    |
| 2   | 2820.3600       | 35.04            | 40.21          | 5.17        | 74.00          | 33.79       | 150         | 167       | PK  | Horizontal | PASS    |
| 3   | 3839.6800       | 34.17            | 43.34          | 9.17        | 74.00          | 30.66       | 150         | 222       | PK  | Horizontal | PASS    |
| 4   | 9572.7600       | 52.32            | 47.52          | -4.80       | 68.23          | 20.71       | 150         | 82        | PK  | Horizontal | PASS    |
| 5   | 12955.5900      | 48.31            | 47.86          | -0.45       | 68.23          | 20.37       | 150         | 320       | PK  | Horizontal | PASS    |
| 6   | 14052.0900      | 48.78            | 50.53          | 1.75        | 68.23          | 17.70       | 150         | 295       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5700MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2188.6400       | 35.28            | 37.67          | 2.39        | 68.23          | 30.56       | 150         | 72        | PK  | Vertical | PASS    |
| 2   | 2922.3600       | 34.71            | 40.23          | 5.52        | 68.23          | 28.00       | 150         | 245       | PK  | Vertical | PASS    |
| 3   | 4014.4400       | 33.82            | 43.28          | 9.46        | 74.00          | 30.72       | 150         | 12        | PK  | Vertical | PASS    |
| 4   | 9736.4700       | 50.91            | 46.36          | -4.55       | 68.23          | 21.87       | 150         | 139       | PK  | Vertical | PASS    |
| 5   | 11931.0000      | 49.96            | 48.12          | -1.84       | 74.00          | 25.88       | 150         | 112       | PK  | Vertical | PASS    |
| 6   | 15350.0400      | 48.41            | 51.25          | 2.84        | 74.00          | 22.75       | 150         | 320       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1903.7200       | 35.81            | 37.34          | 1.53        | 68.23          | 30.89       | 150         | 182       | PK  | Horizontal | PASS    |
| 2   | 2517.0800       | 34.68            | 38.41          | 3.73        | 68.23          | 29.82       | 150         | 356       | PK  | Horizontal | PASS    |
| 3   | 3830.1600       | 34.44            | 43.19          | 8.75        | 74.00          | 30.81       | 150         | 160       | PK  | Horizontal | PASS    |
| 4   | 9105.6000       | 51.24            | 45.66          | -5.58       | 74.00          | 28.34       | 150         | 357       | PK  | Horizontal | PASS    |
| 5   | 12398.6700      | 48.90            | 47.58          | -1.32       | 74.00          | 26.42       | 150         | 351       | PK  | Horizontal | PASS    |
| 6   | 13867.9800      | 49.24            | 50.63          | 1.39        | 68.23          | 17.60       | 150         | 86        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5745MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1705.8400       | 36.84            | 37.49          | 0.65        | 74.00          | 36.51       | 150         | 318       | PK  | Vertical | PASS    |
| 2   | 2460.6400       | 35.02            | 38.41          | 3.39        | 68.23          | 29.82       | 150         | 61        | PK  | Vertical | PASS    |
| 3   | 3748.5600       | 33.78            | 42.44          | 8.66        | 74.00          | 31.56       | 150         | 278       | PK  | Vertical | PASS    |
| 4   | 9123.9600       | 51.79            | 46.18          | -5.61       | 74.00          | 27.82       | 150         | 25        | PK  | Vertical | PASS    |
| 5   | 11461.2900      | 49.84            | 47.71          | -2.13       | 74.00          | 26.29       | 150         | 228       | PK  | Vertical | PASS    |
| 6   | 15323.0100      | 47.63            | 50.56          | 2.93        | 68.23          | 17.67       | 150         | 139       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2093.4400       | 35.60            | 37.70          | 2.10        | 68.23          | 30.53       | 150         | 105       | PK  | Horizontal | PASS    |
| 2   | 2791.1200       | 35.12            | 40.20          | 5.08        | 74.00          | 33.80       | 150         | 34        | PK  | Horizontal | PASS    |
| 3   | 3887.2800       | 33.95            | 43.13          | 9.18        | 74.00          | 30.87       | 150         | 24        | PK  | Horizontal | PASS    |
| 4   | 9838.4700       | 50.86            | 46.92          | -3.94       | 68.23          | 21.31       | 150         | 356       | PK  | Horizontal | PASS    |
| 5   | 12901.0200      | 48.07            | 48.17          | 0.10        | 68.23          | 20.06       | 150         | 40        | PK  | Horizontal | PASS    |
| 6   | 14317.8000      | 49.04            | 50.22          | 1.18        | 68.23          | 18.01       | 150         | 46        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5785MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1742.5600       | 35.55            | 36.35          | 0.80        | 68.23          | 31.88       | 150         | 205       | PK  | Vertical | PASS    |
| 2   | 2615.6800       | 36.37            | 40.40          | 4.03        | 68.23          | 27.83       | 150         | 187       | PK  | Vertical | PASS    |
| 3   | 3760.8000       | 34.28            | 42.55          | 8.27        | 74.00          | 31.45       | 150         | 182       | PK  | Vertical | PASS    |
| 4   | 10439.7600      | 51.20            | 47.77          | -3.43       | 68.23          | 20.46       | 150         | 308       | PK  | Vertical | PASS    |
| 5   | 13305.9600      | 48.34            | 48.77          | 0.43        | 74.00          | 25.23       | 150         | 46        | PK  | Vertical | PASS    |
| 6   | 17352.8100      | 49.48            | 53.92          | 4.44        | 68.23          | 14.31       | 150         | 276       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1871.7600       | 35.39            | 36.83          | 1.44        | 68.23          | 31.40       | 150         | 84        | PK  | Horizontal | PASS    |
| 2   | 2682.3200       | 34.92            | 39.48          | 4.56        | 68.23          | 28.75       | 150         | 325       | PK  | Horizontal | PASS    |
| 3   | 3862.8000       | 33.81            | 42.68          | 8.87        | 74.00          | 31.32       | 150         | 191       | PK  | Horizontal | PASS    |
| 4   | 9524.3100       | 51.76            | 47.21          | -4.55       | 68.23          | 21.02       | 150         | 274       | PK  | Horizontal | PASS    |
| 5   | 12459.3600      | 49.56            | 48.33          | -1.23       | 74.00          | 25.67       | 150         | 209       | PK  | Horizontal | PASS    |
| 6   | 15332.1900      | 48.42            | 51.35          | 2.93        | 68.23          | 16.88       | 150         | 170       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 5825MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1903.7200       | 36.43            | 37.96          | 1.53        | 68.23          | 30.27       | 150         | 303       | PK  | Vertical | PASS    |
| 2   | 3118.2000       | 34.67            | 41.14          | 6.47        | 68.23          | 27.09       | 150         | 299       | PK  | Vertical | PASS    |
| 3   | 4255.8400       | 33.65            | 43.93          | 10.28       | 74.00          | 30.07       | 150         | 280       | PK  | Vertical | PASS    |
| 4   | 9768.0900       | 52.86            | 48.36          | -4.50       | 68.23          | 19.87       | 150         | 128       | PK  | Vertical | PASS    |
| 5   | 13157.5500      | 48.63            | 48.89          | 0.26        | 68.23          | 19.34       | 150         | 128       | PK  | Vertical | PASS    |
| 6   | 15371.4600      | 48.22            | 50.66          | 2.44        | 74.00          | 23.34       | 150         | 122       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1768.6000       | 35.63            | 36.60          | 0.97        | 68.23          | 31.63       | 150         | 193       | PK  | Horizontal | PASS    |
| 2   | 2404.6000       | 36.06            | 39.26          | 3.20        | 68.23          | 28.97       | 150         | 261       | PK  | Horizontal | PASS    |
| 3   | 3114.4000       | 36.28            | 42.58          | 6.30        | 68.23          | 25.65       | 150         | 17        | PK  | Horizontal | PASS    |
| 4   | 6919.3500       | 54.11            | 45.35          | -8.76       | 68.23          | 22.88       | 150         | 157       | PK  | Horizontal | PASS    |
| 5   | 8888.4300       | 52.74            | 46.26          | -6.48       | 68.23          | 21.97       | 150         | 184       | PK  | Horizontal | PASS    |
| 6   | 13030.9400      | 47.69            | 47.28          | -0.41       | 68.23          | 20.95       | 150         | 157       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5190MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1727.8000       | 36.42            | 37.07          | 0.65        | 68.23          | 31.16       | 150         | 17        | PK  | Vertical | PASS    |
| 2   | 2597.2000       | 35.13            | 39.18          | 4.05        | 68.23          | 29.05       | 150         | 360       | PK  | Vertical | PASS    |
| 3   | 2990.8000       | 35.00            | 41.04          | 6.04        | 68.23          | 27.19       | 150         | 21        | PK  | Vertical | PASS    |
| 4   | 9860.1600       | 52.03            | 47.67          | -4.36       | 68.23          | 20.56       | 150         | 273       | PK  | Vertical | PASS    |
| 5   | 12079.9500      | 49.47            | 47.87          | -1.60       | 74.00          | 26.13       | 150         | 54        | PK  | Vertical | PASS    |
| 6   | 15561.2200      | 50.57            | 52.96          | 2.39        | 74.00          | 21.04       | 150         | 100       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5230MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1706.2000       | 36.52            | 37.18          | 0.66        | 74.00          | 36.82       | 150         | 317       | PK  | Horizontal | PASS    |
| 2   | 2238.4000       | 35.72            | 38.46          | 2.74        | 74.00          | 35.54       | 150         | 160       | PK  | Horizontal | PASS    |
| 3   | 3216.4000       | 35.10            | 41.58          | 6.48        | 68.23          | 26.65       | 150         | 351       | PK  | Horizontal | PASS    |
| 4   | 6973.0300       | 55.35            | 45.50          | -9.85       | 68.23          | 22.73       | 150         | 153       | PK  | Horizontal | PASS    |
| 5   | 9666.7900       | 51.33            | 47.09          | -4.24       | 68.23          | 21.14       | 150         | 49        | PK  | Horizontal | PASS    |
| 6   | 13378.6400      | 48.47            | 49.11          | 0.64        | 74.00          | 24.89       | 150         | 343       | PK  | Horizontal | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




| Suspected Data List |                 |                  |                |             |                |             |             |           |     |          |         |
|---------------------|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| NO.                 | Frequency [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
| 1                   | 1553.2000       | 36.03            | 36.21          | 0.18        | 74.00          | 37.79       | 150         | 4         | PK  | Vertical | PASS    |
| 2                   | 2205.4000       | 35.96            | 38.46          | 2.50        | 74.00          | 35.54       | 150         | 103       | PK  | Vertical | PASS    |
| 3                   | 2814.4000       | 35.06            | 40.03          | 4.97        | 74.00          | 33.97       | 150         | 56        | PK  | Vertical | PASS    |
| 4                   | 7092.5900       | 54.03            | 44.53          | -9.50       | 68.23          | 23.70       | 150         | 127       | PK  | Vertical | PASS    |
| 5                   | 9810.1400       | 50.86            | 46.74          | -4.12       | 68.23          | 21.49       | 150         | 268       | PK  | Vertical | PASS    |
| 6                   | 15692.3700      | 52.34            | 54.44          | 2.10        | 74.00          | 19.56       | 150         | 101       | PK  | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

Mode: N40

Channel: 5270MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1556.2000       | 35.70            | 35.88          | 0.18        | 74.00          | 38.12       | 150         | 311       | PK  | Horizontal | PASS    |
| 2   | 1967.2000       | 35.47            | 37.18          | 1.71        | 68.23          | 31.05       | 150         | 180       | PK  | Horizontal | PASS    |
| 3   | 3056.8000       | 35.25            | 41.49          | 6.24        | 68.23          | 26.74       | 150         | 289       | PK  | Horizontal | PASS    |
| 4   | 7026.7100       | 55.28            | 46.15          | -9.13       | 68.23          | 22.08       | 150         | 152       | PK  | Horizontal | PASS    |
| 5   | 10068.7800      | 51.61            | 47.64          | -3.97       | 68.23          | 20.59       | 150         | 196       | PK  | Horizontal | PASS    |
| 6   | 13169.4100      | 48.77            | 48.79          | 0.02        | 68.23          | 19.44       | 150         | 29        | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5270MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1993.6000       | 36.00            | 37.75          | 1.75        | 68.23          | 30.48       | 150         | 66        | PK  | Vertical | PASS    |
| 2   | 2930.2000       | 35.57            | 41.36          | 5.79        | 68.23          | 26.87       | 150         | 342       | PK  | Vertical | PASS    |
| 3   | 3844.0000       | 34.86            | 43.99          | 9.13        | 74.00          | 30.01       | 150         | 350       | PK  | Vertical | PASS    |
| 4   | 7988.0700       | 53.87            | 46.49          | -7.38       | 68.23          | 21.74       | 150         | 253       | PK  | Vertical | PASS    |
| 5   | 9770.4900       | 51.01            | 46.45          | -4.56       | 68.23          | 21.78       | 150         | 173       | PK  | Vertical | PASS    |
| 6   | 15802.1700      | 51.15            | 53.67          | 2.52        | 74.00          | 20.33       | 150         | 98        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1829.2000       | 35.27            | 36.48          | 1.21        | 68.23          | 31.75       | 150         | 340       | PK  | Horizontal | PASS    |
| 2   | 2131.6000       | 36.00            | 38.21          | 2.21        | 68.23          | 30.02       | 150         | 332       | PK  | Horizontal | PASS    |
| 3   | 2936.8000       | 34.66            | 40.32          | 5.66        | 68.23          | 27.91       | 150         | 332       | PK  | Horizontal | PASS    |
| 4   | 7079.7800       | 54.81            | 45.08          | -9.73       | 68.23          | 23.15       | 150         | 132       | PK  | Horizontal | PASS    |
| 5   | 7821.5400       | 53.35            | 44.78          | -8.57       | 68.23          | 23.45       | 150         | 0         | PK  | Horizontal | PASS    |
| 6   | 8447.4000       | 52.43            | 45.22          | -7.21       | 74.00          | 28.78       | 150         | 272       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5310MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2155.6000       | 35.48            | 37.84          | 2.36        | 68.23          | 30.39       | 150         | 303       | PK  | Vertical | PASS    |
| 2   | 2430.4000       | 35.74            | 39.14          | 3.40        | 68.23          | 29.09       | 150         | 96        | PK  | Vertical | PASS    |
| 3   | 3236.2000       | 34.63            | 41.24          | 6.61        | 68.23          | 26.99       | 150         | 101       | PK  | Vertical | PASS    |
| 4   | 8214.3800       | 51.73            | 44.19          | -7.54       | 74.00          | 29.81       | 150         | 324       | PK  | Vertical | PASS    |
| 5   | 9686.3100       | 51.23            | 47.12          | -4.11       | 68.23          | 21.11       | 150         | 136       | PK  | Vertical | PASS    |
| 6   | 13057.7800      | 48.11            | 48.24          | 0.13        | 68.23          | 19.99       | 150         | 87        | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5510MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1600.6250       | 35.70            | 36.03          | 0.33        | 74.00          | 37.97       | 150         | 13        | PK  | Horizontal | PASS    |
| 2   | 2193.1250       | 35.50            | 37.87          | 2.37        | 68.23          | 30.36       | 150         | 52        | PK  | Horizontal | PASS    |
| 3   | 2742.5000       | 37.25            | 41.99          | 4.74        | 74.00          | 32.01       | 150         | 270       | PK  | Horizontal | PASS    |
| 4   | 7346.4000       | 57.43            | 48.20          | -9.23       | 74.00          | 25.80       | 150         | 139       | PK  | Horizontal | PASS    |
| 5   | 10363.2000      | 51.81            | 47.90          | -3.91       | 68.23          | 20.33       | 150         | 287       | PK  | Horizontal | PASS    |
| 6   | 13666.2000      | 47.76            | 48.66          | 0.90        | 68.23          | 19.57       | 150         | 249       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5510MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1376.8750       | 36.49            | 36.14          | -0.35       | 74.00          | 37.86       | 150         | 266       | PK  | Vertical | PASS    |
| 2   | 2116.2500       | 34.76            | 36.92          | 2.16        | 68.23          | 31.31       | 150         | 306       | PK  | Vertical | PASS    |
| 3   | 2923.1250       | 34.96            | 40.51          | 5.55        | 68.23          | 27.72       | 150         | 103       | PK  | Vertical | PASS    |
| 4   | 7920.0000       | 52.91            | 45.21          | -7.70       | 68.23          | 23.02       | 150         | 33        | PK  | Vertical | PASS    |
| 5   | 12261.6000      | 49.16            | 47.76          | -1.40       | 74.00          | 26.24       | 150         | 1         | PK  | Vertical | PASS    |
| 6   | 14535.6000      | 48.89            | 50.77          | 1.88        | 68.23          | 17.46       | 150         | 117       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5590MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1707.5000       | 35.73            | 36.40          | 0.67        | 74.00          | 37.60       | 150         | 327       | PK  | Horizontal | PASS    |
| 2   | 2680.6250       | 34.88            | 39.36          | 4.48        | 68.23          | 28.87       | 150         | 318       | PK  | Horizontal | PASS    |
| 3   | 3238.7500       | 34.82            | 41.49          | 6.67        | 68.23          | 26.74       | 150         | 314       | PK  | Horizontal | PASS    |
| 4   | 8030.4000       | 52.26            | 44.69          | -7.57       | 74.00          | 29.31       | 150         | 349       | PK  | Horizontal | PASS    |
| 5   | 10245.6000      | 51.05            | 47.04          | -4.01       | 68.23          | 21.19       | 150         | 349       | PK  | Horizontal | PASS    |
| 6   | 11880.0000      | 49.89            | 48.40          | -1.49       | 74.00          | 25.60       | 150         | 200       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5590MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1841.2500       | 35.62            | 36.95          | 1.33        | 68.23          | 31.28       | 150         | 268       | PK  | Vertical | PASS    |
| 2   | 2876.8750       | 35.38            | 40.83          | 5.45        | 74.00          | 33.17       | 150         | 199       | PK  | Vertical | PASS    |
| 3   | 3812.5000       | 34.54            | 43.46          | 8.92        | 74.00          | 30.54       | 150         | 125       | PK  | Vertical | PASS    |
| 4   | 6655.2000       | 53.00            | 43.49          | -9.51       | 68.23          | 24.74       | 150         | 54        | PK  | Vertical | PASS    |
| 5   | 8853.6000       | 54.20            | 47.37          | -6.83       | 68.23          | 20.86       | 150         | 54        | PK  | Vertical | PASS    |
| 6   | 14029.2000      | 48.83            | 50.58          | 1.75        | 68.23          | 17.65       | 150         | 166       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5710MHz

Test Graph




Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 1582.0800       | 37.90            | 38.10          | 0.20        | 74.00          | 35.90       | 150         | 234       | PK  | Horizontal | PASS    |
| 2   | 2428.6800       | 35.32            | 38.75          | 3.43        | 68.23          | 29.48       | 150         | 46        | PK  | Horizontal | PASS    |
| 3   | 3187.5600       | 35.62            | 42.08          | 6.46        | 68.23          | 26.15       | 150         | 60        | PK  | Horizontal | PASS    |
| 4   | 9446.2800       | 51.97            | 46.97          | -5.00       | 74.00          | 27.03       | 150         | 15        | PK  | Horizontal | PASS    |
| 5   | 11039.0100      | 50.40            | 47.82          | -2.58       | 74.00          | 26.18       | 150         | 300       | PK  | Horizontal | PASS    |
| 6   | 13413.5700      | 48.32            | 48.40          | 0.08        | 68.23          | 19.83       | 150         | 328       | PK  | Horizontal | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




| Suspected Data List |                 |                  |                |             |                |             |             |           |     |          |         |
|---------------------|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
| 1                   | 1546.7200       | 37.26            | 37.41          | 0.15        | 74.00          | 36.59       | 150         | 122       | PK  | Vertical | PASS    |
| 2                   | 2697.2800       | 36.01            | 40.25          | 4.24        | 74.00          | 33.75       | 150         | 39        | PK  | Vertical | PASS    |
| 3                   | 4145.6800       | 34.44            | 44.31          | 9.87        | 74.00          | 29.69       | 150         | 232       | PK  | Vertical | PASS    |
| 4                   | 9845.6100       | 50.22            | 46.14          | -4.08       | 68.23          | 22.09       | 150         | 11        | PK  | Vertical | PASS    |
| 5                   | 11940.6900      | 48.84            | 47.00          | -1.84       | 74.00          | 27.00       | 150         | 23        | PK  | Vertical | PASS    |
| 6                   | 14043.4200      | 47.87            | 49.91          | 2.04        | 68.23          | 18.32       | 150         | 132       | PK  | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level

Mode: N40

Channel: 5755MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2076.4400       | 35.53            | 37.56          | 2.03        | 68.23          | 30.67       | 150         | 253       | PK  | Horizontal | PASS    |
| 2   | 2671.4400       | 36.04            | 40.30          | 4.26        | 68.23          | 27.93       | 150         | 100       | PK  | Horizontal | PASS    |
| 3   | 4177.6400       | 34.47            | 44.41          | 9.94        | 74.00          | 29.59       | 150         | 77        | PK  | Horizontal | PASS    |
| 4   | 9757.8900       | 50.07            | 45.62          | -4.45       | 68.23          | 22.61       | 150         | 165       | PK  | Horizontal | PASS    |
| 5   | 11514.3300      | 49.43            | 47.09          | -2.34       | 74.00          | 26.91       | 150         | 210       | PK  | Horizontal | PASS    |
| 6   | 13609.9200      | 47.97            | 48.46          | 0.49        | 68.23          | 19.77       | 150         | 140       | PK  | Horizontal | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5755MHz

Test Graph



## Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 2148.5200       | 36.63            | 39.03          | 2.40        | 68.23          | 29.20       | 150         | 18        | PK  | Vertical | PASS    |
| 2   | 3171.2400       | 36.82            | 43.24          | 6.42        | 68.23          | 24.99       | 150         | 146       | PK  | Vertical | PASS    |
| 3   | 4893.6800       | 33.77            | 46.05          | 12.28       | 74.00          | 27.95       | 150         | 71        | PK  | Vertical | PASS    |
| 4   | 9168.3300       | 51.24            | 45.94          | -5.30       | 74.00          | 28.06       | 150         | 82        | PK  | Vertical | PASS    |
| 5   | 11569.4100      | 49.61            | 47.70          | -1.91       | 74.00          | 26.30       | 150         | 349       | PK  | Vertical | PASS    |
| 6   | 13711.9200      | 49.11            | 49.83          | 0.72        | 68.23          | 18.40       | 150         | 252       | PK  | Vertical | PASS    |


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 5795MHz

Test Graph



Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Polarity   | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 2037.6800       | 36.05            | 37.95          | 1.90        | 68.23          | 30.28       | 150         | 323       | PK  | Horizontal | PASS    |
| 2   | 2566.7200       | 35.69            | 39.48          | 3.79        | 68.23          | 28.75       | 150         | 194       | PK  | Horizontal | PASS    |
| 3   | 3709.8000       | 34.84            | 43.21          | 8.37        | 74.00          | 30.79       | 150         | 297       | PK  | Horizontal | PASS    |
| 4   | 9227.4900       | 50.94            | 46.13          | -4.81       | 68.23          | 22.10       | 150         | 253       | PK  | Horizontal | PASS    |
| 5   | 11906.0100      | 48.88            | 46.99          | -1.89       | 74.00          | 27.01       | 150         | 131       | PK  | Horizontal | PASS    |
| 6   | 14079.6300      | 48.00            | 49.83          | 1.83        | 68.23          | 18.40       | 150         | 247       | PK  | Horizontal | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level