






BLE_2M_Ant1_2440_30~1000




BLE_2M_Ant1_2440_1000~26500



BLE_2M_Ant1_2478_0~Reference



BLE_2M_Ant1_2478_30~1000



BLE_2M_Ant1_2478_1000~26500



Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Channel	ON Time [ms]	Period [ms]	X	DC [%]	xFactor
BLE_1M	Ant1	2402	2.13	2.50	0.8520	85.20	0.70
		2440	2.13	2.50	0.8520	85.20	0.70
		2480	2.13	2.50	0.8520	85.20	0.70
BLE_2M	Ant1	2404	1.08	1.87	0.5775	57.75	2.38
		2440	1.08	1.87	0.5775	57.75	2.38
		2478	1.08	1.88	0.5745	57.45	2.41

BLE_1M_Ant1_2402

BLE_1M_Ant1_2402

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off

#Avg Type: Power (RMS)
Trig: Video
Trig Delay: -2.000 ms

Center Frequency: 2.402000000 GHz
Span: 0.00000000 Hz
Start Freq: 2.402000000 GHz
Stop Freq: 2.402000000 GHz
AUTO TUNE

CF Step: 8.000000 MHz
Auto
Man

Freq Offset: 0 Hz

X Axis Scale: Log
Lin

Signal Track
(Span Zoom)

1 Spectrum
Ref Lvl Offset 8.84 dB
Ref Level 28.84 dBm

Scale/Div 10 dB

Log

Center 2.402000000 GHz
Res BW 8 MHz
#Video BW 8.0 MHz
Sweep 5.00 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	t	1.990 ms	5.584 dBm		
2	Δ	1	t	2.130 ms (Δ)	-0.05879 dB		
3	Δ	1	t	2.500 ms (Δ)	0.002940 dB		
4							
5							
6							

Jan 28, 2026
10:01:09 AM

BLE_1M_Ant1_2440

BLE_1M_Ant1_2440

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off

#Avg Type: Power (RMS)
Trig: Video
Trig Delay: -2.000 ms

Center Frequency: 2.440000000 GHz
Span: 0.00000000 Hz
Start Freq: 2.440000000 GHz
Stop Freq: 2.440000000 GHz
AUTO TUNE

CF Step: 8.000000 MHz
Auto
Man

Freq Offset: 0 Hz

X Axis Scale: Log
Lin

Signal Track
(Span Zoom)

1 Spectrum
Ref Lvl Offset 8.83 dB
Ref Level 28.83 dBm

Scale/Div 10 dB

Log


Center 2.440000000 GHz
Res BW 8 MHz
#Video BW 8.0 MHz
Sweep 5.00 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	t	1.990 ms	5.320 dBm		
2	Δ	1	t	2.130 ms (Δ)	-17.25 dB		
3	Δ	1	t	2.500 ms (Δ)	0.002940 dB		
4							
5							
6							

Jan 28, 2026
10:03:41 AM

BLE_1M_Ant1_2480




BLE_2M_Ant1_2404



BLE_2M_Ant1_2440




BLE_2M_Ant1_2478



Appendix H: Emissions in Restricted Bands


Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.65	41.32	4.67	74.00	32.68	150	265	PK	Horizontal	PASS
2	2321.7906	38.43	43.32	4.89	74.00	30.68	150	36	PK	Horizontal	PASS
3	2356.2190	38.65	43.61	4.96	74.00	30.39	150	143	PK	Horizontal	PASS
4	2368.4812	38.13	43.14	5.01	74.00	30.86	150	212	PK	Horizontal	PASS
5	2388.0536	39.65	44.59	4.94	74.00	29.41	150	124	PK	Horizontal	PASS
6	2390.0000	36.54	41.49	4.95	74.00	32.51	150	199	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.16	40.83	4.67	74.00	33.17	150	97	PK	Vertical	PASS
2	2329.1007	38.38	43.21	4.83	74.00	30.79	150	100	PK	Vertical	PASS
3	2345.7254	38.06	43.03	4.97	74.00	30.97	150	256	PK	Vertical	PASS
4	2361.5248	38.43	43.35	4.92	74.00	30.65	150	112	PK	Vertical	PASS
5	2380.9792	38.01	43.04	5.03	74.00	30.96	150	198	PK	Vertical	PASS
6	2390.0000	36.84	41.79	4.95	74.00	32.21	150	198	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.09	42.55	5.46	74.00	31.45	100	242	PK	Horizontal	PASS
2	2485.5795	38.72	44.22	5.50	74.00	29.78	100	308	PK	Horizontal	PASS
3	2487.5300	39.04	44.54	5.50	74.00	29.46	100	86	PK	Horizontal	PASS
4	2490.3757	38.63	44.19	5.56	74.00	29.81	100	327	PK	Horizontal	PASS
5	2496.3149	40.22	45.79	5.57	74.00	28.21	100	308	PK	Horizontal	PASS
6	2500.0000	36.49	41.99	5.50	74.00	32.01	100	230	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	36.47	41.93	5.46	74.00	32.07	100	204	PK	Vertical	PASS
2	2485.4117	38.24	43.75	5.51	74.00	30.25	100	296	PK	Vertical	PASS
3	2487.5699	38.63	44.12	5.49	74.00	29.88	100	10	PK	Vertical	PASS
4	2490.5356	38.86	44.42	5.56	74.00	29.58	100	227	PK	Vertical	PASS
5	2494.9880	39.03	44.59	5.56	74.00	29.41	100	242	PK	Vertical	PASS
6	2500.0000	37.56	43.06	5.50	74.00	30.94	100	188	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.98	41.65	4.67	74.00	32.35	100	104	PK	Horizontal	PASS
2	2335.9600	38.63	43.44	4.81	74.00	30.56	100	181	PK	Horizontal	PASS
3	2368.4100	38.39	43.40	5.01	74.00	30.60	100	159	PK	Horizontal	PASS
4	2375.2300	38.45	43.46	5.01	74.00	30.54	100	222	PK	Horizontal	PASS
5	2384.5800	38.33	43.37	5.04	74.00	30.63	100	138	PK	Horizontal	PASS
6	2390.0000	37.07	42.02	4.95	74.00	31.98	100	288	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.00	41.67	4.67	74.00	32.33	100	274	PK	Vertical	PASS
2	2346.1900	38.20	43.16	4.96	74.00	30.84	100	78	PK	Vertical	PASS
3	2362.1400	39.07	43.97	4.90	74.00	30.03	100	217	PK	Vertical	PASS
4	2371.9300	39.05	44.07	5.02	74.00	29.93	100	349	PK	Vertical	PASS
5	2385.4600	38.74	43.76	5.02	74.00	30.24	100	287	PK	Vertical	PASS
6	2390.0000	37.24	42.19	4.95	74.00	31.81	100	30	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.52	40.98	3.46	74.00	33.02	150	130	PK	Vertical	PASS
2	2485.8500	38.86	42.34	3.48	74.00	31.66	150	310	PK	Vertical	PASS
3	2488.9500	39.43	42.99	3.56	74.00	31.01	150	20	PK	Vertical	PASS
4	2492.1000	39.32	42.88	3.56	74.00	31.12	150	320	PK	Vertical	PASS
5	2493.7000	38.76	42.35	3.59	74.00	31.65	150	320	PK	Vertical	PASS
6	2500.0000	37.25	40.75	3.50	74.00	33.25	150	340	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


Appendix I: Spurious emissions

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the Emissions in the frequency band 18GHz-26.5GHz are more than 20dB below the limit are not reported.


During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels, the test data of the worst-case condition was recorded in this report.



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.4189	-16.17	34.62	40.00	5.38	114.1	90.6	Vertical	PASS
2	46.7349	-15.99	33.37	40.00	6.63	126.7	121.3	Vertical	PASS
3	54.8590	-16.46	32.43	40.00	7.57	121.7	128.2	Vertical	PASS
4	58.3591	-16.73	35.22	40.00	4.78	129.6	143	Vertical	PASS
5	152.9475	-15.85	34.90	43.50	8.60	100	311	Vertical	PASS
6	533.1875	-10.66	41.46	46.00	4.54	200	0	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	58.4938	-16.74	27.47	40.00	12.53	200	104	Horizontal	PASS
2	110.2675	-18.66	28.38	43.50	15.12	200	104	Horizontal	PASS
3	144.3388	-16.23	27.00	43.50	16.50	200	252	Horizontal	PASS
4	280.6237	-16.70	35.28	46.00	10.72	100	175	Horizontal	PASS
5	450.0100	-11.85	30.59	46.00	15.41	200	20	Horizontal	PASS
6	532.9450	-10.67	42.22	46.00	3.78	100	64	Horizontal	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1399.8000	39.27	38.97	-0.30	74.00	35.03	150	20	PK	Horizontal	PASS
2	2099.2000	39.71	41.93	2.22	74.00	32.07	150	50	PK	Horizontal	PASS
3	4911.5000	53.65	40.49	-13.16	74.00	33.51	150	300	PK	Horizontal	PASS
4	5863.0000	56.70	44.88	-11.82	74.00	29.12	150	230	PK	Horizontal	PASS
5	7754.5000	51.28	42.97	-8.31	74.00	31.03	150	350	PK	Horizontal	PASS
6	9608.0000	50.28	45.21	-5.07	74.00	28.79	150	130	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1482.8000	38.09	38.10	0.01	74.00	35.90	150	260	PK	Vertical	PASS
2	1988.6000	38.68	40.52	1.84	74.00	33.48	150	210	PK	Vertical	PASS
3	4901.0000	54.11	40.62	-13.49	74.00	33.38	150	290	PK	Vertical	PASS
4	6405.0000	54.35	43.75	-10.60	74.00	30.25	150	160	PK	Vertical	PASS
5	7986.5000	51.36	44.04	-7.32	74.00	29.96	150	280	PK	Vertical	PASS
6	10258.5000	50.42	46.34	-4.08	74.00	27.66	150	320	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1437.6000	38.76	38.60	-0.16	74.00	35.40	150	339	PK	Horizontal	PASS
2	1878.4000	39.05	40.49	1.44	74.00	33.51	150	313	PK	Horizontal	PASS
3	4324.0000	55.50	39.10	-16.40	74.00	34.90	150	185	PK	Horizontal	PASS
4	6506.5000	53.90	43.56	-10.34	74.00	30.44	150	356	PK	Horizontal	PASS
5	8772.5000	52.70	46.12	-6.58	74.00	27.88	150	78	PK	Horizontal	PASS
6	11078.5000	49.99	46.92	-3.07	74.00	27.08	150	153	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1509.6000	39.21	39.30	0.09	74.00	34.70	150	211	PK	Vertical	PASS
2	2118.6000	38.71	40.88	2.17	74.00	33.12	150	128	PK	Vertical	PASS
3	4399.5000	57.69	41.45	-16.24	74.00	32.55	150	84	PK	Vertical	PASS
4	6068.5000	53.10	41.38	-11.72	74.00	32.62	150	261	PK	Vertical	PASS
5	8341.5000	50.64	43.39	-7.25	74.00	30.61	150	337	PK	Vertical	PASS
6	10179.5000	50.15	45.79	-4.36	74.00	28.21	150	261	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1401.2000	39.08	38.78	-0.30	74.00	35.22	150	91	PK	Horizontal	PASS
2	1833.4000	39.31	40.56	1.25	74.00	33.44	150	118	PK	Horizontal	PASS
3	4908.5000	53.46	40.29	-13.17	74.00	33.71	150	160	PK	Horizontal	PASS
4	5856.5000	55.59	43.61	-11.98	74.00	30.39	150	205	PK	Horizontal	PASS
5	7802.0000	52.19	43.58	-8.61	74.00	30.42	150	356	PK	Horizontal	PASS
6	8762.0000	55.44	48.73	-6.71	74.00	25.27	150	72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1264.2000	42.28	41.83	-0.45	74.00	32.17	150	350	PK	Vertical	PASS
2	1807.4000	39.11	40.12	1.01	74.00	33.88	150	128	PK	Vertical	PASS
3	4387.0000	55.40	38.80	-16.60	74.00	35.20	150	158	PK	Vertical	PASS
4	5850.0000	57.09	44.97	-12.12	74.00	29.03	150	0	PK	Vertical	PASS
5	7069.5000	51.78	42.20	-9.58	74.00	31.80	150	10	PK	Vertical	PASS
6	9637.0000	50.36	45.59	-4.77	74.00	28.41	150	94	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1326.4000	39.90	39.42	-0.48	74.00	34.58	150	92	PK	Horizontal	PASS
2	1830.8000	39.84	41.07	1.23	74.00	32.93	150	67	PK	Horizontal	PASS
3	4259.0000	54.53	37.52	-17.01	74.00	36.48	150	45	PK	Horizontal	PASS
4	5855.0000	57.06	45.05	-12.01	74.00	28.95	150	356	PK	Horizontal	PASS
5	8781.5000	54.16	47.63	-6.53	74.00	26.37	150	82	PK	Horizontal	PASS
6	10556.0000	49.63	46.05	-3.58	74.00	27.95	150	244	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1377.2000	38.43	38.08	-0.35	74.00	35.92	150	200	PK	Vertical	PASS
2	1884.0000	38.70	40.13	1.43	74.00	33.87	150	330	PK	Vertical	PASS
3	4239.5000	53.56	36.66	-16.90	74.00	37.34	150	170	PK	Vertical	PASS
4	4894.5000	53.24	39.61	-13.63	74.00	34.39	150	50	PK	Vertical	PASS
5	6490.0000	51.24	41.47	-9.77	74.00	32.53	150	160	PK	Vertical	PASS
6	8468.0000	51.56	44.34	-7.22	74.00	29.66	150	280	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1413.2000	39.37	39.06	-0.31	74.00	34.94	150	150	PK	Horizontal	PASS
2	1929.2000	38.48	39.95	1.47	74.00	34.05	150	80	PK	Horizontal	PASS
3	4927.0000	53.43	39.61	-13.82	74.00	34.39	150	150	PK	Horizontal	PASS
4	6488.5000	51.70	41.84	-9.86	74.00	32.16	150	310	PK	Horizontal	PASS
5	7756.5000	52.65	44.38	-8.27	74.00	29.62	150	40	PK	Horizontal	PASS
6	10381.5000	50.18	46.04	-4.14	74.00	27.96	150	90	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1465.0000	39.22	39.14	-0.08	74.00	34.86	150	200	PK	Vertical	PASS
2	1841.6000	38.18	39.51	1.33	74.00	34.49	150	240	PK	Vertical	PASS
3	4904.5000	53.35	40.01	-13.34	74.00	33.99	150	10	PK	Vertical	PASS
4	5857.0000	53.57	41.60	-11.97	74.00	32.40	150	40	PK	Vertical	PASS
5	7825.5000	51.61	43.09	-8.52	74.00	30.91	150	80	PK	Vertical	PASS
6	9958.5000	49.22	45.28	-3.94	74.00	28.72	150	100	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1426.0000	38.51	38.26	-0.25	74.00	35.74	150	280	PK	Horizontal	PASS
2	1879.8000	38.22	39.66	1.44	74.00	34.34	150	340	PK	Horizontal	PASS
3	5860.0000	55.84	43.94	-11.90	74.00	30.06	150	60	PK	Horizontal	PASS
4	6854.0000	51.50	41.75	-9.75	74.00	32.25	150	320	PK	Horizontal	PASS
5	9522.5000	49.58	44.92	-4.66	74.00	29.08	150	60	PK	Horizontal	PASS
6	10302.0000	50.66	46.58	-4.08	74.00	27.42	150	300	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1565.2000	38.62	38.84	0.22	74.00	35.16	150	150	PK	Vertical	PASS
2	1885.4000	38.94	40.36	1.42	74.00	33.64	150	340	PK	Vertical	PASS
3	4364.0000	55.36	38.53	-16.83	74.00	35.47	150	170	PK	Vertical	PASS
4	5863.0000	54.08	42.26	-11.82	74.00	31.74	150	320	PK	Vertical	PASS
5	7724.5000	51.54	43.22	-8.32	74.00	30.78	150	80	PK	Vertical	PASS
6	11036.5000	48.41	45.66	-2.75	74.00	28.34	150	290	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2730	10.33	30.94	61.03	30.09	22.20	51.03	28.83	L1	PASS
2	0.4960	10.25	44.83	56.07	11.24	38.54	46.07	7.53	L1	PASS
3	0.9919	10.36	38.56	56.00	17.44	28.63	46.00	17.37	L1	PASS
4	1.8086	10.30	29.48	56.00	26.52	23.47	46.00	22.53	L1	PASS
5	7.2888	10.42	28.75	60.00	31.25	21.92	50.00	28.08	L1	PASS
6	12.9045	10.51	33.08	60.00	26.92	23.13	50.00	26.87	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2738	10.33	38.23	61.00	22.77	23.30	51.00	27.70	N	PASS
2	0.5079	10.25	46.51	56.00	9.49	33.43	46.00	12.57	N	PASS
3	0.9870	10.26	36.51	56.00	19.49	23.62	46.00	22.38	N	PASS
4	2.1698	10.38	30.67	56.00	25.33	19.88	46.00	26.12	N	PASS
5	6.0521	10.41	32.44	60.00	27.56	21.49	50.00	28.51	N	PASS
6	13.4660	10.59	41.87	60.00	18.13	26.24	50.00	23.76	N	PASS