






GSM1900-512-0-0.009~0.15MHz-PASS



GSM1900-512-0-0.15~30MHz-PASS




GSM1900-512-0-30~1000MHz-PASS



GSM1900-512-0-1000~3000MHz-PASS




GSM1900-512-0-3000~18000MHz-PASS



GSM1900-661-0-0.009~0.15MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



GSM1900-661-0-0.15~30MHz-PASS




GSM1900-661-0-30~1000MHz-PASS




GSM1900-661-0-1000~3000MHz-PASS



GSM1900-661-0-3000~18000MHz-PASS




GSM1900-810-0-0.009~0.15MHz-PASS




GSM1900-810-0-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




GPRS1900-512-0-1000~3000MHz-PASS




GPRS1900-512-0-3000~18000MHz-PASS




GPRS1900-661-0-0.009~0.15MHz-PASS



GPRS1900-661-0-0.15~30MHz-PASS




GPRS1900-661-0-30~1000MHz-PASS




GPRS1900-661-0-1000~3000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




GPRS1900-661-0-3000~18000MHz-PASS




GPRS1900-810-0-0.009~0.15MHz-PASS



GPRS1900-810-0-0.15~30MHz-PASS



GPRS1900-810-0-30~1000MHz-PASS




GPRS1900-810-0-1000~3000MHz-PASS




GPRS1900-810-0-3000~18000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



EGPRS1900-512-2-0.009~0.15MHz-PASS



EGPRS1900-512-2-0.15~30MHz-PASS




EGPRS1900-512-2-30~1000MHz-PASS



EGPRS1900-512-2-1000~3000MHz-PASS




EGPRS1900-512-2-3000~18000MHz-PASS



EGPRS1900-661-2-0.009~0.15MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



EGPRS1900-661-2-0.15~30MHz-PASS




EGPRS1900-661-2-30~1000MHz-PASS




EGPRS1900-661-2-1000~3000MHz-PASS



EGPRS1900-661-2-3000~18000MHz-PASS




EGPRS1900-810-2-0.009~0.15MHz-PASS




EGPRS1900-810-2-0.15~30MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



EGPRS1900-810-2-30~1000MHz-PASS



EGPRS1900-810-2-1000~3000MHz-PASS



EGPRS1900-810-2-3000~18000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BandName	Channel	VolValue	TempValue	ValueHz	ValuePpm	Limit	Verdict

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-13.50	-0.016380	±2.5	PASS
GSM850	128	NV	-20	-13.27	-0.016100	±2.5	PASS
GSM850	128	NV	-10	-17.56	-0.021306	±2.5	PASS
GSM850	128	NV	0	-21.02	-0.025504	±2.5	PASS
GSM850	128	NV	10	-15.08	-0.018297	±2.5	PASS
GSM850	128	NV	20	-9.88	-0.011987	±2.5	PASS
GSM850	128	NV	30	-16.95	-0.020565	±2.5	PASS
GSM850	128	NV	40	-10.85	-0.013164	±2.5	PASS
GSM850	128	NV	50	-14.98	-0.018175	±2.5	PASS
GSM850	190	NV	-30	-10.82	-0.012933	±2.5	PASS
GSM850	190	NV	-20	-16.27	-0.019448	±2.5	PASS
GSM850	190	NV	-10	-8.59	-0.010268	±2.5	PASS
GSM850	190	NV	0	-9.43	-0.011272	±2.5	PASS
GSM850	190	NV	10	-17.31	-0.020691	±2.5	PASS
GSM850	190	NV	20	-13.50	-0.016137	±2.5	PASS
GSM850	190	NV	30	-13.92	-0.016639	±2.5	PASS
GSM850	190	NV	40	-11.66	-0.013937	±2.5	PASS
GSM850	190	NV	50	-14.30	-0.017093	±2.5	PASS
GSM850	251	NV	-30	-15.69	-0.018485	±2.5	PASS
GSM850	251	NV	-20	-6.65	-0.007835	±2.5	PASS
GSM850	251	NV	-10	-9.10	-0.010721	±2.5	PASS
GSM850	251	NV	0	-9.72	-0.011451	±2.5	PASS
GSM850	251	NV	10	-11.91	-0.014032	±2.5	PASS
GSM850	251	NV	20	-5.29	-0.006232	±2.5	PASS
GSM850	251	NV	30	-12.46	-0.014680	±2.5	PASS
GSM850	251	NV	40	-16.66	-0.019628	±2.5	PASS
GSM850	251	NV	50	-12.59	-0.014833	±2.5	PASS
GPRS850	128	NV	-30	5.39	0.006540	±2.5	PASS
GPRS850	128	NV	-20	9.56	0.011599	±2.5	PASS
GPRS850	128	NV	-10	5.78	0.007013	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GPRS850	128	NV	0	6.23	0.007559	±2.5	PASS
GPRS850	128	NV	10	-0.36	-0.000437	±2.5	PASS
GPRS850	128	NV	20	4.65	0.005642	±2.5	PASS
GPRS850	128	NV	30	5.68	0.006892	±2.5	PASS
GPRS850	128	NV	40	7.88	0.009561	±2.5	PASS
GPRS850	128	NV	50	3.39	0.004113	±2.5	PASS
GPRS850	190	NV	-30	1.81	0.002164	±2.5	PASS
GPRS850	190	NV	-20	4.55	0.005439	±2.5	PASS
GPRS850	190	NV	-10	3.00	0.003586	±2.5	PASS
GPRS850	190	NV	0	9.75	0.011654	±2.5	PASS
GPRS850	190	NV	10	9.81	0.011726	±2.5	PASS
GPRS850	190	NV	20	5.84	0.006981	±2.5	PASS
GPRS850	190	NV	30	8.39	0.010029	±2.5	PASS
GPRS850	190	NV	40	3.62	0.004327	±2.5	PASS
GPRS850	190	NV	50	3.36	0.004016	±2.5	PASS
GPRS850	251	NV	-30	8.27	0.009743	±2.5	PASS
GPRS850	251	NV	-20	8.85	0.010426	±2.5	PASS
GPRS850	251	NV	-10	4.42	0.005207	±2.5	PASS
GPRS850	251	NV	0	4.33	0.005101	±2.5	PASS
GPRS850	251	NV	10	6.68	0.007870	±2.5	PASS
GPRS850	251	NV	20	4.94	0.005820	±2.5	PASS
GPRS850	251	NV	30	8.30	0.009779	±2.5	PASS
GPRS850	251	NV	40	6.17	0.007269	±2.5	PASS
GPRS850	251	NV	50	7.46	0.008789	±2.5	PASS
EGPRS850	128	NV	-30	4.97	0.006030	±2.5	PASS
EGPRS850	128	NV	-20	7.39	0.008966	±2.5	PASS
EGPRS850	128	NV	-10	4.81	0.005836	±2.5	PASS
EGPRS850	128	NV	0	7.26	0.008809	±2.5	PASS
EGPRS850	128	NV	10	7.10	0.008614	±2.5	PASS
EGPRS850	128	NV	20	2.87	0.003482	±2.5	PASS
EGPRS850	128	NV	30	6.04	0.007328	±2.5	PASS
EGPRS850	128	NV	40	6.10	0.007401	±2.5	PASS
EGPRS850	128	NV	50	3.39	0.004113	±2.5	PASS
EGPRS850	190	NV	-30	3.36	0.004016	±2.5	PASS
EGPRS850	190	NV	-20	5.59	0.006682	±2.5	PASS
EGPRS850	190	NV	-10	7.59	0.009072	±2.5	PASS
EGPRS850	190	NV	0	0.06	0.000072	±2.5	PASS
EGPRS850	190	NV	10	5.42	0.006479	±2.5	PASS
EGPRS850	190	NV	20	3.20	0.003825	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EGPRS850	190	NV	30	0.00	0.000000	±2.5	PASS
EGPRS850	190	NV	40	4.36	0.005212	±2.5	PASS
EGPRS850	190	NV	50	-1.45	-0.001733	±2.5	PASS
EGPRS850	251	NV	-30	6.13	0.007222	±2.5	PASS
EGPRS850	251	NV	-20	4.65	0.005478	±2.5	PASS
EGPRS850	251	NV	-10	5.39	0.006350	±2.5	PASS
EGPRS850	251	NV	0	3.42	0.004029	±2.5	PASS
EGPRS850	251	NV	10	2.42	0.002851	±2.5	PASS
EGPRS850	251	NV	20	6.33	0.007458	±2.5	PASS
EGPRS850	251	NV	30	2.74	0.003228	±2.5	PASS
EGPRS850	251	NV	40	8.27	0.009743	±2.5	PASS
EGPRS850	251	NV	50	10.88	0.012818	±2.5	PASS
GSM1900	512	NV	-30	570.00	0.308075	±2.5	PASS
GSM1900	512	NV	-20	-1860.00	-1.005297	±2.5	PASS
GSM1900	512	NV	-10	-870.00	-0.470219	±2.5	PASS
GSM1900	512	NV	0	-70.00	-0.037834	±2.5	PASS
GSM1900	512	NV	10	440.00	0.237812	±2.5	PASS
GSM1900	512	NV	20	-570.00	-0.308075	±2.5	PASS
GSM1900	512	NV	30	-490.00	-0.264836	±2.5	PASS
GSM1900	512	NV	40	90.00	0.048643	±2.5	PASS
GSM1900	512	NV	50	-10.00	-0.005405	±2.5	PASS
GSM1900	661	NV	-30	610.00	0.324468	±2.5	PASS
GSM1900	661	NV	-20	-80.00	-0.042553	±2.5	PASS
GSM1900	661	NV	-10	360.00	0.191489	±2.5	PASS
GSM1900	661	NV	0	450.00	0.239362	±2.5	PASS
GSM1900	661	NV	10	-510.00	-0.271277	±2.5	PASS
GSM1900	661	NV	20	940.00	0.500000	±2.5	PASS
GSM1900	661	NV	30	-680.00	-0.361702	±2.5	PASS
GSM1900	661	NV	40	300.00	0.159574	±2.5	PASS
GSM1900	661	NV	50	-100.00	-0.053191	±2.5	PASS
GSM1900	810	NV	-30	180.00	0.094251	±2.5	PASS
GSM1900	810	NV	-20	-1110.00	-0.581213	±2.5	PASS
GSM1900	810	NV	-10	-880.00	-0.460781	±2.5	PASS
GSM1900	810	NV	0	-30.00	-0.015708	±2.5	PASS
GSM1900	810	NV	10	-10.00	-0.005236	±2.5	PASS
GSM1900	810	NV	20	-70.00	-0.036653	±2.5	PASS
GSM1900	810	NV	30	-20.00	-0.010472	±2.5	PASS
GSM1900	810	NV	40	10.00	0.005236	±2.5	PASS
GSM1900	810	NV	50	-90.00	-0.047125	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GPRS1900	512	NV	-30	150.00	0.081072	±2.5	PASS
GPRS1900	512	NV	-20	340.00	0.183764	±2.5	PASS
GPRS1900	512	NV	-10	-140.00	-0.075667	±2.5	PASS
GPRS1900	512	NV	0	100.00	0.054048	±2.5	PASS
GPRS1900	512	NV	10	-430.00	-0.232407	±2.5	PASS
GPRS1900	512	NV	20	-690.00	-0.372933	±2.5	PASS
GPRS1900	512	NV	30	-660.00	-0.356718	±2.5	PASS
GPRS1900	512	NV	40	10.00	0.005405	±2.5	PASS
GPRS1900	512	NV	50	700.00	0.378337	±2.5	PASS
GPRS1900	661	NV	-30	-80.00	-0.042553	±2.5	PASS
GPRS1900	661	NV	-20	580.00	0.308511	±2.5	PASS
GPRS1900	661	NV	-10	750.00	0.398936	±2.5	PASS
GPRS1900	661	NV	0	440.00	0.234043	±2.5	PASS
GPRS1900	661	NV	10	620.00	0.329787	±2.5	PASS
GPRS1900	661	NV	20	1160.00	0.617021	±2.5	PASS
GPRS1900	661	NV	30	1010.00	0.537234	±2.5	PASS
GPRS1900	661	NV	40	540.00	0.287234	±2.5	PASS
GPRS1900	661	NV	50	1050.00	0.558511	±2.5	PASS
GPRS1900	810	NV	-30	430.00	0.225154	±2.5	PASS
GPRS1900	810	NV	-20	60.00	0.031417	±2.5	PASS
GPRS1900	810	NV	-10	-80.00	-0.041889	±2.5	PASS
GPRS1900	810	NV	0	-680.00	-0.356058	±2.5	PASS
GPRS1900	810	NV	10	1870.00	0.979160	±2.5	PASS
GPRS1900	810	NV	20	-40.00	-0.020945	±2.5	PASS
GPRS1900	810	NV	30	410.00	0.214682	±2.5	PASS
GPRS1900	810	NV	40	1340.00	0.701644	±2.5	PASS
GPRS1900	810	NV	50	-210.00	-0.109959	±2.5	PASS
EGPRS1900	512	NV	-30	-920.00	-0.497244	±2.5	PASS
EGPRS1900	512	NV	-20	250.00	0.135121	±2.5	PASS
EGPRS1900	512	NV	-10	-1510.00	-0.816128	±2.5	PASS
EGPRS1900	512	NV	0	-1780.00	-0.962058	±2.5	PASS
EGPRS1900	512	NV	10	-890.00	-0.481029	±2.5	PASS
EGPRS1900	512	NV	20	-690.00	-0.372933	±2.5	PASS
EGPRS1900	512	NV	30	-970.00	-0.524268	±2.5	PASS
EGPRS1900	512	NV	40	-520.00	-0.281051	±2.5	PASS
EGPRS1900	512	NV	50	30.00	0.016214	±2.5	PASS
EGPRS1900	661	NV	-30	160.00	0.085106	±2.5	PASS
EGPRS1900	661	NV	-20	570.00	0.303191	±2.5	PASS
EGPRS1900	661	NV	-10	-220.00	-0.117021	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EGPRS1900	661	NV	0	110.00	0.058511	±2.5	PASS
EGPRS1900	661	NV	10	-1030.00	-0.547872	±2.5	PASS
EGPRS1900	661	NV	20	-1380.00	-0.734043	±2.5	PASS
EGPRS1900	661	NV	30	-1430.00	-0.760638	±2.5	PASS
EGPRS1900	661	NV	40	-490.00	-0.260638	±2.5	PASS
EGPRS1900	661	NV	50	-210.00	-0.111702	±2.5	PASS
EGPRS1900	810	NV	-30	-190.00	-0.099487	±2.5	PASS
EGPRS1900	810	NV	-20	-910.00	-0.476490	±2.5	PASS
EGPRS1900	810	NV	-10	-1230.00	-0.644046	±2.5	PASS
EGPRS1900	810	NV	0	-400.00	-0.209446	±2.5	PASS
EGPRS1900	810	NV	10	-1300.00	-0.680700	±2.5	PASS
EGPRS1900	810	NV	20	770.00	0.403184	±2.5	PASS
EGPRS1900	810	NV	30	50.00	0.026181	±2.5	PASS
EGPRS1900	810	NV	40	-1540.00	-0.806367	±2.5	PASS
EGPRS1900	810	NV	50	-1360.00	-0.712116	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.