





Test\_Graph\_EDR\_ANT1\_2402\_2Mbps\_Lower Band Emissions




Test\_Graph\_EDR\_ANT1\_2402\_2Mbps\_Higher Band Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2441\_2Mbps\_Higher Band Emissions




Test\_Graph\_EDR\_ANT1\_2480\_2Mbps\_Reference Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2480\_2Mbps\_Lower Band Emissions




Test\_Graph\_EDR\_ANT1\_2480\_2Mbps\_Higher Band Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2402\_3Mbps\_Higher Band Emissions




Test\_Graph\_EDR\_ANT1\_2441\_3Mbps\_Reference Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2441\_3Mbps\_Lower Band Emissions




Test\_Graph\_EDR\_ANT1\_2441\_3Mbps\_Higher Band Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Test Graphs of Band Edge Emissions in Non-Restricted Frequency Bands




### Test\_Graph\_BR\_ANT1\_2402\_1Mbps\_Lower Band Edge Emissions



### Test\_Graph\_BR\_ANT1\_2480\_1Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2402\_2Mbps\_Lower Band Edge Emissions




Test\_Graph\_EDR\_ANT1\_2480\_2Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_Lower Band Edge Emissions




Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_ANT1\_2402\_3Mbps\_Lower Band Edge Emissions




Test\_Graph\_EDR\_ANT1\_2480\_3Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Test\_Graph\_EDR\_HOP\_ANT1\_NA\_3Mbps\_Lower Band Edge Emissions



Test\_Graph\_EDR\_HOP\_ANT1\_NA\_3Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 9. Radiated Spurious Emission

### 9.1 Measurement Limit

- 15.209 Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength<br>(microvolts/meter) | Measurement Distance<br>(meters) |
|----------------------|--------------------------------------|----------------------------------|
| 0.009~0.490          | 2400/F(kHz)                          | 300                              |
| 0.490~1.705          | 24000/F(kHz)                         | 30                               |
| 1.705~30.0           | 30                                   | 30                               |
| 30~88                | 100                                  | 3                                |
| 88~216               | 150                                  | 3                                |
| 216~960              | 200                                  | 3                                |
| Above 960            | 500                                  | 3                                |

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

### 9.2 Measurement Procedure

- The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter    | Setting                                                   |
|-----------------------|-----------------------------------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP                               |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP                               |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP                            |
| Start ~Stop Frequency | 1GHz~26.5GHz<br>1MHz/3MHz for Peak, 1MHz/3MHz for Average |

| Receiver Parameter    | Setting                        |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP    |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP    |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

- **Quasi-Peak Measurements below 1GHz**

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = as shown in the table above
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

- **Peak Measurements above 1GHz**

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize


- **Average Measurements above 1GHz**

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW =  $[3 \times \text{RBW}]$
4. Detector = Power averaging (rms)
5. Averaging type = power (i.e., rms)
6. Sweep time = auto
7. Perform a trace average of at least 100 traces.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### 9.3 Measurement Setup (Block Diagram of Configuration)


Radiated Emission Test Setup 9KHz-30MHz



Radiated Emission Test Setup 30MHz-1000MHz



Radiated Emission Test Setup Above 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


## 9.4 Measurement Result

### Radiated Emission Below 30MHz

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

#### Radiated Emission Test Results at 30MHz-1GHz

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 1                | <b>Antenna Polarity</b>  | Horizontal         |




#### Final Average Data List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|------------|
| 1   | 49.7068     | 12.40          | -26.86      | 40.00          | 27.6        | Horizontal |
| 2   | 68.1514     | 14.38          | -25.22      | 40.00          | 25.62       | Horizontal |
| 3   | 152.1297    | 19.00          | -20.64      | 43.50          | 24.5        | Horizontal |
| 4   | 383.9318    | 22.71          | -17.70      | 46.00          | 23.29       | Horizontal |
| 5   | 547.0977    | 24.89          | -15.82      | 46.00          | 21.11       | Horizontal |
| 6   | 952.0937    | 30.99          | -8.36       | 46.00          | 15.01       | Horizontal |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### Radiated Emission Test Results at 30MHz-1GHz

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 1                | <b>Antenna Polarity</b>  | Vertical           |



### Final Average Data List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|----------|
| 1   | 43.0505     | 18.55          | -21.60      | 40.00          | 21.45       | Vertical |
| 2   | 62.2128     | 17.68          | -21.72      | 40.00          | 22.32       | Vertical |
| 3   | 145.8611    | 18.87          | -19.88      | 43.50          | 24.63       | Vertical |
| 4   | 303.5437    | 19.94          | -18.74      | 46.00          | 26.06       | Vertical |
| 5   | 522.7180    | 25.87          | -13.73      | 46.00          | 20.13       | Vertical |
| 6   | 935.5463    | 32.82          | -6.23       | 46.00          | 13.18       | Vertical |

### RESULT: Pass

#### Note:

- Factor=Antenna Factor + Cable loss - Pre-amplifier, Margin=Measurement-Limit.
- All test modes had been pre-tested. The mode 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### Radiated Emissions Test Results Above 1GHz

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 7                | <b>Antenna Polarity</b>  | Horizontal         |

| Frequency<br>(MHz) | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|--------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 4804.000           | 46.19                   | 0.08           | 46.27                      | 74                 | -27.73         | peak       |
| 4804.000           | 37.55                   | 0.08           | 37.63                      | 54                 | -16.37         | AVG        |
| 7206.000           | 51.03                   | 2.21           | 53.24                      | 74                 | -20.76         | peak       |
| 7206.000           | 43.89                   | 2.21           | 46.1                       | 54                 | -7.9           | AVG        |
|                    |                         |                |                            |                    |                |            |
|                    |                         |                |                            |                    |                |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 7                | <b>Antenna Polarity</b>  | Vertical           |

| Frequency<br>(MHz) | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|--------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 4804.000           | 44.73                   | 0.08           | 44.81                      | 74                 | -29.19         | peak       |
| 4804.000           | 38.59                   | 0.08           | 38.67                      | 54                 | -15.33         | AVG        |
| 7206.000           | 50.18                   | 2.21           | 52.39                      | 74                 | -21.61         | peak       |
| 7206.000           | 41.68                   | 2.21           | 43.89                      | 54                 | -10.11         | AVG        |
|                    |                         |                |                            |                    |                |            |
|                    |                         |                |                            |                    |                |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Radiated Emissions Test Results for Above 1GHz

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 8                | <b>Antenna Polarity</b>  | Horizontal         |

| (MHz)    | (dBμV) | (dB) | (dBμV/m) | (dBμV/m) | (dB)   | value type |
|----------|--------|------|----------|----------|--------|------------|
| 4882.000 | 45.39  | 0.14 | 45.53    | 74       | -28.47 | peak       |
| 4882.000 | 38.52  | 0.14 | 38.66    | 54       | -15.34 | AVG        |
| 7323.000 | 46.48  | 2.36 | 48.84    | 74       | -25.16 | peak       |
| 7323.000 | 38.18  | 2.36 | 40.54    | 54       | -13.46 | AVG        |
|          |        |      |          |          |        |            |
|          |        |      |          |          |        |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3℃                 | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 8                | <b>Antenna Polarity</b>  | Vertical           |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4882.000  | 45.77         | 0.14   | 45.91          | 74       | -28.09 | peak       |
| 4882.000  | 37.31         | 0.14   | 37.45          | 54       | -16.55 | AVG        |
| 7323.000  | 43.85         | 2.36   | 46.21          | 74       | -27.79 | peak       |
| 7323.000  | 33.22         | 2.36   | 35.58          | 54       | -18.42 | AVG        |
|           |               |        |                |          |        |            |
|           |               |        |                |          |        |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Radiated Emissions Test Results for Above 1GHz

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3°C                | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 9                | <b>Antenna Polarity</b>  | Horizontal         |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4960.000  | 45.79         | 0.22   | 46.01          | 74       | -27.99 | peak       |
| 4960.000  | 36.36         | 0.22   | 36.58          | 54       | -17.42 | AVG        |
| 7440.000  | 46.81         | 2.64   | 49.45          | 74       | -24.55 | peak       |
| 7440.000  | 38.55         | 2.64   | 41.19          | 54       | -12.81 | AVG        |
|           |               |        |                |          |        |            |
|           |               |        |                |          |        |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3°C                | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |
| <b>Test Mode</b>   | Mode 9                | <b>Antenna Polarity</b>  | Vertical           |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4960.000  | 46.37         | 0.22   | 46.59          | 74       | -27.41 | peak       |
| 4960.000  | 35.55         | 0.22   | 35.77          | 54       | -18.23 | AVG        |
| 7440.000  | 44.81         | 2.64   | 47.45          | 74       | -26.55 | peak       |
| 7440.000  | 36.44         | 2.64   | 39.08          | 54       | -14.92 | AVG        |
|           |               |        |                |          |        |            |
|           |               |        |                |          |        |            |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

### RESULT: PASS

#### Note:

- The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.
- Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin = Emission Level - Limit.
- The “Factor” value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Band Edge Emission Test Results for Restricted Bands

|                    |                       |                          |                    |
|--------------------|-----------------------|--------------------------|--------------------|
| <b>EUT Name</b>    | TWS Bluetooth Headset | <b>Model Name</b>        | AGM OPEN BUDS 1    |
| <b>Temperature</b> | 22.3°C                | <b>Relative Humidity</b> | 59.3%              |
| <b>Pressure</b>    | 985 Mbar              | <b>Test Voltage</b>      | DC 3.7V by battery |

| Bluetooth Tx CH00_2402 MHz_1Mbps |           |              |                |               |               |              |              |           |          |            |
|----------------------------------|-----------|--------------|----------------|---------------|---------------|--------------|--------------|-----------|----------|------------|
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2390.00   | 35.21        | 29.99          | 30.21         | 8.35          | 43.34        | 74           | -30.66    | Peak     | Horizontal |
| 2                                | 2390.00   | 26.12        | 29.99          | 30.21         | 8.35          | 34.25        | 54           | -19.75    | AV       | Horizontal |
| 3                                | 2390.00   | 32.21        | 29.99          | 30.21         | 8.35          | 40.34        | 74           | -33.66    | Peak     | Vertical   |
| 4                                | 2390.00   | 23.91        | 29.99          | 30.21         | 8.35          | 32.04        | 54           | -21.96    | AV       | Vertical   |
| Bluetooth Tx CH78_2480 MHz_1Mbps |           |              |                |               |               |              |              |           |          |            |
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2483.50   | 38.25        | 30.25          | 30.25         | 8.5           | 46.75        | 74           | -27.25    | Peak     | Horizontal |
| 2                                | 2483.50   | 27.79        | 30.25          | 30.25         | 8.5           | 36.29        | 54           | -17.71    | AV       | Horizontal |
| 3                                | 2483.50   | 35.10        | 30.25          | 30.25         | 8.5           | 43.6         | 74           | -30.40    | Peak     | Vertical   |
| 4                                | 2483.50   | 26.12        | 30.25          | 30.25         | 8.5           | 34.62        | 54           | -19.38    | AV       | Vertical   |
| Bluetooth Tx CH00_2402 MHz_2Mbps |           |              |                |               |               |              |              |           |          |            |
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2390.00   | 34.47        | 29.99          | 30.21         | 8.35          | 42.6         | 74           | -31.40    | Peak     | Horizontal |
| 2                                | 2390.00   | 25.99        | 29.99          | 30.21         | 8.35          | 34.12        | 54           | -19.88    | AV       | Horizontal |
| 3                                | 2390.00   | 30.23        | 29.99          | 30.21         | 8.35          | 38.36        | 74           | -35.64    | Peak     | Vertical   |
| 4                                | 2390.00   | 22.90        | 29.99          | 30.21         | 8.35          | 31.03        | 54           | -22.97    | AV       | Vertical   |
| Bluetooth Tx CH78_2480 MHz_2Mbps |           |              |                |               |               |              |              |           |          |            |
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2483.50   | 46.84        | 30.25          | 30.25         | 8.5           | 55.34        | 74           | -18.66    | Peak     | Horizontal |
| 2                                | 2483.50   | 27.72        | 30.25          | 30.25         | 8.5           | 36.22        | 54           | -17.78    | AV       | Horizontal |
| 3                                | 2483.50   | 46.10        | 30.25          | 30.25         | 8.5           | 54.6         | 74           | -19.40    | Peak     | Vertical   |
| 4                                | 2483.50   | 25.82        | 30.25          | 30.25         | 8.5           | 34.32        | 54           | -19.68    | AV       | Vertical   |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

| Bluetooth Tx CH00_2402 MHz_3Mbps |           |              |                |               |               |              |              |           |          |            |
|----------------------------------|-----------|--------------|----------------|---------------|---------------|--------------|--------------|-----------|----------|------------|
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2390.00   | 35.63        | 29.99          | 30.21         | 8.35          | 43.76        | 74           | -30.24    | Peak     | Horizontal |
| 2                                | 2390.00   | 26.22        | 29.99          | 30.21         | 8.35          | 34.35        | 54           | -19.65    | AV       | Horizontal |
| 3                                | 2390.00   | 32.46        | 29.99          | 30.21         | 8.35          | 40.59        | 74           | -33.41    | Peak     | Vertical   |
| 4                                | 2390.00   | 23.10        | 29.99          | 30.21         | 8.35          | 31.23        | 54           | -22.77    | AV       | Vertical   |
| Bluetooth Tx CH78_2480 MHz_3Mbps |           |              |                |               |               |              |              |           |          |            |
| Item (Mark)                      | Freq. MHz | Reading dBμV | Ant. Fac. dB/m | PRM Factor dB | Cable Loss dB | Level dBμV/m | Limit dBμV/m | Margin dB | Detector | Pol.       |
| 1                                | 2483.50   | 45.44        | 30.25          | 30.25         | 8.5           | 53.94        | 74           | -20.06    | Peak     | Horizontal |
| 2                                | 2483.50   | 28.15        | 30.25          | 30.25         | 8.5           | 36.65        | 54           | -17.35    | AV       | Horizontal |
| 3                                | 2483.50   | 43.86        | 30.25          | 30.25         | 8.5           | 52.36        | 74           | -21.64    | Peak     | Vertical   |
| 4                                | 2483.50   | 24.52        | 30.25          | 30.25         | 8.5           | 33.02        | 54           | -20.98    | AV       | Vertical   |

Remark:

1. Result Level = Read Level + Antenna Factor + Cable loss - PRM Factor.
2. Margin = Emission Level - Limit

**RESULT: Pass**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 10. Number of Hopping Frequency Measurement

### 10.1 Provisions Applicable


This frequency hopping system must employ a minimum of 15 hopping channels.

### 10.2 Measurement Procedure

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span = The frequency band of operation. Depending on the number of channels the device supports, it may be necessary to divide the frequency range of operation across multiple spans, to allow the individual channels to be clearly seen.
2. RBW: To identify clearly the individual channels, set the RBW to less than 30% of the channel spacing or the 20 dB bandwidth, whichever is smaller.
3. VBW  $\geq$  RBW
4. Sweep time = Auto couple
5. Detector = Peak
6. Trace mode = Max hold
7. Allow the trace to stabilize

### 10.3 Measurement Setup (Block Diagram of Configuration)




### 10.4 Measurement Result

| Test Data of Number of Hopping Frequency |                             |           |              |
|------------------------------------------|-----------------------------|-----------|--------------|
| Test Mode                                | Number of Hopping Frequency | Limits    | Pass or Fail |
| GFSK Hopping                             | 79                          | $\geq 15$ | Pass         |
| $\pi/4$ -DQPSK Hopping                   | 79                          | $\geq 15$ | Pass         |
| 8DPSK Hopping                            | 79                          | $\geq 15$ | Pass         |


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: [agc@agccert.com](mailto:agc@agccert.com) Web: <http://www.agccert.com/>

### Test Graphs of Number of Hopping Frequency



### Test\_Graph\_BR\_HOP\_ANT1\_NA\_1Mbps\_Number of Hopping




### Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_Number of Hopping

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 11. Time of Occupancy (Dwell Time) Measurement

### 11.1 Provisions Applicable


The maximum permissible time of occupancy is 400ms within a period of 400ms multiplied by the number of hopping channels employed.

### 11.2 Measurement Procedure

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span = Zero span, centered on a hopping channel.
2. RBW shall be  $\leq$  channel spacing and where possible RBW should be set  $\gg 1 / T$ , where T is the expected dwell time per channel.
3. VBW  $\geq$  RBW
4. Sweep time = As necessary to capture the entire dwell time per hopping channel
5. Detector = Peak
6. Trace mode = Free Run
7. Use the marker-delta function to determine the transmit time per hop. If this value varies with different modes of operation (data rate, modulation format, number of hopping channels, etc.), then repeat this test for each variation in transmit time. An oscilloscope may be used instead of a spectrum analyzer. The EUT shall show compliance with the appropriate regulatory limit for the number of hopping channels. A plot of the data shall be included in the test report.

### 11.3 Measurement Setup (Block Diagram of Configuration)




### 11.4 Measurement Result


| Test Data of Dwell Time |                              |                                                            |                 |            |              |
|-------------------------|------------------------------|------------------------------------------------------------|-----------------|------------|--------------|
| Channel                 | Time of Pulse for 2-DH5 (ms) | Number of hops in the period specified in the requirements | Dwell Time (ms) | Limit (ms) | Pass or Fail |
| 2402                    | 2.901                        | 24.0*4                                                     | 278.496         | 400        | Pass         |
| 2441                    | 2.901                        | 18.0*4                                                     | 208.872         | 400        | Pass         |
| 2480                    | 2.901                        | 32.0*4                                                     | 371.328         | 400        | Pass         |

Note: The  $\pi/4$ -DQPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_2402\_Number of Burst



Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_2402\_Time per Burst

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.