






Date: 31.JAN.2024 14:26:48

11AC40MIMO_Ant2_5190_1000~40000




Date: 31.JAN.2024 14:27:14

11AC40MIMO_Ant1_5230_30~1000




Date: 31.JAN.2024 14:30:51


11AC40MIMO_Ant1_5230_1000~40000




11AC40MIMO_Ant2_5230_30~1000




11AC40MIMO_Ant2_5230_1000~40000




11AC40MIMO_Ant1_5270_30~1000




11AC40MIMO_Ant1_5270_1000~40000




11AC40MIMO_Ant2_5270_30~1000




11AC40MIMO_Ant2_5270_1000~40000




11AC40MIMO_Ant1_5310_30~1000




11AC40MIMO_Ant1_5310_1000~40000




11AC40MIMO_Ant2_5310_30~1000




11AC40MIMO_Ant2_5310_1000~40000




11AC40MIMO_Ant1_5510_30~1000




11AC40MIMO_Ant1_5510_1000~40000




11AC40MIMO_Ant2_5510_30~1000




11AC40MIMO_Ant2_5510_1000~40000




11AC40MIMO_Ant1_5550_30~1000




11AC40MIMO_Ant1_5550_1000~40000




11AC40MIMO_Ant2_5550_30~1000




11AC40MIMO_Ant2_5550_1000~40000




11AC40MIMO_Ant1_5670_30~1000




11AC40MIMO_Ant1_5670_1000~40000




11AC40MIMO_Ant2_5670_30~1000




11AC40MIMO_Ant2_5670_1000~40000



11AC40MIMO_Ant1_5755_30~1000




11AC40MIMO_Ant1_5755_1000~40000




Date: 1.FEB.2024 16:26:32

11AC40MIMO_Ant2_5755_30~1000




Date: 1.FEB.2024 16:29:28

11AC40MIMO_Ant2_5755_1000~40000




Date: 1.FEB.2024 16:29:41


11AC40MIMO_Ant1_5795_30~1000




11AC40MIMO_Ant1_5795_1000~40000




11AC40MIMO_Ant2_5795_30~1000




11AC40MIMO_Ant2_5795_1000~40000




11AC80MIMO_Ant1_5210_30~1000




11AC80MIMO_Ant1_5210_1000~40000




11AC80MIMO_Ant2_5210_30~1000




11AC80MIMO_Ant2_5210_1000~40000




11AC80MIMO_Ant1_5290_30~1000




11AC80MIMO_Ant1_5290_1000~40000




11AC80MIMO_Ant2_5290_30~1000




11AC80MIMO_Ant2_5290_1000~40000




11AC80MIMO_Ant1_5530_30~1000




11AC80MIMO_Ant1_5530_1000~40000



11AC80MIMO_Ant2_5530_30~1000




11AC80MIMO_Ant2_5530_1000~40000




Date: 1.FEB.2024 17:08:10

11AC80MIMO_Ant1_5610_30~1000




Date: 2.FEB.2024 09:21:57

11AC80MIMO_Ant1_5610_1000~40000




Date: 2.FEB.2024 09:22:23


11AC80MIMO_Ant2_5610_30~1000




11AC80MIMO_Ant2_5610_1000~40000




11AC80MIMO_Ant1_5775_30~1000




11AC80MIMO_Ant1_5775_1000~40000



11AC80MIMO_Ant2_5775_30~1000



11AC80MIMO_Ant2_5775_1000~40000



9. Frequency Stability

9.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-15.384615	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
	Ant2	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
	Ant1	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
	Ant2	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.575758	20	PASS
	Ant2	5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.575758	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-40000.00	-7.518797	20	PASS
	Ant2	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	-40000.00	-7.518797	20	PASS
	Ant1	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
	Ant2	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
	Ant2	5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
	Ant1	5700	NV	NT	-40000.00	-7.017544	20	PASS

	Ant2	5700	LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
			NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
	Ant1	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant2	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant2	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
	Ant1	5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	Ant2	5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N20MIM O	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5260	NV	NT	-60000.00	-11.406844	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
	Ant2	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	-60000.00	-11.363636	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
	Ant2	5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-60000.00	-11.278195	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
	Ant2	5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

11N40MIM O	Ant1	5500	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5500	HV	NT	-20000.00	-3.636364	20	PASS
			NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant1	5580	HV	NT	-20000.00	-3.636364	20	PASS
			NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
	Ant2	5580	HV	NT	-40000.00	-7.168459	20	PASS
			NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
	Ant1	5700	HV	NT	-20000.00	-3.584229	20	PASS
			NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
	Ant2	5700	HV	NT	-20000.00	-3.508772	20	PASS
			NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-60000.00	-10.526316	20	PASS
	Ant1	5745	HV	NT	-40000.00	-7.017544	20	PASS
			NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
	Ant2	5745	HV	NT	-40000.00	-6.962576	20	PASS
			NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	HV	NT	-40000.00	-6.962576	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
	Ant2	5785	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
	Ant1	5825	HV	NT	-40000.00	-6.914434	20	PASS
			NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
	Ant2	5825	HV	NT	-20000.00	-3.433476	20	PASS
			NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
11N40MIM O	Ant1	5190	HV	NT	-20000.00	-3.433476	20	PASS
			NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
	Ant2	5190	HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
	Ant1	5230	HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
	Ant2	5230	HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
	Ant1	5270	HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
	Ant2	5270	HV	NT	-40000.00	-7.590133	20	PASS
			NV	NT	-80000.00	-15.180266	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
	Ant1	5310	HV	NT	-80000.00	-15.180266	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
	Ant2	5310	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS

	Ant2	5310	NV	NT	-80000.00	-15.065913	20	PASS
			LV	NT	-80000.00	-15.065913	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant1	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant2	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-80000.00	-14.519056	20	PASS
	Ant1	5550	NV	NT	-80000.00	-14.414414	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	-80000.00	-14.414414	20	PASS
	Ant2	5550	NV	NT	-80000.00	-14.414414	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant1	5670	NV	NT	-80000.00	-14.109347	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	NT	-80000.00	-14.109347	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant2	5755	NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-80000.00	-13.900956	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant1	5795	NV	NT	-80000.00	-13.805004	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
	Ant2	5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AC20MI MO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
	Ant2	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5280	NV	NT	-40000.00	-7.575758	20	PASS

11AC40MI MO	Ant2	5280	LV	NT	-20000.00	-3.787879	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-40000.00	-7.518797	20	PASS
	Ant2	5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
	Ant2	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
	Ant2	5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-60000.00	-10.752688	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
	Ant1	5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
	Ant2	5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
	Ant1	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
	Ant2	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
	Ant2	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11AC40MI MO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-80000.00	-15.414258	20	PASS
			HV	NT	-80000.00	-15.414258	20	PASS
	Ant2	5190	NV	NT	-80000.00	-15.414258	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	-40000.00	-7.707129	20	PASS
	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS

	Ant1	5270	HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5270	HV	NT	-40000.00	-7.590133	20	PASS
			NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-80000.00	-15.180266	20	PASS
	Ant1	5310	HV	NT	-80000.00	-15.180266	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
	Ant2	5310	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-80000.00	-15.065913	20	PASS
			LV	NT	-80000.00	-15.065913	20	PASS
	Ant1	5510	HV	NT	-40000.00	-7.532957	20	PASS
			NV	NT	-80000.00	-14.519056	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
	Ant2	5510	HV	NT	-40000.00	-7.259528	20	PASS
			NV	NT	-80000.00	-14.519056	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
	Ant1	5550	HV	NT	-80000.00	-14.519056	20	PASS
			NV	NT	-80000.00	-14.414414	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
	Ant2	5550	HV	NT	-80000.00	-14.414414	20	PASS
			NV	NT	-80000.00	-14.414414	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
	Ant1	5670	HV	NT	-80000.00	-14.414414	20	PASS
			NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
	Ant2	5670	HV	NT	-40000.00	-7.054674	20	PASS
			NV	NT	-80000.00	-14.109347	20	PASS
			LV	NT	-80000.00	-14.109347	20	PASS
	Ant1	5755	HV	NT	-80000.00	-14.109347	20	PASS
			NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
	Ant2	5755	HV	NT	-40000.00	-6.950478	20	PASS
			NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
	Ant1	5795	HV	NT	-80000.00	-13.900956	20	PASS
			NV	NT	-80000.00	-13.805004	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
	Ant2	5795	HV	NT	-80000.00	-13.805004	20	PASS
			NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
11AC80MI MO	Ant1	5210	HV	NT	-40000.00	-6.902502	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5210	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant1	5290	HV	NT	-80000.00	-15.355086	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

	Ant2	5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5610	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5610	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	0	-60000.00	-11.583012	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	60000.00	11.583012	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5180	NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	45	-40000.00	-7.722008	20	PASS
	Ant1	5200	NV	0	-60000.00	-11.538462	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-60000.00	-11.538462	20	PASS
			NV	30	-60000.00	-11.538462	20	PASS
			NV	45	-40000.00	-7.692308	20	PASS
	Ant2	5200	NV	0	-40000.00	-7.692308	20	PASS
			NV	10	-40000.00	-7.692308	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	45	-40000.00	-7.692308	20	PASS
	Ant1	5240	NV	0	-40000.00	-7.633588	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.816794	20	PASS
	Ant2	5240	NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS

			NV	45	-40000.00	-7.633588	20	PASS
	Ant1	5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	-20000.00	-3.802281	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
	Ant2	5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant1	5280	NV	10	-20000.00	-3.787879	20	PASS
			NV	20	-20000.00	-3.787879	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant2	5280	NV	10	-40000.00	-7.575758	20	PASS
			NV	20	-60000.00	-11.363636	20	PASS
			NV	30	-20000.00	-3.787879	20	PASS
			NV	45	-40000.00	-7.575758	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
	Ant1	5320	NV	10	-20000.00	-3.759398	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	45	-40000.00	-7.518797	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
	Ant2	5320	NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	45	-40000.00	-7.518797	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
	Ant1	5500	NV	10	-40000.00	-7.272727	20	PASS
			NV	20	20000.00	3.636364	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	45	-40000.00	-7.272727	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant2	5500	NV	10	-40000.00	-7.272727	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
	Ant1	5580	NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS

			NV	45	-40000.00	-7.168459	20	PASS
	Ant2	5580	NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS
	Ant1	5700	NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	45	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
	Ant2	5700	NV	10	-60000.00	-10.526316	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	45	-60000.00	-10.526316	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
	Ant1	5745	NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-40000.00	-6.962576	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
	Ant2	5745	NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-40000.00	-6.962576	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
	Ant1	5785	NV	45	-40000.00	-6.914434	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	45	-20000.00	-3.457217	20	PASS
	Ant2	5785	NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
	Ant1	5825	NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
	Ant1	5825	NV	30	-40000.00	-6.866953	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS

			NV	45	-40000.00	-6.866953	20	PASS
11N20MIM O	Ant1	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS
	Ant1	5200	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5200	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5240	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5240	NV	0	-20000.00	-3.816794	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5260	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
	Ant2	5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
	Ant1	5280	NV	0	-60000.00	-11.363636	20	PASS
			NV	10	-20000.00	-3.787879	20	PASS
			NV	20	-40000.00	-7.575758	20	PASS
			NV	30	-40000.00	-7.575758	20	PASS

			NV	45	-60000.00	-11.363636	20	PASS
	Ant2	5280	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5320	NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	45	-40000.00	-7.518797	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant2	5320	NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant1	5500	NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	5500	NV	30	-20000.00	-3.636364	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
	Ant1	5580	NV	45	-20000.00	-3.584229	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS
	Ant2	5580	NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
	Ant1	5700	NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	45	-40000.00	-7.017544	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
	Ant2	5700	NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	45	-40000.00	-7.017544	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS

	Ant1	5745	NV	45	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-40000.00	-6.962576	20	PASS
	Ant2	5745	NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-60000.00	-10.443864	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	45	-40000.00	-6.914434	20	PASS
	Ant2	5785	NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	45	-40000.00	-6.914434	20	PASS
	Ant1	5825	NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
	Ant2	5825	NV	0	0.00	0.000000	20	PASS
			NV	10	-60000.00	-10.300429	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	45	-60000.00	-10.300429	20	PASS
11N40MIM O	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	45	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-80000.00	-15.414258	20	PASS
			NV	45	-40000.00	-7.707129	20	PASS
	Ant1	5230	NV	0	-80000.00	-15.296367	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS

			NV	45	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	0	-80000.00	-15.296367	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	-80000.00	-15.296367	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	45	-40000.00	-7.648184	20	PASS
	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
			NV	10	-40000.00	-7.590133	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	-40000.00	-7.590133	20	PASS
			NV	45	-40000.00	-7.590133	20	PASS
			NV	0	-80000.00	-15.180266	20	PASS
	Ant2	5270	NV	10	-80000.00	-15.180266	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	-80000.00	-15.180266	20	PASS
			NV	45	-40000.00	-7.590133	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
	Ant1	5310	NV	20	-40000.00	-7.532957	20	PASS
			NV	30	-40000.00	-7.532957	20	PASS
			NV	45	-40000.00	-7.532957	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
			NV	20	-80000.00	-15.065913	20	PASS
	Ant2	5310	NV	30	-40000.00	-7.532957	20	PASS
			NV	45	-80000.00	-15.065913	20	PASS
			NV	0	-80000.00	-14.519056	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	-40000.00	-7.259528	20	PASS
	Ant1	5510	NV	45	-40000.00	-7.259528	20	PASS
			NV	0	-80000.00	-14.519056	20	PASS
			NV	10	-80000.00	-14.519056	20	PASS
			NV	20	-80000.00	-14.519056	20	PASS
			NV	30	-80000.00	-14.519056	20	PASS
			NV	45	-80000.00	-14.519056	20	PASS
	Ant2	5510	NV	0	-80000.00	-14.414414	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	45	-40000.00	-7.207207	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
	Ant1	5550	NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	45	-40000.00	-7.207207	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
	Ant2	5550	NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-80000.00	-14.414414	20	PASS
			NV	45	-80000.00	-14.414414	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
	Ant1	5550	NV	30	-80000.00	-14.414414	20	PASS
			NV	45	-80000.00	-14.414414	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-80000.00	-14.414414	20	PASS

	Ant1	5670	NV	45	-40000.00	-7.207207	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-80000.00	-14.109347	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	-80000.00	-14.109347	20	PASS
			NV	45	-80000.00	-14.109347	20	PASS
	Ant2	5670	NV	0	-80000.00	-14.109347	20	PASS
			NV	10	-80000.00	-14.109347	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	-80000.00	-14.109347	20	PASS
			NV	45	-80000.00	-14.109347	20	PASS
	Ant1	5755	NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-80000.00	-13.900956	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	45	-80000.00	-13.900956	20	PASS
	Ant2	5755	NV	0	-80000.00	-13.900956	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-80000.00	-13.900956	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	45	-80000.00	-13.900956	20	PASS
	Ant1	5795	NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	45	-40000.00	-6.902502	20	PASS
	Ant2	5795	NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	-80000.00	-13.805004	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	45	-40000.00	-6.902502	20	PASS
11AC20MI MO	Ant1	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	45	0.00	0.000000	20	PASS
	Ant2	5200	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5240	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant2	5240	NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant1	5260	NV	20	-40000.00	-7.604563	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	45	-20000.00	-3.802281	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
	Ant2	5260	NV	30	-20000.00	-3.802281	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
	Ant1	5280	NV	45	0.00	0.000000	20	PASS
			NV	0	20000.00	3.787879	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.575758	20	PASS
			NV	30	-20000.00	-3.787879	20	PASS
			NV	45	-20000.00	-3.787879	20	PASS
	Ant2	5280	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
	Ant1	5320	NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-60000.00	-11.278195	20	PASS
			NV	45	-40000.00	-7.518797	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant2	5320	NV	20	-40000.00	-7.518797	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS

			NV	45	0.00	0.000000	20	PASS
	Ant1	5500	NV	0	20000.00	3.636364	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.636364	20	PASS
	Ant2	5500	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	20000.00	3.636364	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
	Ant1	5580	NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
	Ant2	5580	NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	45	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
			NV	45	-20000.00	-3.508772	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-60000.00	-10.526316	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-60000.00	-10.526316	20	PASS
	Ant2	5700	NV	45	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-20000.00	-3.481288	20	PASS
	Ant1	5745	NV	0	-60000.00	-10.443864	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	45	-60000.00	-10.443864	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
	Ant2	5745	NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	45	-60000.00	-10.443864	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
	Ant1	5785	NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS

	Ant2	5785	NV	45	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	45	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
	Ant2	5825	NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-60000.00	-10.300429	20	PASS
			NV	45	-40000.00	-6.866953	20	PASS
11AC40MI MO	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	45	-40000.00	-7.707129	20	PASS
	Ant2	5190	NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-80000.00	-15.414258	20	PASS
			NV	45	-80000.00	-15.414258	20	PASS
	Ant1	5230	NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	45	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	45	-40000.00	-7.648184	20	PASS
	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
			NV	10	-40000.00	-7.590133	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	-40000.00	-7.590133	20	PASS
			NV	45	-40000.00	-7.590133	20	PASS
	Ant2	5270	NV	0	-80000.00	-15.180266	20	PASS
			NV	10	-80000.00	-15.180266	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	-40000.00	-7.590133	20	PASS

			NV	45	-80000.00	-15.180266	20	PASS
	Ant1	5310	NV	0	-40000.00	-7.532957	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-40000.00	-7.532957	20	PASS
	Ant2	5310	NV	0	-40000.00	-7.532957	20	PASS
			NV	10	-80000.00	-15.065913	20	PASS
			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	-40000.00	-7.532957	20	PASS
			NV	45	-40000.00	-7.532957	20	PASS
	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	-40000.00	-7.259528	20	PASS
			NV	45	-40000.00	-7.259528	20	PASS
	Ant2	5510	NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-80000.00	-14.519056	20	PASS
			NV	30	-80000.00	-14.519056	20	PASS
			NV	45	-80000.00	-14.519056	20	PASS
	Ant1	5550	NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	45	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	0	-80000.00	-14.414414	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	-80000.00	-14.414414	20	PASS
			NV	45	-80000.00	-14.414414	20	PASS
	Ant1	5670	NV	0	-80000.00	-14.109347	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	-80000.00	-14.109347	20	PASS
			NV	45	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	0	-80000.00	-14.109347	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-80000.00	-14.109347	20	PASS
			NV	45	-80000.00	-14.109347	20	PASS
	Ant1	5755	NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS

	Ant2	5755	NV	45	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-80000.00	-13.900956	20	PASS
			NV	30	-80000.00	-13.900956	20	PASS
			NV	45	-80000.00	-13.900956	20	PASS
	Ant1	5795	NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	45	-80000.00	-13.805004	20	PASS
	Ant2	5795	NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	-80000.00	-13.805004	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	45	-40000.00	-6.902502	20	PASS
11AC80MI MO	Ant1	5210	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5210	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-80000.00	-15.355086	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5290	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5290	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant1	5530	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5530	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	45	0.00	0.000000	20	PASS
	Ant1	5610	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
	Ant2	5610	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
	Ant1	5775	NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
	Ant2	5775	NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS

10. Duty Cycle

10.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
11A-CDD	Ant1	5180	1.36	1.86	73.12	0.735294	---	---
	Ant2	5180	1.36	1.86	73.12	0.735294	---	---
	Ant1	5200	1.37	1.87	73.26	0.729927	---	---
	Ant2	5200	1.36	1.86	73.12	0.735294	---	---
	Ant1	5240	1.36	1.87	72.73	0.735294	---	---
	Ant2	5240	1.36	1.86	73.12	0.735294	---	---
	Ant1	5260	1.37	1.87	73.26	0.729927	---	---
	Ant2	5260	1.37	1.87	73.26	0.729927	---	---
	Ant1	5280	1.37	1.87	73.26	0.729927	---	---
	Ant2	5280	1.36	1.86	73.12	0.735294	---	---
	Ant1	5320	1.36	1.86	73.12	0.735294	---	---
	Ant2	5320	1.37	1.87	73.26	0.729927	---	---
	Ant1	5500	1.36	1.86	73.12	0.735294	---	---
	Ant2	5500	1.36	1.87	72.73	0.735294	---	---
	Ant1	5580	1.36	1.86	73.12	0.735294	---	---
	Ant2	5580	1.36	1.86	73.12	0.735294	---	---
	Ant1	5700	1.36	1.86	73.12	0.735294	---	---
	Ant2	5700	1.36	1.87	72.73	0.735294	---	---
	Ant1	5745	1.36	1.87	72.73	0.735294	---	---
	Ant2	5745	1.36	1.86	73.12	0.735294	---	---
	Ant1	5785	1.36	1.86	73.12	0.735294	---	---
	Ant2	5785	1.37	1.87	73.26	0.729927	---	---
	Ant1	5825	1.36	1.86	73.12	0.735294	---	---
	Ant2	5825	1.36	1.87	72.73	0.735294	---	---
11N20MIMO	Ant1	5180	1.28	1.78	71.91	0.78125	---	---
	Ant2	5180	1.27	1.78	71.35	0.787402	---	---
	Ant1	5200	1.27	1.77	71.75	0.787402	---	---
	Ant2	5200	1.28	1.78	71.91	0.78125	---	---
	Ant1	5240	1.27	1.78	71.35	0.787402	---	---
	Ant2	5240	1.27	1.78	71.35	0.787402	---	---
	Ant1	5260	1.27	1.77	71.75	0.787402	---	---
	Ant2	5260	1.28	1.78	71.91	0.78125	---	---
	Ant1	5280	1.27	1.77	71.75	0.787402	---	---
	Ant2	5280	1.28	1.78	71.91	0.78125	---	---
	Ant1	5320	1.27	1.77	71.75	0.787402	---	---
	Ant2	5320	1.28	1.78	71.91	0.78125	---	---
	Ant1	5500	1.27	1.77	71.75	0.787402	---	---
	Ant2	5500	1.28	1.78	71.91	0.78125	---	---
	Ant1	5580	1.27	1.78	71.35	0.787402	---	---

	Ant2	5580	1.27	1.77	71.75	0.787402	---	---
	Ant1	5700	1.27	1.77	71.75	0.787402	---	---
	Ant2	5700	1.28	1.78	71.91	0.78125	---	---
	Ant1	5745	1.27	1.78	71.35	0.787402	---	---
	Ant2	5745	1.28	1.78	71.91	0.78125	---	---
	Ant1	5785	1.28	1.78	71.91	0.78125	---	---
	Ant2	5785	1.28	1.78	71.91	0.78125	---	---
	Ant1	5825	1.27	1.77	71.75	0.787402	---	---
	Ant2	5825	1.27	1.77	71.75	0.787402	---	---
11N40MIMO	Ant1	5190	0.64	1.14	56.14	1.5625	---	---
	Ant2	5190	0.63	1.13	55.75	1.587302	---	---
	Ant1	5230	0.64	1.14	56.14	1.5625	---	---
	Ant2	5230	0.64	1.14	56.14	1.5625	---	---
	Ant1	5270	0.64	1.14	56.14	1.5625	---	---
	Ant2	5270	0.63	1.13	55.75	1.587302	---	---
	Ant1	5310	0.64	1.14	56.14	1.5625	---	---
	Ant2	5310	0.64	1.14	56.14	1.5625	---	---
	Ant1	5510	0.64	1.14	56.14	1.5625	---	---
	Ant2	5510	0.64	1.14	56.14	1.5625	---	---
	Ant1	5550	0.64	1.14	56.14	1.5625	---	---
	Ant2	5550	0.63	1.13	55.75	1.587302	---	---
	Ant1	5670	0.64	1.14	56.14	1.5625	---	---
	Ant2	5670	0.63	1.13	55.75	1.587302	---	---
	Ant1	5755	0.64	1.14	56.14	1.5625	---	---
	Ant2	5755	0.64	1.14	56.14	1.5625	---	---
	Ant1	5795	0.63	1.14	55.26	1.587302	---	---
	Ant2	5795	0.64	1.14	56.14	1.5625	---	---
11AC20MIMO	Ant1	5180	1.28	1.78	71.91	0.78125	---	---
	Ant2	5180	1.28	1.78	71.91	0.78125	---	---
	Ant1	5200	1.29	1.79	72.07	0.775194	---	---
	Ant2	5200	1.28	1.78	71.91	0.78125	---	---
	Ant1	5240	1.28	1.78	71.91	0.78125	---	---
	Ant2	5240	1.28	1.78	71.91	0.78125	---	---
	Ant1	5260	1.28	1.79	71.51	0.78125	---	---
	Ant2	5260	1.28	1.79	71.51	0.78125	---	---
	Ant1	5280	1.28	1.78	71.91	0.78125	---	---
	Ant2	5280	1.28	1.79	71.51	0.78125	---	---
	Ant1	5320	1.28	1.78	71.91	0.78125	---	---
	Ant2	5320	1.29	1.79	72.07	0.775194	---	---
	Ant1	5500	1.28	1.78	71.91	0.78125	---	---
	Ant2	5500	1.28	1.78	71.91	0.78125	---	---
	Ant1	5580	1.28	1.78	71.91	0.78125	---	---
	Ant2	5580	1.28	1.78	71.91	0.78125	---	---
	Ant1	5700	1.28	1.78	71.91	0.78125	---	---
	Ant2	5700	1.28	1.78	71.91	0.78125	---	---


	Ant1	5745	1.28	1.78	71.91	0.78125	---	---
	Ant2	5745	1.27	1.77	71.75	0.787402	---	---
	Ant1	5785	1.28	1.78	71.91	0.78125	---	---
	Ant2	5785	1.28	1.79	71.51	0.78125	---	---
	Ant1	5825	1.28	1.79	71.51	0.78125	---	---
	Ant2	5825	1.28	1.78	71.91	0.78125	---	---
11AC40MIMO	Ant1	5190	0.64	1.14	56.14	1.5625	---	---
	Ant2	5190	0.64	1.14	56.14	1.5625	---	---
	Ant1	5230	0.64	1.14	56.14	1.5625	---	---
	Ant2	5230	0.64	1.14	56.14	1.5625	---	---
	Ant1	5270	0.64	1.14	56.14	1.5625	---	---
	Ant2	5270	0.64	1.14	56.14	1.5625	---	---
	Ant1	5310	0.64	1.14	56.14	1.5625	---	---
	Ant2	5310	0.63	1.14	55.26	1.587302	---	---
	Ant1	5510	0.64	1.14	56.14	1.5625	---	---
	Ant2	5510	0.64	1.14	56.14	1.5625	---	---
	Ant1	5550	0.64	1.14	56.14	1.5625	---	---
	Ant2	5550	0.63	1.13	55.75	1.587302	---	---
	Ant1	5670	0.64	1.14	56.14	1.5625	---	---
	Ant2	5670	0.64	1.14	56.14	1.5625	---	---
	Ant1	5755	0.63	1.13	55.75	1.587302	---	---
	Ant2	5755	0.64	1.14	56.14	1.5625	---	---
	Ant1	5795	0.64	1.14	56.14	1.5625	---	---
	Ant2	5795	0.64	1.14	56.14	1.5625	---	---
11AC80MIMO	Ant1	5210	0.32	0.82	39.02	3.125	---	---
	Ant2	5210	0.32	0.82	39.02	3.125	---	---
	Ant1	5290	0.31	0.81	38.27	3.225806	---	---
	Ant2	5290	0.32	0.82	39.02	3.125	---	---
	Ant1	5530	0.32	0.82	39.02	3.125	---	---
	Ant2	5530	0.32	0.82	39.02	3.125	---	---
	Ant1	5610	0.32	0.82	39.02	3.125	---	---
	Ant2	5610	0.32	0.82	39.02	3.125	---	---
	Ant1	5775	0.32	0.82	39.02	3.125	---	---
	Ant2	5775	0.32	0.82	39.02	3.125	---	---

10.2. Test Graphs







11A-CDD_Ant2_5200



11A-CDD_Ant1_5240




11A-CDD_Ant2_5240




Date: 27.JAN.2024 14:05:10

11A-CDD_Ant1_5260




Date: 27.JAN.2024 14:16:30

11A-CDD_Ant2_5260




Date: 27.JAN.2024 14:16:58

11A-CDD_Ant1_5280




Date: 27.JAN.2024 14:27:07

11A-CDD_Ant2_5280




Date: 27.JAN.2024 14:27:36

11A-CDD_Ant1_5320




Date: 27.JAN.2024 14:38:12

11A-CDD_Ant2_5320




Date: 27.JAN.2024 14:38:40

11A-CDD_Ant1_5500




Date: 27.JAN.2024 14:52:25

11A-CDD_Ant2_5500




Date: 27.JAN.2024 14:52:55

11A-CDD_Ant1_5580




Date: 27.JAN.2024 15:14:18

11A-CDD_Ant2_5580




Date: 27.JAN.2024 15:14:51

11A-CDD_Ant1_5700




Date: 30.JAN.2024 08:39:21

11A-CDD_Ant2_5700




Date: 30.JAN.2024 08:39:50

11A-CDD_Ant1_5745




Date: 30.JAN.2024 09:02:58

11A-CDD_Ant2_5745




Date: 30.JAN.2024 09:03:25

11A-CDD_Ant1_5785




Date: 30.JAN.2024 09:20:26

11A-CDD_Ant2_5785




Date: 30.JAN.2024 09:21:32

11A-CDD_Ant1_5825




Date: 30.JAN.2024 09:42:01

11A-CDD_Ant2_5825




Date: 30.JAN.2024 09:42:31

11N20MIMO_Ant1_5180




Date: 30.JAN.2024 09:52:01

11N20MIMO_Ant2_5180




Date: 30.JAN.2024 09:52:30

11N20MIMO_Ant1_5200




Date: 30.JAN.2024 10:05:22

11N20MIMO_Ant2_5200




Date: 30.JAN.2024 10:05:49

11N20MIMO_Ant1_5240




Date: 30.JAN.2024 10:10:02

11N20MIMO_Ant2_5240




Date: 30.JAN.2024 10:10:33

11N20MIMO_Ant1_5260




Date: 31.JAN.2024 09:39:39

11N20MIMO_Ant2_5260




Date: 31.JAN.2024 09:40:13

11N20MIMO_Ant1_5280




Date: 31.JAN.2024 09:46:36

11N20MIMO_Ant2_5280




Date: 31.JAN.2024 09:47:04

11N20MIMO_Ant1_5320




Date: 31.JAN.2024 09:53:04

11N20MIMO_Ant2_5320




Date: 31.JAN.2024 09:53:33

11N20MIMO_Ant1_5500



Date: 31.JAN.2024 10:08:07

11N20MIMO_Ant2_5500



Date: 31.JAN.2024 10:08:36

11N20MIMO_Ant1_5580