

FCC Radio Test Report

FCC ID : 2A3G3-WMU821X
Equipment : Wi-Fi 7 802.11be 2x2 Tri-band USB Module
Brand Name : Emwicon
Model Name : WMU8214
Applicant : Emwicon Corporation
7F.-5, No. 258, Liancheng Rd., Zhonghe Dist.,
New Taipei City 235, Taiwan (R.O.C.)
Manufacturer : Emwicon Corporation
7F.-5, No. 258, Liancheng Rd., Zhonghe Dist.,
New Taipei City 235, Taiwan (R.O.C.)
Standard : 47 CFR FCC Part 15.407

The product was received on Mar. 12, 2026, and testing was started from Apr. 30, 2026 and completed on May 20, 2026. We, SPORTON INTERNATIONAL INC. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2020 + Cor.1-2023 + C63.10a-2024 + Errata to C63.10a-2024 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Hsinhua Laboratory, the test report shall not be reproduced except in full.


Approved by: Jackson Tsai

SPORTON INTERNATIONAL INC. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

HISTORY OF THIS TEST REPORT	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Information.....	5
1.2 Testing Applied Standards	9
1.3 Testing Location Information	9
1.4 Measurement Uncertainty	9
2 TEST CONFIGURATION OF EUT.....	10
2.1 Test Channel Mode	10
2.2 The Worst Case Measurement Configuration	12
2.3 Support Equipment.....	13
2.4 Test Setup Diagram	14
3 TRANSMITTER TEST RESULT	16
3.1 AC Power-line Conducted Emissions	16
3.2 Emission Bandwidth	18
3.3 Maximum Conducted Output Power	19
3.4 Peak Power Spectral Density.....	21
3.5 Unwanted Emissions.....	23
4 TEST EQUIPMENT AND CALIBRATION DATA.....	27
APPENDIX A. TEST RESULTS OF AC POWER-LINE CONDUCTED EMISSIONS	
APPENDIX B. TEST RESULTS OF EMISSION BANDWIDTH	
APPENDIX C. TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER	
APPENDIX D. TEST RESULTS OF PEAK POWER SPECTRAL DENSITY	
APPENDIX E. TEST RESULTS OF UNWANTED EMISSIONS	
APPENDIX F. TEST PHOTOS	
PHOTOGRAPHS OF EUT V01	



History of this test report

[illegible]

Summary of Test Result

Report Clause	Ref. Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.207	AC Power-line Conducted Emissions	PASS	-
3.2	15.407(a)	Emission Bandwidth	PASS	-
3.3	15.407(a)	Maximum Conducted Output Power	PASS	-
3.4	15.407(a)	Peak Power Spectral Density	PASS	-
3.5	15.407(b)	Unwanted Emissions	PASS	-

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and explanations:

None

Reviewed by: Ryan Hsiao

Report Producer: Wendy Chen

1 General Description

1.1 Information

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	a, n (HT20), ac (VHT20), ax (HEW20), be (EHT20)	5180-5240	36-48 [4]
5250-5350		5260-5320	52-64 [4]
5250-5350		5280-5320	56-64 [3]
5470-5725		5500-5700	100-140 [8]
5725-5850		5745-5825	149-165 [5]
5150-5250	n (HT40), ac (VHT40), ax (HEW40), be (EHT40)	5190-5230	38-46 [2]
5250-5350		5270-5310	54-62 [2]
5250-5350		5310	62 [1]
5470-5725		5510-5670	102-134 [3]
5725-5850		5755-5795	151-159 [2]
5150-5250	ac (VHT80), ax (HEW80), be (EHT80)	5210	42 [1]
5250-5350		5290	58 [1]
5470-5725		5530	106 [1]
5725-5850		5775	155 [1]
5150-5350	ac (VHT160), ax (HEW160), be (EHT160)	5250	50 [1]

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	1TX(Port 2)
5.25-5.35GHz	802.11a	20	1TX(Port 2)
5.47-5.725GHz	802.11a	20	1TX(Port 2)
5.725-5.85GHz	802.11a	20	1TX(Port 2)
5.15-5.25GHz	802.11be EHT20	20	2TX
5.25-5.35GHz	802.11be EHT20	20	2TX
5.47-5.725GHz	802.11be EHT20	20	2TX
5.725-5.85GHz	802.11be EHT20	20	2TX
5.15-5.25GHz	802.11be EHT40	40	2TX
5.25-5.35GHz	802.11be EHT40	40	2TX
5.47-5.725GHz	802.11be EHT40	40	2TX
5.725-5.85GHz	802.11be EHT40	40	2TX
5.15-5.25GHz	802.11be EHT80	80	2TX
5.25-5.35GHz	802.11be EHT80	80	2TX
5.47-5.725GHz	802.11be EHT80	80	2TX
5.725-5.85GHz	802.11be EHT80	80	2TX
5.15-5.25GHz	802.11be EHT160	160	2TX
5.25-5.35GHz	802.11be EHT160	160	2TX

Note:

- 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- VHT20, VHT40, VHT80, VHT160 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- HEW20, HEW40, HEW80, HEW160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- EHT20, EHT40, EHT80, EHT160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM modulation.
- BWch is the nominal channel bandwidth.
- Evaluated EHT20/EHT40/EHT80/EHT160 mode only due to the similar modulation. The power setting of HT20/HT40/VHT20/VHT40/VHT80/VHT160/HEW20/HEW40/HEW80/HEW160 mode are the same or lower than EHT20/EHT40/EHT80/EHT160.

1.1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector	Support
1-1	Unictron	H2UM4W1L1B0100	Chip	N/A	2.4G+5G+6G
1-2					
2-1	Emwicon	ATD8351	Dipole	Reverse SMA	2.4G+5G+6G
2-2					

Ant.	Gain (dBi)								
	2.4G	5G				6G			
		UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8
1-1	2	2.8	2.8	2.8	2.8	3	3	3	3
1-2									
2-1	2.14	3	3	3	3	3.04	3.04	3.04	3.04
2-2									

Note 1: The EUT has two antennas.

For 2.4GHz function:

For IEEE 802.11 b/g mode (1TX/1RX)

Support diversity function and pre-tested on each single chain, the worst case was port 1 and it was recorded in this test report.

For IEEE 802.11 n/ax/be mode (2TX/2RX)

Ant 1-1 and Ant 1-2 / Ant 2-1 and Ant 2-2 could transmit/receive simultaneously.

For 5GHz function:

For IEEE 802.11 a mode (1TX/1RX)

Support diversity function and pre-tested on each single chain, the worst case was port 2 and it was recorded in this test report.

For IEEE 802.11 n/ac/ax/be mode (2TX/2RX)

Ant 1-1 and Ant 1-2 / Ant 2-1 and Ant 2-2 could transmit/receive simultaneously.

For 6GHz function:

For IEEE 802.11 ax/be mode (2TX/2RX)

Ant 1-1 and Ant 1-2 / Ant 2-1 and Ant 2-2 could transmit/receive simultaneously.

Note 2: Directional gain information

	Maximum Output Power	Power Spectral Density
Non-BF	Directional gain = Max.gain + array gain. For power measurements on IEEE 802.11 devices Array Gain = 0 dB (i.e., no array gain) for N ANT ≤ 4	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$
BF	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{IS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$



1.1.3 EUT Information

Operational Condition			
EUT Power Type	From Host system		
EUT Function	☐ Outdoor AP	☐ Indoor AP	
	☐ Fixed P2P AP	☒ Client	
Beamforming Function	☐ With beamforming	☒ Without beamforming	
TPC Function	☐ With TPC Function	☒ Without TPC Function	
Weather Band	☐ With 5600~5650MHz	☒ Without 5600~5650MHz	
Resource Unit	☒ Full RU	☐ Partial RU	
	☐ Multi-RU		
Channel Puncturing	☐ Support	☒ Not support	
Type of EUT			
☒	Stand-alone		
☐	Combined (EUT where the radio part is fully integrated within another device)		
	Combined Equipment - Brand Name / Model No.: ...		
☐	Plug-in radio (EUT intended for a variety of host systems)		
	Host System - Brand Name / Model No.:		
☐	Other:		

1.1.4 Mode Test Duty Cycle

Mode	DC	DCF (dB)	T (s)	VBW (Hz) 1/T
802.11a_Nss1,(6Mbps)_1TX(Port2)	0.309	5.1	90.625u	20k
802.11be EHT20_Nss1,(MCS0)_2TX	0.628	2.02	340.625u	3k
802.11be EHT40_Nss1,(MCS0)_2TX	0.628	2.02	340.625u	3k
802.11be EHT80_Nss1,(MCS0)_2TX	0.63	2.01	340.625u	3k
802.11be EHT160_Nss1,(MCS0)_2TX	0.63	2.01	340.625u	3k

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

1.2 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2020 + Cor.1-2023 + C63.10a-2024 + Errata to C63.10a-2024
- ♦ KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF:

- ♦ KDB 662911 D01 v02r01
- ♦ KDB 414788 D01 v01r01

1.3 Testing Location Information

Test Lab. : Sporton International Inc. Hsinhua Laboratory				
☒ Hsinhua (TAF: 3785)	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)			
	TEL: 886-3-327-3456		FAX: 886-3-327-0973	
Test site Designation No. TW3785 with FCC.				
Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
AC Conduction	CO04-HY	Lego Lin	17.5~19.2°C / 57~61%	20/May/2026
RF Conducted	TH01-HY	Xun Hsieh	23.1~23.5°C / 55~58%	19/May/2026~20/May/2026
☒ Wenhua 3rd. (TAF: 3785)	ADD: No. 58, Aly. 75, Ln. 564, Wenhua 3rd Rd., Guishan Dist. Taoyuan City 333, Taiwan (R.O.C.)			
	TEL: 886-3-327-0868			
Test site Designation No. TW0036 with FCC.				
Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
Radiated	03CH26-HY	Andy Wang	21.9~22.4°C / 58~62%	30/Apr/2026~17/May/2026

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
AC Power-line Conducted Emissions	3.24 dB	Confidence levels of 95%
Conducted Output Power	1.12 dB	Confidence levels of 95%
Bandwidth	0.07 MHz	Confidence levels of 95%
Conducted Emission	1.12 dB	Confidence levels of 95%
Power Spectral Density	1.22 dB	Confidence levels of 95%
Radiated Emission (9 kHz ~ 30 MHz)	1.76 dB	Confidence levels of 95%
Radiated Emission (30 MHz ~ 1 GHz)	5.38 dB	Confidence levels of 95%
Radiated Emission (1 GHz ~ 18 GHz)	4.94 dB	Confidence levels of 95%
Radiated Emission (18 GHz ~ 40 GHz)	4.92 dB	Confidence levels of 95%

2 Test Configuration of EUT

2.1 Test Channel Mode

Test Software Version	mp_v2.0.44
Mode	Power Setting
802.11a_Nss1,(6Mbps)_1TX(Port2)	-
5180MHz	20.5
5200MHz	20.25
5240MHz	20
5260MHz	20
5300MHz	19.5
5320MHz	19.75
5500MHz	19.25
5580MHz	20.25
5700MHz	21.5
5745MHz	22
5785MHz	22.25
5825MHz	22
802.11be EHT20_Nss1,(MCS0)_2TX	-
5180MHz	19.75
5200MHz	19.75
5240MHz	19.25
5260MHz	19.25
5300MHz	18.75
5320MHz	19
5500MHz	18.5
5580MHz	19.25
5700MHz	19.75
5745MHz	19.5
5785MHz	19.75
5825MHz	20.25
802.11be EHT40_Nss1,(MCS0)_2TX	-
5190MHz	18.75
5230MHz	18.75
5270MHz	18.75
5310MHz	18.25
5510MHz	18
5550MHz	18.25
5670MHz	18.75
5755MHz	19
5795MHz	19.25



802.11be EHT80_Nss1,(MCS0)_2TX	-
5210MHz	18.5
5290MHz	18.75
5530MHz	18.25
5775MHz	19.25
802.11be EHT160_Nss1,(MCS0)_2TX	-
5250MHz Straddle 5.15-5.25GHz	16
5250MHz Straddle 5.25-5.35GHz	16

2.2 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral Test Voltage: 120Vac / 60Hz
Operating Mode	CTX
1	USB Mode

The Worst Case Mode for Following Conformance Tests	
Tests Item	Emission Bandwidth Maximum Conducted Output Power Peak Power Spectral Density
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests			
Tests Item	Unwanted Emissions		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX		
1	USB Mode		
Operating Mode > 1GHz	CTX		
Orthogonal Planes of EUT	X Plane	Y Plane	Z Plane
			
Worst Planes of EUT			V

2.3 Support Equipment


Support Equipment – AC Conduction					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	NB	HP	HSTNN-142C	-	-
2	Adapter for NB	HP	HSTNN-CA40	-	-
3	AC power Cable	Power sync	TPCMRN0018	-	-
4	USB Cable (for EUT)	UGREEN	VH-1QP3A	-	-

Support Equipment – Conducted					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	DELL	E5410	-	-
2	Adapter for NB	DELL	HA65NM130	-	-

Support Equipment – Radiated					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	NB	HP	HSTNN-142C	-	-
2	Adapter for NB	HP	HSTNN-CA40	-	-
3	AC power Cable	Power sync	TPCMRN0018	-	-
4	USB Cable (for EUT)	UGREEN	VH-1QP3A	-	-


2.4 Test Setup Diagram

Test Setup Diagram - AC Line Conducted Emission Test (Chip Antenna)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power Cable	No	1.8	-
2	DC Power Cable	No	1.5	-
3	USB Cable (for EUT)	No	1.0	-


Test Setup Diagram - AC Line Conducted Emission Test (Dipole Antenna)



Item	Connection	Shielded	Length(m)	Remark
1	AC Power Cable	No	1.8	-
2	DC Power Cable	No	1.5	-
3	RF Cable	No	0.3	-
4.	RF Cable	No	0.3	-

Test Setup Diagram - Radiated Test (Chip Antenna)


Item	Connection	Shielded	Length(m)	Remark
1	AC Power Cable	No	1.8	-
2	DC Power Cable	No	1.5	-
3	USB Cable (for EUT)	No	1.0	-

Test Setup Diagram - Radiated Test (Dipole Antenna)


Item	Connection	Shielded	Length(m)	Remark
1	AC Power Cable	No	1.8	-
2	DC Power Cable	No	1.5	-
3	RF Cable	No	0.3	-
4	RF Cable	No	0.3	-

3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50
Note 1: * Decreases with the logarithm of the frequency.		

3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures


Test Method
☒ Refer as ANSI C63.10, clause 6.2 for AC power-line conducted emissions.

3.1.4 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Raw(Read Level) + LISN(LISN Factor) + CL(Cable Loss) + AT(Attenuator).

3.1.5 Test Setup



3.1.6 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 Emission Bandwidth

3.2.1 Emission Bandwidth Limit

Emission Bandwidth Limit	
UNII Devices	
☒	For the 5.15-5.25 GHz band, N/A
☒	For the 5.25-5.35 GHz band, N/A
☒	For the 5.47-5.725 GHz band, N/A
☒	For the 5.725-5.85 GHz band, 6 dB emission bandwidth $\geq$ 500kHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
For the emission bandwidth shall be measured using one of the options below:	
☒	Refer as KDB 789033, clause C for EBW and clause D for OBW measurement.
☐	Refer as ANSI C63.10, clause 6.9.3 for occupied bandwidth testing.
☐	Refer as IC RSS-Gen, clause 6.7 for bandwidth testing.

3.2.4 Test Setup



3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

3.3 Maximum Conducted Output Power

3.3.1 Maximum Conducted Output Power Limit

Maximum Conducted Output Power Limit	
UNII Devices	
☒	For the 5.15-5.25 GHz band:
	Outdoor AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. e.i.r.p. at any elevation angle above 30 degrees ≤ 125mW [21dBm]
	Indoor AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$
	Point-to-point AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 23$ dBi, then $P_{Out} = 30 - (G_{TX} - 23)$.
	Mobile or Portable Client: the maximum conducted output power (P_{Out}) shall not exceed 250 mW. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
☒	For the 5.25-5.35 GHz band, the maximum conducted output power (P_{Out}) shall not exceed 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
☒	For the 5.47-5.725 GHz band, the maximum conducted output power (P_{Out}) shall not exceed 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
☒	For the 5.725-5.85 GHz band:
	Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$.
	Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed 1 W.
P_{Out} = maximum conducted output power in dBm, G_{TX} = the maximum transmitting antenna directional gain in dBi.	


3.3.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures

Test Method	
Maximum Conducted Output Power	
	Duty cycle $\geq 98\%$
☐	Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).
	Duty cycle $< 98\%$
☒	Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
	Wideband RF power meter and average over on/off periods with duty factor
☒	Refer as KDB 789033, clause E Method PM (using an RF average power meter).
For conducted measurement.	
	If the EUT supports multiple transmit chains using options given below: Refer as KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.
	If multiple transmit chains, EIRP calculation could be following as methods: $P_{\text{total}} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $\text{EIRP}_{\text{total}} = P_{\text{total}} + \text{DG}$

3.3.4 Test Setup



3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C

3.4 Peak Power Spectral Density

3.4.1 Peak Power Spectral Density Limit

Peak Power Spectral Density Limit	
UNII Devices	
☒	For the 5.15-5.25 GHz band:
☐	Outdoor AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$.
☐	Indoor AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$.
☐	Point-to-point AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 23$ dBi, then $P_{Out} = 17 - (G_{TX} - 23)$.
☐	Mobile or Portable Client: the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
☒	For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
☒	For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
☒	For the 5.725-5.85 GHz band:
☐	Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If $G_{TX} > 6$ dBi, then $PPSD = 30 - (G_{TX} - 6)$.
☐	Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
PPSD = peak power spectral density that he same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz G_{TX} = the maximum transmitting antenna directional gain in dBi.	


3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.4.3 Test Procedures

Test Method	
Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options:	
☒	Refer as KDB 789033, F5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth
Duty cycle ≥ 98%	
☐	Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).
Duty cycle < 98%	
☒	Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
For conducted measurement.	
If the EUT supports multiple transmit chains using options given below:	
Measure and sum the spectra across the outputs. Refer as KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace.	
If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$	

3.4.4 Test Setup



3.4.5 Test Result of Peak Power Spectral Density

Refer as Appendix D

3.5 Unwanted Emissions

3.5.1 Transmitter Radiated Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.

Un-restricted band emissions above 1GHz Limit	
Operating Band	Limit
5.15 - 5.25 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.25 - 5.35 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.47 - 5.725 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.725 - 5.85 GHz	5.650-5700 GHz: e.i.r.p. -27 ~ 10 dBm [68.2 ~ 105.2 dBuV/m@3m] 5.700-5720 GHz: e.i.r.p. 10 ~ 15.6 dBm [105.2 ~ 110.8 dBuV/m@3m] 5.720-5725 GHz: e.i.r.p. 15.6 ~ 27 dBm [110.8 ~ 122.2 dBuV/m@3m] 5.850-5.855 GHz: e.i.r.p. 27 ~ 15.6 dBm [122.2 ~ 110.8 dBuV/m@3m] 5.855-5.875 GHz: e.i.r.p. 15.6 ~ 10 dBm [110.8 ~ 105.2 dBuV/m@3m] 5.875-5.925 GHz: e.i.r.p. 10 ~ -27 dBm [105.2 ~ 68.2dBuV/m@3m] Other un-restricted band: e.i.r.p. -27 dBm [68.2 dBuV/m@3m]

Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

3.5.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures


Test Method	
Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).	
The average emission levels shall be measured in [duty cycle $\geq$ 98 or duty factor].	
For the transmitter unwanted emissions shall be measured using following options below:	
	Refer as KDB 789033, clause G)2) for unwanted emissions into non-restricted bands.
	Refer as KDB 789033, clause G)1) for unwanted emissions into restricted bands.
☒	Refer as KDB 789033, G)6) Method VB (ANSI C63.10, clause 4.1.5.2.3), Reduced VBW.
☒	Refer as KDB 789033, clause G)5) (ANSI C63.10, clause 4.1.5.2.2), measurement procedure peak limit.
For radiated measurement.	
	Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.
The any unwanted emissions level shall not exceed the fundamental emission level.	
All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.	
Use the following spectrum analyzer settings:	
	Set RBW=100 kHz for $f < 1$ GHz; VBW=3 * RBW; Sweep = auto; Detector function = peak; Trace = max hold.
	Set RBW = 1 MHz, VBW= 3MHz for $f \geq 1$ GHz for peak measurement. For average measurement, refer as 1.1.4.
KDB 414788 Open-Field Test Sites and Chamber Correlation Justification.	
	Based on FCC 15.31(f)(2): measurements may be performed at a distance closer than that specified in regulations; however, an attempt should be made to avoid making measurements in the near field.
	Open-field site and chamber correlation testing had been performed and chamber measured test result is the worst case test result.


3.5.4 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

3.5.5 Test Setup





3.5.6 Transmitter Unwanted Emissions (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.5.7 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E

4 Test Equipment and Calibration Data

Instrument for AC Conduction

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
EMI Test Receiver	ROHDE & SCHWARZ	ESR7	102956	9kHz ~ 3.6GHz	26/Aug/2025	25/Aug/2026
Two-Line V-Network	ROHDE & SCHWARZ	ENV 216	101578	9kHz ~ 30MHz	24/Aug/2025	23/Aug/2026
RF Cable 5m	TITAN	TITAN	CO04-cable-01	9 kHz~200MHz	25/Feb/2026	24/Feb/2027
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	1056	9kHz ~ 30MHz	25/Jun/2025	24/Jun/2026
SENSE-EMI	Sporton	V5.11.6	N/A	N/A	N/A	N/A

Instrument for Conducted Test

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Signal Analyzer	R&S	FSV3044	101438	10Hz~44GHz	14/Oct/2025	13/Oct/2026
SMB100A Signal Generator	R&S	SMB100A	181147	100kHz~40GHz	29/Oct/2025	28/Oct/2026
Power Meter	Anritsu	ML2495A	0949003	300MHz~40GHz	04/Feb/2026	03/Feb/2027
Pulse Sensor	Anritsu	MA2411B	0917017	300MHz~40GHz	04/Feb/2026	03/Feb/2027
SENSE-15407_NII	Sporton	V5.11.28	N/A	N/A	N/A	N/A

**Instrument for Radiated Test**

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	TDK	SAC-3M	03CH26-HY	30MHz~1GHz 3m	06/Aug/2025	05/Aug/2026
3m Semi Anechoic Chamber	TDK	SAC-3M	03CH26-HY	1GHz~18GHz 3m	06/Aug/2025	05/Aug/2026
EMI Test Receiver	ROHDE & SCHWARZ	ESR	102318	9kHz~3.6GHz	08/Dec/2025	07/Dec/2026
Signal Analyzer	ROHDE & SCHWARZ	FSV3044	101411	10Hz~44GHz	30/Sep/2025	29/Sep/2026
Loop Antenna	TESEQ	HLA 6120	31244	9kHz~30MHz	16/Mar/2026	15/Mar/2027
Bilog Antenna & 6dB Attenuator	TESEQ & VGT	CBL 6111D & VFA 04002-06	63540/002	30MHz~1GHz	04/Jun/2025	03/Jun/2026
Double Ridged Guide Horn Antenna	SCHWARZBECK	BBHA 9120 D	02877	1GHz~18GHz	02/Jul/2025	01/Jul/2026
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	01248	18GHz~40GHz	07/Oct/2025	06/Oct/2026
RF Cable	HUBER+SUHNER	SUOFLEX 104	CB009	9kHz~1GHz	03/Oct/2025	02/Oct/2026
RF Cable	HUBER+SUHNER	SUOFLEX 104	CB009	1GHz~40GHz	03/Oct/2025	02/Oct/2026
Preamplifier	SGH	PRAMP 903	20230515-2	30MHz~1GHz	21/May/2025	20/May/2026
Preamplifier	SGH	PRAMP 118-H	20230515-4	1GHz ~18GHz	21/May/2025	20/May/2026
Microwave Preamplifier	Agilent	8449B	3008A02602	1GHz ~18GHz	10/Mar/2026	09/Mar/2027
Amplifier	EM	EM18G40G	060874	18GHz ~ 40GHz	27/Apr/2026	26/Apr/2027
SENSE-15407-NII	Sporton	V5.11.27	NA	NA	NA	NA




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	150.6k	55.13	65.96	-10.83	Neutral


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	150k	54.66	66.00	-11.34	Line
Mode 1	Pass	AV	150k	37.14	56.00	-18.86	Line
Mode 1	Pass	QP	271.9k	36.56	61.07	-24.51	Line
Mode 1	Pass	AV	271.9k	22.64	51.07	-28.43	Line
Mode 1	Pass	QP	519.13k	35.36	56.00	-20.64	Line
Mode 1	Pass	AV	519.13k	28.41	46.00	-17.59	Line
Mode 1	Pass	QP	2.63M	30.39	56.00	-25.61	Line
Mode 1	Pass	AV	2.63M	24.59	46.00	-21.41	Line
Mode 1	Pass	QP	3.3M	32.26	56.00	-23.74	Line
Mode 1	Pass	AV	3.3M	23.26	46.00	-22.74	Line
Mode 1	Pass	QP	19.48M	26.19	60.00	-33.81	Line
Mode 1	Pass	AV	19.48M	19.10	50.00	-30.90	Line
Mode 1	Pass	QP	150.6k	55.13	65.96	-10.83	Neutral
Mode 1	Pass	AV	150.6k	37.26	55.96	-18.70	Neutral
Mode 1	Pass	QP	254.06k	38.59	61.62	-23.03	Neutral
Mode 1	Pass	AV	254.06k	23.30	51.62	-28.32	Neutral
Mode 1	Pass	QP	500k	33.71	56.00	-22.29	Neutral
Mode 1	Pass	AV	500k	24.92	46.00	-21.08	Neutral
Mode 1	Pass	QP	2.01M	24.68	56.00	-31.32	Neutral
Mode 1	Pass	AV	2.01M	17.89	46.00	-28.11	Neutral
Mode 1	Pass	QP	3.81M	22.43	56.00	-33.57	Neutral
Mode 1	Pass	AV	3.81M	15.95	46.00	-30.05	Neutral
Mode 1	Pass	QP	8.29M	29.85	60.00	-30.15	Neutral
Mode 1	Pass	AV	8.29M	23.93	50.00	-26.07	Neutral

Conducted Emissions at Powerline_Mode 1



Conducted Emissions at Powerline_Mode 1






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	158.62k	56.05	65.54	-9.49	Neutral

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	161.82k	51.03	65.37	-14.34	Line
Mode 1	Pass	AV	161.82k	32.55	55.37	-22.82	Line
Mode 1	Pass	QP	264.41k	41.33	61.30	-19.97	Line
Mode 1	Pass	AV	264.41k	25.81	51.30	-25.49	Line
Mode 1	Pass	QP	515k	35.29	56.00	-20.71	Line
Mode 1	Pass	AV	515k	28.07	46.00	-17.93	Line
Mode 1	Pass	QP	2.75M	30.40	56.00	-25.60	Line
Mode 1	Pass	AV	2.75M	24.22	46.00	-21.78	Line
Mode 1	Pass	QP	3.49M	28.39	56.00	-27.61	Line
Mode 1	Pass	AV	3.49M	20.68	46.00	-25.32	Line
Mode 1	Pass	QP	19.48M	27.06	60.00	-32.94	Line
Mode 1	Pass	AV	19.48M	20.02	50.00	-29.98	Line
Mode 1	Pass	QP	158.62k	56.05	65.54	-9.49	Neutral
Mode 1	Pass	AV	158.62k	34.71	55.54	-20.83	Neutral
Mode 1	Pass	QP	264.41k	41.23	61.30	-20.07	Neutral
Mode 1	Pass	AV	264.41k	25.44	51.30	-25.86	Neutral
Mode 1	Pass	QP	355.28k	33.85	58.83	-24.98	Neutral
Mode 1	Pass	AV	355.28k	21.33	48.83	-27.50	Neutral
Mode 1	Pass	QP	1.07M	24.53	56.00	-31.47	Neutral
Mode 1	Pass	AV	1.07M	18.52	46.00	-27.48	Neutral
Mode 1	Pass	QP	3.95M	20.93	56.00	-35.07	Neutral
Mode 1	Pass	AV	3.95M	14.36	46.00	-31.64	Neutral
Mode 1	Pass	QP	7.68M	30.81	60.00	-29.19	Neutral
Mode 1	Pass	AV	7.68M	24.97	50.00	-25.03	Neutral

Conducted Emissions at Powerline_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)								
QP	161.82k	51.03	65.37	-14.34	19.92	Line	31.11	9.64	0.16	10.12								
AV	161.82k	32.55	55.37	-22.82	19.92	Line	12.63	9.64	0.16	10.12								
QP	264.41k	41.33	61.30	-19.97	19.88	Line	21.45	9.64	0.12	10.12								
AV	264.41k	25.81	51.30	-25.49	19.88	Line	5.93	9.64	0.12	10.12								
QP	515k	35.29	56.00	-20.71	19.84	Line	15.45	9.63	0.09	10.12								
AV	515k	28.07	46.00	-17.93	19.84	Line	8.23	9.63	0.09	10.12								
QP	2.75M	30.40	56.00	-25.60	19.86	Line	10.54	9.65	0.08	10.13								
AV	2.75M	24.22	46.00	-21.78	19.86	Line	4.36	9.65	0.08	10.13								
QP	3.49M	28.39	56.00	-27.61	19.90	Line	8.49	9.66	0.11	10.13								
AV	3.49M	20.68	46.00	-25.32	19.90	Line	0.78	9.66	0.11	10.13								
QP	19.48M	27.06	60.00	-32.94	20.10	Line	6.96	9.62	0.36	10.12								
AV	19.48M	20.02	50.00	-29.98	20.10	Line	-0.08	9.62	0.36	10.12								

Conducted Emissions at Powerline_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)								
QP	158.62k	56.05	65.54	-9.49	19.92	Neutral	36.13	9.64	0.16	10.12								
AV	158.62k	34.71	55.54	-20.83	19.92	Neutral	14.79	9.64	0.16	10.12								
QP	264.41k	41.23	61.30	-20.07	19.87	Neutral	21.36	9.63	0.12	10.12								
AV	264.41k	25.44	51.30	-25.86	19.87	Neutral	5.57	9.63	0.12	10.12								
QP	355.28k	33.85	58.83	-24.98	19.86	Neutral	13.99	9.63	0.11	10.12								
AV	355.28k	21.33	48.83	-27.50	19.86	Neutral	1.47	9.63	0.11	10.12								
QP	1.07M	24.53	56.00	-31.47	19.83	Neutral	4.70	9.64	0.07	10.12								
AV	1.07M	18.52	46.00	-27.48	19.83	Neutral	-1.31	9.64	0.07	10.12								
QP	3.95M	20.93	56.00	-35.07	19.92	Neutral	1.01	9.66	0.13	10.13								
AV	3.95M	14.36	46.00	-31.64	19.92	Neutral	-5.56	9.66	0.13	10.13								
QP	7.68M	30.81	60.00	-29.19	20.04	Neutral	10.77	9.69	0.21	10.14								
AV	7.68M	24.97	50.00	-25.03	20.04	Neutral	4.93	9.69	0.21	10.14								

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	20.9M	16.312M	16M3D1D	18.095M	16.268M
802.11be EHT20_Nss1,(MCS0)_2TX	20.405M	18.822M	18M8D1D	20.075M	18.767M
802.11be EHT40_Nss1,(MCS0)_2TX	40.48M	37.873M	37M9D1D	40.26M	37.529M
802.11be EHT80_Nss1,(MCS0)_2TX	80.08M	76.949M	76M9D1D	80.08M	76.876M
802.11be EHT160_Nss1,(MCS0)_2TX	150.4M	78.982M	79M0D1D	141.44M	78.64M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	19.525M	16.338M	16M3D1D	18.15M	16.25M
802.11be EHT20_Nss1,(MCS0)_2TX	20.295M	18.885M	18M9D1D	20.13M	18.784M
802.11be EHT40_Nss1,(MCS0)_2TX	40.7M	37.625M	37M6D1D	40.37M	37.382M
802.11be EHT80_Nss1,(MCS0)_2TX	80.3M	76.994M	77M0D1D	80.3M	76.848M
802.11be EHT160_Nss1,(MCS0)_2TX	82.4M	78.129M	78M1D1D	81.68M	78.014M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	18.48M	16.307M	16M3D1D	18.15M	16.267M
802.11be EHT20_Nss1,(MCS0)_2TX	20.35M	18.782M	18M8D1D	20.075M	18.713M
802.11be EHT40_Nss1,(MCS0)_2TX	40.81M	37.881M	37M9D1D	40.48M	37.602M
802.11be EHT80_Nss1,(MCS0)_2TX	80.3M	77.085M	77M1D1D	80.3M	76.981M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	15.125M	16.31M	16M3D1D	13.86M	16.19M
802.11be EHT20_Nss1,(MCS0)_2TX	16.995M	18.807M	18M8D1D	16.28M	18.727M
802.11be EHT40_Nss1,(MCS0)_2TX	35.2M	37.892M	37M9D1D	34.98M	37.403M
802.11be EHT80_Nss1,(MCS0)_2TX	75.02M	76.931M	76M9D1D	75.02M	76.852M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
5180MHz	Pass	Inf			18.315M	16.312M
5200MHz	Pass	Inf			18.095M	16.294M
5240MHz	Pass	Inf			20.9M	16.268M
5260MHz	Pass	Inf			18.205M	16.25M
5300MHz	Pass	Inf			18.15M	16.27M
5320MHz	Pass	Inf			19.525M	16.338M
5500MHz	Pass	Inf			18.15M	16.271M
5580MHz	Pass	Inf			18.48M	16.267M
5700MHz	Pass	Inf			18.37M	16.307M
5745MHz	Pass	500k			13.86M	16.287M
5785MHz	Pass	500k			15.125M	16.31M
5825MHz	Pass	500k			15.125M	16.19M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	20.185M	18.819M	20.075M	18.821M
5200MHz	Pass	Inf	20.075M	18.767M	20.075M	18.775M
5240MHz	Pass	Inf	20.405M	18.822M	20.185M	18.806M
5260MHz	Pass	Inf	20.24M	18.818M	20.24M	18.829M
5300MHz	Pass	Inf	20.185M	18.784M	20.13M	18.788M
5320MHz	Pass	Inf	20.295M	18.819M	20.185M	18.885M
5500MHz	Pass	Inf	20.185M	18.779M	20.075M	18.727M
5580MHz	Pass	Inf	20.185M	18.782M	20.13M	18.782M
5700MHz	Pass	Inf	20.24M	18.713M	20.35M	18.716M
5745MHz	Pass	500k	16.94M	18.767M	16.995M	18.762M
5785MHz	Pass	500k	16.28M	18.727M	16.335M	18.732M
5825MHz	Pass	500k	16.39M	18.807M	16.335M	18.807M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	40.48M	37.873M	40.26M	37.848M
5230MHz	Pass	Inf	40.37M	37.529M	40.37M	37.561M
5270MHz	Pass	Inf	40.7M	37.58M	40.48M	37.625M
5310MHz	Pass	Inf	40.59M	37.382M	40.37M	37.559M
5510MHz	Pass	Inf	40.7M	37.602M	40.48M	37.667M
5550MHz	Pass	Inf	40.59M	37.816M	40.7M	37.881M
5670MHz	Pass	Inf	40.81M	37.788M	40.81M	37.703M
5755MHz	Pass	500k	35.09M	37.518M	34.98M	37.403M
5795MHz	Pass	500k	35.2M	37.892M	35.09M	37.833M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	80.08M	76.876M	80.08M	76.949M
5290MHz	Pass	Inf	80.3M	76.848M	80.3M	76.994M
5530MHz	Pass	Inf	80.3M	76.981M	80.3M	77.085M
5775MHz	Pass	500k	75.02M	76.931M	75.02M	76.852M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	141.44M	78.64M	150.4M	78.982M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	82.4M	78.129M	81.68M	78.014M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)
EBW
5240MHz

19/05/2026



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
5240MHz

19/05/2026




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
5190MHz

19/05/2026



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
5210MHz

19/05/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX
EBW
5250MHz Straddle 5.15-5.25GHz

19/05/2026


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)
EBW
5320MHz

19/05/2026



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
5320MHz

19/05/2026

CF (Hz)
5.32G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
50m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.295M	5.30988G	5.330175G	18.819M	5.31056G	5.329379G	Inf	1
20.185M	5.309935G	5.33012G	18.885M	5.310527G	5.329412G	Inf	2

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
5270MHz

19/05/2026

CF (Hz)
5.27G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50m


Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.7M	5.24954G	5.29024G	37.58M	5.251256G	5.288836G	Inf	1
40.48M	5.24987G	5.29035G	37.625M	5.251265G	5.288889G	Inf	2

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
5290MHz

19/05/2026



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX
EBW
5250MHz Straddle 5.25-5.35GHz

19/05/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)
EBW
5580MHz

19/05/2026


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
5700MHz

19/05/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5670MHz

19/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


5530MHz

19/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)
EBW
5785MHz

19/05/2026


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)
EBW
5785MHz

19/05/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5745MHz

19/05/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5745MHz

19/05/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

19/05/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

19/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

19/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

19/05/2026



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	17.48	0.05598
802.11be EHT20_Nss1,(MCS0)_2TX	20.46	0.11117
802.11be EHT40_Nss1,(MCS0)_2TX	20.07	0.10162
802.11be EHT80_Nss1,(MCS0)_2TX	19.48	0.08872
802.11be EHT160_Nss1,(MCS0)_2TX	14.55	0.02851
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	17.53	0.05662
802.11be EHT20_Nss1,(MCS0)_2TX	20.16	0.10375
802.11be EHT40_Nss1,(MCS0)_2TX	19.97	0.09931
802.11be EHT80_Nss1,(MCS0)_2TX	19.92	0.09817
802.11be EHT160_Nss1,(MCS0)_2TX	13.55	0.02265
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	17.46	0.05572
802.11be EHT20_Nss1,(MCS0)_2TX	20.13	0.10304
802.11be EHT40_Nss1,(MCS0)_2TX	20.02	0.10046
802.11be EHT80_Nss1,(MCS0)_2TX	19.78	0.09506
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	17.37	0.05458
802.11be EHT20_Nss1,(MCS0)_2TX	19.74	0.09419
802.11be EHT40_Nss1,(MCS0)_2TX	19.65	0.09226
802.11be EHT80_Nss1,(MCS0)_2TX	19.61	0.09141

Result


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
5180MHz	Pass	3.00	-	17.48	17.48	23.98
5200MHz	Pass	3.00	-	17.44	17.44	23.98
5240MHz	Pass	3.00	-	17.47	17.47	23.98
5260MHz	Pass	3.00	-	17.42	17.42	23.60
5300MHz	Pass	3.00	-	17.38	17.38	23.59
5320MHz	Pass	3.00	-	17.53	17.53	23.91
5500MHz	Pass	3.00	-	17.29	17.29	23.59
5580MHz	Pass	3.00	-	17.46	17.46	23.67
5700MHz	Pass	3.00	-	17.19	17.19	23.64
5745MHz	Pass	3.00	-	17.30	17.30	30.00
5785MHz	Pass	3.00	-	17.37	17.37	30.00
5825MHz	Pass	3.00	-	17.32	17.32	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.00	17.34	17.43	20.40	23.98
5200MHz	Pass	3.00	17.42	17.48	20.46	23.98
5240MHz	Pass	3.00	16.89	17.44	20.18	23.98
5260MHz	Pass	3.00	16.81	17.46	20.16	23.98
5300MHz	Pass	3.00	16.13	17.36	19.80	23.98
5320MHz	Pass	3.00	16.28	17.43	19.90	23.98
5500MHz	Pass	3.00	16.23	17.44	19.89	23.98
5580MHz	Pass	3.00	16.86	17.37	20.13	23.98
5700MHz	Pass	3.00	17.31	16.29	19.84	23.98
5745MHz	Pass	3.00	17.29	15.70	19.58	30.00
5785MHz	Pass	3.00	17.27	15.68	19.56	30.00
5825MHz	Pass	3.00	17.29	16.09	19.74	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.00	16.94	17.00	19.98	23.98
5230MHz	Pass	3.00	16.75	17.35	20.07	23.98
5270MHz	Pass	3.00	16.55	17.34	19.97	23.98
5310MHz	Pass	3.00	16.04	17.30	19.73	23.98
5510MHz	Pass	3.00	16.33	17.42	19.92	23.98
5550MHz	Pass	3.00	16.58	17.40	20.02	23.98
5670MHz	Pass	3.00	17.26	16.72	20.01	23.98
5755MHz	Pass	3.00	17.34	15.76	19.63	30.00
5795MHz	Pass	3.00	17.39	15.74	19.65	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.00	16.34	16.60	19.48	23.98
5290MHz	Pass	3.00	16.35	17.40	19.92	23.98
5530MHz	Pass	3.00	16.24	17.24	19.78	23.98
5775MHz	Pass	3.00	17.32	15.73	19.61	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.00	11.19	11.86	14.55	23.98
5250MHz Straddle 5.25-5.35GHz	Pass	3.00	10.27	10.80	13.55	23.98

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	6.92
802.11be EHT20_Nss1,(MCS0)_2TX	8.31
802.11be EHT40_Nss1,(MCS0)_2TX	4.81
802.11be EHT80_Nss1,(MCS0)_2TX	1.12
802.11be EHT160_Nss1,(MCS0)_2TX	-3.44
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	6.65
802.11be EHT20_Nss1,(MCS0)_2TX	8.03
802.11be EHT40_Nss1,(MCS0)_2TX	4.66
802.11be EHT80_Nss1,(MCS0)_2TX	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-3.56
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	6.51
802.11be EHT20_Nss1,(MCS0)_2TX	8.02
802.11be EHT40_Nss1,(MCS0)_2TX	4.65
802.11be EHT80_Nss1,(MCS0)_2TX	1.52
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	5.14
802.11be EHT20_Nss1,(MCS0)_2TX	6.00
802.11be EHT40_Nss1,(MCS0)_2TX	2.82
802.11be EHT80_Nss1,(MCS0)_2TX	-0.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
5180MHz	Pass	3.00	-	6.92	6.92	11.00
5200MHz	Pass	3.00	-	6.57	6.57	11.00
5240MHz	Pass	3.00	-	6.57	6.57	11.00
5260MHz	Pass	3.00	-	6.60	6.60	11.00
5300MHz	Pass	3.00	-	6.46	6.46	11.00
5320MHz	Pass	3.00	-	6.65	6.65	11.00
5500MHz	Pass	3.00	-	6.41	6.41	11.00
5580MHz	Pass	3.00	-	6.51	6.51	11.00
5700MHz	Pass	3.00	-	6.09	6.09	11.00
5745MHz	Pass	3.00	-	5.14	5.14	30.00
5785MHz	Pass	3.00	-	4.87	4.87	30.00
5825MHz	Pass	3.00	-	5.08	5.08	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.01	5.38	5.27	8.30	10.99
5200MHz	Pass	6.01	5.32	5.31	8.31	10.99
5240MHz	Pass	6.01	4.74	5.26	8.01	10.99
5260MHz	Pass	6.01	4.76	5.26	8.03	10.99
5300MHz	Pass	6.01	3.99	5.09	7.57	10.99
5320MHz	Pass	6.01	4.05	5.14	7.63	10.99
5500MHz	Pass	6.01	3.85	5.26	7.61	10.99
5580MHz	Pass	6.01	4.83	5.31	8.02	10.99
5700MHz	Pass	6.01	5.02	4.04	7.55	10.99
5745MHz	Pass	6.01	3.58	1.87	5.80	29.99
5785MHz	Pass	6.01	3.49	1.77	5.72	29.99
5825MHz	Pass	6.01	3.62	2.38	6.00	29.99
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.01	1.69	1.75	4.67	10.99
5230MHz	Pass	6.01	1.34	2.22	4.81	10.99
5270MHz	Pass	6.01	1.37	2.01	4.66	10.99
5310MHz	Pass	6.01	0.73	1.86	4.31	10.99
5510MHz	Pass	6.01	0.79	2.02	4.46	10.99
5550MHz	Pass	6.01	1.19	2.07	4.65	10.99
5670MHz	Pass	6.01	1.80	1.40	4.60	10.99
5755MHz	Pass	6.01	0.31	-1.16	2.61	29.99
5795MHz	Pass	6.01	0.53	-1.04	2.82	29.99
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.01	-1.92	-1.73	1.12	10.99
5290MHz	Pass	6.01	-2.00	-0.91	1.50	10.99
5530MHz	Pass	6.01	-2.03	-1.00	1.52	10.99
5775MHz	Pass	6.01	-2.57	-4.27	-0.41	29.99
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.01	-6.73	-6.18	-3.44	10.99
5250MHz Straddle 5.25-5.35GHz	Pass	6.01	-6.78	-6.37	-3.56	10.99

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

PSD

5180MHz

19/05/2026

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.064
Detector Type
RMS




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

19/05/2026

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5.005
Detector Type
RMS




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

19/05/2026




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

19/05/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

19/05/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

PSD

5320MHz

19/05/2026



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

19/05/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
5.005

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.03	8.03	4.76	5.26

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

19/05/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.535

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.66	4.66	1.37	2.01

Sum ☒

Port 1 ☒

Port 2 ☒


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

19/05/2026

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5.411
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
1.50	1.50	-2.00	-0.91

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

19/05/2026

CF (Hz)
5.33G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.503
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
-3.56	-3.56	-6.78	-6.37

Sum
Port 1
Port 2


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

PSD

5580MHz

19/05/2026

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.064
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.51	6.51	-	6.51


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

19/05/2026

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5.005
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.02	8.02	4.83	5.31

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

19/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

19/05/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

PSD

5745MHz

19/05/2026

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
2.064

Detector Type
RMS



Port 2

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.14	5.14	-	5.14

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

19/05/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
5.005

Detector Type
RMS



Sum
Port 1
Port 2

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
6.00	6.00	3.62	2.38

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

19/05/2026

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
4.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.82	2.82	0.53	-1.04

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

19/05/2026

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
5.411

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.41	-0.41	-2.57	-4.27



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	37.76M	33.88	40.00	-6.12	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_USB	Pass	PK	37.76M	33.88	40.00	-6.12	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	113.42M	31.59	43.50	-11.91	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	210.42M	29.81	43.50	-13.69	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	262.8M	38.58	46.00	-7.42	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	373.38M	29.57	46.00	-16.43	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	561.56M	30.12	46.00	-15.88	3	Vertical	0	1.00
5775MHz_USB	Pass	PK	33.88M	25.24	40.00	-14.76	3	Horizontal	360	1.00
5775MHz_USB	Pass	PK	82.38M	32.01	40.00	-7.99	3	Horizontal	360	1.00
5775MHz_USB	Pass	PK	210.42M	36.36	43.50	-7.14	3	Horizontal	360	1.00
5775MHz_USB	Pass	PK	280.26M	28.80	46.00	-17.20	3	Horizontal	360	1.00
5775MHz_USB	Pass	PK	392.78M	31.45	46.00	-14.55	3	Horizontal	360	1.00
5775MHz_USB	Pass	PK	569.32M	26.78	46.00	-19.22	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	33.88	40.00	-6.12	-21.47	3	Vertical	0	1.00	55.35	20.98	2.08	44.53
PK	113.42M	31.59	43.50	-11.91	-24.84	3	Vertical	0	1.00	56.43	17.52	2.20	44.56
PK	210.42M	29.81	43.50	-13.69	-26.60	3	Vertical	0	1.00	56.41	15.45	2.35	44.40
PK	262.8M	38.58	46.00	-7.42	-21.45	3	Vertical	0	1.00	60.03	20.44	2.43	44.32
PK	373.38M	29.57	46.00	-16.43	-20.34	3	Vertical	0	1.00	49.91	21.20	2.60	44.14
PK	561.56M	30.12	46.00	-15.88	-14.32	3	Vertical	0	1.00	44.44	26.70	2.89	43.91

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	25.24	40.00	-14.76	-19.75	3	Horizontal	360	1.00	44.99	22.64	2.07	44.46
PK	82.38M	32.01	40.00	-7.99	-28.33	3	Horizontal	360	1.00	60.34	14.12	2.15	44.60
PK	210.42M	36.36	43.50	-7.14	-26.60	3	Horizontal	360	1.00	62.96	15.45	2.35	44.40
PK	280.26M	28.80	46.00	-17.20	-22.78	3	Horizontal	360	1.00	51.58	19.04	2.45	44.27
PK	392.78M	31.45	46.00	-14.55	-19.57	3	Horizontal	360	1.00	51.02	21.90	2.63	44.10
PK	569.32M	26.78	46.00	-19.22	-14.45	3	Horizontal	360	1.00	41.23	26.55	2.90	43.90

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.15G	48.73	54.00	-5.27	3	Horizontal	141	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1486G	47.96	54.00	-6.04	3	Horizontal	141	1.43
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1468G	49.71	54.00	-4.29	3	Horizontal	165	1.43
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.46	54.00	-0.54	3	Horizontal	139	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.3504G	49.89	54.00	-4.11	3	Horizontal	145	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	49.26	54.00	-4.74	3	Horizontal	197	1.12
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.3584G	73.74	74.00	-0.26	3	Horizontal	197	1.19
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	51.10	54.00	-2.90	3	Horizontal	226	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3652G	53.91	54.00	-0.09	3	Horizontal	226	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.4698G	67.09	68.20	-1.11	3	Horizontal	143	1.49
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.726G	68.17	68.20	-0.03	3	Horizontal	193	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.81	68.20	-0.39	3	Horizontal	195	1.49
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.468G	66.60	68.20	-1.60	3	Horizontal	196	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.945G	62.45	68.20	-5.75	3	Vertical	159	2.95
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.99667G	62.48	68.20	-5.72	3	Horizontal	194	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	6.0122G	62.23	68.20	-5.97	3	Horizontal	198	1.21
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9454G	66.79	68.20	-1.41	3	Horizontal	144	1.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	47.61	54.00	-6.39	3	Vertical	157	2.94
5180MHz	Pass	AV	5.1792G	96.93	Inf	-Inf	3	Vertical	157	2.94
5180MHz	Pass	PK	5.148G	61.36	74.00	-12.64	3	Vertical	157	2.94
5180MHz	Pass	PK	5.179G	104.76	Inf	-Inf	3	Vertical	157	2.94
5180MHz	Pass	AV	5.15G	48.73	54.00	-5.27	3	Horizontal	141	1.50
5180MHz	Pass	AV	5.1792G	101.91	Inf	-Inf	3	Horizontal	141	1.50
5180MHz	Pass	PK	5.1488G	63.62	74.00	-10.38	3	Horizontal	141	1.50
5180MHz	Pass	PK	5.1788G	109.74	Inf	-Inf	3	Horizontal	141	1.50
5180MHz	Pass	PK	10.3556G	54.31	68.20	-13.89	3	Vertical	119	1.48
5180MHz	Pass	PK	10.36324G	54.02	68.20	-14.18	3	Horizontal	135	1.70
5200MHz	Pass	AV	5.1396G	47.14	54.00	-6.86	3	Vertical	157	2.93
5200MHz	Pass	AV	5.1992G	96.20	Inf	-Inf	3	Vertical	157	2.93
5200MHz	Pass	PK	5.1456G	59.42	74.00	-14.58	3	Vertical	157	2.93
5200MHz	Pass	PK	5.1984G	103.96	Inf	-Inf	3	Vertical	157	2.93
5200MHz	Pass	AV	5.1492G	47.32	54.00	-6.68	3	Horizontal	141	1.50
5200MHz	Pass	AV	5.2008G	102.06	Inf	-Inf	3	Horizontal	141	1.50
5200MHz	Pass	PK	5.1492G	59.31	74.00	-14.69	3	Horizontal	141	1.50
5200MHz	Pass	PK	5.1988G	109.84	Inf	-Inf	3	Horizontal	141	1.50
5200MHz	Pass	PK	10.4173G	53.95	68.20	-14.25	3	Vertical	43	1.78
5200MHz	Pass	PK	10.401G	53.40	68.20	-14.80	3	Horizontal	320	1.15
5240MHz	Pass	AV	5.15G	46.88	54.00	-7.12	3	Vertical	155	2.89
5240MHz	Pass	AV	5.2394G	96.35	Inf	-Inf	3	Vertical	155	2.89
5240MHz	Pass	AV	5.381G	47.12	54.00	-6.88	3	Vertical	155	2.89
5240MHz	Pass	PK	5.1266G	59.28	74.00	-14.72	3	Vertical	155	2.89
5240MHz	Pass	PK	5.2382G	104.17	Inf	-Inf	3	Vertical	155	2.89
5240MHz	Pass	PK	5.3888G	59.18	74.00	-14.82	3	Vertical	155	2.89
5240MHz	Pass	AV	5.1392G	47.07	54.00	-6.93	3	Horizontal	140	1.50
5240MHz	Pass	AV	5.2394G	101.83	Inf	-Inf	3	Horizontal	140	1.50
5240MHz	Pass	AV	5.3786G	47.19	54.00	-6.81	3	Horizontal	140	1.50
5240MHz	Pass	PK	5.141G	58.74	74.00	-15.26	3	Horizontal	140	1.50
5240MHz	Pass	PK	5.2412G	109.80	Inf	-Inf	3	Horizontal	140	1.50
5240MHz	Pass	PK	5.3816G	59.19	74.00	-14.81	3	Horizontal	140	1.50
5240MHz	Pass	PK	10.4855G	54.67	68.20	-13.53	3	Vertical	201	2.70
5240MHz	Pass	PK	10.4657G	54.60	68.20	-13.60	3	Horizontal	81	1.76
5260MHz	Pass	AV	5.1304G	46.91	54.00	-7.09	3	Vertical	133	1.50
5260MHz	Pass	AV	5.2594G	88.49	Inf	-Inf	3	Vertical	133	1.50
5260MHz	Pass	AV	5.4046G	47.20	54.00	-6.80	3	Vertical	133	1.50
5260MHz	Pass	PK	5.149G	58.79	74.00	-15.21	3	Vertical	133	1.50
5260MHz	Pass	PK	5.2612G	96.33	Inf	-Inf	3	Vertical	133	1.50
5260MHz	Pass	PK	5.4016G	59.49	74.00	-14.51	3	Vertical	133	1.50
5260MHz	Pass	AV	5.15G	46.99	54.00	-7.01	3	Horizontal	141	1.50
5260MHz	Pass	AV	5.2594G	101.46	Inf	-Inf	3	Horizontal	141	1.50
5260MHz	Pass	AV	5.3956G	47.30	54.00	-6.70	3	Horizontal	141	1.50
5260MHz	Pass	PK	5.1316G	58.84	74.00	-15.16	3	Horizontal	141	1.50
5260MHz	Pass	PK	5.2588G	109.21	Inf	-Inf	3	Horizontal	141	1.50
5260MHz	Pass	PK	5.4052G	59.37	74.00	-14.63	3	Horizontal	141	1.50
5260MHz	Pass	PK	10.5253G	55.21	68.20	-12.99	3	Vertical	180	1.50
5260MHz	Pass	PK	10.5201G	54.63	68.20	-13.57	3	Horizontal	156	1.06
5300MHz	Pass	AV	5.2992G	96.07	Inf	-Inf	3	Vertical	158	3.00
5300MHz	Pass	AV	5.3828G	47.09	54.00	-6.91	3	Vertical	158	3.00
5300MHz	Pass	PK	5.2988G	103.87	Inf	-Inf	3	Vertical	158	3.00
5300MHz	Pass	PK	5.3728G	59.57	74.00	-14.43	3	Vertical	158	3.00
5300MHz	Pass	AV	5.2992G	102.44	Inf	-Inf	3	Horizontal	145	1.05
5300MHz	Pass	AV	5.3804G	47.22	54.00	-6.78	3	Horizontal	145	1.05
5300MHz	Pass	PK	5.3016G	110.26	Inf	-Inf	3	Horizontal	145	1.05
5300MHz	Pass	PK	5.35G	59.98	74.00	-14.02	3	Horizontal	145	1.05
5300MHz	Pass	PK	10.6075G	54.80	74.00	-19.20	3	Vertical	180	2.23
5300MHz	Pass	PK	10.6019G	54.60	74.00	-19.40	3	Horizontal	204	2.97
5320MHz	Pass	AV	5.321G	96.11	Inf	-Inf	3	Vertical	159	3.00
5320MHz	Pass	AV	5.35G	47.62	54.00	-6.38	3	Vertical	159	3.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3214G	104.01	Inf	-Inf	3	Vertical	159	3.00
5320MHz	Pass	PK	5.3504G	62.53	74.00	-11.47	3	Vertical	159	3.00
5320MHz	Pass	AV	5.3208G	103.12	Inf	-Inf	3	Horizontal	145	1.01
5320MHz	Pass	AV	5.3504G	49.89	54.00	-4.11	3	Horizontal	145	1.01
5320MHz	Pass	PK	5.3216G	110.95	Inf	-Inf	3	Horizontal	145	1.01
5320MHz	Pass	PK	5.3502G	68.98	74.00	-5.02	3	Horizontal	145	1.01
5320MHz	Pass	AV	10.6406G	42.22	54.00	-11.78	3	Vertical	180	1.86
5320MHz	Pass	PK	10.6439G	55.42	74.00	-18.58	3	Vertical	180	1.86
5320MHz	Pass	AV	10.6624G	42.01	54.00	-11.99	3	Horizontal	115	2.76
5320MHz	Pass	PK	10.6595G	54.55	74.00	-19.45	3	Horizontal	115	2.76
5500MHz	Pass	AV	5.4588G	47.47	54.00	-6.53	3	Vertical	157	2.95
5500MHz	Pass	AV	5.501G	97.05	Inf	-Inf	3	Vertical	157	2.95
5500MHz	Pass	PK	5.4554G	59.26	74.00	-14.74	3	Vertical	157	2.95
5500MHz	Pass	PK	5.4686G	62.39	68.20	-5.81	3	Vertical	157	2.95
5500MHz	Pass	PK	5.5014G	104.97	Inf	-Inf	3	Vertical	157	2.95
5500MHz	Pass	AV	5.4582G	48.08	54.00	-5.92	3	Horizontal	143	1.49
5500MHz	Pass	AV	5.5008G	103.13	Inf	-Inf	3	Horizontal	143	1.49
5500MHz	Pass	PK	5.4598G	61.54	74.00	-12.46	3	Horizontal	143	1.49
5500MHz	Pass	PK	5.4698G	67.09	68.20	-1.11	3	Horizontal	143	1.49
5500MHz	Pass	PK	5.5014G	111.03	Inf	-Inf	3	Horizontal	143	1.49
5500MHz	Pass	AV	10.9827G	41.83	54.00	-12.17	3	Vertical	231	1.50
5500MHz	Pass	PK	10.9935G	54.53	74.00	-19.47	3	Vertical	231	1.50
5500MHz	Pass	AV	10.9812G	41.79	54.00	-12.21	3	Horizontal	337	1.50
5500MHz	Pass	PK	10.98224G	53.83	74.00	-20.17	3	Horizontal	337	1.50
5580MHz	Pass	AV	5.4558G	47.33	54.00	-6.67	3	Vertical	157	2.86
5580MHz	Pass	AV	5.5794G	100.04	Inf	-Inf	3	Vertical	157	2.86
5580MHz	Pass	PK	5.4576G	59.14	74.00	-14.86	3	Vertical	157	2.86
5580MHz	Pass	PK	5.463G	59.16	68.20	-9.04	3	Vertical	157	2.86
5580MHz	Pass	PK	5.5788G	107.84	Inf	-Inf	3	Vertical	157	2.86
5580MHz	Pass	PK	5.7276G	60.27	68.20	-7.93	3	Vertical	157	2.86
5580MHz	Pass	AV	5.46G	47.42	54.00	-6.58	3	Horizontal	142	1.49
5580MHz	Pass	AV	5.5806G	106.75	Inf	-Inf	3	Horizontal	142	1.49
5580MHz	Pass	PK	5.4546G	59.60	74.00	-14.40	3	Horizontal	142	1.49
5580MHz	Pass	PK	5.4666G	60.38	68.20	-7.82	3	Horizontal	142	1.49
5580MHz	Pass	PK	5.5812G	114.42	Inf	-Inf	3	Horizontal	142	1.49
5580MHz	Pass	PK	5.7258G	59.70	68.20	-8.50	3	Horizontal	142	1.49
5580MHz	Pass	AV	11.15368G	42.06	54.00	-11.94	3	Vertical	97	1.50
5580MHz	Pass	PK	11.16416G	54.33	74.00	-19.67	3	Vertical	97	1.50
5580MHz	Pass	AV	11.15784G	42.39	54.00	-11.61	3	Horizontal	17	1.05
5580MHz	Pass	PK	11.15456G	55.65	74.00	-18.35	3	Horizontal	17	1.05
5700MHz	Pass	AV	5.6992G	95.57	Inf	-Inf	3	Vertical	158	2.90
5700MHz	Pass	PK	5.7016G	103.26	Inf	-Inf	3	Vertical	158	2.90
5700MHz	Pass	PK	5.776G	60.97	68.20	-7.23	3	Vertical	158	2.90
5700MHz	Pass	AV	5.6992G	102.63	Inf	-Inf	3	Horizontal	147	1.50
5700MHz	Pass	PK	5.7012G	110.36	Inf	-Inf	3	Horizontal	147	1.50
5700MHz	Pass	PK	5.7256G	66.25	68.20	-1.95	3	Horizontal	147	1.50
5700MHz	Pass	AV	11.4012G	42.65	54.00	-11.35	3	Vertical	331	1.50
5700MHz	Pass	PK	11.39696G	55.36	74.00	-18.64	3	Vertical	331	1.50
5700MHz	Pass	AV	11.40008G	42.66	54.00	-11.34	3	Horizontal	14	1.50
5700MHz	Pass	PK	11.39224G	55.57	74.00	-18.43	3	Horizontal	14	1.50
5745MHz	Pass	AV	5.4582G	47.88	54.00	-6.12	3	Vertical	139	1.21
5745MHz	Pass	AV	5.7462G	97.43	Inf	-Inf	3	Vertical	139	1.21
5745MHz	Pass	PK	5.4942G	59.90	68.20	-8.30	3	Vertical	139	1.21
5745MHz	Pass	PK	5.7462G	104.96	Inf	-Inf	3	Vertical	139	1.21
5745MHz	Pass	PK	5.9586G	61.96	68.20	-6.24	3	Vertical	139	1.21
5745MHz	Pass	AV	5.4546G	47.91	54.00	-6.09	3	Horizontal	146	1.04
5745MHz	Pass	AV	5.7462G	107.58	Inf	-Inf	3	Horizontal	146	1.04
5745MHz	Pass	PK	5.6274G	60.18	68.20	-8.02	3	Horizontal	146	1.04
5745MHz	Pass	PK	5.7462G	115.18	Inf	-Inf	3	Horizontal	146	1.04
5745MHz	Pass	PK	5.9634G	61.31	68.20	-6.89	3	Horizontal	146	1.04
5745MHz	Pass	AV	11.49008G	43.52	54.00	-10.48	3	Vertical	227	1.15
5745MHz	Pass	PK	11.4912G	56.20	74.00	-17.80	3	Vertical	227	1.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	AV	11.48992G	42.96	54.00	-11.04	3	Horizontal	211	1.01
5745MHz	Pass	PK	11.49176G	55.26	74.00	-18.74	3	Horizontal	211	1.01
5785MHz	Pass	AV	5.78371G	97.10	Inf	-Inf	3	Vertical	131	1.35
5785MHz	Pass	PK	5.63488G	60.26	68.20	-7.94	3	Vertical	131	1.35
5785MHz	Pass	PK	5.78371G	104.64	Inf	-Inf	3	Vertical	131	1.35
5785MHz	Pass	PK	6.06685G	61.46	68.20	-6.74	3	Vertical	131	1.35
5785MHz	Pass	AV	5.78613G	106.29	Inf	-Inf	3	Horizontal	168	1.50
5785MHz	Pass	PK	5.54413G	60.06	68.20	-8.14	3	Horizontal	168	1.50
5785MHz	Pass	PK	5.78613G	113.92	Inf	-Inf	3	Horizontal	168	1.50
5785MHz	Pass	PK	5.98941G	61.59	68.20	-6.61	3	Horizontal	168	1.50
5785MHz	Pass	AV	11.56744G	44.21	54.00	-9.79	3	Vertical	231	1.01
5785MHz	Pass	PK	11.57848G	55.89	74.00	-18.11	3	Vertical	231	1.01
5785MHz	Pass	AV	11.57656G	42.97	54.00	-11.03	3	Horizontal	154	2.72
5785MHz	Pass	PK	11.57248G	54.36	74.00	-19.64	3	Horizontal	154	2.72
5825MHz	Pass	AV	5.8262G	99.68	Inf	-Inf	3	Vertical	159	2.95
5825MHz	Pass	PK	5.5586G	60.69	68.20	-7.51	3	Vertical	159	2.95
5825MHz	Pass	PK	5.8262G	107.27	Inf	-Inf	3	Vertical	159	2.95
5825MHz	Pass	PK	5.945G	62.45	68.20	-5.75	3	Vertical	159	2.95
5825MHz	Pass	AV	5.8262G	107.24	Inf	-Inf	3	Horizontal	177	1.00
5825MHz	Pass	PK	5.525G	59.95	68.20	-8.25	3	Horizontal	177	1.00
5825MHz	Pass	PK	5.8262G	114.84	Inf	-Inf	3	Horizontal	177	1.00
5825MHz	Pass	PK	5.9618G	61.42	68.20	-6.78	3	Horizontal	177	1.00
5825MHz	Pass	AV	11.65G	44.23	54.00	-9.77	3	Vertical	230	1.01
5825MHz	Pass	PK	11.65144G	56.19	74.00	-17.81	3	Vertical	230	1.01
5825MHz	Pass	AV	11.65376G	42.93	54.00	-11.07	3	Horizontal	154	2.39
5825MHz	Pass	PK	11.652G	54.74	74.00	-19.26	3	Horizontal	154	2.39
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	47.00	54.00	-7.00	3	Vertical	57	1.81
5180MHz	Pass	AV	5.1794G	96.91	Inf	-Inf	3	Vertical	57	1.81
5180MHz	Pass	PK	5.1462G	59.11	74.00	-14.89	3	Vertical	57	1.81
5180MHz	Pass	PK	5.1804G	108.01	Inf	-Inf	3	Vertical	57	1.81
5180MHz	Pass	AV	5.1486G	47.96	54.00	-6.04	3	Horizontal	141	1.43
5180MHz	Pass	AV	5.1794G	102.37	Inf	-Inf	3	Horizontal	141	1.43
5180MHz	Pass	PK	5.1494G	62.18	74.00	-11.82	3	Horizontal	141	1.43
5180MHz	Pass	PK	5.1794G	113.23	Inf	-Inf	3	Horizontal	141	1.43
5180MHz	Pass	PK	10.3588G	54.71	68.20	-13.49	3	Vertical	197	1.50
5180MHz	Pass	PK	10.35856G	55.38	68.20	-12.82	3	Horizontal	254	1.09
5200MHz	Pass	AV	5.1372G	46.87	54.00	-7.13	3	Vertical	57	1.79
5200MHz	Pass	AV	5.1976G	96.08	Inf	-Inf	3	Vertical	57	1.79
5200MHz	Pass	PK	5.1368G	59.41	74.00	-14.59	3	Vertical	57	1.79
5200MHz	Pass	PK	5.202G	106.48	Inf	-Inf	3	Vertical	57	1.79
5200MHz	Pass	AV	5.1368G	46.97	54.00	-7.03	3	Horizontal	141	1.11
5200MHz	Pass	AV	5.202G	101.77	Inf	-Inf	3	Horizontal	141	1.11
5200MHz	Pass	PK	5.1144G	58.92	74.00	-15.08	3	Horizontal	141	1.11
5200MHz	Pass	PK	5.202G	113.73	Inf	-Inf	3	Horizontal	141	1.11
5200MHz	Pass	PK	10.38272G	54.52	68.20	-13.68	3	Vertical	65	2.19
5200MHz	Pass	PK	10.396G	53.86	68.20	-14.34	3	Horizontal	259	1.45
5240MHz	Pass	AV	5.1374G	46.81	54.00	-7.19	3	Vertical	59	1.50
5240MHz	Pass	AV	5.2418G	93.58	Inf	-Inf	3	Vertical	59	1.50
5240MHz	Pass	AV	5.3894G	47.11	54.00	-6.89	3	Vertical	59	1.50
5240MHz	Pass	PK	5.1164G	59.47	74.00	-14.53	3	Vertical	59	1.50
5240MHz	Pass	PK	5.2418G	104.50	Inf	-Inf	3	Vertical	59	1.50
5240MHz	Pass	PK	5.3702G	58.82	74.00	-15.18	3	Vertical	59	1.50
5240MHz	Pass	AV	5.1422G	46.91	54.00	-7.09	3	Horizontal	164	1.49
5240MHz	Pass	AV	5.2376G	101.64	Inf	-Inf	3	Horizontal	164	1.49
5240MHz	Pass	AV	5.3858G	47.15	54.00	-6.85	3	Horizontal	164	1.49
5240MHz	Pass	PK	5.105G	59.49	74.00	-14.51	3	Horizontal	164	1.49
5240MHz	Pass	PK	5.2424G	112.38	Inf	-Inf	3	Horizontal	164	1.49
5240MHz	Pass	PK	5.3726G	59.86	74.00	-14.14	3	Horizontal	164	1.49
5240MHz	Pass	PK	10.48776G	54.22	68.20	-13.98	3	Vertical	174	1.43
5240MHz	Pass	PK	10.49008G	55.06	68.20	-13.14	3	Horizontal	220	2.10
5260MHz	Pass	AV	5.131G	46.81	54.00	-7.19	3	Vertical	58	1.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	5.2576G	95.53	Inf	-Inf	3	Vertical	58	1.77
5260MHz	Pass	AV	5.407G	47.11	54.00	-6.89	3	Vertical	58	1.77
5260MHz	Pass	PK	5.1466G	58.91	74.00	-15.09	3	Vertical	58	1.77
5260MHz	Pass	PK	5.2582G	105.64	Inf	-Inf	3	Vertical	58	1.77
5260MHz	Pass	PK	5.3746G	59.70	74.00	-14.30	3	Vertical	58	1.77
5260MHz	Pass	AV	5.1334G	46.87	54.00	-7.13	3	Horizontal	164	1.36
5260MHz	Pass	AV	5.2582G	102.16	Inf	-Inf	3	Horizontal	164	1.36
5260MHz	Pass	AV	5.4088G	47.14	54.00	-6.86	3	Horizontal	164	1.36
5260MHz	Pass	PK	5.1136G	59.28	74.00	-14.72	3	Horizontal	164	1.36
5260MHz	Pass	PK	5.263G	113.22	Inf	-Inf	3	Horizontal	164	1.36
5260MHz	Pass	PK	5.4046G	59.22	74.00	-14.78	3	Horizontal	164	1.36
5260MHz	Pass	PK	10.51832G	54.28	68.20	-13.92	3	Vertical	181	1.49
5260MHz	Pass	PK	10.52504G	54.93	68.20	-13.27	3	Horizontal	120	2.32
5300MHz	Pass	AV	5.3024G	92.99	Inf	-Inf	3	Vertical	59	1.50
5300MHz	Pass	AV	5.3816G	47.03	54.00	-6.97	3	Vertical	59	1.50
5300MHz	Pass	PK	5.3024G	105.54	Inf	-Inf	3	Vertical	59	1.50
5300MHz	Pass	PK	5.3944G	59.86	74.00	-14.14	3	Vertical	59	1.50
5300MHz	Pass	AV	5.298G	101.44	Inf	-Inf	3	Horizontal	164	1.50
5300MHz	Pass	AV	5.3808G	47.08	54.00	-6.92	3	Horizontal	164	1.50
5300MHz	Pass	PK	5.3032G	112.82	Inf	-Inf	3	Horizontal	164	1.50
5300MHz	Pass	PK	5.3548G	59.98	74.00	-14.02	3	Horizontal	164	1.50
5300MHz	Pass	PK	10.60952G	54.70	74.00	-19.30	3	Vertical	186	3.00
5300MHz	Pass	PK	10.60224G	55.19	74.00	-18.81	3	Horizontal	253	1.01
5320MHz	Pass	AV	5.3182G	95.06	Inf	-Inf	3	Vertical	61	2.84
5320MHz	Pass	AV	5.3502G	47.11	54.00	-6.89	3	Vertical	61	2.84
5320MHz	Pass	PK	5.3184G	107.64	Inf	-Inf	3	Vertical	61	2.84
5320MHz	Pass	PK	5.3568G	61.21	74.00	-12.79	3	Vertical	61	2.84
5320MHz	Pass	AV	5.3194G	103.04	Inf	-Inf	3	Horizontal	197	1.12
5320MHz	Pass	AV	5.35G	49.26	54.00	-4.74	3	Horizontal	197	1.12
5320MHz	Pass	PK	5.3152G	113.82	Inf	-Inf	3	Horizontal	197	1.12
5320MHz	Pass	PK	5.3504G	67.80	74.00	-6.20	3	Horizontal	197	1.12
5320MHz	Pass	AV	10.63864G	42.88	54.00	-11.12	3	Vertical	180	2.41
5320MHz	Pass	PK	10.64288G	54.58	74.00	-19.42	3	Vertical	180	2.41
5320MHz	Pass	AV	10.65544G	42.00	54.00	-12.00	3	Horizontal	80	1.50
5320MHz	Pass	PK	10.62768G	54.49	74.00	-19.51	3	Horizontal	80	1.50
5500MHz	Pass	AV	5.4552G	47.22	54.00	-6.78	3	Vertical	129	2.96
5500MHz	Pass	AV	5.501G	93.46	Inf	-Inf	3	Vertical	129	2.96
5500MHz	Pass	PK	5.4558G	58.99	74.00	-15.01	3	Vertical	129	2.96
5500MHz	Pass	PK	5.4642G	60.26	68.20	-7.94	3	Vertical	129	2.96
5500MHz	Pass	PK	5.5006G	104.71	Inf	-Inf	3	Vertical	129	2.96
5500MHz	Pass	AV	5.4592G	47.89	54.00	-6.11	3	Horizontal	195	1.49
5500MHz	Pass	AV	5.4994G	103.36	Inf	-Inf	3	Horizontal	195	1.49
5500MHz	Pass	PK	5.4582G	60.57	74.00	-13.43	3	Horizontal	195	1.49
5500MHz	Pass	PK	5.4692G	66.35	68.20	-1.85	3	Horizontal	195	1.49
5500MHz	Pass	PK	5.4994G	114.66	Inf	-Inf	3	Horizontal	195	1.49
5500MHz	Pass	AV	10.99144G	41.78	54.00	-12.22	3	Vertical	226	1.50
5500MHz	Pass	PK	10.98944G	54.24	74.00	-19.76	3	Vertical	226	1.50
5500MHz	Pass	AV	10.98776G	41.82	54.00	-12.18	3	Horizontal	299	1.28
5500MHz	Pass	PK	11.01312G	54.13	74.00	-19.87	3	Horizontal	299	1.28
5580MHz	Pass	AV	5.4594G	47.27	54.00	-6.73	3	Vertical	131	1.00
5580MHz	Pass	AV	5.5794G	97.23	Inf	-Inf	3	Vertical	131	1.00
5580MHz	Pass	PK	5.4516G	59.23	74.00	-14.77	3	Vertical	131	1.00
5580MHz	Pass	PK	5.4642G	58.98	68.20	-9.22	3	Vertical	131	1.00
5580MHz	Pass	PK	5.5794G	108.22	Inf	-Inf	3	Vertical	131	1.00
5580MHz	Pass	PK	5.7264G	60.41	68.20	-7.79	3	Vertical	131	1.00
5580MHz	Pass	AV	5.46G	47.38	54.00	-6.62	3	Horizontal	195	1.50
5580MHz	Pass	AV	5.5824G	108.02	Inf	-Inf	3	Horizontal	195	1.50
5580MHz	Pass	PK	5.4378G	60.06	74.00	-13.94	3	Horizontal	195	1.50
5580MHz	Pass	PK	5.469G	58.86	68.20	-9.34	3	Horizontal	195	1.50
5580MHz	Pass	PK	5.5824G	118.76	Inf	-Inf	3	Horizontal	195	1.50
5580MHz	Pass	PK	5.7288G	60.05	68.20	-8.15	3	Horizontal	195	1.50
5580MHz	Pass	AV	11.15784G	42.22	54.00	-11.78	3	Vertical	56	2.67

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.152G	54.50	74.00	-19.50	3	Vertical	56	2.67
5580MHz	Pass	AV	11.15896G	42.91	54.00	-11.09	3	Horizontal	227	1.00
5580MHz	Pass	PK	11.16288G	55.47	74.00	-18.53	3	Horizontal	227	1.00
5700MHz	Pass	AV	5.7004G	93.70	Inf	-Inf	3	Vertical	34	1.81
5700MHz	Pass	PK	5.6956G	104.13	Inf	-Inf	3	Vertical	34	1.81
5700MHz	Pass	PK	5.726G	61.06	68.20	-7.14	3	Vertical	34	1.81
5700MHz	Pass	AV	5.702G	104.10	Inf	-Inf	3	Horizontal	193	1.50
5700MHz	Pass	PK	5.6972G	115.54	Inf	-Inf	3	Horizontal	193	1.50
5700MHz	Pass	PK	5.726G	68.17	68.20	-0.03	3	Horizontal	193	1.50
5700MHz	Pass	AV	11.39904G	42.62	54.00	-11.38	3	Vertical	99	2.30
5700MHz	Pass	PK	11.41096G	55.71	74.00	-18.29	3	Vertical	99	2.30
5700MHz	Pass	AV	11.40048G	42.68	54.00	-11.32	3	Horizontal	333	2.04
5700MHz	Pass	PK	11.41192G	55.38	74.00	-18.62	3	Horizontal	333	2.04
5745MHz	Pass	AV	5.4558G	47.77	54.00	-6.23	3	Vertical	33	1.50
5745MHz	Pass	AV	5.7474G	97.79	Inf	-Inf	3	Vertical	33	1.50
5745MHz	Pass	PK	5.643G	59.57	68.20	-8.63	3	Vertical	33	1.50
5745MHz	Pass	PK	5.7474G	105.46	Inf	-Inf	3	Vertical	33	1.50
5745MHz	Pass	PK	6.0306G	61.19	68.20	-7.01	3	Vertical	33	1.50
5745MHz	Pass	AV	5.4582G	48.07	54.00	-5.93	3	Horizontal	194	1.50
5745MHz	Pass	AV	5.7438G	108.28	Inf	-Inf	3	Horizontal	194	1.50
5745MHz	Pass	PK	5.4978G	59.80	68.20	-8.40	3	Horizontal	194	1.50
5745MHz	Pass	PK	5.7438G	115.54	Inf	-Inf	3	Horizontal	194	1.50
5745MHz	Pass	PK	5.9262G	62.24	68.20	-5.96	3	Horizontal	194	1.50
5745MHz	Pass	AV	11.48824G	44.50	54.00	-9.50	3	Vertical	222	1.01
5745MHz	Pass	PK	11.49376G	56.21	74.00	-17.79	3	Vertical	222	1.01
5745MHz	Pass	AV	11.4888G	44.06	54.00	-9.94	3	Horizontal	206	1.14
5745MHz	Pass	PK	11.4884G	55.50	74.00	-18.50	3	Horizontal	206	1.14
5785MHz	Pass	AV	5.7825G	98.99	Inf	-Inf	3	Vertical	34	1.62
5785MHz	Pass	PK	5.63488G	59.81	68.20	-8.39	3	Vertical	34	1.62
5785MHz	Pass	PK	5.7825G	106.61	Inf	-Inf	3	Vertical	34	1.62
5785MHz	Pass	PK	6.07411G	61.04	68.20	-7.16	3	Vertical	34	1.62
5785MHz	Pass	AV	5.78492G	108.11	Inf	-Inf	3	Horizontal	194	1.50
5785MHz	Pass	PK	5.63246G	59.57	68.20	-8.63	3	Horizontal	194	1.50
5785MHz	Pass	PK	5.78492G	115.28	Inf	-Inf	3	Horizontal	194	1.50
5785MHz	Pass	PK	5.99667G	62.48	68.20	-5.72	3	Horizontal	194	1.50
5785MHz	Pass	AV	11.5688G	44.22	54.00	-9.78	3	Vertical	177	1.01
5785MHz	Pass	PK	11.57032G	55.73	74.00	-18.27	3	Vertical	177	1.01
5785MHz	Pass	AV	11.56816G	43.89	54.00	-10.11	3	Horizontal	209	1.00
5785MHz	Pass	PK	11.57312G	55.39	74.00	-18.61	3	Horizontal	209	1.00
5825MHz	Pass	AV	5.8226G	98.43	Inf	-Inf	3	Vertical	46	1.94
5825MHz	Pass	PK	5.561G	60.02	68.20	-8.18	3	Vertical	46	1.94
5825MHz	Pass	PK	5.8238G	106.25	Inf	-Inf	3	Vertical	46	1.94
5825MHz	Pass	PK	6.0638G	61.40	68.20	-6.80	3	Vertical	46	1.94
5825MHz	Pass	AV	5.8238G	107.57	Inf	-Inf	3	Horizontal	204	1.50
5825MHz	Pass	PK	5.597G	59.61	68.20	-8.59	3	Horizontal	204	1.50
5825MHz	Pass	PK	5.825G	114.98	Inf	-Inf	3	Horizontal	204	1.50
5825MHz	Pass	PK	6.1094G	62.01	68.20	-6.19	3	Horizontal	204	1.50
5825MHz	Pass	AV	11.6492G	44.46	54.00	-9.54	3	Vertical	183	1.07
5825MHz	Pass	PK	11.64888G	56.60	74.00	-17.40	3	Vertical	183	1.07
5825MHz	Pass	AV	11.64984G	43.58	54.00	-10.42	3	Horizontal	323	1.00
5825MHz	Pass	PK	11.64944G	54.94	74.00	-19.06	3	Horizontal	323	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	47.46	54.00	-6.54	3	Vertical	56	1.78
5190MHz	Pass	AV	5.1872G	93.84	Inf	-Inf	3	Vertical	56	1.78
5190MHz	Pass	PK	5.1464G	64.14	74.00	-9.86	3	Vertical	56	1.78
5190MHz	Pass	PK	5.1872G	105.00	Inf	-Inf	3	Vertical	56	1.78
5190MHz	Pass	AV	5.1468G	49.71	54.00	-4.29	3	Horizontal	165	1.43
5190MHz	Pass	AV	5.188G	99.56	Inf	-Inf	3	Horizontal	165	1.43
5190MHz	Pass	PK	5.1476G	66.44	74.00	-7.56	3	Horizontal	165	1.43
5190MHz	Pass	PK	5.1928G	110.26	Inf	-Inf	3	Horizontal	165	1.43
5190MHz	Pass	PK	10.36248G	54.06	68.20	-14.14	3	Vertical	181	2.31
5190MHz	Pass	PK	10.3616G	54.78	68.20	-13.42	3	Horizontal	194	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	5.1416G	46.85	54.00	-7.15	3	Vertical	57	1.88
5230MHz	Pass	AV	5.2248G	93.34	Inf	-Inf	3	Vertical	57	1.88
5230MHz	Pass	PK	5.1352G	59.89	74.00	-14.11	3	Vertical	57	1.88
5230MHz	Pass	PK	5.2244G	104.66	Inf	-Inf	3	Vertical	57	1.88
5230MHz	Pass	AV	5.1408G	46.94	54.00	-7.06	3	Horizontal	165	1.50
5230MHz	Pass	AV	5.2308G	98.81	Inf	-Inf	3	Horizontal	165	1.50
5230MHz	Pass	PK	5.1356G	59.90	74.00	-14.10	3	Horizontal	165	1.50
5230MHz	Pass	PK	5.2252G	109.81	Inf	-Inf	3	Horizontal	165	1.50
5230MHz	Pass	PK	10.47128G	54.32	68.20	-13.88	3	Vertical	76	1.50
5230MHz	Pass	PK	10.45216G	54.16	68.20	-14.04	3	Horizontal	44	1.13
5270MHz	Pass	AV	5.2648G	91.99	Inf	-Inf	3	Vertical	58	1.72
5270MHz	Pass	AV	5.3676G	46.93	54.00	-7.07	3	Vertical	58	1.72
5270MHz	Pass	PK	5.2652G	102.91	Inf	-Inf	3	Vertical	58	1.72
5270MHz	Pass	PK	5.3604G	59.05	74.00	-14.95	3	Vertical	58	1.72
5270MHz	Pass	AV	5.272G	99.37	Inf	-Inf	3	Horizontal	195	1.26
5270MHz	Pass	AV	5.3544G	47.02	54.00	-6.98	3	Horizontal	195	1.26
5270MHz	Pass	PK	5.2724G	110.66	Inf	-Inf	3	Horizontal	195	1.26
5270MHz	Pass	PK	5.3552G	58.93	74.00	-15.07	3	Horizontal	195	1.26
5270MHz	Pass	PK	10.55224G	54.48	68.20	-13.72	3	Vertical	180	2.44
5270MHz	Pass	PK	10.54808G	54.16	68.20	-14.04	3	Horizontal	211	3.00
5310MHz	Pass	AV	5.308G	91.03	Inf	-Inf	3	Vertical	59	2.81
5310MHz	Pass	AV	5.3528G	47.66	54.00	-6.34	3	Vertical	59	2.81
5310MHz	Pass	PK	5.3076G	102.49	Inf	-Inf	3	Vertical	59	2.81
5310MHz	Pass	PK	5.3572G	63.53	74.00	-10.47	3	Vertical	59	2.81
5310MHz	Pass	AV	5.3092G	99.78	Inf	-Inf	3	Horizontal	197	1.19
5310MHz	Pass	AV	5.35G	51.76	54.00	-2.24	3	Horizontal	197	1.19
5310MHz	Pass	PK	5.314G	110.81	Inf	-Inf	3	Horizontal	197	1.19
5310MHz	Pass	PK	5.3584G	73.74	74.00	-0.26	3	Horizontal	197	1.19
5310MHz	Pass	AV	10.61504G	42.35	54.00	-11.65	3	Vertical	181	1.50
5310MHz	Pass	PK	10.62424G	54.77	74.00	-19.23	3	Vertical	181	1.50
5310MHz	Pass	AV	10.61576G	41.93	54.00	-12.07	3	Horizontal	160	2.90
5310MHz	Pass	PK	10.6364G	54.14	74.00	-19.86	3	Horizontal	160	2.90
5510MHz	Pass	AV	5.4532G	47.29	54.00	-6.71	3	Vertical	117	3.00
5510MHz	Pass	AV	5.5072G	89.90	Inf	-Inf	3	Vertical	117	3.00
5510MHz	Pass	PK	5.4532G	59.33	74.00	-14.67	3	Vertical	117	3.00
5510MHz	Pass	PK	5.4664G	60.56	68.20	-7.64	3	Vertical	117	3.00
5510MHz	Pass	PK	5.5076G	100.95	Inf	-Inf	3	Vertical	117	3.00
5510MHz	Pass	AV	5.4592G	48.05	54.00	-5.95	3	Horizontal	195	1.49
5510MHz	Pass	AV	5.5148G	99.04	Inf	-Inf	3	Horizontal	195	1.49
5510MHz	Pass	PK	5.4596G	65.37	74.00	-8.63	3	Horizontal	195	1.49
5510MHz	Pass	PK	5.464G	67.81	68.20	-0.39	3	Horizontal	195	1.49
5510MHz	Pass	PK	5.4992G	110.07	Inf	-Inf	3	Horizontal	195	1.49
5510MHz	Pass	AV	11.02624G	41.74	54.00	-12.26	3	Vertical	203	1.50
5510MHz	Pass	PK	11.01792G	54.25	74.00	-19.75	3	Vertical	203	1.50
5510MHz	Pass	AV	11.03248G	41.81	54.00	-12.19	3	Horizontal	254	1.16
5510MHz	Pass	PK	11.00856G	54.59	74.00	-19.41	3	Horizontal	254	1.16
5550MHz	Pass	AV	5.4592G	47.52	54.00	-6.48	3	Vertical	129	1.50
5550MHz	Pass	AV	5.5452G	92.92	Inf	-Inf	3	Vertical	129	1.50
5550MHz	Pass	PK	5.4524G	59.83	74.00	-14.17	3	Vertical	129	1.50
5550MHz	Pass	PK	5.466G	58.84	68.20	-9.36	3	Vertical	129	1.50
5550MHz	Pass	PK	5.5452G	104.05	Inf	-Inf	3	Vertical	129	1.50
5550MHz	Pass	AV	5.4572G	48.77	54.00	-5.23	3	Horizontal	195	1.34
5550MHz	Pass	AV	5.5524G	104.02	Inf	-Inf	3	Horizontal	195	1.34
5550MHz	Pass	PK	5.4572G	62.34	74.00	-11.66	3	Horizontal	195	1.34
5550MHz	Pass	PK	5.4676G	64.01	68.20	-4.19	3	Horizontal	195	1.34
5550MHz	Pass	PK	5.5472G	115.40	Inf	-Inf	3	Horizontal	195	1.34
5550MHz	Pass	AV	11.10792G	41.99	54.00	-12.01	3	Vertical	54	1.79
5550MHz	Pass	PK	11.08592G	54.40	74.00	-19.60	3	Vertical	54	1.79
5550MHz	Pass	AV	11.11288G	42.03	54.00	-11.97	3	Horizontal	198	1.50
5550MHz	Pass	PK	11.08344G	54.90	74.00	-19.10	3	Horizontal	198	1.50
5670MHz	Pass	AV	5.6718G	90.97	Inf	-Inf	3	Vertical	121	1.49
5670MHz	Pass	PK	5.6718G	102.42	Inf	-Inf	3	Vertical	121	1.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	5.7672G	60.33	68.20	-7.87	3	Vertical	121	1.49
5670MHz	Pass	AV	5.6694G	102.78	Inf	-Inf	3	Horizontal	196	1.50
5670MHz	Pass	PK	5.6742G	112.63	Inf	-Inf	3	Horizontal	196	1.50
5670MHz	Pass	PK	5.73G	67.37	68.20	-0.83	3	Horizontal	196	1.50
5670MHz	Pass	AV	11.35928G	42.48	54.00	-11.52	3	Vertical	271	2.66
5670MHz	Pass	PK	11.36G	55.35	74.00	-18.65	3	Vertical	271	2.66
5670MHz	Pass	AV	11.35856G	42.53	54.00	-11.47	3	Horizontal	224	2.22
5670MHz	Pass	PK	11.3424G	54.85	74.00	-19.15	3	Horizontal	224	2.22
5755MHz	Pass	AV	5.4598G	47.27	54.00	-6.73	3	Vertical	120	1.21
5755MHz	Pass	AV	5.7574G	95.03	Inf	-Inf	3	Vertical	120	1.21
5755MHz	Pass	PK	5.6302G	59.58	68.20	-8.62	3	Vertical	120	1.21
5755MHz	Pass	PK	5.7574G	105.98	Inf	-Inf	3	Vertical	120	1.21
5755MHz	Pass	PK	5.9674G	61.03	68.20	-7.17	3	Vertical	120	1.21
5755MHz	Pass	AV	5.4586G	47.27	54.00	-6.73	3	Horizontal	198	1.17
5755MHz	Pass	AV	5.7598G	104.28	Inf	-Inf	3	Horizontal	198	1.17
5755MHz	Pass	PK	5.641G	60.36	68.20	-7.84	3	Horizontal	198	1.17
5755MHz	Pass	PK	5.749G	115.07	Inf	-Inf	3	Horizontal	198	1.17
5755MHz	Pass	PK	5.9878G	61.63	68.20	-6.57	3	Horizontal	198	1.17
5755MHz	Pass	AV	11.5148G	42.63	54.00	-11.37	3	Vertical	0	1.50
5755MHz	Pass	PK	11.51504G	55.19	74.00	-18.81	3	Vertical	0	1.50
5755MHz	Pass	AV	11.51296G	42.94	54.00	-11.06	3	Horizontal	212	1.21
5755MHz	Pass	PK	11.52912G	55.80	74.00	-18.20	3	Horizontal	212	1.21
5795MHz	Pass	AV	5.7938G	96.75	Inf	-Inf	3	Vertical	355	2.94
5795MHz	Pass	PK	5.6354G	59.61	68.20	-8.59	3	Vertical	355	2.94
5795MHz	Pass	PK	5.7998G	106.72	Inf	-Inf	3	Vertical	355	2.94
5795MHz	Pass	PK	6.0038G	61.37	68.20	-6.83	3	Vertical	355	2.94
5795MHz	Pass	AV	5.7974G	103.89	Inf	-Inf	3	Horizontal	198	1.21
5795MHz	Pass	PK	5.651G	61.21	68.94	-7.73	3	Horizontal	198	1.21
5795MHz	Pass	PK	5.7914G	113.98	Inf	-Inf	3	Horizontal	198	1.21
5795MHz	Pass	PK	6.0122G	62.23	68.20	-5.97	3	Horizontal	198	1.21
5795MHz	Pass	AV	11.57552G	42.24	54.00	-11.76	3	Vertical	39	1.42
5795MHz	Pass	PK	11.60808G	55.19	74.00	-18.81	3	Vertical	39	1.42
5795MHz	Pass	AV	11.57592G	42.18	54.00	-11.82	3	Horizontal	238	1.50
5795MHz	Pass	PK	11.57784G	54.65	74.00	-19.35	3	Horizontal	238	1.50
802.11be EHT80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.85	54.00	-6.15	3	Vertical	323	2.70
5210MHz	Pass	AV	5.209G	87.40	Inf	-Inf	3	Vertical	323	2.70
5210MHz	Pass	AV	5.429G	47.48	54.00	-6.52	3	Vertical	323	2.70
5210MHz	Pass	PK	5.132G	59.67	74.00	-14.33	3	Vertical	323	2.70
5210MHz	Pass	PK	5.209G	97.48	Inf	-Inf	3	Vertical	323	2.70
5210MHz	Pass	PK	5.378G	59.05	74.00	-14.95	3	Vertical	323	2.70
5210MHz	Pass	AV	5.149G	53.46	54.00	-0.54	3	Horizontal	139	1.50
5210MHz	Pass	AV	5.215G	96.45	Inf	-Inf	3	Horizontal	139	1.50
5210MHz	Pass	AV	5.43G	47.50	54.00	-6.50	3	Horizontal	139	1.50
5210MHz	Pass	PK	5.145G	67.56	74.00	-6.44	3	Horizontal	139	1.50
5210MHz	Pass	PK	5.204G	106.74	Inf	-Inf	3	Horizontal	139	1.50
5210MHz	Pass	PK	5.363G	59.19	74.00	-14.81	3	Horizontal	139	1.50
5210MHz	Pass	PK	10.4282G	53.75	68.20	-14.45	3	Vertical	257	1.50
5210MHz	Pass	PK	10.41408G	54.57	68.20	-13.63	3	Horizontal	72	1.38
5290MHz	Pass	AV	5.049G	47.25	54.00	-6.75	3	Vertical	297	1.37
5290MHz	Pass	AV	5.289G	85.68	Inf	-Inf	3	Vertical	297	1.37
5290MHz	Pass	AV	5.459G	47.51	54.00	-6.49	3	Vertical	297	1.37
5290MHz	Pass	PK	5.107G	59.92	74.00	-14.08	3	Vertical	297	1.37
5290MHz	Pass	PK	5.294G	96.33	Inf	-Inf	3	Vertical	297	1.37
5290MHz	Pass	PK	5.384G	59.23	74.00	-14.77	3	Vertical	297	1.37
5290MHz	Pass	PK	5.507G	59.78	68.20	-8.42	3	Vertical	297	1.37
5290MHz	Pass	AV	5.042G	47.29	54.00	-6.71	3	Horizontal	226	1.50
5290MHz	Pass	AV	5.289G	95.83	Inf	-Inf	3	Horizontal	226	1.50
5290MHz	Pass	AV	5.35G	51.10	54.00	-2.90	3	Horizontal	226	1.50
5290MHz	Pass	PK	5.124G	60.02	74.00	-13.98	3	Horizontal	226	1.50
5290MHz	Pass	PK	5.294G	106.89	Inf	-Inf	3	Horizontal	226	1.50
5290MHz	Pass	PK	5.379G	65.66	74.00	-8.34	3	Horizontal	226	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.514G	59.42	68.20	-8.78	3	Horizontal	226	1.50
5290MHz	Pass	PK	10.58472G	53.98	68.20	-14.22	3	Vertical	48	1.50
5290MHz	Pass	PK	10.57424G	54.22	68.20	-13.98	3	Horizontal	256	2.97
5530MHz	Pass	AV	5.35G	46.80	54.00	-7.20	3	Vertical	129	1.50
5530MHz	Pass	AV	5.457G	47.57	54.00	-6.43	3	Vertical	129	1.50
5530MHz	Pass	AV	5.538G	84.79	Inf	-Inf	3	Vertical	129	1.50
5530MHz	Pass	PK	5.287G	59.46	68.20	-8.74	3	Vertical	129	1.50
5530MHz	Pass	PK	5.436G	59.99	74.00	-14.01	3	Vertical	129	1.50
5530MHz	Pass	PK	5.467G	58.83	68.20	-9.37	3	Vertical	129	1.50
5530MHz	Pass	PK	5.532G	95.79	Inf	-Inf	3	Vertical	129	1.50
5530MHz	Pass	PK	5.779G	61.00	68.20	-7.20	3	Vertical	129	1.50
5530MHz	Pass	AV	5.35G	46.78	54.00	-7.22	3	Horizontal	196	1.50
5530MHz	Pass	AV	5.459G	50.39	54.00	-3.61	3	Horizontal	196	1.50
5530MHz	Pass	AV	5.535G	96.20	Inf	-Inf	3	Horizontal	196	1.50
5530MHz	Pass	PK	5.282G	59.38	68.20	-8.82	3	Horizontal	196	1.50
5530MHz	Pass	PK	5.449G	69.25	74.00	-4.75	3	Horizontal	196	1.50
5530MHz	Pass	PK	5.468G	66.60	68.20	-1.60	3	Horizontal	196	1.50
5530MHz	Pass	PK	5.524G	106.55	Inf	-Inf	3	Horizontal	196	1.50
5530MHz	Pass	PK	5.752G	60.35	68.20	-7.85	3	Horizontal	196	1.50
5530MHz	Pass	AV	11.06952G	41.86	54.00	-12.14	3	Vertical	53	1.00
5530MHz	Pass	PK	11.06884G	54.32	74.00	-19.68	3	Vertical	53	1.00
5530MHz	Pass	AV	11.06928G	41.86	54.00	-12.14	3	Horizontal	17	1.50
5530MHz	Pass	PK	11.06528G	54.49	74.00	-19.51	3	Horizontal	17	1.50
5775MHz	Pass	AV	5.7774G	88.81	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	5.643G	60.90	68.20	-7.30	3	Vertical	360	1.50
5775MHz	Pass	PK	5.7762G	98.48	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	6.051G	61.97	68.20	-6.23	3	Vertical	360	1.50
5775MHz	Pass	AV	5.7774G	100.90	Inf	-Inf	3	Horizontal	144	1.49
5775MHz	Pass	PK	5.6502G	65.09	68.35	-3.26	3	Horizontal	144	1.49
5775MHz	Pass	PK	5.7834G	110.56	Inf	-Inf	3	Horizontal	144	1.49
5775MHz	Pass	PK	5.9454G	66.79	68.20	-1.41	3	Horizontal	144	1.49
5775MHz	Pass	AV	11.55396G	42.39	54.00	-11.61	3	Vertical	182	1.30
5775MHz	Pass	PK	11.547G	54.49	74.00	-19.51	3	Vertical	182	1.30
5775MHz	Pass	AV	11.55384G	42.26	54.00	-11.74	3	Horizontal	206	1.25
5775MHz	Pass	PK	11.55604G	54.62	74.00	-19.38	3	Horizontal	206	1.25
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0472G	47.28	54.00	-6.72	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2452G	82.00	Inf	-Inf	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4564G	47.49	54.00	-6.51	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0352G	59.71	74.00	-14.29	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2452G	91.44	Inf	-Inf	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3772G	59.38	74.00	-14.62	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5116G	59.28	68.20	-8.92	3	Vertical	347	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1228G	53.03	54.00	-0.97	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.244G	93.13	Inf	-Inf	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	53.91	54.00	-0.09	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1144G	66.07	74.00	-7.93	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2392G	104.27	Inf	-Inf	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3556G	68.21	74.00	-5.79	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	60.83	68.20	-7.37	3	Horizontal	226	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50156G	54.19	68.20	-14.01	3	Vertical	24	2.27
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50392G	53.95	68.20	-14.25	3	Horizontal	347	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.85	54.00	-6.15	6.42	3	Vertical	323	2.70	41.43	33.40	8.09	35.07
AV	5.209G	87.40	Inf	-Inf	6.43	3	Vertical	323	2.70	80.97	33.38	8.12	35.07
AV	5.429G	47.48	54.00	-6.52	6.33	3	Vertical	323	2.70	41.15	33.16	8.25	35.08
PK	5.132G	59.67	74.00	-14.33	6.38	3	Vertical	323	2.70	53.29	33.36	8.09	35.07
PK	5.209G	97.48	Inf	-Inf	6.43	3	Vertical	323	2.70	91.05	33.38	8.12	35.07
PK	5.378G	59.05	74.00	-14.95	6.18	3	Vertical	323	2.70	52.87	33.06	8.20	35.08

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.46	54.00	-0.54	6.42	3	Horizontal	139	1.50	47.04	33.40	8.09	35.07
AV	5.215G	96.45	Inf	-Inf	6.43	3	Horizontal	139	1.50	90.02	33.37	8.13	35.07
AV	5.43G	47.50	54.00	-6.50	6.33	3	Horizontal	139	1.50	41.17	33.16	8.25	35.08
PK	5.145G	67.56	74.00	-6.44	6.41	3	Horizontal	139	1.50	61.15	33.39	8.09	35.07
PK	5.204G	106.74	Inf	-Inf	6.44	3	Horizontal	139	1.50	100.30	33.39	8.12	35.07
PK	5.363G	59.19	74.00	-14.81	6.14	3	Horizontal	139	1.50	53.05	33.03	8.19	35.08


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4588G	47.47	54.00	-6.53	6.40	3	Vertical	157	2.95	41.07	33.20	8.28	35.08				
AV	5.501G	97.05	Inf	-Inf	6.46	3	Vertical	157	2.95	90.59	33.20	8.34	35.08				
PK	5.4554G	59.26	74.00	-14.74	6.40	3	Vertical	157	2.95	52.86	33.20	8.28	35.08				
PK	5.4686G	62.39	68.20	-5.81	6.42	3	Vertical	157	2.95	55.97	33.20	8.30	35.08				
PK	5.5014G	104.97	Inf	-Inf	6.46	3	Vertical	157	2.95	98.51	33.20	8.34	35.08				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4582G	48.08	54.00	-5.92	6.40	3	Horizontal	143	1.49	41.68	33.20	8.28	35.08				
AV	5.5008G	103.13	Inf	-Inf	6.46	3	Horizontal	143	1.49	96.67	33.20	8.34	35.08				
PK	5.4598G	61.54	74.00	-12.46	6.40	3	Horizontal	143	1.49	55.14	33.20	8.28	35.08				
PK	5.4698G	67.09	68.20	-1.11	6.42	3	Horizontal	143	1.49	60.67	33.20	8.30	35.08				
PK	5.5014G	111.03	Inf	-Inf	6.46	3	Horizontal	143	1.49	104.57	33.20	8.34	35.08				


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.80	54.00	-7.20	6.11	3	Vertical	129	1.50	40.69	33.00	8.19	35.08
AV	5.457G	47.57	54.00	-6.43	6.40	3	Vertical	129	1.50	41.17	33.20	8.28	35.08
AV	5.538G	84.79	Inf	-Inf	6.59	3	Vertical	129	1.50	78.20	33.28	8.38	35.07
PK	5.287G	59.46	68.20	-8.74	6.23	3	Vertical	129	1.50	53.23	33.15	8.16	35.08
PK	5.436G	59.99	74.00	-14.01	6.35	3	Vertical	129	1.50	53.64	33.17	8.26	35.08
PK	5.467G	58.83	68.20	-9.37	6.41	3	Vertical	129	1.50	52.42	33.20	8.29	35.08
PK	5.532G	95.79	Inf	-Inf	6.56	3	Vertical	129	1.50	89.23	33.26	8.37	35.07
PK	5.779G	61.00	68.20	-7.20	7.81	3	Vertical	129	1.50	53.19	34.17	8.64	35.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.78	54.00	-7.22	6.11	3	Horizontal	196	1.50	40.67	33.00	8.19	35.08
AV	5.459G	50.39	54.00	-3.61	6.40	3	Horizontal	196	1.50	43.99	33.20	8.28	35.08
AV	5.535G	96.20	Inf	-Inf	6.58	3	Horizontal	196	1.50	89.62	33.27	8.38	35.07
PK	5.282G	59.38	68.20	-8.82	6.25	3	Horizontal	196	1.50	53.13	33.17	8.16	35.08
PK	5.449G	69.25	74.00	-4.75	6.39	3	Horizontal	196	1.50	62.86	33.20	8.27	35.08
PK	5.468G	66.60	68.20	-1.60	6.42	3	Horizontal	196	1.50	60.18	33.20	8.30	35.08
PK	5.524G	106.55	Inf	-Inf	6.55	3	Horizontal	196	1.50	100.00	33.25	8.37	35.07
PK	5.752G	60.35	68.20	-7.85	7.62	3	Horizontal	196	1.50	52.73	34.01	8.61	35.00


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port1)

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	210.42M	37.13	43.50	-6.37	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_USB	Pass	PK	45.52M	31.47	40.00	-8.53	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	113.42M	27.05	43.50	-16.45	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	210.42M	31.23	43.50	-12.27	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	280.26M	25.50	46.00	-20.50	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	386.96M	28.18	46.00	-17.82	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	561.56M	30.55	46.00	-15.45	3	Vertical	360	1.00
5775MHz_USB	Pass	PK	37.76M	22.94	40.00	-17.06	3	Horizontal	0	1.00
5775MHz_USB	Pass	PK	113.42M	22.88	43.50	-20.62	3	Horizontal	0	1.00
5775MHz_USB	Pass	PK	210.42M	37.13	43.50	-6.37	3	Horizontal	0	1.00
5775MHz_USB	Pass	PK	280.26M	29.54	46.00	-16.46	3	Horizontal	0	1.00
5775MHz_USB	Pass	PK	402.48M	30.49	46.00	-15.51	3	Horizontal	0	1.00
5775MHz_USB	Pass	PK	559.62M	26.31	46.00	-19.69	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	31.47	40.00	-8.53	-26.91	3	Vertical	360	1.00	58.38	16.82	0.83	44.56
PK	113.42M	27.05	43.50	-16.45	-25.77	3	Vertical	360	1.00	52.82	17.52	1.27	44.56
PK	210.42M	31.23	43.50	-12.27	-27.24	3	Vertical	360	1.00	58.47	15.45	1.71	44.40
PK	280.26M	25.50	46.00	-20.50	-23.28	3	Vertical	360	1.00	48.78	19.04	1.95	44.27
PK	386.96M	28.18	46.00	-17.82	-20.17	3	Vertical	360	1.00	48.35	21.67	2.27	44.11
PK	561.56M	30.55	46.00	-15.45	-14.50	3	Vertical	360	1.00	45.05	26.70	2.71	43.91

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	22.94	40.00	-17.06	-22.79	3	Horizontal	0	1.00	45.73	20.98	0.76	44.53
PK	113.42M	22.88	43.50	-20.62	-25.77	3	Horizontal	0	1.00	48.65	17.52	1.27	44.56
PK	210.42M	37.13	43.50	-6.37	-27.24	3	Horizontal	0	1.00	64.37	15.45	1.71	44.40
PK	280.26M	29.54	46.00	-16.46	-23.28	3	Horizontal	0	1.00	52.82	19.04	1.95	44.27
PK	402.48M	30.49	46.00	-15.51	-19.61	3	Horizontal	0	1.00	50.10	22.15	2.32	44.08
PK	559.62M	26.31	46.00	-19.69	-14.51	3	Horizontal	0	1.00	40.82	26.69	2.71	43.91

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.15G	53.78	54.00	-0.22	3	Vertical	219	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.15	54.00	-0.85	3	Vertical	157	1.29
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.148G	73.36	74.00	-0.64	3	Vertical	190	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.131G	53.11	54.00	-0.89	3	Vertical	158	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	151	2.54
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	51.60	54.00	-2.40	3	Vertical	180	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.54	54.00	-0.46	3	Vertical	185	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.50	54.00	-0.50	3	Vertical	189	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3712G	53.83	54.00	-0.17	3	Vertical	188	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.4692G	68.00	68.20	-0.20	3	Vertical	195	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.4694G	66.04	68.20	-2.16	3	Vertical	187	1.08
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4664G	68.18	68.20	-0.02	3	Vertical	188	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.447G	52.22	54.00	-1.78	3	Vertical	187	1.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.4594G	48.04	54.00	-5.96	3	Horizontal	150	1.82
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.083G	62.20	68.20	-6.00	3	Vertical	188	1.01
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.4598G	47.95	54.00	-6.05	3	Horizontal	121	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	6.0654G	61.86	68.20	-6.34	3	Vertical	189	1.02

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.78	54.00	-0.22	3	Vertical	219	1.01
5180MHz	Pass	AV	5.1792G	104.33	Inf	-Inf	3	Vertical	219	1.01
5180MHz	Pass	PK	5.1464G	71.13	74.00	-2.87	3	Vertical	219	1.01
5180MHz	Pass	PK	5.179G	112.12	Inf	-Inf	3	Vertical	219	1.01
5180MHz	Pass	AV	5.15G	49.37	54.00	-4.63	3	Horizontal	163	1.50
5180MHz	Pass	AV	5.1792G	95.50	Inf	-Inf	3	Horizontal	163	1.50
5180MHz	Pass	PK	5.1482G	65.16	74.00	-8.84	3	Horizontal	163	1.50
5180MHz	Pass	PK	5.1812G	103.28	Inf	-Inf	3	Horizontal	163	1.50
5180MHz	Pass	AV	15.5391G	44.68	54.00	-9.32	3	Vertical	134	1.38
5180MHz	Pass	PK	10.35706G	53.49	68.20	-14.71	3	Vertical	132	1.46
5180MHz	Pass	PK	15.54108G	56.64	74.00	-17.36	3	Vertical	134	1.38
5180MHz	Pass	AV	15.53796G	43.75	54.00	-10.25	3	Horizontal	142	2.99
5180MHz	Pass	PK	10.34662G	53.79	68.20	-14.41	3	Horizontal	337	1.90
5180MHz	Pass	PK	15.53796G	55.55	74.00	-18.45	3	Horizontal	142	2.99
5200MHz	Pass	AV	5.1496G	47.40	54.00	-6.60	3	Vertical	203	1.49
5200MHz	Pass	AV	5.1992G	103.23	Inf	-Inf	3	Vertical	203	1.49
5200MHz	Pass	PK	5.14G	59.67	74.00	-14.33	3	Vertical	203	1.49
5200MHz	Pass	PK	5.1992G	110.96	Inf	-Inf	3	Vertical	203	1.49
5200MHz	Pass	AV	5.1476G	46.96	54.00	-7.04	3	Horizontal	167	1.50
5200MHz	Pass	AV	5.1992G	95.55	Inf	-Inf	3	Horizontal	167	1.50
5200MHz	Pass	PK	5.1032G	59.61	74.00	-14.39	3	Horizontal	167	1.50
5200MHz	Pass	PK	5.2012G	103.30	Inf	-Inf	3	Horizontal	167	1.50
5200MHz	Pass	AV	15.59934G	49.23	54.00	-4.77	3	Vertical	146	1.00
5200MHz	Pass	PK	10.40726G	55.16	68.20	-13.04	3	Vertical	153	1.00
5200MHz	Pass	PK	15.60036G	62.71	74.00	-11.29	3	Vertical	146	1.00
5200MHz	Pass	AV	15.5997G	45.10	54.00	-8.90	3	Horizontal	170	1.32
5200MHz	Pass	PK	10.3833G	53.99	68.20	-14.21	3	Horizontal	125	1.49
5200MHz	Pass	PK	15.5986G	57.81	74.00	-16.19	3	Horizontal	170	1.32
5240MHz	Pass	AV	5.1458G	46.95	54.00	-7.05	3	Vertical	149	1.50
5240MHz	Pass	AV	5.2412G	103.39	Inf	-Inf	3	Vertical	149	1.50
5240MHz	Pass	AV	5.3894G	47.14	54.00	-6.86	3	Vertical	149	1.50
5240MHz	Pass	PK	5.1122G	58.68	74.00	-15.32	3	Vertical	149	1.50
5240MHz	Pass	PK	5.2412G	111.18	Inf	-Inf	3	Vertical	149	1.50
5240MHz	Pass	PK	5.3864G	59.59	74.00	-14.41	3	Vertical	149	1.50
5240MHz	Pass	AV	5.1386G	46.90	54.00	-7.10	3	Horizontal	155	1.41
5240MHz	Pass	AV	5.2412G	95.07	Inf	-Inf	3	Horizontal	155	1.41
5240MHz	Pass	AV	5.387G	47.17	54.00	-6.83	3	Horizontal	155	1.41
5240MHz	Pass	PK	5.123G	58.99	74.00	-15.01	3	Horizontal	155	1.41
5240MHz	Pass	PK	5.2412G	102.83	Inf	-Inf	3	Horizontal	155	1.41
5240MHz	Pass	PK	5.3594G	59.29	74.00	-14.71	3	Horizontal	155	1.41
5240MHz	Pass	AV	15.7191G	48.21	54.00	-5.79	3	Vertical	147	1.00
5240MHz	Pass	PK	10.4833G	54.65	68.20	-13.55	3	Vertical	263	1.50
5240MHz	Pass	PK	15.7214G	60.92	74.00	-13.08	3	Vertical	147	1.00
5240MHz	Pass	AV	15.7196G	44.46	54.00	-9.54	3	Horizontal	169	1.43
5240MHz	Pass	PK	10.4561G	54.42	68.20	-13.78	3	Horizontal	276	1.50
5240MHz	Pass	PK	15.7259G	58.07	74.00	-15.93	3	Horizontal	169	1.43
5260MHz	Pass	AV	5.1388G	46.91	54.00	-7.09	3	Vertical	203	1.50
5260MHz	Pass	AV	5.2594G	102.90	Inf	-Inf	3	Vertical	203	1.50
5260MHz	Pass	AV	5.407G	47.16	54.00	-6.84	3	Vertical	203	1.50
5260MHz	Pass	PK	5.1124G	58.92	74.00	-15.08	3	Vertical	203	1.50
5260MHz	Pass	PK	5.2588G	110.67	Inf	-Inf	3	Vertical	203	1.50
5260MHz	Pass	PK	5.4076G	59.13	74.00	-14.87	3	Vertical	203	1.50
5260MHz	Pass	AV	5.1334G	46.84	54.00	-7.16	3	Horizontal	167	1.50
5260MHz	Pass	AV	5.2612G	94.68	Inf	-Inf	3	Horizontal	167	1.50
5260MHz	Pass	AV	5.383G	47.13	54.00	-6.87	3	Horizontal	167	1.50
5260MHz	Pass	PK	5.1466G	58.60	74.00	-15.40	3	Horizontal	167	1.50
5260MHz	Pass	PK	5.2612G	102.51	Inf	-Inf	3	Horizontal	167	1.50
5260MHz	Pass	PK	5.3602G	59.27	74.00	-14.73	3	Horizontal	167	1.50
5260MHz	Pass	AV	15.7822G	48.31	54.00	-5.69	3	Vertical	129	1.00
5260MHz	Pass	PK	10.5228G	54.67	68.20	-13.53	3	Vertical	138	1.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.7798G	61.12	74.00	-12.88	3	Vertical	129	1.00
5260MHz	Pass	AV	15.7824G	44.19	54.00	-9.81	3	Horizontal	158	1.50
5260MHz	Pass	PK	10.5152G	54.61	68.20	-13.59	3	Horizontal	174	1.21
5260MHz	Pass	PK	15.7748G	56.24	74.00	-17.76	3	Horizontal	158	1.50
5300MHz	Pass	AV	5.2992G	102.38	Inf	-Inf	3	Vertical	150	1.50
5300MHz	Pass	AV	5.3512G	47.08	54.00	-6.92	3	Vertical	150	1.50
5300MHz	Pass	PK	5.2988G	110.18	Inf	-Inf	3	Vertical	150	1.50
5300MHz	Pass	PK	5.362G	60.09	74.00	-13.91	3	Vertical	150	1.50
5300MHz	Pass	AV	5.2992G	94.63	Inf	-Inf	3	Horizontal	155	1.50
5300MHz	Pass	AV	5.3892G	47.11	54.00	-6.89	3	Horizontal	155	1.50
5300MHz	Pass	PK	5.2988G	102.48	Inf	-Inf	3	Horizontal	155	1.50
5300MHz	Pass	PK	5.384G	58.90	74.00	-15.10	3	Horizontal	155	1.50
5300MHz	Pass	AV	15.8997G	50.14	54.00	-3.86	3	Vertical	129	1.01
5300MHz	Pass	PK	10.59036G	54.58	68.20	-13.62	3	Vertical	264	2.06
5300MHz	Pass	PK	15.9006G	63.51	74.00	-10.49	3	Vertical	129	1.01
5300MHz	Pass	AV	10.6238G	41.87	54.00	-12.13	3	Horizontal	281	1.50
5300MHz	Pass	AV	15.8997G	44.57	54.00	-9.43	3	Horizontal	158	1.48
5300MHz	Pass	PK	10.622G	54.34	74.00	-19.66	3	Horizontal	281	1.50
5300MHz	Pass	PK	15.8989G	56.90	74.00	-17.10	3	Horizontal	158	1.48
5320MHz	Pass	AV	5.3192G	104.14	Inf	-Inf	3	Vertical	151	2.54
5320MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	151	2.54
5320MHz	Pass	PK	5.319G	111.94	Inf	-Inf	3	Vertical	151	2.54
5320MHz	Pass	PK	5.35G	71.99	74.00	-2.01	3	Vertical	151	2.54
5320MHz	Pass	AV	5.3208G	95.19	Inf	-Inf	3	Horizontal	154	1.50
5320MHz	Pass	AV	5.35G	48.82	54.00	-5.18	3	Horizontal	154	1.50
5320MHz	Pass	PK	5.3214G	103.07	Inf	-Inf	3	Horizontal	154	1.50
5320MHz	Pass	PK	5.35G	64.22	74.00	-9.78	3	Horizontal	154	1.50
5320MHz	Pass	AV	10.64904G	41.96	54.00	-12.04	3	Vertical	241	1.13
5320MHz	Pass	AV	15.96256G	50.04	54.00	-3.96	3	Vertical	129	1.01
5320MHz	Pass	PK	10.64104G	54.93	74.00	-19.07	3	Vertical	241	1.13
5320MHz	Pass	PK	15.96284G	63.25	74.00	-10.75	3	Vertical	129	1.01
5320MHz	Pass	AV	10.64924G	41.89	54.00	-12.11	3	Horizontal	3	1.50
5320MHz	Pass	AV	15.9624G	44.03	54.00	-9.97	3	Horizontal	155	1.50
5320MHz	Pass	PK	10.64968G	54.48	74.00	-19.52	3	Horizontal	3	1.50
5320MHz	Pass	PK	15.95744G	57.25	74.00	-16.75	3	Horizontal	155	1.50
5500MHz	Pass	AV	5.4588G	48.07	54.00	-5.93	3	Vertical	195	1.00
5500MHz	Pass	AV	5.4992G	102.78	Inf	-Inf	3	Vertical	195	1.00
5500MHz	Pass	PK	5.4582G	64.65	74.00	-9.35	3	Vertical	195	1.00
5500MHz	Pass	PK	5.4692G	68.00	68.20	-0.20	3	Vertical	195	1.00
5500MHz	Pass	PK	5.4988G	110.70	Inf	-Inf	3	Vertical	195	1.00
5500MHz	Pass	AV	5.4576G	47.26	54.00	-6.74	3	Horizontal	160	1.48
5500MHz	Pass	AV	5.4992G	93.89	Inf	-Inf	3	Horizontal	160	1.48
5500MHz	Pass	PK	5.4552G	59.98	74.00	-14.02	3	Horizontal	160	1.48
5500MHz	Pass	PK	5.4604G	61.03	68.20	-7.17	3	Horizontal	160	1.48
5500MHz	Pass	PK	5.4988G	101.82	Inf	-Inf	3	Horizontal	160	1.48
5500MHz	Pass	AV	10.99136G	41.49	54.00	-12.51	3	Vertical	35	1.50
5500MHz	Pass	PK	11.00548G	53.56	74.00	-20.44	3	Vertical	35	1.50
5500MHz	Pass	PK	16.50056G	60.37	68.20	-7.83	3	Vertical	141	1.33
5500MHz	Pass	AV	10.99164G	41.48	54.00	-12.52	3	Horizontal	32	1.50
5500MHz	Pass	PK	11.0096G	54.13	74.00	-19.87	3	Horizontal	32	1.50
5500MHz	Pass	PK	16.49292G	56.41	68.20	-11.79	3	Horizontal	138	1.50
5580MHz	Pass	AV	5.4588G	47.23	54.00	-6.77	3	Vertical	197	1.13
5580MHz	Pass	AV	5.5806G	102.77	Inf	-Inf	3	Vertical	197	1.13
5580MHz	Pass	PK	5.4372G	59.92	74.00	-14.08	3	Vertical	197	1.13
5580MHz	Pass	PK	5.4636G	58.56	68.20	-9.64	3	Vertical	197	1.13
5580MHz	Pass	PK	5.5818G	110.64	Inf	-Inf	3	Vertical	197	1.13
5580MHz	Pass	PK	5.7282G	59.53	68.20	-8.67	3	Vertical	197	1.13
5580MHz	Pass	AV	5.4546G	47.23	54.00	-6.77	3	Horizontal	160	1.30
5580MHz	Pass	AV	5.5794G	94.34	Inf	-Inf	3	Horizontal	160	1.30
5580MHz	Pass	PK	5.4582G	59.75	74.00	-14.25	3	Horizontal	160	1.30
5580MHz	Pass	PK	5.4684G	58.95	68.20	-9.25	3	Horizontal	160	1.30
5580MHz	Pass	PK	5.5788G	102.15	Inf	-Inf	3	Horizontal	160	1.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.7264G	59.86	68.20	-8.34	3	Horizontal	160	1.30
5580MHz	Pass	AV	11.1564G	41.61	54.00	-12.39	3	Vertical	88	1.22
5580MHz	Pass	PK	11.15836G	53.69	74.00	-20.31	3	Vertical	88	1.22
5580MHz	Pass	PK	16.7416G	63.27	68.20	-4.93	3	Vertical	126	1.01
5580MHz	Pass	AV	11.15172G	41.53	54.00	-12.47	3	Horizontal	235	1.50
5580MHz	Pass	PK	11.16312G	54.00	74.00	-20.00	3	Horizontal	235	1.50
5580MHz	Pass	PK	16.73204G	57.50	68.20	-10.70	3	Horizontal	136	2.82
5700MHz	Pass	AV	5.6992G	102.70	Inf	-Inf	3	Vertical	197	1.00
5700MHz	Pass	PK	5.6988G	110.42	Inf	-Inf	3	Vertical	197	1.00
5700MHz	Pass	PK	5.7256G	66.60	68.20	-1.60	3	Vertical	197	1.00
5700MHz	Pass	AV	5.6992G	92.93	Inf	-Inf	3	Horizontal	162	1.50
5700MHz	Pass	PK	5.7016G	100.76	Inf	-Inf	3	Horizontal	162	1.50
5700MHz	Pass	PK	5.7272G	61.95	68.20	-6.25	3	Horizontal	162	1.50
5700MHz	Pass	AV	11.40452G	41.90	54.00	-12.10	3	Vertical	248	1.50
5700MHz	Pass	PK	11.4084G	54.19	74.00	-19.81	3	Vertical	248	1.50
5700MHz	Pass	PK	17.10088G	57.51	68.20	-10.69	3	Vertical	141	1.38
5700MHz	Pass	AV	11.40444G	42.02	54.00	-11.98	3	Horizontal	226	1.50
5700MHz	Pass	PK	11.3904G	54.51	74.00	-19.49	3	Horizontal	226	1.50
5700MHz	Pass	PK	17.101G	55.09	68.20	-13.11	3	Horizontal	93	2.91
5745MHz	Pass	AV	5.4582G	48.03	54.00	-5.97	3	Vertical	197	1.01
5745MHz	Pass	AV	5.7462G	101.88	Inf	-Inf	3	Vertical	197	1.01
5745MHz	Pass	PK	5.6058G	59.63	68.20	-8.57	3	Vertical	197	1.01
5745MHz	Pass	PK	5.7462G	109.55	Inf	-Inf	3	Vertical	197	1.01
5745MHz	Pass	PK	6.0366G	61.33	68.20	-6.87	3	Vertical	197	1.01
5745MHz	Pass	AV	5.4594G	48.04	54.00	-5.96	3	Horizontal	150	1.82
5745MHz	Pass	AV	5.7462G	94.13	Inf	-Inf	3	Horizontal	150	1.82
5745MHz	Pass	PK	5.643G	59.84	68.20	-8.36	3	Horizontal	150	1.82
5745MHz	Pass	PK	5.7462G	101.78	Inf	-Inf	3	Horizontal	150	1.82
5745MHz	Pass	PK	5.9358G	60.95	68.20	-7.25	3	Horizontal	150	1.82
5745MHz	Pass	AV	11.48988G	42.84	54.00	-11.16	3	Vertical	89	1.11
5745MHz	Pass	PK	11.484G	56.11	74.00	-17.89	3	Vertical	89	1.11
5745MHz	Pass	PK	17.23348G	58.52	68.20	-9.68	3	Vertical	141	1.50
5745MHz	Pass	AV	11.49492G	42.19	54.00	-11.81	3	Horizontal	333	2.89
5745MHz	Pass	PK	11.49004G	54.90	74.00	-19.10	3	Horizontal	333	2.89
5745MHz	Pass	PK	17.23636G	60.07	68.20	-8.13	3	Horizontal	117	1.00
5785MHz	Pass	AV	5.78371G	102.88	Inf	-Inf	3	Vertical	198	2.48
5785MHz	Pass	PK	5.63367G	59.50	68.20	-8.70	3	Vertical	198	2.48
5785MHz	Pass	PK	5.78371G	110.56	Inf	-Inf	3	Vertical	198	2.48
5785MHz	Pass	PK	5.98215G	61.40	68.20	-6.80	3	Vertical	198	2.48
5785MHz	Pass	AV	5.78613G	95.47	Inf	-Inf	3	Horizontal	148	1.50
5785MHz	Pass	PK	5.58043G	61.26	68.20	-6.94	3	Horizontal	148	1.50
5785MHz	Pass	PK	5.78613G	103.07	Inf	-Inf	3	Horizontal	148	1.50
5785MHz	Pass	PK	6.0729G	61.10	68.20	-7.10	3	Horizontal	148	1.50
5785MHz	Pass	AV	11.57068G	42.83	54.00	-11.17	3	Vertical	78	1.12
5785MHz	Pass	PK	11.57076G	56.14	74.00	-17.86	3	Vertical	78	1.12
5785MHz	Pass	PK	17.35776G	60.89	68.20	-7.31	3	Vertical	118	1.01
5785MHz	Pass	AV	11.56764G	42.21	54.00	-11.79	3	Horizontal	127	1.01
5785MHz	Pass	PK	11.56244G	54.62	74.00	-19.38	3	Horizontal	127	1.01
5785MHz	Pass	PK	17.34668G	57.14	68.20	-11.06	3	Horizontal	146	1.38
5825MHz	Pass	AV	5.8262G	103.46	Inf	-Inf	3	Vertical	202	2.55
5825MHz	Pass	PK	5.6174G	59.85	68.20	-8.35	3	Vertical	202	2.55
5825MHz	Pass	PK	5.8262G	111.07	Inf	-Inf	3	Vertical	202	2.55
5825MHz	Pass	PK	5.987G	61.26	68.20	-6.94	3	Vertical	202	2.55
5825MHz	Pass	AV	5.8262G	96.81	Inf	-Inf	3	Horizontal	149	1.50
5825MHz	Pass	PK	5.5526G	59.89	68.20	-8.31	3	Horizontal	149	1.50
5825MHz	Pass	PK	5.8238G	104.41	Inf	-Inf	3	Horizontal	149	1.50
5825MHz	Pass	PK	5.9774G	61.52	68.20	-6.68	3	Horizontal	149	1.50
5825MHz	Pass	AV	11.65212G	42.65	54.00	-11.35	3	Vertical	134	1.87
5825MHz	Pass	PK	11.64556G	55.34	74.00	-18.66	3	Vertical	134	1.87
5825MHz	Pass	PK	17.4754G	60.48	68.20	-7.72	3	Vertical	103	1.02
5825MHz	Pass	AV	11.65184G	42.51	54.00	-11.49	3	Horizontal	139	1.86
5825MHz	Pass	PK	11.65384G	55.33	74.00	-18.67	3	Horizontal	139	1.86

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	17.47672G	57.74	68.20	-10.46	3	Horizontal	117	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.15	54.00	-0.85	3	Vertical	157	1.29
5180MHz	Pass	AV	5.1808G	106.33	Inf	-Inf	3	Vertical	157	1.29
5180MHz	Pass	PK	5.1498G	69.54	74.00	-4.46	3	Vertical	157	1.29
5180MHz	Pass	PK	5.181G	116.90	Inf	-Inf	3	Vertical	157	1.29
5180MHz	Pass	AV	5.1474G	47.59	54.00	-6.41	3	Horizontal	121	1.49
5180MHz	Pass	AV	5.1822G	97.34	Inf	-Inf	3	Horizontal	121	1.49
5180MHz	Pass	PK	5.147G	62.91	74.00	-11.09	3	Horizontal	121	1.49
5180MHz	Pass	PK	5.1818G	109.08	Inf	-Inf	3	Horizontal	121	1.49
5180MHz	Pass	AV	15.53928G	45.95	54.00	-8.05	3	Vertical	141	1.45
5180MHz	Pass	PK	10.35952G	54.94	68.20	-13.26	3	Vertical	148	1.17
5180MHz	Pass	PK	15.53888G	57.05	74.00	-16.95	3	Vertical	141	1.45
5180MHz	Pass	AV	15.5356G	43.86	54.00	-10.14	3	Horizontal	308	1.50
5180MHz	Pass	PK	10.37064G	53.17	68.20	-15.03	3	Horizontal	149	1.49
5180MHz	Pass	PK	15.5436G	55.23	74.00	-18.77	3	Horizontal	308	1.50
5200MHz	Pass	AV	5.1484G	47.68	54.00	-6.32	3	Vertical	156	1.50
5200MHz	Pass	AV	5.1984G	106.73	Inf	-Inf	3	Vertical	156	1.50
5200MHz	Pass	PK	5.1468G	61.41	74.00	-12.59	3	Vertical	156	1.50
5200MHz	Pass	PK	5.2028G	118.08	Inf	-Inf	3	Vertical	156	1.50
5200MHz	Pass	AV	5.148G	47.07	54.00	-6.93	3	Horizontal	144	1.50
5200MHz	Pass	AV	5.1988G	99.07	Inf	-Inf	3	Horizontal	144	1.50
5200MHz	Pass	PK	5.144G	59.22	74.00	-14.78	3	Horizontal	144	1.50
5200MHz	Pass	PK	5.204G	109.47	Inf	-Inf	3	Horizontal	144	1.50
5200MHz	Pass	AV	15.59992G	48.30	54.00	-5.70	3	Vertical	141	1.47
5200MHz	Pass	PK	10.39392G	57.91	68.20	-10.29	3	Vertical	152	1.09
5200MHz	Pass	PK	15.6008G	62.89	74.00	-11.11	3	Vertical	141	1.47
5200MHz	Pass	AV	15.60128G	45.44	54.00	-8.56	3	Horizontal	217	2.51
5200MHz	Pass	PK	10.402G	55.62	68.20	-12.58	3	Horizontal	148	1.30
5200MHz	Pass	PK	15.61232G	57.37	74.00	-16.63	3	Horizontal	217	2.51
5240MHz	Pass	AV	5.1344G	47.19	54.00	-6.81	3	Vertical	184	1.18
5240MHz	Pass	AV	5.2394G	107.46	Inf	-Inf	3	Vertical	184	1.18
5240MHz	Pass	AV	5.378G	47.33	54.00	-6.67	3	Vertical	184	1.18
5240MHz	Pass	PK	5.1452G	59.17	74.00	-14.83	3	Vertical	184	1.18
5240MHz	Pass	PK	5.2394G	117.21	Inf	-Inf	3	Vertical	184	1.18
5240MHz	Pass	PK	5.3822G	59.66	74.00	-14.34	3	Vertical	184	1.18
5240MHz	Pass	AV	5.1386G	47.07	54.00	-6.93	3	Horizontal	146	1.50
5240MHz	Pass	AV	5.2412G	97.94	Inf	-Inf	3	Horizontal	146	1.50
5240MHz	Pass	AV	5.3786G	47.24	54.00	-6.76	3	Horizontal	146	1.50
5240MHz	Pass	PK	5.09G	59.67	74.00	-14.33	3	Horizontal	146	1.50
5240MHz	Pass	PK	5.2418G	108.42	Inf	-Inf	3	Horizontal	146	1.50
5240MHz	Pass	PK	5.3672G	59.65	74.00	-14.35	3	Horizontal	146	1.50
5240MHz	Pass	AV	15.71944G	46.57	54.00	-7.43	3	Vertical	141	1.45
5240MHz	Pass	PK	10.47696G	54.73	68.20	-13.47	3	Vertical	150	1.20
5240MHz	Pass	PK	15.72496G	59.95	74.00	-14.05	3	Vertical	141	1.45
5240MHz	Pass	AV	15.7152G	43.40	54.00	-10.60	3	Horizontal	185	1.50
5240MHz	Pass	PK	10.48336G	54.43	68.20	-13.77	3	Horizontal	178	1.38
5240MHz	Pass	PK	15.71536G	55.90	74.00	-18.10	3	Horizontal	185	1.50
5260MHz	Pass	AV	5.1394G	47.12	54.00	-6.88	3	Vertical	179	1.01
5260MHz	Pass	AV	5.2594G	108.54	Inf	-Inf	3	Vertical	179	1.01
5260MHz	Pass	AV	5.4088G	47.34	54.00	-6.66	3	Vertical	179	1.01
5260MHz	Pass	PK	5.1334G	58.70	74.00	-15.30	3	Vertical	179	1.01
5260MHz	Pass	PK	5.2588G	119.52	Inf	-Inf	3	Vertical	179	1.01
5260MHz	Pass	PK	5.386G	59.85	74.00	-14.15	3	Vertical	179	1.01
5260MHz	Pass	AV	5.1436G	46.94	54.00	-7.06	3	Horizontal	145	1.50
5260MHz	Pass	AV	5.2612G	98.36	Inf	-Inf	3	Horizontal	145	1.50
5260MHz	Pass	AV	5.3812G	47.21	54.00	-6.79	3	Horizontal	145	1.50
5260MHz	Pass	PK	5.1274G	59.38	74.00	-14.62	3	Horizontal	145	1.50
5260MHz	Pass	PK	5.2558G	109.85	Inf	-Inf	3	Horizontal	145	1.50
5260MHz	Pass	PK	5.4076G	59.29	74.00	-14.71	3	Horizontal	145	1.50
5260MHz	Pass	AV	15.77936G	47.33	54.00	-6.67	3	Vertical	140	1.47
5260MHz	Pass	PK	10.52856G	54.48	68.20	-13.72	3	Vertical	176	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.77944G	60.78	74.00	-13.22	3	Vertical	140	1.47
5260MHz	Pass	AV	15.7793G	44.84	54.00	-9.16	3	Horizontal	137	2.60
5260MHz	Pass	PK	10.5135G	54.48	68.20	-13.72	3	Horizontal	177	1.58
5260MHz	Pass	PK	15.7789G	58.05	74.00	-15.95	3	Horizontal	137	2.60
5300MHz	Pass	AV	5.2992G	107.24	Inf	-Inf	3	Vertical	183	1.50
5300MHz	Pass	AV	5.35G	47.40	54.00	-6.60	3	Vertical	183	1.50
5300MHz	Pass	PK	5.2992G	117.98	Inf	-Inf	3	Vertical	183	1.50
5300MHz	Pass	PK	5.3544G	63.27	74.00	-10.73	3	Vertical	183	1.50
5300MHz	Pass	AV	5.3008G	94.70	Inf	-Inf	3	Horizontal	123	1.50
5300MHz	Pass	AV	5.3788G	47.36	54.00	-6.64	3	Horizontal	123	1.50
5300MHz	Pass	PK	5.2996G	106.11	Inf	-Inf	3	Horizontal	123	1.50
5300MHz	Pass	PK	5.3652G	59.33	74.00	-14.67	3	Horizontal	123	1.50
5300MHz	Pass	AV	15.8995G	47.59	54.00	-6.41	3	Vertical	140	1.44
5300MHz	Pass	PK	10.6029G	54.51	74.00	-19.49	3	Vertical	189	1.50
5300MHz	Pass	PK	15.8991G	60.34	74.00	-13.66	3	Vertical	140	1.44
5300MHz	Pass	AV	15.8996G	44.58	54.00	-9.42	3	Horizontal	149	1.28
5300MHz	Pass	PK	10.6077G	54.93	74.00	-19.07	3	Horizontal	203	1.00
5300MHz	Pass	PK	15.8956G	56.25	74.00	-17.75	3	Horizontal	149	1.28
5320MHz	Pass	AV	5.3192G	107.65	Inf	-Inf	3	Vertical	180	1.00
5320MHz	Pass	AV	5.35G	51.60	54.00	-2.40	3	Vertical	180	1.00
5320MHz	Pass	PK	5.3194G	119.50	Inf	-Inf	3	Vertical	180	1.00
5320MHz	Pass	PK	5.355G	70.71	74.00	-3.29	3	Vertical	180	1.00
5320MHz	Pass	AV	5.321G	95.59	Inf	-Inf	3	Horizontal	143	1.50
5320MHz	Pass	AV	5.351G	47.47	54.00	-6.53	3	Horizontal	143	1.50
5320MHz	Pass	PK	5.321G	106.35	Inf	-Inf	3	Horizontal	143	1.50
5320MHz	Pass	PK	5.3508G	61.82	74.00	-12.18	3	Horizontal	143	1.50
5320MHz	Pass	AV	10.6594G	41.95	54.00	-12.05	3	Vertical	230	1.50
5320MHz	Pass	AV	15.9616G	46.81	54.00	-7.19	3	Vertical	139	1.46
5320MHz	Pass	PK	10.662G	54.42	74.00	-19.58	3	Vertical	230	1.50
5320MHz	Pass	PK	15.9634G	60.44	74.00	-13.56	3	Vertical	139	1.46
5320MHz	Pass	AV	10.6606G	41.93	54.00	-12.07	3	Horizontal	272	2.06
5320MHz	Pass	AV	15.9576G	44.33	54.00	-9.67	3	Horizontal	149	1.31
5320MHz	Pass	PK	10.6297G	54.93	74.00	-19.07	3	Horizontal	272	2.06
5320MHz	Pass	PK	15.9628G	56.91	74.00	-17.09	3	Horizontal	149	1.31
5500MHz	Pass	AV	5.4596G	47.86	54.00	-6.14	3	Vertical	187	1.08
5500MHz	Pass	AV	5.4992G	106.72	Inf	-Inf	3	Vertical	187	1.08
5500MHz	Pass	PK	5.4594G	61.07	74.00	-12.93	3	Vertical	187	1.08
5500MHz	Pass	PK	5.4694G	66.04	68.20	-2.16	3	Vertical	187	1.08
5500MHz	Pass	PK	5.4986G	118.26	Inf	-Inf	3	Vertical	187	1.08
5500MHz	Pass	AV	5.46G	47.34	54.00	-6.66	3	Horizontal	118	2.93
5500MHz	Pass	AV	5.4996G	96.56	Inf	-Inf	3	Horizontal	118	2.93
5500MHz	Pass	PK	5.4514G	59.79	74.00	-14.21	3	Horizontal	118	2.93
5500MHz	Pass	PK	5.4684G	59.37	68.20	-8.83	3	Horizontal	118	2.93
5500MHz	Pass	PK	5.499G	107.69	Inf	-Inf	3	Horizontal	118	2.93
5500MHz	Pass	AV	10.99924G	41.59	54.00	-12.41	3	Vertical	178	1.58
5500MHz	Pass	PK	10.99976G	53.87	74.00	-20.13	3	Vertical	178	1.58
5500MHz	Pass	PK	16.49768G	62.05	68.20	-6.15	3	Vertical	113	1.00
5500MHz	Pass	AV	11.00212G	41.48	54.00	-12.52	3	Horizontal	170	1.41
5500MHz	Pass	PK	10.99376G	53.43	74.00	-20.57	3	Horizontal	170	1.41
5500MHz	Pass	PK	16.50684G	57.41	68.20	-10.79	3	Horizontal	145	1.34
5580MHz	Pass	AV	5.457G	47.50	54.00	-6.50	3	Vertical	190	1.01
5580MHz	Pass	AV	5.5818G	107.55	Inf	-Inf	3	Vertical	190	1.01
5580MHz	Pass	PK	5.4552G	59.34	74.00	-14.66	3	Vertical	190	1.01
5580MHz	Pass	PK	5.4606G	59.80	68.20	-8.40	3	Vertical	190	1.01
5580MHz	Pass	PK	5.5818G	118.59	Inf	-Inf	3	Vertical	190	1.01
5580MHz	Pass	PK	5.7288G	58.86	68.20	-9.34	3	Vertical	190	1.01
5580MHz	Pass	AV	5.4564G	47.46	54.00	-6.54	3	Horizontal	145	1.36
5580MHz	Pass	AV	5.5794G	95.68	Inf	-Inf	3	Horizontal	145	1.36
5580MHz	Pass	PK	5.4384G	59.50	74.00	-14.50	3	Horizontal	145	1.36
5580MHz	Pass	PK	5.4696G	58.65	68.20	-9.55	3	Horizontal	145	1.36
5580MHz	Pass	PK	5.5794G	105.15	Inf	-Inf	3	Horizontal	145	1.36
5580MHz	Pass	PK	5.7282G	60.60	68.20	-7.60	3	Horizontal	145	1.36

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.1584G	42.48	54.00	-11.52	3	Vertical	176	1.29
5580MHz	Pass	PK	11.15848G	54.64	74.00	-19.36	3	Vertical	176	1.29
5580MHz	Pass	PK	16.739G	60.18	68.20	-8.02	3	Vertical	127	1.00
5580MHz	Pass	AV	11.15516G	41.69	54.00	-12.31	3	Horizontal	114	1.36
5580MHz	Pass	PK	11.15352G	54.16	74.00	-19.84	3	Horizontal	114	1.36
5580MHz	Pass	PK	16.73292G	56.53	68.20	-11.67	3	Horizontal	146	1.48
5700MHz	Pass	AV	5.6988G	105.92	Inf	-Inf	3	Vertical	189	1.20
5700MHz	Pass	PK	5.7036G	116.24	Inf	-Inf	3	Vertical	189	1.20
5700MHz	Pass	PK	5.7296G	63.56	68.20	-4.64	3	Vertical	189	1.20
5700MHz	Pass	AV	5.7016G	96.48	Inf	-Inf	3	Horizontal	143	1.38
5700MHz	Pass	PK	5.6968G	107.63	Inf	-Inf	3	Horizontal	143	1.38
5700MHz	Pass	PK	5.728G	62.83	68.20	-5.37	3	Horizontal	143	1.38
5700MHz	Pass	AV	11.39872G	43.43	54.00	-10.57	3	Vertical	149	1.04
5700MHz	Pass	PK	11.39372G	55.90	74.00	-18.10	3	Vertical	149	1.04
5700MHz	Pass	PK	17.09968G	55.99	68.20	-12.21	3	Vertical	148	1.50
5700MHz	Pass	AV	11.39852G	43.29	54.00	-10.71	3	Horizontal	308	1.01
5700MHz	Pass	PK	11.39924G	55.87	74.00	-18.13	3	Horizontal	308	1.01
5700MHz	Pass	PK	17.09412G	56.12	68.20	-12.08	3	Horizontal	146	1.41
5745MHz	Pass	AV	5.457G	47.45	54.00	-6.55	3	Vertical	189	1.22
5745MHz	Pass	AV	5.7438G	105.04	Inf	-Inf	3	Vertical	189	1.22
5745MHz	Pass	PK	5.6166G	59.94	68.20	-8.26	3	Vertical	189	1.22
5745MHz	Pass	PK	5.7438G	114.84	Inf	-Inf	3	Vertical	189	1.22
5745MHz	Pass	PK	6.0186G	61.66	68.20	-6.54	3	Vertical	189	1.22
5745MHz	Pass	AV	5.457G	47.41	54.00	-6.59	3	Horizontal	121	1.50
5745MHz	Pass	AV	5.7462G	96.28	Inf	-Inf	3	Horizontal	121	1.50
5745MHz	Pass	PK	5.4942G	59.53	68.20	-8.67	3	Horizontal	121	1.50
5745MHz	Pass	PK	5.7462G	107.16	Inf	-Inf	3	Horizontal	121	1.50
5745MHz	Pass	PK	5.9898G	60.94	68.20	-7.26	3	Horizontal	121	1.50
5745MHz	Pass	AV	11.48852G	43.63	54.00	-10.37	3	Vertical	90	1.09
5745MHz	Pass	PK	11.4896G	55.63	74.00	-18.37	3	Vertical	90	1.09
5745MHz	Pass	PK	17.24396G	55.55	68.20	-12.65	3	Vertical	150	1.50
5745MHz	Pass	AV	11.48556G	42.80	54.00	-11.20	3	Horizontal	236	1.50
5745MHz	Pass	PK	11.49512G	55.47	74.00	-18.53	3	Horizontal	236	1.50
5745MHz	Pass	PK	17.23096G	55.50	68.20	-12.70	3	Horizontal	205	1.50
5785MHz	Pass	AV	5.78371G	106.85	Inf	-Inf	3	Vertical	186	1.01
5785MHz	Pass	PK	5.63972G	59.76	68.20	-8.44	3	Vertical	186	1.01
5785MHz	Pass	PK	5.78371G	117.86	Inf	-Inf	3	Vertical	186	1.01
5785MHz	Pass	PK	5.92528G	61.64	68.20	-6.56	3	Vertical	186	1.01
5785MHz	Pass	AV	5.78613G	97.87	Inf	-Inf	3	Horizontal	145	1.48
5785MHz	Pass	PK	5.54292G	59.67	68.20	-8.53	3	Horizontal	145	1.48
5785MHz	Pass	PK	5.78734G	108.47	Inf	-Inf	3	Horizontal	145	1.48
5785MHz	Pass	PK	5.92891G	61.40	68.20	-6.80	3	Horizontal	145	1.48
5785MHz	Pass	AV	11.56796G	44.23	54.00	-9.77	3	Vertical	139	1.31
5785MHz	Pass	PK	11.5738G	55.28	74.00	-18.72	3	Vertical	139	1.31
5785MHz	Pass	PK	17.35828G	58.69	68.20	-9.51	3	Vertical	112	1.01
5785MHz	Pass	AV	11.56972G	43.24	54.00	-10.76	3	Horizontal	0	1.10
5785MHz	Pass	PK	11.56844G	54.80	74.00	-19.20	3	Horizontal	0	1.10
5785MHz	Pass	PK	17.36412G	55.99	68.20	-12.21	3	Horizontal	148	1.90
5825MHz	Pass	AV	5.8238G	106.87	Inf	-Inf	3	Vertical	188	1.01
5825MHz	Pass	PK	5.5874G	59.68	68.20	-8.52	3	Vertical	188	1.01
5825MHz	Pass	PK	5.8238G	117.62	Inf	-Inf	3	Vertical	188	1.01
5825MHz	Pass	PK	6.083G	62.20	68.20	-6.00	3	Vertical	188	1.01
5825MHz	Pass	AV	5.8274G	99.78	Inf	-Inf	3	Horizontal	121	1.49
5825MHz	Pass	PK	5.561G	61.02	68.20	-7.18	3	Horizontal	121	1.49
5825MHz	Pass	PK	5.8274G	110.12	Inf	-Inf	3	Horizontal	121	1.49
5825MHz	Pass	PK	6.095G	61.61	68.20	-6.59	3	Horizontal	121	1.49
5825MHz	Pass	AV	11.64804G	43.76	54.00	-10.24	3	Vertical	142	1.50
5825MHz	Pass	PK	11.6404G	55.23	74.00	-18.77	3	Vertical	142	1.50
5825MHz	Pass	PK	17.4806G	59.12	68.20	-9.08	3	Vertical	114	1.06
5825MHz	Pass	AV	11.64232G	42.73	54.00	-11.27	3	Horizontal	108	1.50
5825MHz	Pass	PK	11.64776G	54.25	74.00	-19.75	3	Horizontal	108	1.50
5825MHz	Pass	PK	17.48116G	56.38	68.20	-11.82	3	Horizontal	146	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1468G	53.25	54.00	-0.75	3	Vertical	190	1.50
5190MHz	Pass	AV	5.1916G	102.07	Inf	-Inf	3	Vertical	190	1.50
5190MHz	Pass	PK	5.148G	73.36	74.00	-0.64	3	Vertical	190	1.50
5190MHz	Pass	PK	5.1916G	113.54	Inf	-Inf	3	Vertical	190	1.50
5190MHz	Pass	AV	5.1488G	49.51	54.00	-4.49	3	Horizontal	146	1.44
5190MHz	Pass	AV	5.1888G	94.24	Inf	-Inf	3	Horizontal	146	1.44
5190MHz	Pass	PK	5.144G	65.32	74.00	-8.68	3	Horizontal	146	1.44
5190MHz	Pass	PK	5.1892G	105.19	Inf	-Inf	3	Horizontal	146	1.44
5190MHz	Pass	AV	15.57448G	44.49	54.00	-9.51	3	Vertical	142	1.40
5190MHz	Pass	PK	10.38408G	53.87	68.20	-14.33	3	Vertical	195	2.92
5190MHz	Pass	PK	15.57008G	55.50	74.00	-18.50	3	Vertical	142	1.40
5190MHz	Pass	AV	15.566G	43.84	54.00	-10.16	3	Horizontal	290	1.30
5190MHz	Pass	PK	10.38872G	52.39	68.20	-15.81	3	Horizontal	271	1.31
5190MHz	Pass	PK	15.56944G	55.65	74.00	-18.35	3	Horizontal	290	1.30
5230MHz	Pass	AV	5.1476G	48.30	54.00	-5.70	3	Vertical	191	1.50
5230MHz	Pass	AV	5.2316G	103.66	Inf	-Inf	3	Vertical	191	1.50
5230MHz	Pass	PK	5.1468G	61.50	74.00	-12.50	3	Vertical	191	1.50
5230MHz	Pass	PK	5.232G	115.11	Inf	-Inf	3	Vertical	191	1.50
5230MHz	Pass	AV	5.1496G	47.27	54.00	-6.73	3	Horizontal	147	1.34
5230MHz	Pass	AV	5.2288G	96.49	Inf	-Inf	3	Horizontal	147	1.34
5230MHz	Pass	PK	5.1456G	58.79	74.00	-15.21	3	Horizontal	147	1.34
5230MHz	Pass	PK	5.2292G	107.31	Inf	-Inf	3	Horizontal	147	1.34
5230MHz	Pass	AV	15.69216G	46.93	54.00	-7.07	3	Vertical	143	1.00
5230MHz	Pass	PK	10.46328G	53.99	68.20	-14.21	3	Vertical	153	1.00
5230MHz	Pass	PK	15.698G	58.39	74.00	-15.61	3	Vertical	143	1.00
5230MHz	Pass	AV	15.67784G	43.74	54.00	-10.26	3	Horizontal	158	1.03
5230MHz	Pass	PK	10.448G	52.53	68.20	-15.67	3	Horizontal	0	2.53
5230MHz	Pass	PK	15.70104G	54.24	74.00	-19.76	3	Horizontal	158	1.03
5270MHz	Pass	AV	5.2692G	105.16	Inf	-Inf	3	Vertical	185	1.00
5270MHz	Pass	AV	5.35G	48.05	54.00	-5.95	3	Vertical	185	1.00
5270MHz	Pass	PK	5.2688G	115.39	Inf	-Inf	3	Vertical	185	1.00
5270MHz	Pass	PK	5.3548G	62.35	74.00	-11.65	3	Vertical	185	1.00
5270MHz	Pass	AV	5.2676G	94.75	Inf	-Inf	3	Horizontal	123	1.50
5270MHz	Pass	AV	5.3692G	47.11	54.00	-6.89	3	Horizontal	123	1.50
5270MHz	Pass	PK	5.2724G	105.40	Inf	-Inf	3	Horizontal	123	1.50
5270MHz	Pass	PK	5.3556G	59.53	74.00	-14.47	3	Horizontal	123	1.50
5270MHz	Pass	AV	15.81184G	45.85	54.00	-8.15	3	Vertical	141	1.50
5270MHz	Pass	PK	10.54856G	53.60	68.20	-14.60	3	Vertical	26	1.50
5270MHz	Pass	PK	15.8176G	56.64	74.00	-17.36	3	Vertical	141	1.50
5270MHz	Pass	AV	15.81776G	43.47	54.00	-10.53	3	Horizontal	353	1.19
5270MHz	Pass	PK	10.55912G	53.35	68.20	-14.85	3	Horizontal	213	1.50
5270MHz	Pass	PK	15.81552G	55.63	74.00	-18.37	3	Horizontal	353	1.19
5310MHz	Pass	AV	5.3116G	103.73	Inf	-Inf	3	Vertical	185	1.00
5310MHz	Pass	AV	5.3516G	53.54	54.00	-0.46	3	Vertical	185	1.00
5310MHz	Pass	PK	5.3164G	114.53	Inf	-Inf	3	Vertical	185	1.00
5310MHz	Pass	PK	5.3572G	72.78	74.00	-1.22	3	Vertical	185	1.00
5310MHz	Pass	AV	5.3052G	91.97	Inf	-Inf	3	Horizontal	123	1.50
5310MHz	Pass	AV	5.35G	48.24	54.00	-5.76	3	Horizontal	123	1.50
5310MHz	Pass	PK	5.3048G	103.23	Inf	-Inf	3	Horizontal	123	1.50
5310MHz	Pass	PK	5.3504G	65.38	74.00	-8.62	3	Horizontal	123	1.50
5310MHz	Pass	AV	10.62288G	42.07	54.00	-11.93	3	Vertical	159	1.01
5310MHz	Pass	AV	15.9244G	44.63	54.00	-9.37	3	Vertical	142	1.05
5310MHz	Pass	PK	10.60176G	53.40	74.00	-20.60	3	Vertical	159	1.01
5310MHz	Pass	PK	15.9144G	55.75	74.00	-18.25	3	Vertical	142	1.05
5310MHz	Pass	AV	10.61336G	41.80	54.00	-12.20	3	Horizontal	90	1.50
5310MHz	Pass	AV	15.92384G	43.66	54.00	-10.34	3	Horizontal	152	1.08
5310MHz	Pass	PK	10.62736G	53.56	74.00	-20.44	3	Horizontal	90	1.50
5310MHz	Pass	PK	15.92816G	55.89	74.00	-18.11	3	Horizontal	152	1.08
5510MHz	Pass	AV	5.4564G	48.30	54.00	-5.70	3	Vertical	188	1.00
5510MHz	Pass	AV	5.5116G	102.01	Inf	-Inf	3	Vertical	188	1.00
5510MHz	Pass	PK	5.4556G	64.20	74.00	-9.80	3	Vertical	188	1.00



RSE TX above 1GHz_Dipole Antenna

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	5.4664G	68.18	68.20	-0.02	3	Vertical	188	1.00
5510MHz	Pass	PK	5.512G	112.91	Inf	-Inf	3	Vertical	188	1.00
5510MHz	Pass	AV	5.4592G	47.50	54.00	-6.50	3	Horizontal	142	1.49
5510MHz	Pass	AV	5.5092G	90.76	Inf	-Inf	3	Horizontal	142	1.49
5510MHz	Pass	PK	5.444G	59.66	74.00	-14.34	3	Horizontal	142	1.49
5510MHz	Pass	PK	5.4644G	59.39	68.20	-8.81	3	Horizontal	142	1.49
5510MHz	Pass	PK	5.5096G	101.66	Inf	-Inf	3	Horizontal	142	1.49
5510MHz	Pass	AV	11.02872G	41.14	54.00	-12.86	3	Vertical	205	1.50
5510MHz	Pass	PK	11.00032G	52.03	74.00	-21.97	3	Vertical	205	1.50
5510MHz	Pass	PK	16.53528G	55.74	68.20	-12.46	3	Vertical	276	1.14
5510MHz	Pass	AV	11.0288G	41.14	54.00	-12.86	3	Horizontal	315	1.50
5510MHz	Pass	PK	11.01248G	52.62	74.00	-21.38	3	Horizontal	315	1.50
5510MHz	Pass	PK	16.52632G	54.09	68.20	-14.11	3	Horizontal	358	1.50
5550MHz	Pass	AV	5.4564G	47.66	54.00	-6.34	3	Vertical	188	1.09
5550MHz	Pass	AV	5.5516G	104.34	Inf	-Inf	3	Vertical	188	1.09
5550MHz	Pass	PK	5.4592G	59.11	74.00	-14.89	3	Vertical	188	1.09
5550MHz	Pass	PK	5.466G	62.25	68.20	-5.95	3	Vertical	188	1.09
5550MHz	Pass	PK	5.5516G	116.15	Inf	-Inf	3	Vertical	188	1.09
5550MHz	Pass	AV	5.454G	47.38	54.00	-6.62	3	Horizontal	141	1.49
5550MHz	Pass	AV	5.5492G	91.91	Inf	-Inf	3	Horizontal	141	1.49
5550MHz	Pass	PK	5.4564G	58.87	74.00	-15.13	3	Horizontal	141	1.49
5550MHz	Pass	PK	5.4636G	59.75	68.20	-8.45	3	Horizontal	141	1.49
5550MHz	Pass	PK	5.5492G	103.96	Inf	-Inf	3	Horizontal	141	1.49
5550MHz	Pass	AV	11.11408G	41.57	54.00	-12.43	3	Vertical	116	1.48
5550MHz	Pass	PK	11.11424G	52.72	74.00	-21.28	3	Vertical	116	1.48
5550MHz	Pass	PK	16.66248G	56.96	68.20	-11.24	3	Vertical	115	1.00
5550MHz	Pass	AV	11.11664G	41.37	54.00	-12.63	3	Horizontal	17	1.50
5550MHz	Pass	PK	11.11976G	52.86	74.00	-21.14	3	Horizontal	17	1.50
5550MHz	Pass	PK	16.6656G	55.18	68.20	-13.02	3	Horizontal	148	1.56
5670MHz	Pass	AV	5.6718G	102.83	Inf	-Inf	3	Vertical	189	1.00
5670MHz	Pass	PK	5.6664G	114.02	Inf	-Inf	3	Vertical	189	1.00
5670MHz	Pass	PK	5.7264G	61.95	68.20	-6.25	3	Vertical	189	1.00
5670MHz	Pass	AV	5.6694G	92.28	Inf	-Inf	3	Horizontal	142	1.50
5670MHz	Pass	PK	5.6688G	102.33	Inf	-Inf	3	Horizontal	142	1.50
5670MHz	Pass	PK	5.8182G	61.04	68.20	-7.16	3	Horizontal	142	1.50
5670MHz	Pass	AV	11.35416G	42.68	54.00	-11.32	3	Vertical	187	1.01
5670MHz	Pass	PK	11.32128G	54.22	74.00	-19.78	3	Vertical	187	1.01
5670MHz	Pass	PK	17.0148G	54.88	68.20	-13.32	3	Vertical	150	1.04
5670MHz	Pass	AV	11.35888G	42.57	54.00	-11.43	3	Horizontal	50	2.32
5670MHz	Pass	PK	11.34912G	54.50	74.00	-19.50	3	Horizontal	50	2.32
5670MHz	Pass	PK	17.01048G	53.96	68.20	-14.24	3	Horizontal	105	2.38
5755MHz	Pass	AV	5.4562G	47.91	54.00	-6.09	3	Vertical	189	1.18
5755MHz	Pass	AV	5.7562G	102.49	Inf	-Inf	3	Vertical	189	1.18
5755MHz	Pass	PK	5.6266G	60.46	68.20	-7.74	3	Vertical	189	1.18
5755MHz	Pass	PK	5.7574G	112.25	Inf	-Inf	3	Vertical	189	1.18
5755MHz	Pass	PK	5.9518G	61.68	68.20	-6.52	3	Vertical	189	1.18
5755MHz	Pass	AV	5.4598G	47.95	54.00	-6.05	3	Horizontal	121	1.50
5755MHz	Pass	AV	5.7538G	94.31	Inf	-Inf	3	Horizontal	121	1.50
5755MHz	Pass	PK	5.5018G	61.09	68.20	-7.11	3	Horizontal	121	1.50
5755MHz	Pass	PK	5.749G	104.76	Inf	-Inf	3	Horizontal	121	1.50
5755MHz	Pass	PK	6.049G	62.13	68.20	-6.07	3	Horizontal	121	1.50
5755MHz	Pass	AV	11.52272G	43.35	54.00	-10.65	3	Vertical	212	1.50
5755MHz	Pass	PK	11.51928G	54.18	74.00	-19.82	3	Vertical	212	1.50
5755MHz	Pass	PK	17.26092G	54.63	68.20	-13.57	3	Vertical	84	1.07
5755MHz	Pass	AV	11.5208G	43.39	54.00	-10.61	3	Horizontal	130	2.71
5755MHz	Pass	PK	11.52928G	54.01	74.00	-19.99	3	Horizontal	130	2.71
5755MHz	Pass	PK	17.26884G	54.70	68.20	-13.50	3	Horizontal	317	1.33
5795MHz	Pass	AV	5.7974G	102.62	Inf	-Inf	3	Vertical	2	1.01
5795MHz	Pass	PK	5.6222G	60.40	68.20	-7.80	3	Vertical	2	1.01
5795MHz	Pass	PK	5.7974G	113.40	Inf	-Inf	3	Vertical	2	1.01
5795MHz	Pass	PK	6.0002G	61.19	68.20	-7.01	3	Vertical	2	1.01
5795MHz	Pass	AV	5.7938G	95.82	Inf	-Inf	3	Horizontal	145	1.44

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	5.6162G	59.52	68.20	-8.68	3	Horizontal	145	1.44
5795MHz	Pass	PK	5.7938G	107.03	Inf	-Inf	3	Horizontal	145	1.44
5795MHz	Pass	PK	5.981G	61.81	68.20	-6.39	3	Horizontal	145	1.44
5795MHz	Pass	AV	11.57064G	42.72	54.00	-11.28	3	Vertical	184	2.35
5795MHz	Pass	PK	11.6016G	52.78	74.00	-21.22	3	Vertical	184	2.35
5795MHz	Pass	PK	17.397G	55.05	68.20	-13.15	3	Vertical	157	1.50
5795MHz	Pass	AV	11.57128G	42.75	54.00	-11.25	3	Horizontal	276	1.50
5795MHz	Pass	PK	11.58592G	53.42	74.00	-20.58	3	Horizontal	276	1.50
5795MHz	Pass	PK	17.39956G	55.26	68.20	-12.94	3	Horizontal	138	2.91
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.131G	53.11	54.00	-0.89	3	Vertical	158	1.50
5210MHz	Pass	AV	5.211G	97.27	Inf	-Inf	3	Vertical	158	1.50
5210MHz	Pass	AV	5.46G	47.54	54.00	-6.46	3	Vertical	158	1.50
5210MHz	Pass	PK	5.15G	69.80	74.00	-4.20	3	Vertical	158	1.50
5210MHz	Pass	PK	5.207G	107.79	Inf	-Inf	3	Vertical	158	1.50
5210MHz	Pass	PK	5.43G	60.32	74.00	-13.68	3	Vertical	158	1.50
5210MHz	Pass	AV	5.142G	48.57	54.00	-5.43	3	Horizontal	148	1.50
5210MHz	Pass	AV	5.211G	89.24	Inf	-Inf	3	Horizontal	148	1.50
5210MHz	Pass	AV	5.459G	47.61	54.00	-6.39	3	Horizontal	148	1.50
5210MHz	Pass	PK	5.136G	66.60	74.00	-7.40	3	Horizontal	148	1.50
5210MHz	Pass	PK	5.217G	99.58	Inf	-Inf	3	Horizontal	148	1.50
5210MHz	Pass	PK	5.448G	60.08	74.00	-13.92	3	Horizontal	148	1.50
5210MHz	Pass	AV	15.6076G	43.70	54.00	-10.30	3	Vertical	55	1.01
5210MHz	Pass	PK	10.41952G	53.67	68.20	-14.53	3	Vertical	97	2.61
5210MHz	Pass	PK	15.61672G	55.89	74.00	-18.11	3	Vertical	55	1.01
5210MHz	Pass	AV	15.60584G	43.68	54.00	-10.32	3	Horizontal	306	1.17
5210MHz	Pass	PK	10.42736G	52.43	68.20	-15.77	3	Horizontal	325	1.50
5210MHz	Pass	PK	15.62776G	54.37	74.00	-19.63	3	Horizontal	306	1.17
5290MHz	Pass	AV	5.049G	47.53	54.00	-6.47	3	Vertical	189	1.50
5290MHz	Pass	AV	5.291G	98.31	Inf	-Inf	3	Vertical	189	1.50
5290MHz	Pass	AV	5.352G	53.50	54.00	-0.50	3	Vertical	189	1.50
5290MHz	Pass	PK	5.129G	59.78	74.00	-14.22	3	Vertical	189	1.50
5290MHz	Pass	PK	5.292G	110.02	Inf	-Inf	3	Vertical	189	1.50
5290MHz	Pass	PK	5.375G	69.45	74.00	-4.55	3	Vertical	189	1.50
5290MHz	Pass	PK	5.533G	59.60	68.20	-8.60	3	Vertical	189	1.50
5290MHz	Pass	AV	5.043G	47.36	54.00	-6.64	3	Horizontal	123	1.50
5290MHz	Pass	AV	5.3G	87.64	Inf	-Inf	3	Horizontal	123	1.50
5290MHz	Pass	AV	5.35G	48.07	54.00	-5.93	3	Horizontal	123	1.50
5290MHz	Pass	PK	5.071G	59.30	74.00	-14.70	3	Horizontal	123	1.50
5290MHz	Pass	PK	5.295G	99.07	Inf	-Inf	3	Horizontal	123	1.50
5290MHz	Pass	PK	5.37G	60.90	74.00	-13.10	3	Horizontal	123	1.50
5290MHz	Pass	PK	5.501G	59.81	68.20	-8.39	3	Horizontal	123	1.50
5290MHz	Pass	AV	10.61504G	41.68	54.00	-12.32	3	Vertical	195	2.96
5290MHz	Pass	AV	15.90744G	43.60	54.00	-10.40	3	Vertical	118	1.50
5290MHz	Pass	PK	10.58048G	53.15	68.20	-15.05	3	Vertical	195	2.96
5290MHz	Pass	PK	15.85624G	54.45	74.00	-19.55	3	Vertical	118	1.50
5290MHz	Pass	AV	10.61776G	41.73	54.00	-12.27	3	Horizontal	275	1.50
5290MHz	Pass	AV	15.89288G	43.55	54.00	-10.45	3	Horizontal	108	2.23
5290MHz	Pass	PK	10.5696G	52.78	68.20	-15.42	3	Horizontal	275	1.50
5290MHz	Pass	PK	15.87768G	54.84	74.00	-19.16	3	Horizontal	108	2.23
5530MHz	Pass	AV	5.35G	47.06	54.00	-6.94	3	Vertical	187	1.01
5530MHz	Pass	AV	5.447G	52.22	54.00	-1.78	3	Vertical	187	1.01
5530MHz	Pass	AV	5.532G	98.96	Inf	-Inf	3	Vertical	187	1.01
5530MHz	Pass	PK	5.287G	59.54	68.20	-8.66	3	Vertical	187	1.01
5530MHz	Pass	PK	5.442G	66.55	74.00	-7.45	3	Vertical	187	1.01
5530MHz	Pass	PK	5.462G	65.55	68.20	-2.65	3	Vertical	187	1.01
5530MHz	Pass	PK	5.536G	109.51	Inf	-Inf	3	Vertical	187	1.01
5530MHz	Pass	PK	5.753G	60.60	68.20	-7.60	3	Vertical	187	1.01
5530MHz	Pass	AV	5.35G	46.91	54.00	-7.09	3	Horizontal	115	2.88
5530MHz	Pass	AV	5.445G	48.88	54.00	-5.12	3	Horizontal	115	2.88
5530MHz	Pass	AV	5.529G	91.93	Inf	-Inf	3	Horizontal	115	2.88
5530MHz	Pass	PK	5.317G	59.47	68.20	-8.73	3	Horizontal	115	2.88

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.445G	61.45	74.00	-12.55	3	Horizontal	115	2.88
5530MHz	Pass	PK	5.468G	60.58	68.20	-7.62	3	Horizontal	115	2.88
5530MHz	Pass	PK	5.519G	101.93	Inf	-Inf	3	Horizontal	115	2.88
5530MHz	Pass	PK	5.746G	60.24	68.20	-7.96	3	Horizontal	115	2.88
5530MHz	Pass	AV	11.07392G	41.21	54.00	-12.79	3	Vertical	83	2.83
5530MHz	Pass	PK	11.03056G	52.54	74.00	-21.46	3	Vertical	83	2.83
5530MHz	Pass	PK	16.60296G	54.69	68.20	-13.51	3	Vertical	7	1.50
5530MHz	Pass	AV	11.06928G	41.26	54.00	-12.74	3	Horizontal	0	1.65
5530MHz	Pass	PK	11.09856G	53.71	74.00	-20.29	3	Horizontal	0	1.65
5530MHz	Pass	PK	16.58552G	54.98	68.20	-13.22	3	Horizontal	0	2.38
5775MHz	Pass	AV	5.7786G	99.91	Inf	-Inf	3	Vertical	189	1.02
5775MHz	Pass	PK	5.6346G	60.41	68.20	-7.79	3	Vertical	189	1.02
5775MHz	Pass	PK	5.7738G	110.72	Inf	-Inf	3	Vertical	189	1.02
5775MHz	Pass	PK	6.0654G	61.86	68.20	-6.34	3	Vertical	189	1.02
5775MHz	Pass	AV	5.7726G	92.18	Inf	-Inf	3	Horizontal	122	1.29
5775MHz	Pass	PK	5.493G	60.08	68.20	-8.12	3	Horizontal	122	1.29
5775MHz	Pass	PK	5.7726G	102.98	Inf	-Inf	3	Horizontal	122	1.29
5775MHz	Pass	PK	5.9718G	61.86	68.20	-6.34	3	Horizontal	122	1.29
5775MHz	Pass	AV	11.55108G	44.26	54.00	-9.74	3	Vertical	245	2.94
5775MHz	Pass	PK	11.55708G	55.96	74.00	-18.04	3	Vertical	245	2.94
5775MHz	Pass	PK	17.32648G	57.92	68.20	-10.28	3	Vertical	100	2.20
5775MHz	Pass	AV	11.54744G	43.17	54.00	-10.83	3	Horizontal	238	2.76
5775MHz	Pass	PK	11.55404G	54.47	74.00	-19.53	3	Horizontal	238	2.76
5775MHz	Pass	PK	17.3266G	56.81	68.20	-11.39	3	Horizontal	338	2.24
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.118G	53.33	54.00	-0.67	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2512G	93.87	Inf	-Inf	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3712G	53.83	54.00	-0.17	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1036G	69.10	74.00	-4.90	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2572G	105.17	Inf	-Inf	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3856G	66.09	74.00	-7.91	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	60.98	68.20	-7.22	3	Vertical	188	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0952G	48.52	54.00	-5.48	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.244G	85.57	Inf	-Inf	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	47.83	54.00	-6.17	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1144G	61.67	74.00	-12.33	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2392G	96.73	Inf	-Inf	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3796G	59.40	74.00	-14.60	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4984G	59.48	68.20	-8.72	3	Horizontal	147	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74004G	43.33	54.00	-10.67	3	Vertical	23	1.92
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50556G	53.90	68.20	-14.30	3	Vertical	16	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75328G	55.97	74.00	-18.03	3	Vertical	23	1.92
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74496G	43.34	54.00	-10.66	3	Horizontal	356	2.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50836G	53.91	68.20	-14.29	3	Horizontal	247	2.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75288G	56.46	74.00	-17.54	3	Horizontal	356	2.42


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	53.11	54.00	-0.89	6.38	3	Vertical	158	1.50	46.73	33.36	8.09	35.07
AV	5.211G	97.27	Inf	-Inf	6.43	3	Vertical	158	1.50	90.84	33.38	8.12	35.07
AV	5.46G	47.54	54.00	-6.46	6.41	3	Vertical	158	1.50	41.13	33.20	8.29	35.08
PK	5.15G	69.80	74.00	-4.20	6.42	3	Vertical	158	1.50	63.38	33.40	8.09	35.07
PK	5.207G	107.79	Inf	-Inf	6.44	3	Vertical	158	1.50	101.35	33.39	8.12	35.07
PK	5.43G	60.32	74.00	-13.68	6.33	3	Vertical	158	1.50	53.99	33.16	8.25	35.08

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	48.57	54.00	-5.43	6.40	3	Horizontal	148	1.50	42.17	33.38	8.09	35.07
AV	5.211G	89.24	Inf	-Inf	6.43	3	Horizontal	148	1.50	82.81	33.38	8.12	35.07
AV	5.459G	47.61	54.00	-6.39	6.40	3	Horizontal	148	1.50	41.21	33.20	8.28	35.08
PK	5.136G	66.60	74.00	-7.40	6.39	3	Horizontal	148	1.50	60.21	33.37	8.09	35.07
PK	5.217G	99.58	Inf	-Inf	6.43	3	Horizontal	148	1.50	93.15	33.37	8.13	35.07
PK	5.448G	60.08	74.00	-13.92	6.39	3	Horizontal	148	1.50	53.69	33.20	8.27	35.08


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.07	54.00	-5.93	6.40	3	Vertical	195	1.00	41.67	33.20	8.28	35.08
AV	5.4992G	102.78	Inf	-Inf	6.45	3	Vertical	195	1.00	96.33	33.20	8.33	35.08
PK	5.4582G	64.65	74.00	-9.35	6.40	3	Vertical	195	1.00	58.25	33.20	8.28	35.08
PK	5.4692G	68.00	68.20	-0.20	6.42	3	Vertical	195	1.00	61.58	33.20	8.30	35.08
PK	5.4988G	110.70	Inf	-Inf	6.45	3	Vertical	195	1.00	104.25	33.20	8.33	35.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	47.26	54.00	-6.74	6.40	3	Horizontal	160	1.48	40.86	33.20	8.28	35.08
AV	5.4992G	93.89	Inf	-Inf	6.45	3	Horizontal	160	1.48	87.44	33.20	8.33	35.08
PK	5.4552G	59.98	74.00	-14.02	6.40	3	Horizontal	160	1.48	53.58	33.20	8.28	35.08
PK	5.4604G	61.03	68.20	-7.17	6.41	3	Horizontal	160	1.48	54.62	33.20	8.29	35.08
PK	5.4988G	101.82	Inf	-Inf	6.45	3	Horizontal	160	1.48	95.37	33.20	8.33	35.08


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.86	54.00	-6.14	6.40	3	Vertical	187	1.08	41.46	33.20	8.28	35.08
AV	5.4992G	106.72	Inf	-Inf	6.45	3	Vertical	187	1.08	100.27	33.20	8.33	35.08
PK	5.4594G	61.07	74.00	-12.93	6.40	3	Vertical	187	1.08	54.67	33.20	8.28	35.08
PK	5.4694G	66.04	68.20	-2.16	6.42	3	Vertical	187	1.08	59.62	33.20	8.30	35.08
PK	5.4986G	118.26	Inf	-Inf	6.45	3	Vertical	187	1.08	111.81	33.20	8.33	35.08

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.34	54.00	-6.66	6.41	3	Horizontal	118	2.93	40.93	33.20	8.29	35.08
AV	5.4996G	96.56	Inf	-Inf	6.45	3	Horizontal	118	2.93	90.11	33.20	8.33	35.08
PK	5.4514G	59.79	74.00	-14.21	6.39	3	Horizontal	118	2.93	53.40	33.20	8.27	35.08
PK	5.4684G	59.37	68.20	-8.83	6.42	3	Horizontal	118	2.93	52.95	33.20	8.30	35.08
PK	5.499G	107.69	Inf	-Inf	6.45	3	Horizontal	118	2.93	101.24	33.20	8.33	35.08


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.30	54.00	-5.70	6.40	3	Vertical	188	1.00	41.90	33.20	8.28	35.08
AV	5.5116G	102.01	Inf	-Inf	6.49	3	Vertical	188	1.00	95.52	33.22	8.35	35.08
PK	5.4556G	64.20	74.00	-9.80	6.40	3	Vertical	188	1.00	57.80	33.20	8.28	35.08
PK	5.4664G	68.18	68.20	-0.02	6.41	3	Vertical	188	1.00	61.77	33.20	8.29	35.08
PK	5.512G	112.91	Inf	-Inf	6.49	3	Vertical	188	1.00	106.42	33.22	8.35	35.08

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.50	54.00	-6.50	6.40	3	Horizontal	142	1.49	41.10	33.20	8.28	35.08
AV	5.5092G	90.76	Inf	-Inf	6.49	3	Horizontal	142	1.49	84.27	33.22	8.35	35.08
PK	5.444G	59.66	74.00	-14.34	6.38	3	Horizontal	142	1.49	53.28	33.19	8.27	35.08
PK	5.4644G	59.39	68.20	-8.81	6.41	3	Horizontal	142	1.49	52.98	33.20	8.29	35.08
PK	5.5096G	101.66	Inf	-Inf	6.49	3	Horizontal	142	1.49	95.17	33.22	8.35	35.08


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.06	54.00	-6.94	6.11	3	Vertical	187	1.01	40.95	33.00	8.19	35.08
AV	5.447G	52.22	54.00	-1.78	6.38	3	Vertical	187	1.01	45.84	33.19	8.27	35.08
AV	5.532G	98.96	Inf	-Inf	6.56	3	Vertical	187	1.01	92.40	33.26	8.37	35.07
PK	5.287G	59.54	68.20	-8.66	6.23	3	Vertical	187	1.01	53.31	33.15	8.16	35.08
PK	5.442G	66.55	74.00	-7.45	6.36	3	Vertical	187	1.01	60.19	33.18	8.26	35.08
PK	5.462G	65.55	68.20	-2.65	6.41	3	Vertical	187	1.01	59.14	33.20	8.29	35.08
PK	5.536G	109.51	Inf	-Inf	6.58	3	Vertical	187	1.01	102.93	33.27	8.38	35.07
PK	5.753G	60.60	68.20	-7.60	7.63	3	Vertical	187	1.01	52.97	34.02	8.61	35.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.91	54.00	-7.09	6.11	3	Horizontal	115	2.88	40.80	33.00	8.19	35.08
AV	5.445G	48.88	54.00	-5.12	6.38	3	Horizontal	115	2.88	42.50	33.19	8.27	35.08
AV	5.529G	91.93	Inf	-Inf	6.56	3	Horizontal	115	2.88	85.37	33.26	8.37	35.07
PK	5.317G	59.47	68.20	-8.73	6.16	3	Horizontal	115	2.88	53.31	33.07	8.17	35.08
PK	5.445G	61.45	74.00	-12.55	6.38	3	Horizontal	115	2.88	55.07	33.19	8.27	35.08
PK	5.468G	60.58	68.20	-7.62	6.42	3	Horizontal	115	2.88	54.16	33.20	8.30	35.08
PK	5.519G	101.93	Inf	-Inf	6.53	3	Horizontal	115	2.88	95.40	33.24	8.36	35.07
PK	5.746G	60.24	68.20	-7.96	7.58	3	Horizontal	115	2.88	52.66	33.98	8.61	35.01


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	48.03	54.00	-5.97	6.40	3	Vertical	197	1.01	41.63	33.20	8.28	35.08
AV	5.7462G	101.88	Inf	-Inf	7.58	3	Vertical	197	1.01	94.30	33.98	8.61	35.01
PK	5.6058G	59.63	68.20	-8.57	6.74	3	Vertical	197	1.01	52.89	33.32	8.47	35.05
PK	5.7462G	109.55	Inf	-Inf	7.58	3	Vertical	197	1.01	101.97	33.98	8.61	35.01
PK	6.0366G	61.33	68.20	-6.87	8.11	3	Vertical	197	1.01	53.22	34.30	8.76	34.95

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.04	54.00	-5.96	6.40	3	Horizontal	150	1.82	41.64	33.20	8.28	35.08
AV	5.7462G	94.13	Inf	-Inf	7.58	3	Horizontal	150	1.82	86.55	33.98	8.61	35.01
PK	5.643G	59.84	68.20	-8.36	6.93	3	Horizontal	150	1.82	52.91	33.47	8.50	35.04
PK	5.7462G	101.78	Inf	-Inf	7.58	3	Horizontal	150	1.82	94.20	33.98	8.61	35.01
PK	5.9358G	60.95	68.20	-7.25	8.19	3	Horizontal	150	1.82	52.76	34.43	8.71	34.95


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	47.91	54.00	-6.09	6.40	3	Vertical	189	1.18	41.51	33.20	8.28	35.08
AV	5.7562G	102.49	Inf	-Inf	7.66	3	Vertical	189	1.18	94.83	34.04	8.62	35.00
PK	5.6266G	60.46	68.20	-7.74	6.86	3	Vertical	189	1.18	53.60	33.41	8.49	35.04
PK	5.7574G	112.25	Inf	-Inf	7.66	3	Vertical	189	1.18	104.59	34.04	8.62	35.00
PK	5.9518G	61.68	68.20	-6.52	8.17	3	Vertical	189	1.18	53.51	34.40	8.71	34.94

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.95	54.00	-6.05	6.40	3	Horizontal	121	1.50	41.55	33.20	8.28	35.08
AV	5.7538G	94.31	Inf	-Inf	7.63	3	Horizontal	121	1.50	86.68	34.02	8.61	35.00
PK	5.5018G	61.09	68.20	-7.11	6.46	3	Horizontal	121	1.50	54.63	33.20	8.34	35.08
PK	5.749G	104.76	Inf	-Inf	7.59	3	Horizontal	121	1.50	97.17	33.99	8.61	35.01
PK	6.049G	62.13	68.20	-6.07	8.11	3	Horizontal	121	1.50	54.02	34.30	8.77	34.96


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX

