


Adress: 14050 Laurelwood Pl., Chino, California, USA, 91710



| Frequency ID               | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9      | 10     | 11     |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| Frequency (MHz)            | 2400  | 2410  | 2420  | 2430  | 2440  | 2450  | 2460  | 2470   | 2480   | 2490   | 2500   |
| Efficiency (dBi)           | -3.64 | -3.70 | -3.63 | -3.51 | -3.43 | -3.53 | -3.42 | -3.77  | -3.98  | -4.02  | -3.89  |
| Gain (dBi)                 | 1.25  | 1.19  | 1.11  | 1.02  | 1.04  | 1.02  | 1.25  | 1.14   | 1.02   | 1.04   | 1.16   |
| Efficiency (%)             | 43.24 | 42.63 | 43.39 | 44.52 | 45.44 | 44.37 | 45.53 | 41.95  | 39.95  | 39.67  | 40.86  |
| Directivity (dB)           | 4.89  | 4.90  | 4.73  | 4.53  | 4.47  | 4.55  | 4.66  | 4.92   | 5.00   | 5.05   | 5.05   |
| Peak Gain Position (Theta) | 89.00 | 89.00 | 90.00 | 90.00 | 91.00 | 92.00 | 92.00 | 47.00  | 47.00  | 47.00  | 48.00  |
| Peak Gain Position (Phi)   | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 270.00 | 270.00 | 270.00 | 270.00 |
| Efficiency ThetaPol (%)    | 21.73 | 20.90 | 21.11 | 21.60 | 22.35 | 22.13 | 22.95 | 21.48  | 20.68  | 20.73  | 21.41  |
| Efficiency PhiPol (%)      | 21.51 | 21.73 | 22.28 | 22.91 | 23.09 | 22.24 | 22.58 | 20.47  | 19.27  | 18.94  | 19.45  |
| Upper Hem. Efficiency (%)  | 22.87 | 22.83 | 23.30 | 23.85 | 24.40 | 24.19 | 25.30 | 23.58  | 22.53  | 22.34  | 22.84  |
| Lower Hem. Efficiency (%)  | 20.37 | 19.80 | 20.09 | 20.66 | 21.04 | 20.19 | 20.23 | 18.37  | 17.43  | 17.33  | 18.02  |

