



| Condition | Mode      | Frequency (MHz) | Antenna | Max Value (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | a         | 5745            | Ant1    | -34.25          | ----        | Pass    |
| NVNT      | a         | 5825            | Ant1    | -43.88          | ----        | Pass    |
| NVNT      | ac(VHT20) | 5745            | Ant1    | -35.12          | ----        | Pass    |
| NVNT      | ac(VHT20) | 5825            | Ant1    | -41.9           | ----        | Pass    |
| NVNT      | ac(VHT40) | 5755            | Ant1    | -34.92          | ----        | Pass    |
| NVNT      | ac(VHT40) | 5795            | Ant1    | -48.32          | ----        | Pass    |
| NVNT      | ac(VHT80) | 5775            | Ant1    | -34.54          | ----        | Pass    |
| NVNT      | n(HT20)   | 5745            | Ant1    | -36.91          | ----        | Pass    |
| NVNT      | n(HT20)   | 5825            | Ant1    | -42.82          | ----        | Pass    |
| NVNT      | n(HT40)   | 5755            | Ant1    | -32.91          | ----        | Pass    |
| NVNT      | n(HT40)   | 5795            | Ant1    | -47.01          | ----        | Pass    |

## Test Graphs


### Band Edge NVNT a 5745MHz Low Ant1




### Band Edge NVNT a 5825MHz High Ant1



## Band Edge NVNT ac(VHT20) 5745MHz Low Ant1



## Band Edge NVNT ac(VHT20) 5825MHz High Ant1




## Band Edge NVNT ac(VHT40) 5755MHz Low Ant1




## Band Edge NVNT ac(VHT40) 5795MHz High Ant1




## Band Edge NVNT ac(VHT80) 5775MHz Low Ant1



## Band Edge NVNT n(HT20) 5745MHz Low Ant1



## Band Edge NVNT n(HT20) 5825MHz High Ant1



## Band Edge NVNT n(HT40) 5755MHz Low Ant1



## Band Edge NVNT n(HT40) 5795MHz High Ant1




## 7. Conducted Spurious Emission


### 7.1. Test Result

| TestMode   | Antenna | Channel | FreqRange<br>[MHz] | Max. Fre<br>[MHz] | Max. Level<br>[dBm] | Limit<br>[dBm] | Verdict |
|------------|---------|---------|--------------------|-------------------|---------------------|----------------|---------|
| 11A        | Ant1    | 5180    | 30~1000            | 966.33            | -46.85              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39945.4           | -34.04              | ≤-27           | PASS    |
|            |         | 5200    | 30~1000            | 999.63            | -48.32              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39963.6           | -34.09              | ≤-27           | PASS    |
|            |         | 5240    | 30~1000            | 861.7             | -48.23              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39967.5           | -33.04              | ≤-27           | PASS    |
|            |         | 5745    | 30~1000            | 861.34            | -48.73              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39924.6           | -33.16              | ≤-27           | PASS    |
|            |         | 5785    | 30~1000            | 708.54            | -45.54              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 5869.8            | -33.62              | ≤-27           | PASS    |
| 11N20SISO  | Ant1    | 5180    | 30~1000            | 511.48            | -48.13              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39987             | -33.11              | ≤-27           | PASS    |
|            |         | 5200    | 30~1000            | 997.95            | -47.06              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39961             | -34.63              | ≤-27           | PASS    |
|            |         | 5240    | 30~1000            | 885.98            | -48.17              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39446.2           | -34.1               | ≤-27           | PASS    |
|            |         | 5745    | 30~1000            | 888.11            | -48.23              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 5862              | -29.82              | ≤-27           | PASS    |
|            |         | 5785    | 30~1000            | 511.64            | -48.45              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 5865.9            | -29.18              | ≤-27           | PASS    |
| 11N40SISO  | Ant1    | 5190    | 30~1000            | 985.11            | -47.12              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39984.4           | -33.42              | ≤-27           | PASS    |
|            |         | 5230    | 30~1000            | 893.16            | -48.09              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39672.4           | -33.94              | ≤-27           | PASS    |
|            |         | 5755    | 30~1000            | 890.96            | -48.07              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39962.3           | -33.56              | ≤-27           | PASS    |
|            |         | 5795    | 30~1000            | 864.12            | -49.1               | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 5936.1            | -32.26              | ≤-27           | PASS    |
| 11AC20SISO | Ant1    | 5180    | 30~1000            | 969.04            | -47.62              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39998.7           | -33.09              | ≤-27           | PASS    |
|            |         | 5200    | 30~1000            | 994.88            | -49.03              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39568.4           | -35.08              | ≤-27           | PASS    |
|            |         | 5240    | 30~1000            | 715.88            | -49.02              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 39970.1           | -34.33              | ≤-27           | PASS    |
|            |         | 5745    | 30~1000            | 930.34            | -47.57              | ≤-27           | PASS    |
|            |         |         | 1000~40000         | 5834.7            | -32.83              | ≤-27           | PASS    |


|            |      |      |            |         |        |            |      |
|------------|------|------|------------|---------|--------|------------|------|
|            |      | 5785 | 30~1000    | 863.28  | -48.18 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39988.3 | -33.29 | $\leq -27$ | PASS |
|            |      | 5825 | 30~1000    | 705.66  | -48.71 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 5906.2  | -31.88 | $\leq -27$ | PASS |
| 11AC40SISO | Ant1 | 5190 | 30~1000    | 705.44  | -49.13 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39950.6 | -34.27 | $\leq -27$ | PASS |
|            |      | 5230 | 30~1000    | 863.8   | -47.03 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39719.2 | -34.44 | $\leq -27$ | PASS |
|            |      | 5755 | 30~1000    | 706.15  | -46.87 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39996.1 | -33.74 | $\leq -27$ | PASS |
|            |      | 5795 | 30~1000    | 888.05  | -47.88 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 5950.4  | -31.88 | $\leq -27$ | PASS |
| 11AC80SISO | Ant1 | 5210 | 30~1000    | 961.44  | -48.67 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39941.5 | -34.46 | $\leq -27$ | PASS |
|            |      | 5775 | 30~1000    | 577.24  | -48.41 | $\leq -27$ | PASS |
|            |      |      | 1000~40000 | 39487.8 | -33.47 | $\leq -27$ | PASS |

## 7.2. Test Graphs







11A\_Ant1\_5200\_1000~40000




11A\_Ant1\_5240\_30~1000




11A\_Ant1\_5240\_1000~40000




11A\_Ant1\_5745\_30~1000




11A\_Ant1\_5745\_1000~40000




11A\_Ant1\_5785\_30~1000




11A\_Ant1\_5785\_1000~40000




11A\_Ant1\_5825\_30~1000




11A\_Ant1\_5825\_1000~40000




11N20SISO\_Ant1\_5180\_30~1000




11N20SISO\_Ant1\_5180\_1000~40000




11N20SISO\_Ant1\_5200\_30~1000




11N20SISO\_Ant1\_5200\_1000~40000




11N20SISO\_Ant1\_5240\_30~1000




11N20SISO\_Ant1\_5240\_1000~40000




11N20SISO\_Ant1\_5745\_30~1000




11N20SISO\_Ant1\_5745\_1000~40000




11N20SISO\_Ant1\_5785\_30~1000




11N20SISO\_Ant1\_5785\_1000~40000




11N20SISO\_Ant1\_5825\_30~1000




11N20SISO\_Ant1\_5825\_1000~40000




11N40SISO\_Ant1\_5190\_30~1000




11N40SISO\_Ant1\_5190\_1000~40000




11N40SISO\_Ant1\_5230\_30~1000




11N40SISO\_Ant1\_5230\_1000~40000




11N40SISO\_Ant1\_5755\_30~1000




11N40SISO\_Ant1\_5755\_1000~40000




11N40SISO\_Ant1\_5795\_30~1000




11N40SISO\_Ant1\_5795\_1000~40000




11AC20SISO\_Ant1\_5180\_30~1000




11AC20SISO\_Ant1\_5180\_1000~40000




11AC20SISO\_Ant1\_5200\_30~1000




11AC20SISO\_Ant1\_5200\_1000~40000




11AC20SISO\_Ant1\_5240\_30~1000




11AC20SISO\_Ant1\_5240\_1000~40000




11AC20SISO\_Ant1\_5745\_30~1000




11AC20SISO\_Ant1\_5745\_1000~40000




11AC20SISO\_Ant1\_5785\_30~1000




11AC20SISO\_Ant1\_5785\_1000~40000




11AC20SISO\_Ant1\_5825\_30~1000




11AC20SISO\_Ant1\_5825\_1000~40000




11AC40SISO\_Ant1\_5190\_30~1000




11AC40SISO\_Ant1\_5190\_1000~40000




11AC40SISO\_Ant1\_5230\_30~1000




11AC40SISO\_Ant1\_5230\_1000~40000




11AC40SISO\_Ant1\_5755\_30~1000




11AC40SISO\_Ant1\_5755\_1000~40000




11AC40SISO\_Ant1\_5795\_30~1000




11AC40SISO\_Ant1\_5795\_1000~40000




11AC80SISO\_Ant1\_5210\_30~1000



11AC80SISO\_Ant1\_5210\_1000~40000



11AC80SISO\_Ant1\_5775\_30~1000



11AC80SISO\_Ant1\_5775\_1000~40000

## 8. Frequency Stability

### 8.1. Test Result

| Voltage    |         |         |               |                  |                |                 |             |         |
|------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| TestMode   | Antenna | Channel | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A        | Ant1    | 5180    | NV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | LV            | NT               | 40000          | 7.722008        | 20          | PASS    |
|            |         |         | HV            | NT               | 0              | 0               | 20          | PASS    |
|            |         | 5745    | NV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | LV            | NT               | 20000          | 3.481288        | 20          | PASS    |
|            |         |         | HV            | NT               | 0              | 0               | 20          | PASS    |
| 11N40SISO  | Ant1    | 5190    | NV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | LV            | NT               | 40000          | 7.707129        | 20          | PASS    |
|            |         |         | HV            | NT               | 0              | 0               | 20          | PASS    |
|            |         | 5755    | NV            | NT               | 40000          | 6.950478        | 20          | PASS    |
|            |         |         | LV            | NT               | 40000          | 6.950478        | 20          | PASS    |
|            |         |         | HV            | NT               | 40000          | 6.950478        | 20          | PASS    |
| 11AC80SISO | Ant1    | 5210    | NV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | LV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | HV            | NT               | 0              | 0               | 20          | PASS    |
|            |         | 5775    | NV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | LV            | NT               | 0              | 0               | 20          | PASS    |
|            |         |         | HV            | NT               | 0              | 0               | 20          | PASS    |

| Temperature |         |         |               |                  |                |                 |             |         |
|-------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| TestMode    | Antenna | Channel | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A         | Ant1    | 5180    | NV            | -30              | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | -20              | 0              | 0               | 20          | PASS    |
|             |         |         | NV            | -10              | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 0                | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 10               | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 20               | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 30               | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 40               | 20000          | 3.861004        | 20          | PASS    |
|             |         |         | NV            | 50               | 20000          | 3.861004        | 20          | PASS    |
|             |         | 5745    | NV            | -30              | 20000          | 3.481288        | 20          | PASS    |
|             |         |         | NV            | -20              | 0              | 0               | 20          | PASS    |
|             |         |         | NV            | -10              | 20000          | 3.481288        | 20          | PASS    |
|             |         |         | NV            | 0                | 20000          | 3.481288        | 20          | PASS    |
|             |         |         | NV            | 10               | 0              | 0               | 20          | PASS    |
|             |         |         | NV            | 20               | 20000          | 3.481288        | 20          | PASS    |
|             |         |         | NV            | 30               | 0              | 0               | 20          | PASS    |
|             |         |         | NV            | 40               | 20000          | 3.481288        | 20          | PASS    |


|                |      |      |    |     |       |          |    |      |
|----------------|------|------|----|-----|-------|----------|----|------|
| 11N40SISO      | Ant1 | 5190 | NV | 50  | 0     | 0        | 20 | PASS |
|                |      |      | NV | -30 | 0     | 0        | 20 | PASS |
|                |      |      | NV | -20 | 0     | 0        | 20 | PASS |
|                |      |      | NV | -10 | 40000 | 7.707129 | 20 | PASS |
|                |      |      | NV | 0   | 0     | 0        | 20 | PASS |
|                |      |      | NV | 10  | 40000 | 7.707129 | 20 | PASS |
|                |      |      | NV | 20  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 30  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 40  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 50  | 0     | 0        | 20 | PASS |
|                |      | 5755 | NV | -30 | 0     | 0        | 20 | PASS |
|                |      |      | NV | -20 | 40000 | 6.950478 | 20 | PASS |
|                |      |      | NV | -10 | 40000 | 6.950478 | 20 | PASS |
|                |      |      | NV | 0   | 40000 | 6.950478 | 20 | PASS |
|                |      |      | NV | 10  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 20  | 40000 | 6.950478 | 20 | PASS |
|                |      |      | NV | 30  | 40000 | 6.950478 | 20 | PASS |
|                |      |      | NV | 40  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 50  | 0     | 0        | 20 | PASS |
| 11AC80SIS<br>O | Ant1 | 5210 | NV | -30 | 0     | 0        | 20 | PASS |
|                |      |      | NV | -20 | 0     | 0        | 20 | PASS |
|                |      |      | NV | -10 | 0     | 0        | 20 | PASS |
|                |      |      | NV | 0   | 0     | 0        | 20 | PASS |
|                |      |      | NV | 10  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 20  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 30  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 40  | 0     | 0        | 20 | PASS |
|                |      |      | NV | 50  | 0     | 0        | 20 | PASS |
|                |      | 5775 | NV | -30 | 0     | 0        | 20 | PASS |

## 9. Duty Cycle


### 9.1. Test Result

| TestMode   | Antenna | Channel | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | 1/T [KHz] | Limit | Verdict |
|------------|---------|---------|----------------------------|--------------------------|----------------|-----------|-------|---------|
| 11A        | Ant1    | 5180    | 2.05                       | 2.08                     | 98.56          | 0.488     | ---   | PASS    |
|            |         | 5200    | 2.05                       | 2.07                     | 99.03          | 0.488     | ---   | PASS    |
|            |         | 5240    | 2.05                       | 2.07                     | 99.03          | 0.488     | ---   | PASS    |
|            |         | 5745    | 2.05                       | 2.08                     | 98.56          | 0.488     | ---   | PASS    |
|            |         | 5785    | 2.05                       | 2.07                     | 99.03          | 0.488     | ---   | PASS    |
|            |         | 5825    | 2.05                       | 2.07                     | 99.03          | 0.488     | ---   | PASS    |
| 11N20SISO  | Ant1    | 5180    | 1.90                       | 1.93                     | 98.45          | 0.526     | ---   | PASS    |
|            |         | 5200    | 1.91                       | 1.93                     | 98.96          | 0.524     | ---   | PASS    |
|            |         | 5240    | 1.91                       | 1.93                     | 98.96          | 0.524     | ---   | PASS    |
|            |         | 5745    | 1.91                       | 1.93                     | 98.96          | 0.524     | ---   | PASS    |
|            |         | 5785    | 1.91                       | 1.93                     | 98.96          | 0.524     | ---   | PASS    |
|            |         | 5825    | 1.90                       | 1.93                     | 98.45          | 0.526     | ---   | PASS    |
| 11N40SISO  | Ant1    | 5190    | 0.94                       | 0.96                     | 97.92          | 1.064     | ---   | PASS    |
|            |         | 5230    | 0.93                       | 0.96                     | 96.88          | 1.075     | ---   | PASS    |
|            |         | 5755    | 0.94                       | 0.96                     | 97.92          | 1.064     | ---   | PASS    |
|            |         | 5795    | 0.94                       | 0.96                     | 97.92          | 1.064     | ---   | PASS    |
| 11AC20SISO | Ant1    | 5180    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
|            |         | 5200    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
|            |         | 5240    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
|            |         | 5745    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
|            |         | 5785    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
|            |         | 5825    | 1.92                       | 1.94                     | 98.97          | 0.521     | ---   | PASS    |
| 11AC40SISO | Ant1    | 5190    | 0.94                       | 0.97                     | 96.91          | 1.064     | ---   | PASS    |
|            |         | 5230    | 0.95                       | 0.97                     | 97.94          | 1.053     | ---   | PASS    |
|            |         | 5755    | 0.95                       | 0.97                     | 97.94          | 1.053     | ---   | PASS    |
|            |         | 5795    | 0.95                       | 0.99                     | 95.96          | 1.053     | ---   | PASS    |
| 11AC80SISO | Ant1    | 5210    | 0.45                       | 0.47                     | 95.74          | 2.222     | ---   | PASS    |
|            |         | 5775    | 0.46                       | 0.50                     | 92.00          | 2.174     | ---   | PASS    |


## 10.2.Test Graphs




11A\_Ant1\_5180




11A\_Ant1\_5200




11A\_Ant1\_5240




11A\_Ant1\_5745




11A\_Ant1\_5785




11A\_Ant1\_5825




## 11N20SISO\_Ant1\_5180




## 11N20SISO\_Ant1\_5200




## 11N20SISO\_Ant1\_5240




11N20SISO\_Ant1\_5745




11N20SISO\_Ant1\_5785




11N20SISO\_Ant1\_5825




11N40SISO\_Ant1\_5190




11N40SISO\_Ant1\_5230




11N40SISO\_Ant1\_5755




## 11N40SISO\_Ant1\_5795




## 11AC20SISO\_Ant1\_5180




## 11AC20SISO\_Ant1\_5200




11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785




## 11AC20SISO\_Ant1\_5825




## 11AC40SISO\_Ant1\_5190




## 11AC40SISO\_Ant1\_5230




11AC40SISO\_Ant1\_5755



11AC40SISO\_Ant1\_5795



11AC80SISO\_Ant1\_5210



11AC80SISO\_Ant1\_5775

-----End of the report-----