








Out Of Band Emission
IEEE 802.11ac_Channel 159_40MHz_Antenna 0

Spurious Emission:30.0~5650 MHz
IEEE 802.11ac_Channel 159_40MHz_Antenna 0



Spurious Emission:5925~25000.0 MHz
IEEE 802.11ac_Channel 159_40MHz_Antenna 0

Out Of Band Emission
IEEE 802.11ac_Channel 155_80MHz_Antenna 0



Spurious Emission:30.0~5650 MHz
IEEE 802.11ac_Channel 155_80MHz_Antenna 0


Spurious Emission:5925~25000.0 MHz
IEEE 802.11ac_Channel 155_80MHz_Antenna 0


APPENDIX VII.Duty Cycle

Test Result


Mode	Data rates	Channel	On Time (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle (linear)	Duty Cycle Factor (dB)
IEEE 802.11a	54	36	0.179	0.221	80.65	0.8065	0.934
		40	0.179	0.221	80.65	0.8065	0.934
		44	0.179	0.221	80.95	0.8095	0.9178
IEEE 802.11n_20	MCS 7	36	0.167	0.209	79.56	0.7956	0.9931
		40	0.167	0.209	79.56	0.7956	0.9931
		44	0.167	0.209	79.81	0.7981	0.9794
IEEE 802.11n_40	MCS 7	38	0.102	0.145	70.30	0.7030	1.5304
		46	0.102	0.144	70.52	0.7052	1.5169
IEEE 802.11ac_20	MCS 9	36	0.151	0.194	77.89	0.7789	1.0852
		40	0.151	0.193	78.16	0.7816	1.0702
		44	0.151	0.193	78.16	0.7816	1.0702
IEEE 802.11ac_40	MCS 9	38	0.091	0.241	37.70	0.3770	4.2366
		46	0.090	0.133	67.88	0.6788	1.6826
IEEE 802.11ac_80	MCS 9	42	0.067	0.118	56.42	0.5642	2.4857

Test Graphs







IEEE 802.11a_20MHz_Channel 40




IEEE 802.11a_20MHz_Channel 44




IEEE 802.11n_20MHz_Channel 36




IEEE 802.11n_20MHz_Channel 40




IEEE 802.11n_20MHz_Channel 44




IEEE 802.11n_40MHz_Channel 38




IEEE 802.11n_40MHz_Channel 46




IEEE 802.11ac_20MHz_Channel 36




IEEE 802.11ac_20MHz_Channel 40




IEEE 802.11ac_20MHz_Channel 44



IEEE 802.11ac_40MHz_Channel 38




IEEE 802.11ac_40MHz_Channel 46




Test Result

Mode	Data rates	Channel	On Time (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle (linear)	Duty Cycle Factor (dB)
IEEE 802.11a	54	149	0.179	0.221	80.65	0.8065	0.934
		157	0.179	0.221	80.65	0.8065	0.934
		165	0.179	0.221	80.95	0.8095	0.9178
IEEE 802.11n_20	MCS 7	149	0.167	0.209	79.56	0.7956	0.9931
		157	0.167	0.209	79.87	0.7987	0.9762
		165	0.167	0.209	79.56	0.7956	0.9931
IEEE 802.11n_40	MCS 7	151	0.102	0.145	70.30	0.7030	1.5304
		159	0.102	0.144	70.52	0.7052	1.5169
IEEE 802.11ac_20	MCS 9	149	0.151	0.193	78.16	0.7816	1.0702
		157	0.151	0.194	77.89	0.7789	1.0852
		165	0.151	0.193	78.16	0.7816	1.0702
IEEE 802.11ac_40	MCS 9	151	0.090	0.133	67.88	0.6788	1.6826
		159	0.090	0.133	67.88	0.6788	1.6826
IEEE 802.11ac_80	MCS 9	155	0.066	0.118	55.81	0.5581	2.5329


Test Graphs




IEEE 802.11a_20MHz_Channel 149




IEEE 802.11a_20MHz_Channel 157




IEEE 802.11a_20MHz_Channel 165




IEEE 802.11n_20MHz_Channel 149



IEEE 802.11n_20MHz_Channel 157



IEEE 802.11n_20MHz_Channel 165



IEEE 802.11n_40MHz_Channel 151