


Radiated Spurious Emission below 1GHz:

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes, only the worst case lowest channel of DH5 for GFSK was recorded in the report.

Test Graph


Horizontal:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		135.0081	17.75	10.57	28.32	43.50	-15.18	QP	100	131
2		147.0164	19.53	10.29	29.82	43.50	-13.68	QP	100	284
3		199.5302	14.71	12.60	27.31	43.50	-16.19	QP	100	275
4		215.4566	12.83	13.07	25.90	43.50	-17.60	QP	100	86
5	*	323.0936	18.44	17.08	35.52	46.00	-10.48	QP	100	347
6		948.0958	0.71	27.23	27.94	46.00	-18.06	QP	100	6

Remark:

1. $\text{Margin} = \text{Measurement (Level)} - \text{Limit}$.
2. $\text{Measurement (Level)} = \text{Reading Level} + \text{Correct Factor}$.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.



Remark:


- 1. $\text{Margin} = \text{Measurement(Level)} - \text{Limit}$.
- 2. $\text{Measurement(Level)} = \text{Reading Level} + \text{Correct Factor}$.
- 3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

During the test, the Radiated Spurious Emission from above 1GHz was performed in all modes, only the worst case GFSK mode was recorded in the report.

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1293.7529	12.03	37.34	49.37	74.00	24.63	PASS	Horizontal	PK
2	2082.7388	14.97	36.11	51.08	74.00	22.92	PASS	Horizontal	PK
3	2874.2583	17.42	36.62	54.04	74.00	19.96	PASS	Horizontal	PK
4	5005.1337	-8.09	53.46	45.37	74.00	28.63	PASS	Horizontal	PK
5	9471.4314	0.82	50.39	51.21	74.00	22.79	PASS	Horizontal	PK
6	17361.9575	14.02	46.46	60.48	74.00	13.52	PASS	Horizontal	PK
7	2832.3888	17.31	18.55	35.86	54.00	18.14	PASS	Horizontal	AV
8	17853.9903	15.99	32.14	48.13	54.00	5.87	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1272.5515	11.87	36.58	48.45	74.00	25.55	PASS	Vertical	PK
2	1713.1142	14.14	37.25	51.39	74.00	22.61	PASS	Vertical	PK
3	2697.7132	17.10	36.68	53.78	74.00	20.22	PASS	Vertical	PK
4	5651.1767	-6.28	53.32	47.04	74.00	26.96	PASS	Vertical	PK
5	11140.5427	2.05	50.37	52.42	74.00	21.58	PASS	Vertical	PK
6	17860.9907	15.84	45.59	61.43	74.00	12.57	PASS	Vertical	PK
7	16499.9	11.94	36.38	48.32	54.00	5.68	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18562.3825	-26.69	64.70	38.01	74.00	35.99	PASS	Horizontal	PK
2	19337.6135	-25.75	61.91	36.16	74.00	37.84	PASS	Horizontal	PK
3	20683.0473	-25.90	61.22	35.32	74.00	38.68	PASS	Horizontal	PK
4	21837.3935	-25.58	60.96	35.38	74.00	38.62	PASS	Horizontal	PK
5	23104.2842	-24.95	59.18	34.23	74.00	39.77	PASS	Horizontal	PK
6	24776.8111	-21.95	57.55	35.60	74.00	38.40	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18514.1006	-26.69	63.45	36.76	74.00	37.24	PASS	Vertical	PK
2	19886.0554	-24.96	61.36	36.40	74.00	37.60	PASS	Vertical	PK
3	21413.7365	-25.87	61.50	35.63	74.00	38.37	PASS	Vertical	PK
4	22828.8732	-25.14	59.48	34.34	74.00	39.66	PASS	Vertical	PK
5	24870.6548	-22.02	57.36	35.34	74.00	38.66	PASS	Vertical	PK
6	25993.0397	-20.90	57.90	37.00	74.00	37.00	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1535.2357	13.48	35.94	49.42	74.00	24.58	PASS	Horizontal	PK
2	2135.8091	15.34	36.22	51.56	74.00	22.44	PASS	Horizontal	PK
3	2892.6595	17.64	36.24	53.88	74.00	20.12	PASS	Horizontal	PK
4	5871.1914	-5.52	52.41	46.89	74.00	27.11	PASS	Horizontal	PK
5	12393.6262	3.90	51.01	54.91	74.00	19.09	PASS	Horizontal	PK
6	17925.9951	15.65	46.21	61.86	74.00	12.14	PASS	Horizontal	PK
7	12574.6383	4.50	40.68	45.18	54.00	8.82	PASS	Horizontal	AV
8	17909.994	15.21	32.53	47.74	54.00	6.26	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1306.0204	12.14	35.61	47.75	74.00	26.25	PASS	Vertical	PK
2	2039.536	14.72	36.57	51.29	74.00	22.71	PASS	Vertical	PK
3	2956.1304	17.69	36.76	54.45	74.00	19.55	PASS	Vertical	PK
4	6954.2636	-2.93	51.55	48.62	74.00	25.38	PASS	Vertical	PK
5	11857.5905	2.57	52.43	55.00	74.00	19.00	PASS	Vertical	PK
6	17961.9975	16.44	45.08	61.52	74.00	12.48	PASS	Vertical	PK
7	2973.0649	17.92	18.17	36.09	54.00	17.91	PASS	Vertical	AV
8	12567.6378	4.43	40.59	45.02	54.00	8.98	PASS	Vertical	AV
9	16827.9219	12.36	36.00	48.36	54.00	5.64	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18561.7025	-26.69	63.21	36.52	74.00	37.48	PASS	Horizontal	PK
2	20149.226	-25.28	60.32	35.04	74.00	38.96	PASS	Horizontal	PK
3	21746.6099	-25.59	60.96	35.37	74.00	38.63	PASS	Horizontal	PK
4	23210.0284	-24.24	59.09	34.85	74.00	39.15	PASS	Horizontal	PK
5	24367.4347	-21.83	57.19	35.36	74.00	38.64	PASS	Horizontal	PK
6	25634.6654	-20.73	57.41	36.68	74.00	37.32	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18895.9358	-26.28	63.01	36.73	74.00	37.27	PASS	Vertical	PK
2	20353.2341	-25.49	61.00	35.51	74.00	38.49	PASS	Vertical	PK
3	21714.6486	-25.62	61.09	35.47	74.00	38.53	PASS	Vertical	PK
4	23342.2937	-23.76	58.68	34.92	74.00	39.08	PASS	Vertical	PK
5	24668.3467	-21.90	57.88	35.98	74.00	38.02	PASS	Vertical	PK
6	26385.0754	-21.18	57.55	36.37	74.00	37.63	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1347.0898	12.46	37.01	49.47	74.00	24.53	PASS	Horizontal	PK
2	1681.2454	14.02	36.36	50.38	74.00	23.62	PASS	Horizontal	PK
3	2969.3313	17.93	35.94	53.87	74.00	20.13	PASS	Horizontal	PK
4	5511.1674	-6.46	53.17	46.71	74.00	27.29	PASS	Horizontal	PK
5	8710.3807	-0.48	52.47	51.99	74.00	22.01	PASS	Horizontal	PK
6	16509.9007	11.91	48.41	60.32	74.00	13.68	PASS	Horizontal	PK
7	16832.9222	12.57	35.56	48.13	54.00	5.87	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1374.9583	12.73	36.33	49.06	74.00	24.94	PASS	Vertical	PK
2	1908.8606	14.79	36.07	50.86	74.00	23.14	PASS	Vertical	PK
3	2983.1989	17.88	36.52	54.40	74.00	19.60	PASS	Vertical	PK
4	5642.1761	-6.29	52.61	46.32	74.00	27.68	PASS	Vertical	PK
5	11632.5755	2.49	51.29	53.78	74.00	20.22	PASS	Vertical	PK
6	16770.9181	11.65	48.34	59.99	74.00	14.01	PASS	Vertical	PK
7	2983.3322	17.88	18.68	36.56	54.00	17.44	PASS	Vertical	AV
8	16499.9	11.94	36.66	48.60	54.00	5.40	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark:	\	Test_Date	2026/6/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18349.874	-26.77	63.31	36.54	74.00	37.46	PASS	Horizontal	PK
2	19819.7528	-25.17	61.19	36.02	74.00	37.98	PASS	Horizontal	PK
3	20848.2939	-25.73	61.69	35.96	74.00	38.04	PASS	Horizontal	PK
4	22244.3898	-25.33	60.36	35.03	74.00	38.97	PASS	Horizontal	PK
5	23472.8589	-23.38	58.66	35.28	74.00	38.72	PASS	Horizontal	PK
6	24569.4028	-21.84	57.79	35.95	74.00	38.05	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark:	\	Test_Date	2026/6/22

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18352.9341	-26.76	64.12	37.36	74.00	36.64	PASS	Vertical	PK
2	19657.2263	-25.49	61.16	35.67	74.00	38.33	PASS	Vertical	PK
3	20749.69	-25.76	62.19	36.43	74.00	37.57	PASS	Vertical	PK
4	22048.882	-25.71	60.56	34.85	74.00	39.15	PASS	Vertical	PK
5	23818.9928	-22.29	58.26	35.97	74.00	38.03	PASS	Vertical	PK
6	25151.5061	-21.31	57.66	36.35	74.00	37.65	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark:	\	Test_Date	2026/6/22

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.55	51.51	74.00	22.49	PASS	Horizontal	PK
2	2390	15.96	28.21	44.17	54.00	9.83	PASS	Horizontal	AV