


|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2412Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1578.4386   | 13.54       | 35.64          | 49.18          | 74.00          | 24.82       | PASS   | Vertical | PK     |
| 2              | 2134.3423   | 15.34       | 35.35          | 50.69          | 74.00          | 23.31       | PASS   | Vertical | PK     |
| 3              | 2996.7998   | 17.85       | 35.20          | 53.05          | 74.00          | 20.95       | PASS   | Vertical | PK     |
| 4              | 7847.3232   | -1.64       | 52.21          | 50.57          | 74.00          | 23.43       | PASS   | Vertical | PK     |
| 5              | 13102.6735  | 6.19        | 50.42          | 56.61          | 74.00          | 17.39       | PASS   | Vertical | PK     |
| 6              | 17052.9369  | 12.35       | 47.79          | 60.14          | 74.00          | 13.86       | PASS   | Vertical | PK     |
| 7              | 13114.6743  | 6.24        | 39.92          | 46.16          | 54.00          | 7.84        | PASS   | Vertical | AV     |
| 8              | 17050.9367  | 12.31       | 35.46          | 47.77          | 54.00          | 6.23        | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2412Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18440.9976  | -26.70      | 63.25          | 36.55          | 74.00          | 37.45       | PASS   | Horizontal | PK     |
| 2              | 19421.9369  | -25.62      | 61.80          | 36.18          | 74.00          | 37.82       | PASS   | Horizontal | PK     |
| 3              | 20785.0514  | -25.68      | 61.36          | 35.68          | 74.00          | 38.32       | PASS   | Horizontal | PK     |
| 4              | 22566.3827  | -25.02      | 59.89          | 34.87          | 74.00          | 39.13       | PASS   | Horizontal | PK     |
| 5              | 24586.4035  | -21.86      | 57.88          | 36.02          | 74.00          | 37.98       | PASS   | Horizontal | PK     |
| 6              | 25952.5781  | -20.88      | 57.67          | 36.79          | 74.00          | 37.21       | PASS   | Horizontal | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2412Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18582.7833  | -26.69      | 63.18          | 36.49          | 74.00          | 37.51       | PASS   | Vertical | PK     |
| 2              | 19682.7273  | -25.44      | 61.36          | 35.92          | 74.00          | 38.08       | PASS   | Vertical | PK     |
| 3              | 21426.6571  | -25.86      | 61.36          | 35.50          | 74.00          | 38.50       | PASS   | Vertical | PK     |
| 4              | 23120.9448  | -24.83      | 58.57          | 33.74          | 74.00          | 40.26       | PASS   | Vertical | PK     |
| 5              | 24875.075   | -22.03      | 57.58          | 35.55          | 74.00          | 38.45       | PASS   | Vertical | PK     |
| 6              | 26166.4467  | -21.29      | 57.68          | 36.39          | 74.00          | 37.61       | PASS   | Vertical | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2437Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1384.1589   | 12.78       | 36.12          | 48.90          | 74.00          | 25.10       | PASS   | Horizontal | PK     |
| 2              | 1976.1984   | 14.55       | 35.75          | 50.30          | 74.00          | 23.70       | PASS   | Horizontal | PK     |
| 3              | 2930.662    | 17.74       | 35.82          | 53.56          | 74.00          | 20.44       | PASS   | Horizontal | PK     |
| 4              | 7765.3177   | -1.63       | 52.33          | 50.70          | 74.00          | 23.30       | PASS   | Horizontal | PK     |
| 5              | 13671.7114  | 7.37        | 51.60          | 58.97          | 74.00          | 15.03       | PASS   | Horizontal | PK     |
| 6              | 16989.9327  | 12.80       | 47.64          | 60.44          | 74.00          | 13.56       | PASS   | Horizontal | PK     |
| 7              | 13707.7138  | 7.25        | 39.71          | 46.96          | 54.00          | 7.04        | PASS   | Horizontal | AV     |
| 8              | 17051.9368  | 12.33       | 35.89          | 48.22          | 54.00          | 5.78        | PASS   | Horizontal | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2437Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1476.8318   | 13.06       | 35.35          | 48.41          | 74.00          | 25.59       | PASS   | Vertical | PK     |
| 2              | 2140.3427   | 15.35       | 36.46          | 51.81          | 74.00          | 22.19       | PASS   | Vertical | PK     |
| 3              | 2954.5303   | 17.67       | 35.88          | 53.55          | 74.00          | 20.45       | PASS   | Vertical | PK     |
| 4              | 7785.319    | -1.89       | 51.98          | 50.09          | 74.00          | 23.91       | PASS   | Vertical | PK     |
| 5              | 13745.7164  | 7.18        | 50.69          | 57.87          | 74.00          | 16.13       | PASS   | Vertical | PK     |
| 6              | 16333.8889  | 11.39       | 48.92          | 60.31          | 74.00          | 13.69       | PASS   | Vertical | PK     |
| 7              | 13716.7144  | 7.22        | 39.67          | 46.89          | 54.00          | 7.11        | PASS   | Vertical | AV     |
| 8              | 16436.8958  | 10.73       | 37.81          | 48.54          | 54.00          | 5.46        | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2437Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18609.3044  | -26.67      | 63.25          | 36.58          | 74.00          | 37.42       | PASS   | Horizontal | PK     |
| 2              | 19529.3812  | -25.60      | 62.27          | 36.67          | 74.00          | 37.33       | PASS   | Horizontal | PK     |
| 3              | 20838.7736  | -25.72      | 61.05          | 35.33          | 74.00          | 38.67       | PASS   | Horizontal | PK     |
| 4              | 22551.4221  | -25.03      | 60.16          | 35.13          | 74.00          | 38.87       | PASS   | Horizontal | PK     |
| 5              | 23726.5091  | -22.60      | 58.53          | 35.93          | 74.00          | 38.07       | PASS   | Horizontal | PK     |
| 6              | 25289.5516  | -21.22      | 57.82          | 36.60          | 74.00          | 37.40       | PASS   | Horizontal | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2437Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18430.4572  | -26.70      | 63.87          | 37.17          | 74.00          | 36.83       | PASS   | Vertical | PK     |
| 2              | 20053.3421  | -24.86      | 60.85          | 35.99          | 74.00          | 38.01       | PASS   | Vertical | PK     |
| 3              | 21580.6832  | -25.75      | 61.47          | 35.72          | 74.00          | 38.28       | PASS   | Vertical | PK     |
| 4              | 22857.0943  | -25.23      | 59.73          | 34.50          | 74.00          | 39.50       | PASS   | Vertical | PK     |
| 5              | 23879.1752  | -22.18      | 58.90          | 36.72          | 74.00          | 37.28       | PASS   | Vertical | PK     |
| 6              | 25553.4021  | -20.88      | 56.53          | 35.65          | 74.00          | 38.35       | PASS   | Vertical | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBuV] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1382.2922   | 12.77       | 35.73          | 48.50          | 74.00          | 25.50       | PASS   | Horizontal | PK     |
| 2              | 1934.0623   | 14.70       | 37.29          | 51.99          | 74.00          | 22.01       | PASS   | Horizontal | PK     |
| 3              | 2866.5244   | 17.41       | 36.39          | 53.80          | 74.00          | 20.20       | PASS   | Horizontal | PK     |
| 4              | 7897.3265   | -1.36       | 51.94          | 50.58          | 74.00          | 23.42       | PASS   | Horizontal | PK     |
| 5              | 13678.7119  | 7.34        | 50.50          | 57.84          | 74.00          | 16.16       | PASS   | Horizontal | PK     |
| 6              | 16487.8992  | 11.71       | 48.30          | 60.01          | 74.00          | 13.99       | PASS   | Horizontal | PK     |
| 7              | 13675.7117  | 7.35        | 40.11          | 47.46          | 54.00          | 6.54        | PASS   | Horizontal | AV     |
| 8              | 16334.889   | 11.40       | 37.32          | 48.72          | 54.00          | 5.28        | PASS   | Horizontal | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1730.4487   | 14.18       | 35.78          | 49.96          | 74.00          | 24.04       | PASS   | Vertical | PK     |
| 2              | 2157.6772   | 15.16       | 36.69          | 51.85          | 74.00          | 22.15       | PASS   | Vertical | PK     |
| 3              | 2889.326    | 17.59       | 36.06          | 53.65          | 74.00          | 20.35       | PASS   | Vertical | PK     |
| 4              | 7679.312    | -1.93       | 52.19          | 50.26          | 74.00          | 23.74       | PASS   | Vertical | PK     |
| 5              | 13709.714   | 7.24        | 50.96          | 58.20          | 74.00          | 15.80       | PASS   | Vertical | PK     |
| 6              | 16356.8905  | 11.36       | 50.32          | 61.68          | 74.00          | 12.32       | PASS   | Vertical | PK     |
| 7              | 13691.7128  | 7.29        | 39.96          | 47.25          | 54.00          | 6.75        | PASS   | Vertical | AV     |
| 8              | 16274.885   | 10.70       | 38.15          | 48.85          | 54.00          | 5.15        | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18666.4267  | -26.56      | 62.61          | 36.05          | 74.00          | 37.95       | PASS   | Horizontal | PK     |
| 2              | 20440.2776  | -25.60      | 60.82          | 35.22          | 74.00          | 38.78       | PASS   | Horizontal | PK     |
| 3              | 22078.1231  | -25.65      | 59.84          | 34.19          | 74.00          | 39.81       | PASS   | Horizontal | PK     |
| 4              | 23597.6439  | -23.06      | 58.27          | 35.21          | 74.00          | 38.79       | PASS   | Horizontal | PK     |
| 5              | 24555.4622  | -21.83      | 57.80          | 35.97          | 74.00          | 38.03       | PASS   | Horizontal | PK     |
| 6              | 25537.0815  | -20.94      | 56.83          | 35.89          | 74.00          | 38.11       | PASS   | Horizontal | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 b<br>Transmitting | Test_Frequency | 2462Mhz   |
| Remark:   | \                        | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18884.0354  | -26.28      | 62.79          | 36.51          | 74.00          | 37.49       | PASS   | Vertical | PK     |
| 2              | 20654.4862  | -25.96      | 60.91          | 34.95          | 74.00          | 39.05       | PASS   | Vertical | PK     |
| 3              | 22222.6289  | -25.37      | 60.49          | 35.12          | 74.00          | 38.88       | PASS   | Vertical | PK     |
| 4              | 24039.6616  | -22.08      | 58.02          | 35.94          | 74.00          | 38.06       | PASS   | Vertical | PK     |
| 5              | 25087.5835  | -21.66      | 57.01          | 35.35          | 74.00          | 38.65       | PASS   | Vertical | PK     |
| 6              | 26057.3023  | -21.03      | 57.67          | 36.64          | 74.00          | 37.36       | PASS   | Vertical | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1510.8341   | 13.29       | 35.18          | 48.47          | 74.00          | 25.53       | PASS   | Horizontal | PK     |
| 2              | 2138.0759   | 15.34       | 35.97          | 51.31          | 74.00          | 22.69       | PASS   | Horizontal | PK     |
| 3              | 2924.395    | 17.64       | 35.89          | 53.53          | 74.00          | 20.47       | PASS   | Horizontal | PK     |
| 4              | 7867.3245   | -1.52       | 51.10          | 49.58          | 74.00          | 24.42       | PASS   | Horizontal | PK     |
| 5              | 13688.7126  | 7.30        | 50.35          | 57.65          | 74.00          | 16.35       | PASS   | Horizontal | PK     |
| 6              | 16261.8841  | 10.56       | 50.12          | 60.68          | 74.00          | 13.32       | PASS   | Horizontal | PK     |
| 7              | 13684.7123  | 7.31        | 39.87          | 47.18          | 54.00          | 6.82        | PASS   | Horizontal | AV     |
| 8              | 16350.8901  | 11.56       | 37.58          | 49.14          | 54.00          | 4.86        | PASS   | Horizontal | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/23 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1226.8151   | 11.52       | 35.81          | 47.33          | 74.00          | 26.67       | PASS   | Vertical | PK     |
| 2              | 1781.7855   | 14.27       | 37.23          | 51.50          | 74.00          | 22.50       | PASS   | Vertical | PK     |
| 3              | 2940.2627   | 17.65       | 35.80          | 53.45          | 74.00          | 20.55       | PASS   | Vertical | PK     |
| 4              | 7744.3163   | -1.46       | 52.12          | 50.66          | 74.00          | 23.34       | PASS   | Vertical | PK     |
| 5              | 13770.718   | 7.41        | 50.34          | 57.75          | 74.00          | 16.25       | PASS   | Vertical | PK     |
| 6              | 16267.8845  | 10.62       | 49.89          | 60.51          | 74.00          | 13.49       | PASS   | Vertical | PK     |
| 7              | 13682.7122  | 7.33        | 39.74          | 47.07          | 54.00          | 6.93        | PASS   | Vertical | AV     |
| 8              | 16266.8845  | 10.61       | 37.80          | 48.41          | 54.00          | 5.59        | PASS   | Vertical | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422Mhz   |
| Remark:   | \                              | Test_Date      | 2026/6/23 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18352.2541  | -26.76      | 63.32          | 36.56          | 74.00          | 37.44       | PASS   | Horizontal | PK     |
| 2              | 19857.8343  | -25.06      | 60.88          | 35.82          | 74.00          | 38.18       | PASS   | Horizontal | PK     |
| 3              | 21091.0636  | -25.88      | 61.64          | 35.76          | 74.00          | 38.24       | PASS   | Horizontal | PK     |
| 4              | 23284.1514  | -23.97      | 58.50          | 34.53          | 74.00          | 39.47       | PASS   | Horizontal | PK     |
| 5              | 24805.3722  | -21.96      | 57.55          | 35.59          | 74.00          | 38.41       | PASS   | Horizontal | PK     |
| 6              | 26028.4011  | -20.97      | 57.80          | 36.83          | 74.00          | 37.17       | PASS   | Horizontal | PK     |