
















3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	6.70	<=30	Pass
		5785	/	/	6.30	<=30	Pass
		5825	/	/	5.87	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	5.05	<=30	Pass
		5785	/	/	4.96	<=30	Pass
		5825	/	/	4.44	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	4.74	<=30	Pass
		5795	/	/	3.56	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	4.22	<=30	Pass
		5785	/	/	3.69	<=30	Pass
		5825	/	/	3.50	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	3.82	<=30	Pass
		5795	/	/	2.58	<=30	Pass
802.11ac (VHT80)	SISO	5775	/	/	2.78	<=30	Pass
802.11ax (HEW20)	SISO	5745	SU	/	3.31	<=30	Pass
		5785	SU	/	3.32	<=30	Pass
		5825	SU	/	3.13	<=30	Pass
802.11ax (HEW40)	SISO	5755	SU	/	3.54	<=30	Pass
		5795	SU	/	2.63	<=30	Pass
802.11ax (HEW80)	SISO	5775	SU	/	2.77	<=30	Pass


Note1: Antenna Gain: Ant1: 0.77dBi;

3.2 Test Graph


3.2.1 Power




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH 5785MHz_Ant1_NTNV




802.11n(HT20) HCH 5825MHz_Ant1_NTNV





802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV

