




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_/_Ant1_NTNV



802.11ax(HEW40)_HCH_5795MHz_SU_/_Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_/_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5745	/	/	20	LV	5744.980	5725 to 5850	Pass
						NV	5744.940	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5744.920	5725 to 5850	Pass
					-20	NV	5745.000	5725 to 5850	Pass
					-10	NV	5745.060	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5744.960	5725 to 5850	Pass
					30	NV	5745.040	5725 to 5850	Pass
					40	NV	5745.000	5725 to 5850	Pass
					50	NV	5745.000	5725 to 5850	Pass
		5785	/	/	20	LV	5784.940	5725 to 5850	Pass
						NV	5784.900	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5784.980	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5784.940	5725 to 5850	Pass
					0	NV	5784.960	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.060	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5784.960	5725 to 5850	Pass
		5825	/	/	20	LV	5824.880	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5824.880	5725 to 5850	Pass
					-30	NV	5825.040	5725 to 5850	Pass
					-20	NV	5824.940	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5824.960	5725 to 5850	Pass
					30	NV	5824.920	5725 to 5850	Pass
					40	NV	5825.060	5725 to 5850	Pass
					50	NV	5824.900	5725 to 5850	Pass
802.11n (HT20)	SISO	5745	/	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5744.960	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5744.980	5725 to 5850	Pass
					0	NV	5745.080	5725 to 5850	Pass
					10	NV	5745.020	5725 to 5850	Pass
					30	NV	5744.940	5725 to 5850	Pass
					40	NV	5744.940	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass
		5785	/	/	20	LV	5785.100	5725 to 5850	Pass

802.11n (HT40)	SISO						NV	5784.880	5725 to 5850	Pass
							HV	5785.040	5725 to 5850	Pass
						-30	NV	5784.980	5725 to 5850	Pass
						-20	NV	5784.980	5725 to 5850	Pass
						-10	NV	5785.000	5725 to 5850	Pass
						0	NV	5785.080	5725 to 5850	Pass
						10	NV	5784.960	5725 to 5850	Pass
						30	NV	5785.160	5725 to 5850	Pass
						40	NV	5784.980	5725 to 5850	Pass
		50	NV	5785.000	5725 to 5850	Pass				
		5825	/	/	20	LV	5824.980	5725 to 5850	Pass	
						NV	5824.960	5725 to 5850	Pass	
						HV	5824.960	5725 to 5850	Pass	
					-30	NV	5825.060	5725 to 5850	Pass	
					-20	NV	5824.960	5725 to 5850	Pass	
					-10	NV	5824.940	5725 to 5850	Pass	
					0	NV	5824.940	5725 to 5850	Pass	
					10	NV	5825.040	5725 to 5850	Pass	
	30				NV	5825.060	5725 to 5850	Pass		
	40	NV	5825.000	5725 to 5850	Pass					
	50	NV	5824.940	5725 to 5850	Pass					
	802.11ac (VHT20)	SISO	5745	/	/	20	LV	5745.000	5725 to 5850	Pass
NV							5745.000	5725 to 5850	Pass	
HV							5744.980	5725 to 5850	Pass	
-30						NV	5744.980	5725 to 5850	Pass	
-20						NV	5744.940	5725 to 5850	Pass	
-10						NV	5744.920	5725 to 5850	Pass	
0						NV	5744.920	5725 to 5850	Pass	
10						NV	5744.920	5725 to 5850	Pass	
30						NV	5744.940	5725 to 5850	Pass	
40						NV	5744.940	5725 to 5850	Pass	
50						NV	5744.980	5725 to 5850	Pass	
5785						/	/	20	LV	5784.960
			NV	5785.000	5725 to 5850				Pass	
			HV	5784.960	5725 to 5850				Pass	
			-30	NV	5785.040			5725 to 5850	Pass	

					-20	NV	5784.980	5725 to 5850	Pass
					-10	NV	5784.960	5725 to 5850	Pass
					0	NV	5784.920	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5784.880	5725 to 5850	Pass
					40	NV	5784.820	5725 to 5850	Pass
					50	NV	5784.940	5725 to 5850	Pass
		5825	/	/	20	LV	5824.960	5725 to 5850	Pass
						NV	5825.060	5725 to 5850	Pass
						HV	5824.940	5725 to 5850	Pass
					-30	NV	5825.040	5725 to 5850	Pass
					-20	NV	5824.900	5725 to 5850	Pass
					-10	NV	5825.100	5725 to 5850	Pass
					0	NV	5825.060	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.060	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.080	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.000	5725 to 5850	Pass
					-10	NV	5755.120	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5754.920	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5754.960	5725 to 5850	Pass
		5795	/	/	20	LV	5794.960	5725 to 5850	Pass
						NV	5795.000	5725 to 5850	Pass
						HV	5794.960	5725 to 5850	Pass
					-30	NV	5795.000	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5795.000	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5775	/	/	10	NV	5794.920	5725 to 5850	Pass
					30	NV	5795.000	5725 to 5850	Pass
					40	NV	5795.000	5725 to 5850	Pass
					50	NV	5795.000	5725 to 5850	Pass
					20	LV	5775.000	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.075	5725 to 5850	Pass
					-30	NV	5775.000	5725 to 5850	Pass
					-20	NV	5775.000	5725 to 5850	Pass
					-10	NV	5774.925	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5745	SU	/	0	NV	5775.000	5725 to 5850	Pass
					10	NV	5775.000	5725 to 5850	Pass
					30	NV	5775.000	5725 to 5850	Pass
					40	NV	5775.000	5725 to 5850	Pass
					50	NV	5775.000	5725 to 5850	Pass
					20	LV	5744.940	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
					20	HV	5744.940	5725 to 5850	Pass
						NV	5744.960	5725 to 5850	Pass
						NV	5744.940	5725 to 5850	Pass
					-30	NV	5744.960	5725 to 5850	Pass
					0	NV	5744.900	5725 to 5850	Pass

802.11ax (HEW40)	SISO	5785	SU	/	10	NV	5744.960	5725 to 5850	Pass
					30	NV	5744.920	5725 to 5850	Pass
					40	NV	5744.920	5725 to 5850	Pass
					50	NV	5744.980	5725 to 5850	Pass
					20	LV	5784.960	5725 to 5850	Pass
						NV	5785.000	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5784.960	5725 to 5850	Pass
					0	NV	5784.940	5725 to 5850	Pass
					10	NV	5785.040	5725 to 5850	Pass
					30	NV	5784.960	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	SU	/	20	LV	5824.940	5725 to 5850	Pass
						NV	5824.980	5725 to 5850	Pass
						HV	5824.820	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5824.940	5725 to 5850	Pass
					-10	NV	5824.980	5725 to 5850	Pass
					0	NV	5824.980	5725 to 5850	Pass
					10	NV	5824.940	5725 to 5850	Pass
					30	NV	5824.980	5725 to 5850	Pass
					40	NV	5824.940	5725 to 5850	Pass
					50	NV	5824.960	5725 to 5850	Pass
		5755	SU	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5754.960	5725 to 5850	Pass
						HV	5754.960	5725 to 5850	Pass
					-30	NV	5754.960	5725 to 5850	Pass
					-20	NV	5755.040	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.000	5725 to 5850	Pass
					10	NV	5754.960	5725 to 5850	Pass
					30	NV	5755.040	5725 to 5850	Pass
					40	NV	5755.000	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	SU	/	20	LV	5794.960	5725 to 5850	Pass
						NV	5795.000	5725 to 5850	Pass
						HV	5795.000	5725 to 5850	Pass
					-30	NV	5794.960	5725 to 5850	Pass
					-20	NV	5795.000	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5795.040	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5795.000	5725 to 5850	Pass
					40	NV	5795.000	5725 to 5850	Pass
					50	NV	5795.000	5725 to 5850	Pass
802.11ax (HEW80)	SISO	5775	SU	/	20	LV	5775.000	5725 to 5850	Pass
						NV	5775.000	5725 to 5850	Pass
						HV	5775.000	5725 to 5850	Pass
					-30	NV	5775.000	5725 to 5850	Pass
					-20	NV	5775.000	5725 to 5850	Pass
					-10	NV	5775.000	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass
					10	NV	5775.000	5725 to 5850	Pass
					30	NV	5775.000	5725 to 5850	Pass
					40	NV	5775.075	5725 to 5850	Pass

					50	NV	5775.075	5725 to 5850	Pass
--	--	--	--	--	----	----	----------	--------------	------

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5745	5825	0.0047	6.70
5755	5795	0.0030	4.74
5775	5775	0.0019	2.78

*** End of Report ***