




Keylight Spectrum Analyzer - Sweep SA Center Freq 515.000000 MHz Gate: LO PNO: Fast Trig: External #Aver: 30 dB #Avg Type: RMS AvgHold: 1/1 TRACE 1 3 4 5 TYPE: AVERAGE SET: AAAAAA Ref Offset 6.22 dB Ref 20.00 dBm Mkr1 922.9 MHz -64.736 dBm Auto Tune Center Freq 515.000000 MHz Start Freq 30.000000 MHz Stop Freq 1.000000000 GHz CF Step 97.000000 MHz Auto Man Freq Offset 0 Hz Start 30.0 MHz #Res BW 100 kHz #VBW 300 kHz #Sweep (#Swp) 1.000 s (2001 pts)	Keylight Spectrum Analyzer - Sweep SA Center Freq 2.000000000 GHz Gate: LO PNO: Fast Trig: External #Aver: 30 dB #Avg Type: RMS AvgHold: 1/1 TRACE 1 3 4 5 TYPE: AVERAGE SET: AAAAAA Ref Offset 9.73 dB Ref 20.00 dBm Mkr1 2.552 80 GHz -42.857 dBm Auto Tune Center Freq 2.000000000 GHz Start Freq 1.000000000 GHz Stop Freq 3.000000000 GHz CF Step 200.000000 MHz Auto Man Freq Offset 0 Hz Start 1.000 GHz #Res BW 1.0 MHz #VBW 3.0 MHz #Sweep (#Swp) 1.000 s (40001 pts)
Band41-15MHz-16QAM-41515-1RB#0-30~1000- PASS	Band41-15MHz-16QAM-41515-1RB#0-1000~30 00-PASS
Keylight Spectrum Analyzer - Sweep SA Center Freq 11.500000000 GHz Gate: LO PNO: Fast Trig: External #Aver: 30 dB #Avg Type: RMS AvgHold: 1/1 TRACE 1 3 4 5 TYPE: AVERAGE SET: AAAAAA Ref Offset 28.25 dB Ref 20.00 dBm Mkr1 19.281 750 GHz -28.074 dBm Auto Tune Center Freq 11.500000000 GHz Start Freq 3.000000000 GHz Stop Freq 20.000000000 GHz CF Step 1.700000000 GHz Auto Man Freq Offset 0 Hz Start 3.000 GHz #Res BW 1.0 MHz #VBW 3.0 MHz #Sweep (#Swp) 1.000 s (40001 pts)	Keylight Spectrum Analyzer - Sweep SA Center Freq 23.500000000 GHz Gate: LO PNO: Fast Trig: External #Aver: 30 dB #Avg Type: RMS AvgHold: 1/1 TRACE 1 3 4 5 TYPE: AVERAGE SET: AAAAAA Ref Offset 24.72 dB Ref 20.00 dBm Mkr1 26.715 10 GHz -28.898 dBm Auto Tune Center Freq 23.500000000 GHz Start Freq 20.000000000 GHz Stop Freq 27.000000000 GHz CF Step 700.000000 MHz Auto Man Freq Offset 0 Hz Start 20.000 GHz #Res BW 1.0 MHz #VBW 3.0 MHz #Sweep (#Swp) 1.000 s (20001 pts)
Band41-15MHz-16QAM-41515-1RB#0-3000~20 000-PASS	Band41-15MHz-16QAM-41515-1RB#0-20000~2 7000-PASS

